

Page: 193 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5148.900	Average	40.91	3.00	43.91	54.00	-10.09
5148.900	Peak	54.49	3.00	57.50	74.00	-16.50
5150.000	Average	40.95	3.03	43.98	54.00	-10.02
5150.000	Peak	53.23	3.03	56.26	74.00	-17.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 194 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5148.200	Average	48.89	2.99	51.88	54.00	-2.12
5148.200	Peak	64.08	2.99	67.07	74.00	-6.93
5150.000	Average	48.78	3.03	51.81	54.00	-2.19
5150.000	Peak	62.34	3.03	65.37	74.00	-8.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 195 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 26/9 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4801.700	Average	39.74	3.18	42.92	54.00	-11.08
4801.700	Peak	54.07	3.18	57.25	74.00	-16.75
5150.000	Average	39.06	3.03	42.09	54.00	-11.91
5150.000	Peak	53.33	3.03	56.36	74.00	-17.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 196 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 26/9 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5145.400	Average	40.57	2.92	43.49	54.00	-10.51
5145.400	Peak	67.98	2.92	70.90	74.00	-3.10
5150.000	Average	40.71	3.03	43.74	54.00	-10.26
5150.000	Peak	66.40	3.03	69.43	74.00	-4.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 197 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 52/41 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4811.500	Average	39.64	3.03	42.67	54.00	-11.33
4811.500	Peak	54.17	3.03	57.20	74.00	-16.80
5150.000	Average	39.05	3.03	42.08	54.00	-11.92
5150.000	Peak	52.89	3.03	55.92	74.00	-18.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 198 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 52/41 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5146.100	Average	40.61	2.94	43.55	54.00	-10.45
5146.100	Peak	68.35	2.94	71.28	74.00	-2.72
5150.000	Average	40.95	3.03	43.98	54.00	-10.02
5150.000	Peak	65.97	3.03	69.00	74.00	-5.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 199 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4778.600	Average	39.83	2.95	42.78	54.00	-11.22
4778.600	Peak	53.65	2.95	56.60	74.00	-17.40
5150.000	Average	38.89	3.03	41.92	54.00	-12.08
5150.000	Peak	51.32	3.03	54.35	74.00	-19.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Member of SGS Group



Page: 200 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5146.100	Average	40.90	2.94	43.83	54.00	-10.17
5146.100	Peak	68.22	2.94	71.15	74.00	-2.85
5150.000	Average	41.02	3.03	44.05	54.00	-9.95
5150.000	Peak	67.11	3.03	70.14	74.00	-3.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 201 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4783.500	Average	39.90	3.01	42.91	54.00	-11.09
4783.500	Peak	54.41	3.01	57.42	74.00	-16.58
5150.000	Average	39.03	3.03	42.06	54.00	-11.94
5150.000	Peak	51.61	3.03	54.64	74.00	-19.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 202 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5145.400	Average	39.91	2.92	42.83	54.00	-11.17
5145.400	Peak	67.77	2.92	70.69	74.00	-3.31
5150.000	Average	41.05	3.03	44.08	54.00	-9.92
5150.000	Peak	68.91	3.03	71.94	74.00	-2.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 203 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 484/65 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4811.500	Average	39.47	3.03	42.50	54.00	-11.50
4811.500	Peak	54.34	3.03	57.37	74.00	-16.63
5150.000	Average	39.33	3.03	42.36	54.00	-11.65
5150.000	Peak	58.04	3.03	61.07	74.00	-12.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 204 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5190 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 484/65 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5142.600	Average	43.44	2.85	46.29	54.00	-7.71
5142.600	Peak	63.60	2.85	66.45	74.00	-7.55
5150.000	Average	45.12	3.03	48.15	54.00	-5.85
5150.000	Peak	68.95	3.03	71.98	74.00	-2.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 205 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	39.99	2.21	42.20	54.00	-11.80
5350.000	Peak	51.67	2.21	53.88	74.00	-20.12
5394.200	Average	39.07	2.59	41.66	54.00	-12.34
5394.200	Peak	53.02	2.59	55.60	74.00	-18.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 206 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	47.25	2.21	49.46	54.00	-4.54
5350.000	Peak	60.48	2.21	62.69	74.00	-11.31
5355.320	Average	49.07	2.22	51.29	54.00	-2.71
5355.320	Peak	64.33	2.22	66.55	74.00	-7.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 207 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	38.94	2.21	41.15	54.00	-12.85
5350.000	Peak	53.29	2.21	55.50	74.00	-18.50
5351.240	Average	39.01	2.21	41.22	54.00	-12.78
5351.240	Peak	56.56	2.21	58.77	74.00	-15.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 208 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 Test Date :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	41.29	2.21	43.50	54.00	-10.50
5350.000	Peak	67.26	2.21	69.47	74.00	-4.53
5351.600	Average	41.34	2.21	43.55	54.00	-10.45
5351.600	Peak	69.49	2.21	71.70	74.00	-2.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五級區新北走雲園區五工路 134 號 台灣檢驗科技股份有限公司
With the Park, Wuku District, New Taipei City, Taiwan/新北市五級區新北走雲園區五工路 134 號 在 134



Page: 209 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	38.87	2.21	41.08	54.00	-12.92
5350.000	Peak	53.75	2.21	55.96	74.00	-18.04
5351.000	Average	38.91	2.21	41.12	54.00	-12.88
5351.000	Peak	56.21	2.21	58.42	74.00	-15.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 210 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	41.58	2.21	43.79	54.00	-10.21
5350.000	Peak	65.78	2.21	67.99	74.00	-6.01
5351.480	Average	41.61	2.21	43.82	54.00	-10.18
5351.480	Peak	69.06	2.21	71.27	74.00	-2.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 211 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	39.18	2.21	41.39	54.00	-12.61
5350.000	Peak	53.83	2.21	56.04	74.00	-17.96
5351.360	Average	39.08	2.21	41.29	54.00	-12.71
5351.360	Peak	55.99	2.21	58.21	74.00	-15.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 212 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	41.74	2.21	43.95	54.00	-10.05
5350.000	Peak	66.81	2.21	69.02	74.00	-4.98
5351.720	Average	41.78	2.21	44.00	54.00	-10.00
5351.720	Peak	69.75	2.21	71.96	74.00	-2.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 213 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	39.09	2.21	41.30	54.00	-12.70
5350.000	Peak	52.95	2.21	55.16	74.00	-18.84
5351.600	Average	39.15	2.21	41.36	54.00	-12.64
5351.600	Peak	56.96	2.21	59.17	74.00	-14.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 214 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	42.42	2.21	44.63	54.00	-9.37
5350.000	Peak	67.11	2.21	69.32	74.00	-4.68
5351.480	Average	42.38	2.21	44.59	54.00	-9.41
5351.480	Peak	69.37	2.21	71.58	74.00	-2.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 215 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	40.42	2.21	42.63	54.00	-11.37
5350.000	Peak	54.26	2.21	56.47	74.00	-17.53
5352.200	Average	40.20	2.21	42.41	54.00	-11.59
5352.200	Peak	57.12	2.21	59.34	74.00	-14.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 216 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5310 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	48.25	2.21	50.46	54.00	-3.54
5350.000	Peak	67.13	2.21	69.34	74.00	-4.66
5355.560	Average	42.66	2.22	44.88	54.00	-9.12
5355.560	Peak	68.67	2.22	70.89	74.00	-3.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 217 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5	456.640	Average	39.41	2.63	42.03	54.00	-11.97
5	456.640	Peak	53.63	2.63	56.26	74.00	-17.74
5	460.000	Average	39.76	2.64	42.40	54.00	-11.60
5	460.000	Peak	52.54	2.64	55.18	74.00	-18.82
5	467.680	Peak	54.01	2.74	56.75	68.20	-11.45
5	470.000	Peak	53.19	2.77	55.96	68.20	-12.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 218 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5454.120	Average	40.45	2.62	43.07	54.00	-10.93
5454.120	Peak	56.98	2.62	59.60	74.00	-14.40
5460.000	Average	44.17	2.64	46.81	54.00	-7.19
5460.000	Peak	57.67	2.64	60.31	74.00	-13.69
5468.280	Peak	61.71	2.75	64.46	68.20	-3.74
5470.000	Peak	60.70	2.77	63.47	68.20	-4.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 219 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 26/9 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5425.320	Average	46.08	2.40	48.48	54.00	-5.52
5425.320	Peak	60.35	2.40	62.75	74.00	-11.25
5460.000	Average	46.24	2.64	48.88	54.00	-5.12
5460.000	Peak	58.32	2.64	60.96	74.00	-13.04
5468.640	Peak	60.02	2.75	62.77	68.20	-5.43
5470.000	Peak	58.41	2.77	61.18	68.20	-7.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 220 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 26/9 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5450.760	Average	46.47	2.60	49.07	54.00	-4.93
5450.760	Peak	60.95	2.60	63.55	74.00	-10.45
5460.000	Average	46.54	2.64	49.18	54.00	-4.82
5460.000	Peak	58.63	2.64	61.27	74.00	-12.73
5465.640	Peak	62.84	2.71	65.56	68.20	-2.64
5470.000	Peak	62.54	2.77	65.31	68.20	-2.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 221 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 52/41 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5403.120	Average	46.06	2.56	48.61	54.00	-5.39
5403.120	Peak	60.97	2.56	63.53	74.00	-10.47
5460.000	Average	46.19	2.64	48.83	54.00	-5.17
5460.000	Peak	58.57	2.64	61.21	74.00	-12.79
5462.880	Peak	59.90	2.68	62.58	68.20	-5.62
5470.000	Peak	58.78	2.77	61.55	68.20	-6.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 222 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 52/41 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5451.840	Average	46.36	2.61	48.97	54.00	-5.03
5451.840	Peak	61.68	2.61	64.29	74.00	-9.71
5460.000	Average	46.41	2.64	49.05	54.00	-4.95
5460.000	Peak	58.93	2.64	61.57	74.00	-12.43
5465.880	Peak	61.15	2.72	63.87	68.20	-4.33
5470.000	Peak	58.96	2.77	61.73	68.20	-6.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 223 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 106/55 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5428.080	Average	46.51	2.40	48.91	54.00	-5.09
5428.080	Peak	60.31	2.40	62.71	74.00	-11.29
5460.000	Average	46.06	2.64	48.70	54.00	-5.30
5460.000	Peak	58.36	2.64	61.00	74.00	-13.00
5460.480	Peak	60.24	2.65	62.89	68.20	-5.31
5470.000	Peak	59.03	2.77	61.80	68.20	-6.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 224 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 106/55 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
	5417.760	Average	46.57	2.44	49.02	54.00	-4.98
	5417.760	Peak	60.58	2.44	63.02	74.00	-10.98
	5460.000	Average	46.45	2.64	49.09	54.00	-4.91
	5460.000	Peak	59.13	2.64	61.77	74.00	-12.23
	5466.120	Peak	60.33	2.72	63.05	68.20	-5.15
	5470.000	Peak	58.60	2.77	61.37	68.20	-6.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 225 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5447.880	Average	46.49	2.54	49.02	54.00	-4.98
5447.880	Peak	60.31	2.54	62.85	74.00	-11.15
5460.000	Average	46.01	2.64	48.65	54.00	-5.35
5460.000	Peak	58.49	2.64	61.13	74.00	-12.87
5469.600	Peak	59.42	2.76	62.19	68.20	-6.01
5470.000	Peak	58.97	2.77	61.74	68.20	-6.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 226 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.280	Average	46.33	2.63	48.96	54.00	-5.04
5456.280	Peak	61.96	2.63	64.58	74.00	-9.42
5460.000	Average	46.48	2.64	49.12	54.00	-4.88
5460.000	Peak	58.67	2.64	61.31	74.00	-12.69
5465.760	Peak	61.63	2.71	64.34	68.20	-3.86
5470.000	Peak	58.49	2.77	61.26	68.20	-6.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 227 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 484/65 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5408.760	Average	46.98	2.58	49.56	54.00	-4.44
5408.760	Peak	59.91	2.58	62.50	74.00	-11.50
5460.000	Average	46.28	2.64	48.92	54.00	-5.08
5460.000	Peak	59.05	2.64	61.69	74.00	-12.31
5461.800	Peak	59.91	2.66	62.58	68.20	-5.62
5470.000	Peak	57.79	2.77	60.56	68.20	-7.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 228 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5510 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 484/65 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5443.800	Average	46.30	2.42	48.72	54.00	-5.28
5443.800	Peak	60.31	2.42	62.73	74.00	-11.27
5460.000	Average	46.76	2.64	49.40	54.00	-4.60
5460.000	Peak	59.06	2.64	61.70	74.00	-12.30
5470.000	Peak	62.42	2.77	65.19	68.20	-3.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 229 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	5725.000	Peak	51.28	4.21	55.49	68.20	-12.71
	5728.760	Peak	53.49	4.24	57.73	68.20	-10.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 230 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	61.11	4.21	65.33	68.20	-2.87
5733.800	Peak	60.10	4.28	64.39	68.20	-3.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 231 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 26/9 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	49.99	4.21	54.21	68.20	-13.99
5759.600	Peak	52.75	4.15	56.90	68.20	-11.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 232 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 Test Date :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 26/9 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	57.02	4.21	61.23	68.20	-6.97
5729.240	Peak	61.93	4.24	66.17	68.20	-2.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 233 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 52/41 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	_
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	5725.000	Peak	40.55	4.21	44.76	68.20	-23.44
	5761.400	Peak	43.24	4.11	47.35	68.20	-20.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 234 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 52/41 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	55.70	4.21	59.91	68.20	-8.29
5728.760	Peak	61.34	4.24	65.58	68.20	-2.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 235 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 106/55 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	50.67	4.21	54.88	68.20	-13.32
5763.800	Peak	52.50	4.07	56.56	68.20	-11.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 236 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 106/55 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	56.92	4.21	61.13	68.20	-7.07
5729.120	Peak	61.07	4.24	65.31	68.20	-2.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 237 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 242/62 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	51.04	4.21	55.25	68.20	-12.95
5779.040	Peak	52.88	3.74	56.62	68.20	-11.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 238 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 242/62 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	57.76	4.21	61.97	68.20	-6.23
5729.000	Peak	61.73	4.24	65.97	68.20	-2.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 239 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 484/65 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	1 104.	Mode	Reading Level	1 40101	FS	@3m	Margin
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_			<u> </u>	<u> </u>	<u> </u>	«= µ . ,	<u> </u>
	5725.000	Peak	50.17	4.21	54.38	68.20	-13.82
	5755.760	Peak	51.74	4.24	55.98	68.20	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 240 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5670 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 484/65 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	1 104.	Mode	Reading Level	1 40101	FS	@3m	Margin
	MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
-	IVIITIZ	FR/QF/AV	чъμν	иь	ασμ ν/π	ασμ ν/ιτι	uБ
	5725.000	Peak	57.32	4.21	61.53	68.20	-6.67
	5727.800	Peak	61.94	4.23	66.17	68.20	-2.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 241 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5385.750	Average	38.87	2.50	41.37	54.00	-12.63
5385.750	Peak	52.33	2.50	54.84	74.00	-19.16
5460.000	Average	38.82	2.64	41.46	54.00	-12.54
5460.000	Peak	50.59	2.64	53.23	74.00	-20.77
5470.000	Peak	50.24	2.77	53.01	68.20	-15.19
5480.000	Peak	51.80	2.76	54.56	68.20	-13.64
5850.000	Peak	50.37	4.31	54.68	68.20	-13.52
5917.450	Peak	52.50	4.38	56.87	68.20	-11.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 242 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5396.150	Average	39.11	2.57	41.68	54.00	-12.32
5396.150	Peak	52.94	2.57	55.51	74.00	-18.49
5460.000	Average	39.01	2.64	41.65	54.00	-12.35
5460.000	Peak	51.51	2.64	54.15	74.00	-19.85
5470.000	Peak	51.22	2.77	53.99	68.20	-14.21
5476.750	Peak	53.98	2.76	56.75	68.20	-11.45
5480.000	Peak	51.79	2.76	54.55	68.20	-13.65
5850.000	Peak	52.20	4.31	56.51	68.20	-11.69
5930.450	Peak	53.06	4.33	57.39	68.20	-10.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 243 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 26/27 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5390.950	Average	38.99	2.61	41.60	54.00	-12.40
5390.950	Peak	54.11	2.61	56.72	74.00	-17.28
5460.000	Average	38.88	2.64	41.52	54.00	-12.48
5460.000	Peak	50.82	2.64	53.46	74.00	-20.54
5470.000	Peak	51.78	2.77	54.55	68.20	-13.65
5480.000	Peak	52.04	2.76	54.80	68.20	-13.40
5850.000	Peak	51.15	4.31	55.46	68.20	-12.74
5903.150	Peak	53.20	4.16	57.36	68.20	-10.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 244 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 26/27 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5369.500	Average	38.78	2.31	41.09	54.00	-12.91
5369.500	Peak	52.95	2.31	55.26	74.00	-18.74
5460.000	Average	38.76	2.64	41.40	54.00	-12.60
5460.000	Peak	51.45	2.64	54.09	74.00	-19.91
5470.000	Peak	51.45	2.77	54.22	68.20	-13.98
5480.000	Peak	51.31	2.76	54.07	68.20	-14.13
5850.000	Peak	51.86	4.31	56.17	68.20	-12.03
5986.350	Peak	53.31	4.06	57.37	68.20	-10.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 245 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 52/48 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5422.800	Average	38.91	2.40	41.31	54.00	-12.69
5422.800	Peak	53.01	2.40	55.41	74.00	-18.59
5460.000	Average	38.96	2.64	41.60	54.00	-12.40
5460.000	Peak	51.17	2.64	53.81	74.00	-20.19
5470.000	Peak	51.07	2.77	53.84	68.20	-14.36
5480.000	Peak	51.54	2.76	54.30	68.20	-13.90
5850.000	Peak	56.54	4.31	60.85	68.20	-7.35
5852.450	Peak	56.57	4.26	60.83	68.20	-7.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 246 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 52/48 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5415.000	Average	38.88	2.50	41.38	54.00	-12.62
5415.000	Peak	53.02	2.50	55.51	74.00	-18.49
5460.000	Average	38.82	2.64	41.46	54.00	-12.54
5460.000	Peak	51.47	2.64	54.11	74.00	-19.89
5470.000	Peak	51.35	2.77	54.12	68.20	-14.08
5480.000	Peak	52.34	2.76	55.10	68.20	-13.10
5850.000	Peak	52.87	4.31	57.18	68.20	-11.02
5851.800	Peak	54.41	4.27	58.68	68.20	-9.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 247 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 106/58 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5364.300	Average	38.96	2.26	41.22	54.00	-12.78
5364.300	Peak	53.23	2.26	55.49	74.00	-18.51
5460.000	Average	38.86	2.64	41.50	54.00	-12.50
5460.000	Peak	51.11	2.64	53.75	74.00	-20.25
5470.000	Peak	52.48	2.77	55.25	68.20	-12.95
5480.000	Peak	51.48	2.76	54.24	68.20	-13.96
5850.000	Peak	54.76	4.31	59.07	68.20	-9.13
5862.200	Peak	55.80	4.08	59.87	68.20	-8.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 248 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 106/58 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5449.450	Average	38.79	2.58	41.37	54.00	-12.63
5449.450	Peak	53.17	2.58	55.76	74.00	-18.24
5460.000	Average	38.89	2.64	41.53	54.00	-12.47
5460.000	Peak	51.02	2.64	53.67	74.00	-20.33
5470.000	Peak	51.60	2.77	54.37	68.20	-13.83
5480.000	Peak	51.41	2.76	54.17	68.20	-14.03
5850.000	Peak	52.07	4.31	56.38	68.20	-11.82
5870.650	Peak	55.01	3.95	58.96	68.20	-9.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 249 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 242/63 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5388.350	Average	39.02	2.57	41.60	54.00	-12.40
5388.350	Peak	53.31	2.57	55.89	74.00	-18.11
5460.000	Average	38.91	2.64	41.55	54.00	-12.45
5460.000	Peak	51.51	2.64	54.15	74.00	-19.85
5470.000	Peak	50.97	2.77	53.74	68.20	-14.46
5480.000	Peak	51.42	2.76	54.18	68.20	-14.02
5850.000	Peak	51.14	4.31	55.45	68.20	-12.75
5861.550	Peak	54.92	4.09	59.01	68.20	-9.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 250 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 242/63 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5412.400	Average	38.94	2.54	41.49	54.00	-12.51
5412.400	Peak	53.41	2.54	55.96	74.00	-18.04
5460.000	Average	38.88	2.64	41.52	54.00	-12.48
5460.000	Peak	51.68	2.64	54.32	74.00	-19.68
5470.000	Peak	51.25	2.77	54.02	68.20	-14.18
5480.000	Peak	51.95	2.76	54.71	68.20	-13.49
5850.000	Peak	52.16	4.31	56.47	68.20	-11.73
5867.400	Peak	54.81	4.00	58.81	68.20	-9.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 251 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 484/65 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5413.700	Average	38.95	2.52	41.47	54.00	-12.53
5413.700	Peak	52.88	2.52	55.40	74.00	-18.60
5460.000	Average	38.94	2.64	41.58	54.00	-12.42
5460.000	Peak	51.28	2.64	53.92	74.00	-20.08
5470.000	Peak	50.64	2.77	53.41	68.20	-14.79
5480.000	Peak	52.67	2.76	55.43	68.20	-12.77
5850.000	Peak	52.87	4.31	57.18	68.20	-11.02
5851.150	Peak	53.94	4.29	58.23	68.20	-9.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 252 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-16

Test Frequency :5710 MHz Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 484/65 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



requestey (mile)						
Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5394.850	Average	38.89	2.58	41.48	54.00	-12.52
5394.850	Peak	52.21	2.58	54.79	74.00	-19.21
5460.000	Average	39.00	2.64	41.64	54.00	-12.36
5460.000	Peak	50.92	2.64	53.56	74.00	-20.44
5470.000	Peak	50.98	2.77	53.75	68.20	-14.45
5480.000	Peak	51.43	2.76	54.19	68.20	-14.01
5850.000	Peak	58.73	4.31	63.04	68.20	-5.16
5851.800	Peak	61.75	4.27	66.02	68.20	-2.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 253 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5647.190	Peak	52.51	3.55	56.06	68.20	-12.14
5650.000	Peak	50.92	3.60	54.52	68.20	-13.68
5700.000	Peak	50.51	3.31	53.82	105.20	-51.38
5720.000	Peak	57.53	4.17	61.71	110.80	-49.10
5725.000	Peak	56.31	4.21	60.52	122.20	-61.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 254 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5648.180	Peak	56.79	3.57	60.36	68.20	-7.84
5650.000	Peak	55.90	3.60	59.50	68.20	-8.70
5700.000	Peak	62.96	3.31	66.27	105.20	-38.93
5720.000	Peak	70.50	4.17	74.67	110.80	-36.13
5725.000	Peak	74.05	4.21	78.26	122.20	-43.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 255 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 26/9 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



F	req.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
562	25.740	Peak	52.46	3.47	55.93	68.20	-12.27
56	50.000	Peak	50.90	3.60	54.50	68.20	-13.70
570	00.000	Peak	56.05	3.31	59.36	105.20	-45.84
572	20.000	Peak	63.19	4.17	67.36	110.80	-43.44
572	25.000	Peak	64.56	4.21	68.77	122.20	-53.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 256 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 26/9 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5648.840	Peak	62.55	3.58	66.13	68.20	-2.07
5650.000	Peak	60.73	3.60	64.33	68.20	-3.87
5700.000	Peak	71.13	3.31	74.44	105.20	-30.76
5720.000	Peak	74.52	4.17	78.69	110.80	-32.11
5725.000	Peak	76.94	4.21	81.15	122.20	-41.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 257 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 52/41 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5619.965	Peak	52.94	3.44	56.38	68.20	-11.82
5650.000	Peak	50.98	3.60	54.58	68.20	-13.62
5700.000	Peak	53.52	3.31	56.83	105.20	-48.37
5720.000	Peak	59.81	4.17	63.98	110.80	-46.82
5725.000	Peak	60.90	4.21	65.11	122.20	-57.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 258 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 52/41 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5632.670	Peak	61.41	3.47	64.88	68.20	-3.32
5650.000	Peak	56.28	3.60	59.88	68.20	-8.32
5700.000	Peak	73.24	3.31	76.55	105.20	-28.65
5720.000	Peak	73.90	4.17	78.07	110.80	-32.73
5725.000	Peak	76.60	4.21	80.81	122.20	-41.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 259 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5611.715	Peak	52.63	3.37	56.00	68.20	-12.20
5650.000	Peak	50.98	3.60	54.58	68.20	-13.62
5700.000	Peak	53.92	3.31	57.23	105.20	-47.97
5720.000	Peak	63.19	4.17	67.36	110.80	-43.44
5725.000	Peak	64.22	4.21	68.43	122.20	-53.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 260 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5649.005	Peak	62.42	3.58	66.00	68.20	-2.20
5650.000	Peak	61.17	3.60	64.77	68.20	-3.43
5700.000	Peak	71.47	3.31	74.78	105.20	-30.42
5720.000	Peak	76.59	4.17	80.76	110.80	-30.04
5725.000	Peak	78.38	4.21	82.59	122.20	-39.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 261 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5648.015	Peak	54.22	3.56	57.78	68.20	-10.42
5650.000	Peak	51.14	3.60	54.74	68.20	-13.46
5700.000	Peak	60.82	3.31	64.13	105.20	-41.07
5720.000	Peak	69.12	4.17	73.29	110.80	-37.51
5725.000	Peak	73.64	4.21	77.85	122.20	-44.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 262 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5626.730	Peak	61.78	3.47	65.25	68.20	-2.95
5650.000	Peak	62.17	3.60	65.77	68.20	-2.43
5700.000	Peak	75.81	3.31	79.12	105.20	-26.08
5720.000	Peak	81.76	4.17	85.93	110.80	-24.87
5725.000	Peak	86.06	4.21	90.27	122.20	-31.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 263 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 484/65 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	9
		•		_	_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
-		•		•	•	
						40.00
5637.125	Peak	54.15	3.43	57.58	68.20	-10.62
5650.000	Peak	52.18	3.60	55.78	68.20	-12.42
5700.000	Peak	55.53	3.31	58.84	105.20	-46.36
5720.000	Peak	68.21	4.17	72.38	110.80	-38.42
5725.000	Peak	71.24	4.21	75.45	122.20	-46.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 264 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5755 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 484/65 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5644.715	Peak	62.68	3.50	66.18	68.20	-2.02
5650.000	Peak	61.88	3.60	65.48	68.20	-2.72
5700.000	Peak	66.80	3.31	70.11	105.20	-35.09
5720.000	Peak	81.05	4.17	85.22	110.80	-25.58
5725.000	Peak	82.08	4.21	86.29	122.20	-35.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 265 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	52.19	4.31	56.50	122.20	-65.70
5855.000	Peak	51.22	4.21	55.43	110.80	-55.37
5875.000	Peak	50.64	3.90	54.54	105.20	-50.66
5925.000	Peak	50.52	4.36	54.87	68.20	-13.33
5938.900	Peak	52.75	4.15	56.90	68.20	-11.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 266 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	62.66	4.31	66.97	122.20	-55.23
5855.000	Peak	62.80	4.21	67.01	110.80	-43.79
5875.000	Peak	54.41	3.90	58.31	105.20	-46.89
5925.000	Peak	52.09	4.36	56.44	68.20	-11.76
5929.210	Peak	53.58	4.34	57.93	68.20	-10.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 267 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
	5850.000	Peak	55.46	4.31	59.77	122.20	-62.43
	5855.000	Peak	53.80	4.21	58.01	110.80	-52.79
	5875.000	Peak	51.99	3.90	55.89	105.20	-49.31
	5925.000	Peak	51.55	4.36	55.90	68.20	-12.30
	5937.380	Peak	53.23	4.19	57.42	68.20	-10.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 268 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	70.08	4.31	74.39	122.20	-47.81
5855.000	Peak	68.69	4.21	72.90	110.80	-37.90
5875.000	Peak	62.70	3.90	66.60	105.20	-38.60
5925.000	Peak	54.46	4.36	58.81	68.20	-9.39
5943.460	Peak	60.01	4.10	64.10	68.20	-4.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 269 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	56.06	4.31	60.37	122.20	-61.83
5855.000	Peak	52.64	4.21	56.85	110.80	-53.95
5875.000	Peak	53.20	3.90	57.10	105.20	-48.10
5925.000	Peak	52.12	4.36	56.47	68.20	-11.73
5930.350	Peak	53.57	4.33	57.91	68.20	-10.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 270 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



_	D	0 1		A . I	1,	
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
1711 12	110/00/1///	αБμν	ub_	аБр ү/ш	αυμν/ιιι	45
5850.000	Peak	68.07	4.31	72.38	122.20	-49.82
			_		440.00	
5855.000	Peak	64.82	4.21	69.03	110.80	-41.77
5875.000	Peak	61.82	3.90	65.72	105.20	-39.48
5925.000	Peak	57.71	4.36	62.06	68.20	-6.14
		• • • • •				_
5943.650	Peak	59.90	4.10	64.00	68.20	-4.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 271 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	59.03	4.31	63.34	122.20	-58.86
5855.000	Peak	58.12	4.21	62.33	110.80	-48.47
5875.000	Peak	53.93	3.90	57.83	105.20	-47.37
5925.000	Peak	51.69	4.36	56.04	68.20	-12.16
5936.620	Peak	54.28	4.20	58.48	68.20	-9.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 272 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	68.76	4.31	73.07	122.20	-49.13
5855.000	Peak	69.12	4.21	73.33	110.80	-37.47
5875.000	Peak	68.29	3.90	72.18	105.20	-33.02
5925.000	Peak	59.11	4.36	63.46	68.20	-4.74
5926.360	Peak	61.49	4.35	65.84	68.20	-2.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 273 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	56.42	4.31	60.73	122.20	-61.47
5855.000	Peak	51.00	4.21	55.21	110.80	-55.59
5875.000	Peak	51.84	3.90	55.74	105.20	-49.46
5925.000	Peak	51.10	4.36	55.46	68.20	-12.74
5933.960	Peak	53.13	4.26	57.39	68.20	-10.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 274 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	67.10	4.31	71.41	122.20	-50.79
5855.000	Peak	65.75	4.21	69.96	110.80	-40.84
5875.000	Peak	61.77	3.90	65.67	105.20	-39.53
5925.000	Peak	57.10	4.36	61.46	68.20	-6.74
5926.170	Peak	57.84	4.35	62.19	68.20	-6.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 275 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	59.93	4.31	64.24	122.20	-57.96
5855.000	Peak	57.11	4.21	61.32	110.80	-49.48
5875.000	Peak	54.12	3.90	58.02	105.20	-47.18
5925.000	Peak	51.18	4.36	55.54	68.20	-12.66
5929.020	Peak	52.40	4.34	56.74	68.20	-11.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 276 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax40 **Test Date** :2022-03-21

Test Frequency :5795 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	71.14	4.31	75.45	122.20	-46.75
5855.000	Peak	70.47	4.21	74.68	110.80	-36.12
5875.000	Peak	69.02	3.90	72.92	105.20	-32.28
5925.000	Peak	58.80	4.36	63.15	68.20	-5.05
5948.590	Peak	60.22	4.05	64.27	68.20	-3.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 277 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5210 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4817.520	Average	39.50	3.02	42.52	54.00	-11.48
4817.520	Peak	53.69	3.02	56.71	74.00	-17.29
5150.000	Average	40.52	3.03	43.55	54.00	-10.45
5150.000	Peak	52.69	3.03	55.72	74.00	-18.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 278 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5210 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5144.400	Average	48.48	2.90	51.38	54.00	-2.62
5144.400	Peak	63.04	2.90	65.93	74.00	-8.07
5150.000	Average	43.60	3.03	46.63	54.00	-7.38
5150.000	Peak	56.93	3.03	59.96	74.00	-14.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 279 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5210 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4805.280	Average	39.69	3.11	42.80	54.00	-11.20
4805.280	Peak	53.52	3.11	56.64	74.00	-17.36
5150.000	Average	39.09	3.03	42.12	54.00	-11.88
5150.000	Peak	51.30	3.03	54.33	74.00	-19.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 280 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5210 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5148.720	Average	44.46	3.00	47.46	54.00	-6.54
5148.720	Peak	60.62	3.00	63.62	74.00	-10.38
5150.000	Average	44.15	3.03	47.18	54.00	-6.82
5150.000	Peak	57.43	3.03	60.46	74.00	-13.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 281 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5290 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	40.33	2.21	42.54	54.00	-11.46
5350.000	Peak	51.48	2.21	53.69	74.00	-20.31
5351.600	Average	40.33	2.21	42.54	54.00	-11.46
5351.600	Peak	53.36	2.21	55.57	74.00	-18.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 282 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5290 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	48.56	2.21	50.77	54.00	-3.23
5350.000	Peak	61.64	2.21	63.85	74.00	-10.15
5371.400	Average	48.91	2.31	51.22	54.00	-2.78
5371.400	Peak	64.63	2.31	66.94	74.00	-7.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 283 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5290 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	39.92	2.21	42.13	54.00	-11.87
5350.000	Peak	51.86	2.21	54.07	74.00	-19.93
5377.800	Average	40.67	2.33	43.00	54.00	-11.00
5377.800	Peak	56.37	2.33	58.71	74.00	-15.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 284 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5290 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	46.00	2.21	48.21	54.00	-5.79
5350.000	Peak	60.89	2.21	63.10	74.00	-10.90
5377.400	Average	45.09	2.33	47.42	54.00	-6.58
5377.400	Peak	68.82	2.33	71.15	74.00	-2.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。