

Page: 285 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5530 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5457.400	Average	40.90	2.63	43.53	54.00	-10.47
5457.400	Peak	55.42	2.63	58.05	74.00	-15.95
5460.000	Average	41.21	2.64	43.85	54.00	-10.15
5460.000	Peak	54.00	2.64	56.64	74.00	-17.36
5468.700	Peak	54.90	2.75	57.65	68.20	-10.55
5470.000	Peak	53.32	2.77	56.09	68.20	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 286 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5530 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.400	Average	47.63	2.63	50.25	54.00	-3.75
5456.400	Peak	62.41	2.63	65.03	74.00	-8.97
5460.000	Average	46.27	2.64	48.91	54.00	-5.09
5460.000	Peak	58.70	2.64	61.34	74.00	-12.66
5466.200	Peak	62.69	2.72	65.41	68.20	-2.79
5470.000	Peak	58.09	2.77	60.86	68.20	-7.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 287 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5530 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 996/67 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5450.700	Average	39.58	2.60	42.18	54.00	-11.82
5450.700	Peak	54.69	2.60	57.29	74.00	-16.71
5460.000	Average	39.50	2.64	42.14	54.00	-11.86
5460.000	Peak	52.53	2.64	55.17	74.00	-18.83
5460.800	Peak	54.36	2.65	57.01	68.20	-11.19
5470.000	Peak	53.01	2.77	55.78	68.20	-12.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 288 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5530 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 996/67 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.400	Average	45.76	2.63	48.39	54.00	-5.61
5456.400	Peak	61.97	2.63	64.59	74.00	-9.41
5460.000	Average	40.79	2.64	43.43	54.00	-10.57
5460.000	Peak	54.31	2.64	56.95	74.00	-17.05
5467.900	Peak	61.44	2.74	64.18	68.20	-4.02
5470.000	Peak	56.51	2.77	59.28	68.20	-8.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 289 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5610 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	51.39	4.21	55.60	68.20	-12.60
5730.680	Peak	52.87	4.26	57.12	68.20	-11.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 290 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5610 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
5725.000	Peak	59.71	4.21	63.92	68.20	-4.28
5725.280	Peak	59.86	4.21	64.08	68.20	-4.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 291 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5610 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 996/67 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
5725.000	Peak	52.54	4.21	56.75	68.20	-11.45
5725.820	Peak	53.39	4.22	57.61	68.20	-10.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 292 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-16

Test Frequency :5610 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 996/67 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	60.73	4.21	64.94	68.20	-3.26
5725.640	Peak	60.61	4.22	64.82	68.20	-3.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 293 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5690 MHz Temp./Humi. :21.0/70

Test Mode :BE CH MID RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5363.000	Average	38.91	2.25	41.16	54.00	-12.84
5363.000	Peak	52.17	2.25	54.41	74.00	-19.59
5460.000	Average	38.91	2.64	41.55	54.00	-12.45
5460.000	Peak	50.13	2.64	52.77	74.00	-21.23
5470.000	Peak	50.38	2.77	53.16	68.20	-15.04
5480.000	Peak	50.21	2.76	52.97	68.20	-15.23
5850.000	Peak	49.56	4.31	53.87	68.20	-14.33
5982.450	Peak	53.36	3.96	57.32	68.20	-10.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 294 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5690 MHz Temp./Humi. :21.0/70

Test Mode :BE CH MID RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
				_	_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.600	Average	40.01	2.63	42.63	54.00	-11.37
5456.600	Peak	53.34	2.63	55.97	74.00	-18.03
5460.000	Average	39.83	2.64	42.47	54.00	-11.53
5460.000	Peak	51.35	2.64	53.99	74.00	-20.01
5470.000	Peak	51.34	2.77	54.11	68.20	-14.09
5480.000	Peak	52.53	2.76	55.29	68.20	-12.91
5850.000	Peak	53.23	4.31	57.54	68.20	-10.66
5860.900	Peak	54.32	4.10	58.42	68.20	-9.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 295 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5690 MHz Temp./Humi. :21.0/70

Test Mode :BE CH MID RU 996/67 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5448.800	Average	36.19	2.57	38.75	54.00	-15.25
5448.800	Peak	49.74	2.57	52.30	74.00	-21.70
5460.000	Average	36.29	2.64	38.93	54.00	-15.07
5460.000	Peak	47.71	2.64	50.35	74.00	-23.65
5470.000	Peak	48.28	2.77	51.05	68.20	-17.15
5480.000	Peak	48.46	2.76	51.22	68.20	-16.98
5850.000	Peak	48.38	4.31	52.69	68.20	-15.51
5950.600	Peak	50.47	4.03	54.49	68.20	-13.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 296 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5690 MHz Temp./Humi. :21.0/70

Test Mode :BE CH MID RU 996/67 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5431.250	Average	39.27	2.39	41.66	54.00	-12.34
5431.250	Peak	55.41	2.39	57.80	74.00	-16.20
5460.000	Average	39.09	2.64	41.73	54.00	-12.27
5460.000	Peak	51.70	2.64	54.34	74.00	-19.66
5470.000	Peak	54.62	2.77	57.39	68.20	-10.81
5480.000	Peak	52.51	2.76	55.27	68.20	-12.93
5850.000	Peak	55.60	4.31	59.91	68.20	-8.29
5863.500	Peak	58.05	4.06	62.11	68.20	-6.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 297 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5642.920	Peak	51.72	3.47	55.18	68.20	-13.02
5650.000	Peak	50.04	3.60	53.64	68.20	-14.56
5700.000	Peak	55.78	3.31	59.09	105.20	-46.11
5720.000	Peak	59.00	4.17	63.17	110.80	-47.63
5725.000	Peak	55.16	4.21	59.37	122.20	-62.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 298 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5641.810	Peak	58.80	3.44	62.24	68.20	-5.96
5650.000	Peak	54.65	3.60	58.25	68.20	-9.95
5700.000	Peak	61.46	3.31	64.77	105.20	-40.43
5720.000	Peak	63.97	4.17	68.14	110.80	-42.66
5725.000	Peak	64.74	4.21	68.95	122.20	-53.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 299 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5648.100	Peak	51.96	3.56	55.53	68.20	-12.67
5650.000	Peak	50.90	3.60	54.50	68.20	-13.70
5700.000	Peak	51.84	3.31	55.15	105.20	-50.05
5720.000	Peak	55.75	4.17	59.92	110.80	-50.88
5725.000	Peak	55.83	4.21	60.04	122.20	-62.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 300 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5649.210	Peak	61.81	3.59	65.39	68.20	-2.81
5650.000	Peak	60.83	3.60	64.43	68.20	-3.77
5700.000	Peak	60.66	3.31	63.97	105.20	-41.23
5720.000	Peak	69.68	4.17	73.85	110.80	-36.95
5725.000	Peak	69.57	4.21	73.78	122.20	-48.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 301 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	54.51	4.31	58.82	122.20	-63.38
5855.000	Peak	51.44	4.21	55.65	110.80	-55.15
5875.000	Peak	50.72	3.90	54.62	105.20	-50.58
5925.000	Peak	50.99	4.36	55.34	68.20	-12.86
5928.400	Peak	52.31	4.35	56.66	68.20	-11.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 302 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	64.12	4.31	68.43	122.20	-53.77
5855.000	Peak	63.42	4.21	67.63	110.80	-43.17
5875.000	Peak	57.54	3.90	61.44	105.20	-43.76
5925.000	Peak	51.87	4.36	56.22	68.20	-11.98
5926.800	Peak	55.41	4.35	59.76	68.20	-8.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 303 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	56.98	4.31	61.29	122.20	-60.91
5855.000	Peak	55.73	4.21	59.94	110.80	-50.86
5875.000	Peak	54.17	3.90	58.07	105.20	-47.13
5925.000	Peak	50.88	4.36	55.24	68.20	-12.96
5929.800	Peak	52.94	4.34	57.28	68.20	-10.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 304 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax80 **Test Date** :2022-03-21

Test Frequency :5775 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	5850.000	Peak	67.55	4.31	71.86	122.20	-50.34
	5855.000	Peak	67.49	4.21	71.70	110.80	-39.10
	5875.000	Peak	63.31	3.90	67.21	105.20	-37.99
	5925.000	Peak	51.89	4.36	56.25	68.20	-11.95
	5933.800	Peak	53.06	4.26	57.32	68.20	-10.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 305 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5135.360	Average	39.62	2.74	42.37	54.00	-11.63
5135.360	Peak	53.71	2.74	56.46	74.00	-17.54
5150.000	Average	39.28	3.03	42.31	54.00	-11.69
5150.000	Peak	50.91	3.03	53.94	74.00	-20.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 306 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5127.000	Average	47.12	2.64	49.76	54.00	-4.24
5127.000	Peak	60.67	2.64	63.30	74.00	-10.70
5150.000	Average	41.37	3.03	44.40	54.00	-9.60
5150.000	Peak	55.42	3.03	58.45	74.00	-15.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 307 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 1992/68 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5095.080	Average	39.35	3.15	42.51	54.00	-11.49
5095.080	Peak	56.64	3.15	59.79	74.00	-14.21
5150.000	Average	39.45	3.03	42.48	54.00	-11.52
5150.000	Peak	52.74	3.03	55.77	74.00	-18.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 308 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 1992/68 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5125.480	Average	48.58	2.61	51.19	54.00	-2.81
5125.480	Peak	68.04	2.61	70.65	74.00	-3.35
5150.000	Average	45.71	3.03	48.74	54.00	-5.26
5150.000	Peak	62.22	3.03	65.25	74.00	-8.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 309 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	40.37	2.21	42.58	54.00	-11.42
5350.000	Peak	51.75	2.21	53.96	74.00	-20.04
5378.050	Average	40.20	2.33	42.54	54.00	-11.46
5378.050	Peak	53.86	2.33	56.19	74.00	-17.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 310 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5350.000	Average	40.91	2.21	43.12	54.00	-10.88
5350.000	Peak	52.51	2.21	54.72	74.00	-19.28
5365.570	Average	49.33	2.27	51.60	54.00	-2.40
5365.570	Peak	62.88	2.27	65.15	74.00	-8.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 311 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 1992/68 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	39.50	2.21	41.71	54.00	-12.29
5350.000	Peak	52.47	2.21	54.68	74.00	-19.32
5352.960	Average	39.05	2.21	41.26	54.00	-12.74
5352.960	Peak	55.80	2.21	58.01	74.00	-15.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 312 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-21

Test Frequency :5250 MHz Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 1992/68 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	47.63	2.21	49.84	54.00	-4.16
5350.000	Peak	63.06	2.21	65.27	74.00	-8.73
5359.200	Average	49.63	2.22	51.85	54.00	-2.15
5359.200	Peak	65.76	2.22	67.98	74.00	-6.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 313 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



_						
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	•
		•	ID.	_	_	ID.
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	_					
5457.780	Average	40.02	2.63	42.65	54.00	-11.35
5457.780	Peak	53.73	2.63	56.36	74.00	-17.64
						_
5460.000	Average	39.84	2.64	42.48	54.00	-11.52
5460.000	Peak	52.79	2.64	55.43	74.00	-18.57
			_			
5468.070	Peak	53.31	2.75	56.06	68.20	-12.14
5470.000	Peak	51.83	2.77	54.60	68.20	-13.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 314 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5426.070	Average	46.57	2.40	48.97	54.00	-5.03
5426.070	Peak	61.05	2.40	63.45	74.00	-10.55
5460.000	Average	40.27	2.64	42.91	54.00	-11.09
5460.000	Peak	52.78	2.64	55.42	74.00	-18.58
5465.760	Peak	56.88	2.71	59.59	68.20	-8.61
5470.000	Peak	53.11	2.77	55.88	68.20	-12.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 315 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 1992/68 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
53	393.520	Average	38.64	2.59	41.23	54.00	-12.77
53	393.520	Peak	53.11	2.59	55.70	74.00	-18.30
54	160.000	Average	38.56	2.64	41.20	54.00	-12.80
54	160.000	Peak	51.69	2.64	54.33	74.00	-19.67
54	169.330	Peak	53.53	2.76	56.29	68.20	-11.91
54	170.000	Peak	51.39	2.77	54.16	68.20	-14.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 316 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 1992/68 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5442.240	Average	39.35	2.38	41.73	54.00	-12.27
5442.240	Peak	57.69	2.38	60.06	74.00	-13.94
5460.000	Average	39.63	2.64	42.27	54.00	-11.73
5460.000	Peak	54.38	2.64	57.02	74.00	-16.98
5467.860	Peak	59.89	2.74	62.63	68.20	-5.57
5470.000	Peak	58.74	2.77	61.51	68.20	-6.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 317 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	51.34	4.21	55.55	68.20	-12.65
5726.030	Peak	52.55	4.22	56.77	68.20	-11.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 318 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	58.72	4.21	62.93	68.20	-5.27
5726.450	Peak	61.69	4.22	65.91	68.20	-2.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 319 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 1992/68 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	51.18	4.21	55.39	68.20	-12.81
5731.280	Peak	52.96	4.26	57.23	68.20	-10.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 320 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax160 **Test Date** :2022-03-16

Test Frequency :5570 MHz Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 1992/68 :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	58.66	4.21	62.87	68.20	-5.33
5726.870	Peak	59.29	4.23	63.51	68.20	-4.69

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw