





CP-OFDM Module 1

NR Band n261


Lowest Channel / 50MHz / QPSK




Middle Channel / 50MHz / QPSK



Middle Channel / 50MHz / 16QAM




Highest Channel / 50MHz / QPSK






CP-OFDM Module 1





CP-OFDM Module 1







CP-OFDM Module 1

NR Band n261


Lowest Channel / 400MHz / QPSK




Middle Channel / 400MHz / QPSK



Middle Channel / 400MHz / 16QAM




Highest Channel / 400MHz / QPSK





CP-OFDM Module 1





**Radiated Out of Band Emissions**

| Mode        |         |       | DFT-s-OFDM Module 1 NR Band n261: BE (dBm) 1 RB |        |       |       |        |        |       |       |        |        |       |       |
|-------------|---------|-------|---|--------|-------|-------|--------|--------|-------|-------|--------|--------|-------|-------|
| BW          |         |       | 50MHz   |        |       |       | 100MHz |        |       |       | 400MHz |        |       |       |
| Limit (dBm) |         |       | BPSK  | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -19.48  | -18.21 | -     | -     | -19.21 | -17.16 | -     | -     | -30.13 | -29.38 | -     | -     |
|             | >10%OB  | ≤ -13 | -31.4   | -30.86 | -     | -     | -32.63 | -32.35 | -     | -     | -33.41 | -33.78 | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -24.03  | -21.97 | -     | -     | -25.39 | -25.2  | -     | -     | -33.69 | -33.36 | -     | -     |
|             | >10%OB  | ≤ -13 | -32.98  | -32.83 | -     | -     | -32.57 | -32.85 | -     | -     | -32.41 | -32.72 | -     | -     |
| Result      |         |       | Compliance                                      |        |       |       |        |        |       |       |        |        |       |       |

| Mode        |         |       | CP-OFDM Module 1 NR Band n261: BE (dBm) 1 RB |       |       |        |       |       |        |       |       |
|-------------|---------|-------|--|-------|-------|--------|-------|-------|--------|-------|-------|
| BW          |         |       | 50MHz  |       |       | 100MHz |       |       | 400MHz |       |       |
| Limit (dBm) |         |       | QPSK   | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -21.41                                       | -     | -     | -20.61 | -     | -     | -29.57 | -     | -     |
|             | >10%OB  | ≤ -13 | -32.5  | -     | -     | -33.17 | -     | -     | -32.9  | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -23.89                                       | -     | -     | -28.66 | -     | -     | -31.97 | -     | -     |
|             | >10%OB  | ≤ -13 | -33.02                                       | -     | -     | -32.82 | -     | -     | -32.77 | -     | -     |
| Result      |         |       | Compliance                                   |       |       |        |       |       |        |       |       |

| Mode        |         |       | DFT-s-OFDM Module 1 NR Band n261: BE (dBm) Full RB |        |       |       |        |        |       |       |        |        |       |       |
|-------------|---------|-------|--|--------|-------|-------|--------|--------|-------|-------|--------|--------|-------|-------|
| BW          |         |       | 50MHz  |        |       |       | 100MHz |        |       |       | 400MHz |        |       |       |
| Limit (dBm) |         |       | BPSK   | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -26.85   | -23.45 | -     | -     | -30.36 | -26.93 | -     | -     | -33.18 | -32.1  | -     | -     |
|             | >10%OB  | ≤ -13 | -30.69   | -25.54 | -     | -     | -32.97 | -28.94 | -     | -     | -33.33 | -32.78 | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -30.29   | -27.39 | -     | -     | -33.27 | -30.42 | -     | -     | -33.43 | -32.84 | -     | -     |
|             | >10%OB  | ≤ -13 | -32.99   | -29.65 | -     | -     | -32.71 | -32.32 | -     | -     | -32.73 | -32.72 | -     | -     |
| Result      |         |       | Compliance   |        |       |       |        |        |       |       |        |        |       |       |


| Mode        |         |       | CP-OFDM Module 1 NR Band n261: BE (dBm) Full RB |       |       |        |       |       |        |       |       |
|-------------|---------|-------|---|-------|-------|--------|-------|-------|--------|-------|-------|
| BW          |         |       | 50MHz   |       |       | 100MHz |       |       | 400MHz |       |       |
| Limit (dBm) |         |       | QPSK  | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -24.22  | -     | -     | -27.11 | -     | -     | -33.21 | -     | -     |
|             | >10%OB  | ≤ -13 | -26.87  | -     | -     | -28.47 | -     | -     | -33.52 | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -30.09  | -     | -     | -32.11 | -     | -     | -33.85 | -     | -     |
|             | >10%OB  | ≤ -13 | -31.95  | -     | -     | -32.84 | -     | -     | -32.65 | -     | -     |
| Result      |         |       | Compliance                                      |       |       |        |       |       |        |       |       |



DFT-s-OFDM Module 1


NR Band n261/ 50MHz / BPSK

Lowest Band Edge / 1 RB



Date: 16.SEP.2020 10:24:34


Highest Band Edge / 1 RB



Date: 16.SEP.2020 17:24:24


NR Band n261/ 50MHz / QPSK

Lowest Band Edge / 1 RB



Date: 16.SEP.2020 10:28:09

Highest Band Edge / 1 RB



Date: 16.SEP.2020 17:25:45





DFT-s-OFDM Module 1

NR Band n261/ 100MHz / BPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB





Date: 16.SEP.2020 11:49:59

Date: 16.SEP.2020 19:21:08

NR Band n261/ 100MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB



Date: 16.SEP.2020 11:47:20

Date: 16.SEP.2020 19:20:11







DFT-s-OFDM Module 1

NR Band n261/ 400MHz / BPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB





Date: 16.SEP.2020 15:28:15

Date: 16.SEP.2020 20:38:38

NR Band n261/ 50MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB



Date: 16.SEP.2020 15:35:40

Date: 16.SEP.2020 20:37:27





CP-OFDM Module 1

NR Band n261/ 50MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB







CP-OFDM Module 1

NR Band n261/ 100MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB



Date: 16.SEP.2020 11:53:35

Date: 16.SEP.2020 19:49:45




CP-OFDM Module 1


NR Band n261/ 400MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB



Date: 16.SEP.2020 16:00:17



Date: 16.SEP.2020 21:04:57





DFT-s-OFDM Module 1

NR Band n261/ 50MHz / BPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB





Date: 16.SEP.2020 10:56:28

Date: 16.SEP.2020 17:58:29

NR Band n261/ 50MHz / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 16.SEP.2020 10:53:23


Date: 16.SEP.2020 17:52:55



DFT-s-OFDM Module 1


NR Band n261/ 100MHz / BPSK

Lowest Band Edge / Full RB



Date: 16.SEP.2020 14:38:08


Highest Band Edge / Full RB



Date: 16.SEP.2020 19:24:08


NR Band n261/ 100MHz / QPSK

Lowest Band Edge / Full RB



Date: 16.SEP.2020 14:33:09

Highest Band Edge / Full RB




Date: 16.SEP.2020 19:27:41



DFT-s-OFDM Module 1


NR Band n261/ 400MHz / BPSK

Lowest Band Edge / Full RB



Date: 16.SEP.2020 16:49:49


Highest Band Edge / Full RB



Date: 16.SEP.2020 20:40:59


NR Band n261/ 50MHz / QPSK

Lowest Band Edge / Full RB



Date: 16.SEP.2020 16:37:18


Highest Band Edge / Full RB



Date: 16.SEP.2020 20:43:47



CP-OFDM Module 1









NR Band n261/ 100MHz / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 17.SEP.2020 17:55:06



Date: 16.SEP.2020 19:54:47





CP-OFDM Module 1

NR Band n261/ 400MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





# Spurious Emission


There is no significant spurious emission signal found for frequency started from 30MHz up to 18GHz. Only the noise floor is reported.





Spurious emission between 18GHz to 40GHz worst case plot is reported as following.

DFT-s-OFDM Module 1






DFT-s-OFDM Module 1


NR Band n261BPSK (18-40GHz)

Lowest Channel / 400MHz




intentionally blank

Middle Channel / 400MHz



intentionally blank

Highest Channel / 400MHz




intentionally blank



DFT-s-OFDM Module 1


NR Band n261QPSK (18-40GHz)

Lowest Channel / 50MHz




Date: 16\_SEP.2020 10:31:12

Lowest Channel / 100MHz




Date: 16\_SEP.2020 11:48:14

Middle Channel / 50MHz




Date: 15\_SEP.2020 20:53:02

Middle Channel / 100MHz




Date: 15\_SEP.2020 20:03:18

Highest Channel / 50MHz



Date: 16\_SEP.2020 17:28:14

Highest Channel / 100MHz




Date: 16\_SEP.2020 19:15:57



DFT-s-OFDM Module 1


NR Band n261QPSK (18-40GHz)

Lowest Channel / 400MHz




intentionally blank

Middle Channel / 400MHz



intentionally blank

Highest Channel / 400MHz




intentionally blank



CP-OFDM Module 1


NR Band n261QPSK (18-40GHz)

Lowest Channel / 50MHz




Date: 16\_SEP.2020 10:41:06

Lowest Channel / 100MHz




Date: 16\_SEP.2020 11:54:39

Middle Channel / 50MHz




Date: 15\_SEP.2020 21:15:17

Middle Channel / 100MHz




Date: 15\_SEP.2020 20:29:30

Highest Channel / 50MHz



Date: 16\_SEP.2020 17:40:32

Highest Channel / 100MHz



Date: 16\_SEP.2020 19:41:43






CP-OFDM Module 1


NR Band n261QPSK (18-40GHz)

Lowest Channel / 400MHz




intentionally blank

Middle Channel / 400MHz



intentionally blank


Highest Channel / 400MHz




intentionally blank




There is no significant spurious emission signal found for frequency started from 40GHz up to 100GHz. Only the noise floor is reported.



$$\begin{aligned} \text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\ &= 42.1 + 2.2 + 107 + 20\log(1) - 104.8 = 46.5 \text{ (dB)} \end{aligned}$$



$$\begin{aligned}
 \text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\
 &= 45.2 + 2.2 + 107 + 20\log(1) - 104.8 = 49.6 \text{ (dB)}
 \end{aligned}$$



$$\begin{aligned} \text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\ &= 47.2 + 2 + 107 + 20\log(1) - 104.8 = 51.4 \text{ (dB)} \end{aligned}$$



# NR Band n261 Module 2 AG0

## Occupied Bandwidth

| Mode       | DFT-s-OFDM Module 2 NR Band n261 : 99%OBW(MHz) |       |       |       |        |       |       |       |        |        |        |        |
|------------|--|-------|-------|-------|--------|-------|-------|-------|--------|--------|--------|--------|
| BW         | 50MHz  |       |       |       | 100MHz |       |       |       | 400MHz |        |        |        |
| Mod.       | BPSK   | QPSK  | 16QAM | 64QAM | BPSK   | QPSK  | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM  | 64QAM  |
| Lowest CH  | 45.34  | 45.16 | -     | -     | 29.08  | 29.40 | -     | -     | 387.04 | 386.72 | -      | -      |
| Middle CH  | 45.38  | 45.22 | 45.10 | 45.44 | 90.24  | 90.48 | 90.60 | 90.64 | 387.04 | 386.88 | 387.20 | 386.72 |
| Highest CH | 15.54  | 15.56 | -     | -     | 90.44  | 90.36 | -     | -     | 387.20 | 386.72 | -      | -      |


| Mode       | CP-OFDM Module 2 NR Band n261 : 99%OBW(MHz) |       |       |        |       |       |        |        |        |
|------------|---|-------|-------|--------|-------|-------|--------|--------|--------|
| BW         | 50MHz                                       |       |       | 100MHz |       |       | 400MHz |        |        |
| Mod.       | QPSK  | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM | QPSK   | 16QAM  | 64QAM  |
| Lowest CH  | 45.42                                       | -     | -     | 32.20  | -     | -     | 388.80 | -      | -      |
| Middle CH  | 45.52                                       | 45.48 | 45.00 | 92.88  | 92.80 | 92.60 | 389.44 | 389.12 | 390.08 |
| Highest CH | 17.04                                       | -     | -     | 92.48  | -     | -     | 388.64 | -      | -      |




DFT-s-OFDM Module 2

NR Band n261


Lowest Channel / 50MHz / BPSK




Lowest Channel / 50MHz / QPSK




Middle Channel / 50MHz / BPSK




Middle Channel / 50MHz / QPSK



Highest Channel / 50MHz / BPSK




Highest Channel / 50MHz / QPSK





DFT-s-OFDM Module 2







DFT-s-OFDM Module 2

NR Band n261


Lowest Channel / 100MHz / BPSK




Lowest Channel / 100MHz / QPSK




Middle Channel / 100MHz / BPSK




Middle Channel / 100MHz / QPSK



Highest Channel / 100MHz / BPSK




Highest Channel / 100MHz / QPSK







DFT-s-OFDM Module 2







DFT-s-OFDM Module 2

NR Band n261


Lowest Channel / 400MHz / BPSK




Lowest Channel / 400MHz / QPSK




Middle Channel / 400MHz / BPSK




Middle Channel / 400MHz / QPSK



Highest Channel / 400MHz / BPSK




Highest Channel / 400MHz / QPSK





DFT-s-OFDM Module 2






CP-OFDM Module 2


NR Band n261

Lowest Channel / 50MHz / QPSK




Date: 9,SEP,2020 20:32:10

Middle Channel / 50MHz / QPSK




Date: 9,SEP,2020 22:42:59

Middle Channel / 50MHz / 16QAM



Date: 9,SEP,2020 22:43:42

Highest Channel / 50MHz / QPSK




Date: 10,SEP,2020 00:07:06




CP-OFDM Module 2

NR Band n261


Lowest Channel / 100MHz / QPSK




Middle Channel / 50MHz / 64QAM



Middle Channel / 100MHz / QPSK




Highest Channel / 100MHz / QPSK





CP-OFDM Module 2






CP-OFDM Module 2


NR Band n261

Lowest Channel / 400MHz / QPSK




Date: 11\_SEP.2020 21:10:02

Middle Channel / 400MHz / QPSK




Date: 11\_SEP.2020 20:14:22

Middle Channel / 400MHz / 16QAM



Date: 11\_SEP.2020 20:13:23


Highest Channel / 400MHz / QPSK



Date: 11\_SEP.2020 21:59:02



CP-OFDM Module 2







**Radiated Out of Band Emissions**

| Mode        |         |       | DFT-s-OFDM Module 2 NR Band n261 : BE (dBm) 1 RB |        |       |       |        |        |       |       |        |        |       |       |
|-------------|---------|-------|--|--------|-------|-------|--------|--------|-------|-------|--------|--------|-------|-------|
| BW          |         |       | 50MHz  |        |       |       | 100MHz |        |       |       | 400MHz |        |       |       |
| Limit (dBm) |         |       | BPSK   | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -18.69   | -17.49 | -     | -     | -20.46 | -19.58 | -     | -     | -30.93 | -30.55 | -     | -     |
|             | >10%OB  | ≤ -13 | -33.16   | -33.1  | -     | -     | -34.18 | -33.93 | -     | -     | -32.78 | -30.07 | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -20.92   | -19.76 | -     | -     | -22.12 | -22.33 | -     | -     | -30.85 | -29.9  | -     | -     |
|             | >10%OB  | ≤ -13 | -33.02   | -33.13 | -     | -     | -33    | -32.96 | -     | -     | -32.84 | -31.52 | -     | -     |
| Result      |         |       | Compliance                                       |        |       |       |        |        |       |       |        |        |       |       |

| Mode        |         |       | CP-OFDM Module 2 NR Band n261 : BE (dBm) 1 RB |       |       |        |       |       |        |       |       |
|-------------|---------|-------|---|-------|-------|--------|-------|-------|--------|-------|-------|
| BW          |         |       | 50MHz   |       |       | 100MHz |       |       | 400MHz |       |       |
| Limit (dBm) |         |       | QPSK  | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -19.37  | -     | -     | -20.89 | -     | -     | -29.41 | -     | -     |
|             | >10%OB  | ≤ -13 | -33.95  | -     | -     | -34.18 | -     | -     | -29.09 | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -21.56  | -     | -     | -23.73 | -     | -     | -27.98 | -     | -     |
|             | >10%OB  | ≤ -13 | -33.12  | -     | -     | -32.94 | -     | -     | -29.9  | -     | -     |
| Result      |         |       | Compliance                                    |       |       |        |       |       |        |       |       |

| Mode        |         |       | DFT-s-OFDM Module 2 NR Band n261 : BE (dBm) Full RB |        |       |       |        |        |       |       |        |        |       |       |
|-------------|---------|-------|---|--------|-------|-------|--------|--------|-------|-------|--------|--------|-------|-------|
| BW          |         |       | 50MHz   |        |       |       | 100MHz |        |       |       | 400MHz |        |       |       |
| Limit (dBm) |         |       | BPSK  | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM | BPSK   | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -27.72  | -26    | -     | -     | -34.28 | -33.43 | -     | -     | -32.57 | -31.27 | -     | -     |
|             | >10%OB  | ≤ -13 | -31.43  | -26.92 | -     | -     | -33.8  | -33.6  | -     | -     | -32.53 | -31.18 | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -34.49  | -34.01 | -     | -     | -32.62 | -29.81 | -     | -     | -32.8  | -31.8  | -     | -     |
|             | >10%OB  | ≤ -13 | -32.79  | -32.86 | -     | -     | -32.81 | -32.07 | -     | -     | -32.85 | -32.8  | -     | -     |
| Result      |         |       | Compliance  |        |       |       |        |        |       |       |        |        |       |       |

| Mode        |         |       | CP-OFDM Module 2 NR Band n261 : BE (dBm) Full RB |       |       |        |       |       |        |       |       |
|-------------|---------|-------|--|-------|-------|--------|-------|-------|--------|-------|-------|
| BW          |         |       | 50MHz  |       |       | 100MHz |       |       | 400MHz |       |       |
| Limit (dBm) |         |       | QPSK   | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM | QPSK   | 16QAM | 64QAM |
| Low CH      | 0~10%OB | ≤ -5  | -26.59   | -     | -     | -33.86 | -     | -     | -33.16 | -     | -     |
|             | >10%OB  | ≤ -13 | -28.73   | -     | -     | -33.93 | -     | -     | -33.08 | -     | -     |
| High CH     | 0~10%OB | ≤ -5  | -34.23   | -     | -     | -30.74 | -     | -     | -32.68 | -     | -     |
|             | >10%OB  | ≤ -13 | -32.91   | -     | -     | -32.89 | -     | -     | -32.58 | -     | -     |
| Result      |         |       | Compliance                                       |       |       |        |       |       |        |       |       |