



Date: 26.FEB.2009 06:49:49



Date: 26.FEB.2009 06:51:29




Date: 26.FEB.2009 06:52:07


Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/02/26	Test Site	CTR
Test Condition	GSM 850 GPRS	Test Range	30MHz~10GHz

GSM 850 GPRS Middle-Channel 189


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1670	-54.71	0.58	-54.13	-13
2509.2	-64.31	0.7	-63.61	-13
3345.6	-60.54	1.01	-59.53	-13
4182	-61.81	1.18	-60.63	-13
5018.4	-68.78	1.23	-67.55	-13
5854.8	-68.75	1.45	-67.30	-13
6691.2	-58.21	1.56	-56.65	-13
7527.6	-61.78	1.59	-60.19	-13
8364	-61.33	1.82	-59.51	-13




Date:26.FEB.2009 07:38:19



Date: 26.FEB.2009 06:56:31



Date: 26.FEB.2009 06:57:20




Date:26.FEB.2009 06:58:08


Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/02/26	Test Site	CTR
Test Condition	GSM 850 EGPRS	Test Range	30MHz~10GHz

GSM 850 EGPRS Mid-Channel 189


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1670	-50.59	0.58	-50.01	-13
2509.2	-60.53	0.7	-59.83	-13
3345.6	-58.18	1.01	-57.17	-13
4182	-61.82	1.18	-60.64	-13
5018.4	-68.80	1.23	-67.57	-13
5854.8	-67.59	1.45	-66.14	-13
6691.2	-55.06	1.56	-53.50	-13
7527.6	-59.68	1.59	-58.09	-13
8364	-58.60	1.82	-56.78	-13




Date:26.FEB.2009 07:40:36



Date:26.FEB.2009 06:55:27



Date:26.FEB.2009 06:54:37




Date: 26.FEB.2009 06:53:38


Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/02/26	Test Site	CTR
Test Condition	PCS 1900	Test Range	30MHz~20GHz

PCS 1900 Mid-Channel 661


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-50.77	1.1	-49.67	-13
5640	-64.96	1.23	-63.73	-13
7520	-58.86	1.59	-57.27	-13
9400	-56.19	1.89	-54.30	-13
11280	-67.32	2.07	-65.25	-13
13160	-63.28	2.26	-61.02	-13
15040	-56.18	2.64	-53.54	-13
16920	-58.56	3.5	-55.06	-13
18800	-56.18	3.7	-52.48	-13




Date: 26.FEB.2009 07:41:31




Date: 26.FEB.2009 08:30:34



Date: 26.FEB.2009 08:32:01



Date: 26.FEB.2009 08:32:01




Date: 26.FEB.2009 08:33:11


Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/02/26	Test Site	CTR
Test Condition	PCS 1900 GPRS	Test Range	30MHz~20GHz

PCS 1900 GPRS Mid-Channel 661


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-50.77	1.1	-49.67	-13
5640	-66.12	1.23	-64.89	-13
7520	-60.12	1.59	-58.53	-13
9400	-56.27	1.89	-54.38	-13
11280	-66.96	2.07	-64.89	-13
13160	-62.75	2.26	-60.49	-13
15040	-57.08	2.64	-54.44	-13
16920	-57.34	3.5	-53.84	-13
18800	-56.83	3.7	-53.13	-13




Date: 26.FEB.2009 07:35:16




Date:26.FEB.2009 07:19:30



Date:26.FEB.2009 07:20:32



Date: 26.FEB.2009 07:22:41




Date: 26.FEB.2009 07:24:32


Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/02/26	Test Site	CTR
Test Condition	PCS 1900 EGPRS	Test Range	30MHz~20GHz

PCS 1900 EGPRS Mid-Channel 661


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-53.13	1.1	-52.03	-13
5640	-67.21	1.23	-65.98	-13
7520	-62.21	1.59	-60.62	-13
9400	-57.35	1.89	-55.46	-13
11280	-68.31	2.07	-66.24	-13
13160	-66.10	2.26	-63.84	-13
15040	-57.17	2.64	-54.53	-13
16920	-59.10	3.5	-55.60	-13
18800	-57.47	3.7	-53.77	-13




Date: 26.FEB.2009 07:36:37




Date:26.FEB.2009 07:11:11



Date:26.FEB.2009 07:10:41



Date: 26.FEB.2009 07:11:55




Date: 26.FEB.2009 07:12:50


Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/02/27	Test Site	CTR
Test Condition	WCDMA BAND V	Test Range	30MHz~10GHz

WCDMA BAND V Mid-Channel 4183


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1673.2	-58.91	0.58	-58.33	-13
2509.8	-56.80	0.7	-56.10	-13
3346.4	-53.15	1.01	-52.14	-13
4183	-66.19	1.18	-65.01	-13
5019.6	-68.69	1.23	-67.46	-13
5856.2	-68.92	1.45	-67.47	-13
6692.8	-67.96	1.56	-66.40	-13
7529.4	-68.18	1.59	-66.59	-13
8366	-67.55	1.82	-65.73	-13




Date: 27.FEB.2009 16:06:02



Date: 27.FEB.2009 11:34:15



Date: 27.FEB.2009 11:34:57




Date: 27.FEB.2009 11:35:36


Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/02/27	Test Site	CTR
Test Condition	WCDMA BAND V HSDPA	Test Range	30MHz~10GHz

WCDMA BAND V HSDPA Mid-Channel 4183


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1673.2	-58.09	0.58	-57.51	-13
2509.8	-55.29	0.7	-54.59	-13
3346.4	-53.36	1.01	-52.35	-13
4183	-66.45	1.18	-65.27	-13
5019.6	-69.27	1.23	-68.04	-13
5856.2	-68.23	1.45	-66.78	-13
6692.8	-67.68	1.56	-66.12	-13
7529.4	-68.65	1.59	-67.06	-13
8366	-68.41	1.82	-66.59	-13




Date: 27.FEB.2009 16:08:05




Date: 27.FEB.2009 11:33:20




Date: 27.FEB.2009 11:32:41



Date: 27.FEB.2009 11:31:58



Date: 27.FEB.2009 11:29:45



Date: 27.FEB.2009 11:30:40