





Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/12/16	Test Site	CTR
Test Condition	PCS 1900	Test Range	30MHz~20GHz

PCS 1900 Mid-Channel 661

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-48.019	1.1	-46.919	-13
5640	-47.172	1.23	-45.942	-13
7520	-54.398	1.59	-52.808	-13
9400	-61.679	1.89	-59.789	-13
11280	-65.166	2.07	-63.096	-13
13160	-64.355	2.26	-62.095	-13
15040	-61.213	2.64	-58.573	-13
16920	-60.253	3.5	-56.753	-13
18800	-59.662	3.7	-55.962	-13










Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/12/16	Test Site	CTR
Test Condition	PCS 1900 GPRS	Test Range	30MHz~20GHz

PCS 1900 GPRS Mid-Channel 661

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-48.071	1.1	-46.971	-13
5640	-47.209	1.23	-45.979	-13
7520	-54.834	1.59	-53.244	-13
9400	-61.347	1.89	-59.457	-13
11280	-65.293	2.07	-63.223	-13
13160	-64.996	2.26	-62.736	-13
15040	-62.004	2.64	-59.364	-13
16920	-60.555	3.5	-57.055	-13
18800	-59.774	3.7	-56.074	-13










Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/12/16	Test Site	CTR
Test Condition	PCS 1900 EGPRS	Test Range	30MHz~20GHz

PCS 1900 EGPRS Mid-Channel 661

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-50.868	1.1	-49.768	-13
5640	-50.046	1.23	-48.816	-13
7520	-56.136	1.59	-54.546	-13
9400	-63.306	1.89	-61.416	-13
11280	-64.996	2.07	-62.926	-13
13160	-63.112	2.26	-60.852	-13
15040	-61.623	2.64	-58.983	-13
16920	-60.386	3.5	-56.886	-13
18800	-59.630	3.7	-55.930	-13











Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/12/16	Test Site	CTR
Test Condition	WCDMA BAND V	Test Range	30MHz~10GHz

WCDMA BAND V Low-Channel 4132

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1652.8	-58.626	0.58	-58.046	-13
2479.2	-62.107	0.7	-61.407	-13
3305.6	-62.585	1.01	-61.575	-13
4132	-64.679	1.18	-63.499	-13
4958.4	-63.291	1.23	-62.061	-13
5784.8	-60.820	1.45	-59.370	-13
6611.2	-61.739	1.56	-60.179	-13
7437.6	-64.425	1.59	-62.835	-13
8264	-66.394	1.82	-64.574	-13










Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/12/16	Test Site	CTR
Test Condition	WCDMA BAND V HSDPA	Test Range	30MHz~10GHz

WCDMA BAND V HSDPA Low-Channel 4132

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1652.8	-56.486	0.58	-55.906	-13
2479.2	-54.408	0.7	-53.708	-13
3305.6	-63.524	1.01	-62.514	-13
4132	-65.183	1.18	-64.003	-13
4958.4	-61.540	1.23	-60.310	-13
5784.8	-61.058	1.45	-59.608	-13
6611.2	-60.779	1.56	-59.219	-13
7437.6	-63.768	1.59	-62.178	-13
8264	-65.792	1.82	-63.972	-13









Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/12/16	Test Site	CTR
Test Condition	WCDMA BAND V HSUPA	Test Range	30MHz~10GHz

WCDMA BAND V HSUPA Mid-Channel 4183

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1652.8	-56.126	0.58	-55.546	-13
2479.2	-54.767	0.7	-54.067	-13
3305.6	-62.841	1.01	-61.831	-13
4132	-65.124	1.18	-63.944	-13
4958.4	-62.723	1.23	-61.493	-13
5784.8	-60.642	1.45	-59.192	-13
6611.2	-61.500	1.56	-59.940	-13
7437.6	-64.246	1.59	-62.656	-13
8264	-65.649	1.82	-63.829	-13







Product	Smart Handheld		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2009/12/16	Test Site	CTR
Test Condition	WCDMA BAND II	Test Range	30MHz~20GHz

WCDMA BAND II Low-Channel 9262

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3704.8	-46.373	1.1	-45.273	-13
5557.2	-43.992	1.23	-42.762	-13
7409.6	-64.554	1.59	-62.964	-13
9262	-64.730	1.89	-62.840	-13
11114.4	-65.459	2.07	-63.389	-13
12966.8	-62.131	2.26	-59.871	-13
14819.2	-61.018	2.64	-58.378	-13
16671.6	-61.368	3.5	-57.868	-13
18524	-59.717	3.7	-56.017	-13

