



Test Mode	IEEE 802.11ax (HE20)_ Ant 1
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5955	-4.60	-4.34	-1.56	5.00	Pass
6175	-4.85	-4.59	-1.81	5.00	Pass
6415	-5.00	-4.74	-1.96	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6435	-4.92	-4.65	-1.87	5.00	Pass
6475	-4.64	-4.38	-1.60	5.00	Pass
6515	-4.36	-4.09	-1.31	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6535	-4.82	-4.56	-1.78	5.00	Pass
6695	-4.75	-4.49	-1.71	5.00	Pass
6855	-4.16	-3.89	-1.11	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6875	-4.33	-4.07	-1.29	5.00	Pass
6995	-3.91	-3.65	-0.87	5.00	Pass
7095	-4.42	-4.16	-1.38	5.00	Pass
7115	-22.67	-22.40	-19.62	5.00	Pass




Test Mode	IEEE 802.11ax (HE20)_ Ant 2
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5955	-5.80	-5.54	-2.76	5.00	Pass
6175	-5.72	-5.45	-2.67	5.00	Pass
6415	-5.60	-5.33	-2.55	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6435	-5.98	-5.72	-2.94	5.00	Pass
6475	-5.67	-5.40	-2.62	5.00	Pass
6515	-6.17	-5.90	-3.12	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6535	-5.75	-5.49	-2.71	5.00	Pass
6695	-5.98	-5.72	-2.94	5.00	Pass
6855	-6.13	-5.86	-3.08	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6875	-6.10	-5.83	-3.05	5.00	Pass
6995	-6.17	-5.91	-3.13	5.00	Pass
7095	-5.63	-5.37	-2.59	5.00	Pass
7115	-21.58	-21.31	-18.53	5.00	Pass




Test Mode	IEEE 802.11ax (HE20)_ Total
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5955	-2.15	-1.89	0.89	5.00	Pass
6175	-2.25	-1.99	0.79	5.00	Pass
6415	-2.28	-2.01	0.77	5.00	Pass
6435	-2.41	-2.14	0.64	5.00	Pass
6475	-2.11	-1.85	0.93	5.00	Pass
6515	-2.16	-1.89	0.89	5.00	Pass
6535	-2.25	-1.99	0.79	5.00	Pass
6695	-2.31	-2.05	0.73	5.00	Pass
6855	-2.02	-1.76	1.02	5.00	Pass
6875	-2.12	-1.85	0.93	5.00	Pass
6995	-1.89	-1.62	1.16	5.00	Pass
7095	-1.97	-1.71	1.07	5.00	Pass
7115	-19.08	-18.81	-16.03	5.00	Pass

Test Mode	IEEE 802.11ax (HE40)_ Ant 1
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5965	-4.40	-4.28	-1.50	5.00	Pass
6165	-4.10	-3.99	-1.21	5.00	Pass
6405	-4.63	-4.51	-1.73	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6445	-4.83	-4.72	-1.94	5.00	Pass
6485	-4.62	-4.51	-1.73	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6525	-4.49	-4.38	-1.60	5.00	Pass
6685	-5.01	-4.90	-2.12	5.00	Pass
6845	-4.47	-4.35	-1.57	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6885	-4.27	-4.15	-1.37	5.00	Pass
7085	-4.56	-4.45	-1.67	5.00	Pass




Test Mode	IEEE 802.11ax (HE40)_ Ant 2
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5965	-5.64	-5.52	-2.74	5.00	Pass
6165	-5.12	-5.00	-2.22	5.00	Pass
6405	-5.36	-5.24	-2.46	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6445	-5.70	-5.58	-2.80	5.00	Pass
6485	-5.45	-5.33	-2.55	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6525	-5.63	-5.52	-2.74	5.00	Pass
6685	-5.65	-5.54	-2.76	5.00	Pass
6845	-5.71	-5.59	-2.81	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6885	-5.93	-5.82	-3.04	5.00	Pass
7085	-5.42	-5.31	-2.53	5.00	Pass




Test Mode	IEEE 802.11ax (HE40)_ Total
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5965	-1.96	-1.85	0.93	5.00	Pass
6165	-1.57	-1.45	1.33	5.00	Pass
6405	-1.97	-1.85	0.93	5.00	Pass
6445	-2.23	-2.12	0.66	5.00	Pass
6485	-2.00	-1.89	0.89	5.00	Pass
6525	-2.02	-1.90	0.88	5.00	Pass
6685	-2.31	-2.19	0.59	5.00	Pass
6845	-2.03	-1.92	0.86	5.00	Pass
6885	-2.01	-1.90	0.88	5.00	Pass
7085	-1.96	-1.85	0.93	5.00	Pass

Test Mode	IEEE 802.11ax (HE80)_ Ant 1
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5985	-4.55	-4.31	-1.53	5.00	Pass
6145	-5.02	-4.78	-2.00	5.00	Pass
6385	-4.69	-4.45	-1.67	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6465	-4.43	-4.19	-1.41	5.00	Pass
6545	-4.66	-4.42	-1.64	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6625	-4.86	-4.62	-1.84	5.00	Pass
6785	-4.56	-4.32	-1.54	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6865	-4.62	-4.38	-1.60	5.00	Pass
6945	-4.28	-4.04	-1.26	5.00	Pass
7025	-5.12	-4.88	-2.10	5.00	Pass

