



Test Mode	IEEE 802.11ax (HE80)_ Ant 2
-----------	-----------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5985	-5.56	-5.32	-2.54	5.00	Pass
6145	-5.52	-5.28	-2.50	5.00	Pass
6385	-5.31	-5.07	-2.29	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6465	-5.14	-4.90	-2.12	5.00	Pass
6545	-5.21	-4.97	-2.19	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6625	-5.72	-5.48	-2.70	5.00	Pass
6785	-5.83	-5.59	-2.81	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6865	-5.86	-5.62	-2.84	5.00	Pass
6945	-5.15	-4.91	-2.13	5.00	Pass
7025	-5.82	-5.59	-2.81	5.00	Pass




Test Mode	IEEE 802.11ax (HE80)_ Total
-----------	-----------------------------

Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5985	-2.02	-1.78	1.00	5.00	Pass
6145	-2.25	-2.01	0.77	5.00	Pass
6385	-1.98	-1.74	1.04	5.00	Pass
6465	-1.76	-1.52	1.26	5.00	Pass
6545	-1.92	-1.68	1.10	5.00	Pass
6625	-2.26	-2.02	0.76	5.00	Pass
6785	-2.14	-1.90	0.88	5.00	Pass
6865	-2.18	-1.95	0.83	5.00	Pass
6945	-1.68	-1.44	1.34	5.00	Pass
7025	-2.45	-2.21	0.57	5.00	Pass

Test Mode	IEEE 802.11ax (HE160)_ Ant 1
-----------	------------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6025	-4.74	-4.55	-1.77	5.00	Pass
6345	-4.76	-4.58	-1.80	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6505	-4.35	-4.17	-1.39	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6665	-4.79	-4.60	-1.82	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6985	-4.50	-4.32	-1.54	5.00	Pass



Test Mode	IEEE 802.11ax (HE160)_ Ant 2
-----------	------------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6025	-5.77	-5.59	-2.81	5.00	Pass
6345	-5.59	-5.40	-2.62	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6505	-5.18	-5.00	-2.22	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6665	-5.35	-5.17	-2.39	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6985	-5.24	-5.06	-2.28	5.00	Pass




Test Mode	IEEE 802.11ax (HE160)_ Total
-----------	------------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6025	-2.21	-2.03	0.75	5.00	Pass
6345	-2.14	-1.96	0.82	5.00	Pass
6505	-1.74	-1.56	1.22	5.00	Pass
6665	-2.05	-1.87	0.91	5.00	Pass
6985	-1.84	-1.66	1.12	5.00	Pass

Test Mode	IEEE 802.11be (EHT20)_ Ant 1
-----------	------------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5955	-4.36	-4.19	-1.41	5.00	Pass
6175	-4.59	-4.42	-1.64	5.00	Pass
6415	-4.77	-4.60	-1.82	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6435	-4.52	-4.35	-1.57	5.00	Pass
6475	-4.71	-4.54	-1.76	5.00	Pass
6515	-4.39	-4.22	-1.44	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6535	-4.75	-4.58	-1.80	5.00	Pass
6695	-5.00	-4.84	-2.06	5.00	Pass
6855	-4.22	-4.05	-1.27	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6875	-4.60	-4.43	-1.65	5.00	Pass
6995	-4.70	-4.53	-1.75	5.00	Pass
7095	-4.80	-4.64	-1.86	5.00	Pass
7115	-22.55	-22.38	-19.60	5.00	Pass




Test Mode	IEEE 802.11be (EHT20)_ Ant 2
-----------	------------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5955	-5.81	-5.64	-2.86	5.00	Pass
6175	-5.11	-4.94	-2.16	5.00	Pass
6415	-5.01	-4.84	-2.06	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6435	-5.07	-4.90	-2.12	5.00	Pass
6475	-4.87	-4.70	-1.92	5.00	Pass
6515	-5.45	-5.29	-2.51	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6535	-4.94	-4.77	-1.99	5.00	Pass
6695	-6.07	-5.90	-3.12	5.00	Pass
6855	-5.34	-5.17	-2.39	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6875	-5.47	-5.30	-2.52	5.00	Pass
6995	-5.59	-5.42	-2.64	5.00	Pass
7095	-5.26	-5.10	-2.32	5.00	Pass
7115	-24.29	-24.12	-21.34	5.00	Pass




Test Mode	IEEE 802.11be (EHT20)_ Total
-----------	------------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5955	-2.01	-1.85	0.93	5.00	Pass
6175	-1.83	-1.66	1.12	5.00	Pass
6415	-1.88	-1.71	1.07	5.00	Pass
6435	-1.77	-1.61	1.17	5.00	Pass
6475	-1.78	-1.61	1.17	5.00	Pass
6515	-1.88	-1.71	1.07	5.00	Pass
6535	-1.83	-1.67	1.11	5.00	Pass
6695	-2.49	-2.33	0.45	5.00	Pass
6855	-1.73	-1.56	1.22	5.00	Pass
6875	-2.00	-1.83	0.95	5.00	Pass
6995	-2.11	-1.94	0.84	5.00	Pass
7095	-2.02	-1.85	0.93	5.00	Pass
7115	-20.32	-20.15	-17.37	5.00	Pass

Test Mode	IEEE 802.11be (EHT40)_ Ant 1
-----------	------------------------------


Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5965	-4.58	-4.45	-1.67	5.00	Pass
6165	-4.72	-4.59	-1.81	5.00	Pass
6405	-5.00	-4.87	-2.09	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6445	-4.95	-4.82	-2.04	5.00	Pass
6485	-4.57	-4.44	-1.66	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6525	-4.60	-4.47	-1.69	5.00	Pass
6685	-4.10	-3.97	-1.19	5.00	Pass
6845	-4.31	-4.18	-1.40	5.00	Pass




Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6885	-4.54	-4.41	-1.63	5.00	Pass
7085	-4.53	-4.40	-1.62	5.00	Pass



Test Mode	IEEE 802.11be (EHT40)_ Ant 2
-----------	------------------------------

Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
5965	-5.80	-5.67	-2.89	5.00	Pass
6165	-5.62	-5.49	-2.71	5.00	Pass
6405	-5.61	-5.48	-2.70	5.00	Pass



Test Frequency (MHz)	Power Spectral Density (dBm/MHz)	Power Spectral Density + Duty Factor (dBm/MHz)	e.i.r.p. Spectral Density (dBm/MHz)	e.i.r.p. Spectral Density Maximum Limit (dBm/MHz)	Result
6445	-5.58	-5.45	-2.67	5.00	Pass
6485	-5.19	-5.06	-2.28	5.00	Pass

