



5320 MHz





Date: 13.DEC.2023 19:43:53





Date: 13.DEC.2023 19:43:15

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	23.39	19.20	No limit
5580	23.65	19.30	No limit
5700	23.40	19.30	No limit


5500 MHz




5580 MHz



5700 MHz




Date: 13.DEC.2023 19:47:55




Date: 13.DEC.2023 19:47:18

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	19.05	19.20	500	Pass
5785	19.09	19.30	500	Pass
5825	19.15	19.20	500	Pass

5745 MHz




Date: 13.DEC.2023 20:03:32




Date: 13.DEC.2023 20:02:50

5785 MHz




Date: 13.DEC.2023 20:05:05




Date: 13.DEC.2023 20:04:23

5825 MHz





Date: 13.DEC.2023 20:06:36



Date: 13.DEC.2023 20:06:00



Test Mode	IEEE 802.11ax (HE40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	41.50	38.60	No limit
5230	41.50	38.80	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	41.70	38.80	No limit
5310	41.40	38.80	No limit

5270 MHz





5310 MHz





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	41.61	38.80	No limit
5550	41.90	38.80	No limit
5670	41.80	38.80	No limit


5510 MHz




5550 MHz



5670 MHz




Date: 31.MAY.2024 13:28:16




Date: 13.DEC.2023 20:20:02

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	34.99	38.80	500	Pass
5795	34.99	38.80	500	Pass

5755 MHz




Date: 31.MAY.2024 13:31:03




Date: 13.DEC.2023 20:21:30

5795 MHz




Date: 31.MAY.2024 13:32:43




Date: 13.DEC.2023 20:22:57

Test Mode	IEEE 802.11ax (HE80)_Ant.1
-----------	----------------------------



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	89.80	78.40	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	90.60	78.40	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	90.39	78.40	No limit
5610	88.60	78.00	




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	76.00	78.40	500	Pass

5775 MHz




Test Mode	IEEE 802.11ax (HE160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	168.40	158.40	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	167.60	158.40	No limit




Test Mode	IEEE 802.11be (EHT20)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	23.40	19.30	No limit
5200	23.30	19.30	No limit
5240	23.20	19.30	No limit

5180 MHz




Date: 13.DEC.2023 20:50:13




Date: 13.DEC.2023 20:49:34

5200 MHz




Date: 13.DEC.2023 20:51:59




Date: 13.DEC.2023 20:51:21

5240 MHz





Date: 13.DEC.2023 20:53:18




Date: 13.DEC.2023 20:52:41


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	23.29	19.30	No limit
5300	23.20	19.20	No limit
5320	23.15	19.30	No limit



5320 MHz





Date: 13.DEC.2023 20:58:01





Date: 13.DEC.2023 20:57:24

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	23.35	19.30	No limit
5580	23.21	19.20	No limit
5700	23.20	19.30	No limit


5500 MHz




5580 MHz



5700 MHz




Date: 13.DEC.2023 21:06:34




Date: 13.DEC.2023 21:05:55

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	19.05	19.20	500	Pass
5785	19.05	19.20	500	Pass
5825	19.15	19.30	500	Pass

5745 MHz




Date: 13.DEC.2023 21:08:03




Date: 13.DEC.2023 21:07:21

5785 MHz




Date: 13.DEC.2023 21:09:28




Date: 13.DEC.2023 21:08:46

5825 MHz





Date: 13.DEC.2023 21:10:53



Date: 13.DEC.2023 21:10:11



Test Mode	IEEE 802.11be (EHT40)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	41.00	38.60	No limit
5230	40.80	38.80	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	40.90	38.60	No limit
5310	40.90	38.80	No limit

5270 MHz





5310 MHz





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	40.90	38.80	No limit
5550	40.60	38.80	No limit
5670	40.90	38.80	No limit


5510 MHz




5550 MHz



5670 MHz





Date: 31.MAY.2024 13:56:01





Date: 13.DEC.2023 21:25:20

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	33.19	38.80	500	Pass
5795	37.20	38.80	500	Pass

5755 MHz




5795 MHz




Test Mode	IEEE 802.11be (EHT80)_Ant.1
-----------	-----------------------------



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	89.18	78.40	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	89.60	78.40	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	91.40	78.40	No limit
5610	91.40	78.00	




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	75.80	78.40	500	Pass

5775 MHz




Test Mode	IEEE 802.11be (EHT160)_Ant.1
-----------	------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	168.01	158.40	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	167.60	158.40	No limit



APPENDIX F OUTPUT POWER

For Non Beamforming

Test Mode	IEEE 802.11a_Ant.1	Test Date	2024/3/14
-----------	--------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	20.04	0.1009	30.00	1.0000	PASS
5200	23.55	0.2265	30.00	1.0000	PASS
5240	23.73	0.2360	30.00	1.0000	PASS
5260	17.23	0.0528	24.00	0.2512	PASS
5300	17.90	0.0617	24.00	0.2512	PASS
5320	18.51	0.0710	24.00	0.2512	PASS
5500	17.67	0.0585	24.00	0.2512	PASS
5580	17.99	0.0630	24.00	0.2512	PASS
5700	18.27	0.0671	24.00	0.2512	PASS
5745	23.93	0.2472	30.00	1.0000	PASS
5785	23.54	0.2259	30.00	1.0000	PASS
5825	23.70	0.2344	30.00	1.0000	PASS

Test Mode	IEEE 802.11a_Ant.2	Test Date	2024/3/14
-----------	--------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	19.73	0.0940	30.00	1.0000	PASS
5200	23.74	0.2366	30.00	1.0000	PASS
5240	23.93	0.2472	30.00	1.0000	PASS
5260	17.27	0.0533	24.00	0.2512	PASS
5300	17.56	0.0570	24.00	0.2512	PASS
5320	18.95	0.0785	24.00	0.2512	PASS
5500	17.34	0.0542	24.00	0.2512	PASS
5580	18.67	0.0736	24.00	0.2512	PASS
5700	19.05	0.0804	24.00	0.2512	PASS
5745	23.61	0.2296	30.00	1.0000	PASS
5785	23.32	0.2148	30.00	1.0000	PASS
5825	23.42	0.2198	30.00	1.0000	PASS

Test Mode	IEEE 802.11a_Total	Test Date	2024/3/14
-----------	--------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	22.90	0.1949	30.00	1.0000	PASS
5200	26.66	0.4631	30.00	1.0000	PASS
5240	26.84	0.4832	30.00	1.0000	PASS
5260	20.26	0.1062	24.00	0.2512	PASS
5300	20.74	0.1187	24.00	0.2512	PASS
5320	21.75	0.1495	24.00	0.2512	PASS
5500	20.52	0.1127	24.00	0.2512	PASS
5580	21.35	0.1366	24.00	0.2512	PASS
5700	21.69	0.1475	24.00	0.2512	PASS
5745	26.78	0.4768	30.00	1.0000	PASS
5785	26.44	0.4407	30.00	1.0000	PASS
5825	26.57	0.4542	30.00	1.0000	PASS

Test Mode	IEEE 802.11n (HT20)_Ant.1	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	20.12	0.1028	30.00	1.0000	PASS
5200	23.59	0.2286	30.00	1.0000	PASS
5240	23.78	0.2388	30.00	1.0000	PASS
5260	19.12	0.0817	24.00	0.2512	PASS
5300	19.02	0.0798	24.00	0.2512	PASS
5320	18.50	0.0708	24.00	0.2512	PASS
5500	19.09	0.0811	24.00	0.2512	PASS
5580	19.24	0.0839	24.00	0.2512	PASS
5700	18.47	0.0703	24.00	0.2512	PASS
5745	23.86	0.2432	30.00	1.0000	PASS
5785	23.65	0.2317	30.00	1.0000	PASS
5825	23.76	0.2377	30.00	1.0000	PASS

Test Mode	IEEE 802.11n (HT20)_Ant.2	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	20.27	0.1064	30.00	1.0000	PASS
5200	23.69	0.2339	30.00	1.0000	PASS
5240	23.87	0.2438	30.00	1.0000	PASS
5260	18.77	0.0753	24.00	0.2512	PASS
5300	19.14	0.0820	24.00	0.2512	PASS
5320	18.97	0.0789	24.00	0.2512	PASS
5500	19.22	0.0836	24.00	0.2512	PASS
5580	19.12	0.0817	24.00	0.2512	PASS
5700	18.79	0.0757	24.00	0.2512	PASS
5745	23.75	0.2371	30.00	1.0000	PASS
5785	23.33	0.2153	30.00	1.0000	PASS
5825	23.59	0.2286	30.00	1.0000	PASS

Test Mode	IEEE 802.11n (HT20)_Total	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	23.21	0.2092	30.00	1.0000	PASS
5200	26.65	0.4624	30.00	1.0000	PASS
5240	26.84	0.4826	30.00	1.0000	PASS
5260	21.96	0.1570	24.00	0.2512	PASS
5300	22.09	0.1618	24.00	0.2512	PASS
5320	21.75	0.1497	24.00	0.2512	PASS
5500	22.17	0.1647	24.00	0.2512	PASS
5580	22.19	0.1656	24.00	0.2512	PASS
5700	21.64	0.1460	24.00	0.2512	PASS
5745	26.82	0.4804	30.00	1.0000	PASS
5785	26.50	0.4470	30.00	1.0000	PASS
5825	26.69	0.4662	30.00	1.0000	PASS

Test Mode	IEEE 802.11n (HT40)_Ant.1	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	19.14	0.0820	30.00	1.0000	PASS
5230	22.14	0.1637	30.00	1.0000	PASS
5270	19.20	0.0832	24.00	0.2512	PASS
5310	18.99	0.0793	24.00	0.2512	PASS
5510	19.08	0.0809	24.00	0.2512	PASS
5550	19.17	0.0826	24.00	0.2512	PASS
5670	19.29	0.0849	24.00	0.2512	PASS
5755	24.12	0.2582	30.00	1.0000	PASS
5795	24.08	0.2559	30.00	1.0000	PASS

Test Mode	IEEE 802.11n (HT40)_Ant.2	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	19.18	0.0828	30.00	1.0000	PASS
5230	22.14	0.1637	30.00	1.0000	PASS
5270	18.66	0.0735	24.00	0.2512	PASS
5310	19.15	0.0822	24.00	0.2512	PASS
5510	19.16	0.0824	24.00	0.2512	PASS
5550	18.79	0.0757	24.00	0.2512	PASS
5670	18.86	0.0769	24.00	0.2512	PASS
5755	23.50	0.2239	30.00	1.0000	PASS
5795	23.71	0.2350	30.00	1.0000	PASS

Test Mode	IEEE 802.11n (HT40)_Total	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	22.17	0.1648	30.00	1.0000	PASS
5230	25.15	0.3273	30.00	1.0000	PASS
5270	21.95	0.1566	24.00	0.2512	PASS
5310	22.08	0.1615	24.00	0.2512	PASS
5510	22.13	0.1633	24.00	0.2512	PASS
5550	21.99	0.1583	24.00	0.2512	PASS
5670	22.09	0.1618	24.00	0.2512	PASS
5755	26.83	0.4821	30.00	1.0000	PASS
5795	26.91	0.4908	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	17.00	0.0501	30.00	1.0000	PASS
5290	18.50	0.0708	24.00	0.2512	PASS
5530	18.48	0.0705	24.00	0.2512	PASS
5610	18.35	0.0684	24.00	0.2512	PASS
5775	21.18	0.1312	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	17.18	0.0522	30.00	1.0000	PASS
5290	18.45	0.0700	24.00	0.2512	PASS
5530	18.23	0.0665	24.00	0.2512	PASS
5610	18.32	0.0679	24.00	0.2512	PASS
5775	21.47	0.1403	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	20.10	0.1024	30.00	1.0000	PASS
5290	21.49	21.49	24.00	0.2512	PASS
5530	21.37	21.37	24.00	0.2512	PASS
5610	21.35	0.1363	24.00	0.2512	PASS
5775	24.34	0.2716	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT160)_Ant.1	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.16	0.0413	30.00	1.0000	PASS
5570	18.43	0.0697	24.00	0.2512	PASS

Test Mode	IEEE 802.11ac (VHT160)_Ant.2	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.47	0.0444	30.00	1.0000	PASS
5570	18.61	0.0726	24.00	0.2512	PASS

Test Mode	IEEE 802.11ac (VHT160)_Total	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	19.33	0.0857	30.00	1.0000	PASS
5570	21.53	0.1423	24.00	0.2512	PASS

Test Mode	IEEE 802.11ax (HE20)_Ant.1	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	17.71	0.0590	30.00	1.0000	PASS
5200	23.50	0.2239	30.00	1.0000	PASS
5240	23.78	0.2388	30.00	1.0000	PASS
5260	18.66	0.0735	24.00	0.2512	PASS
5300	18.50	0.0708	24.00	0.2512	PASS
5320	18.54	0.0714	24.00	0.2512	PASS
5500	18.50	0.0708	24.00	0.2512	PASS
5580	18.39	0.0690	24.00	0.2512	PASS
5700	18.22	0.0664	24.00	0.2512	PASS
5745	23.88	0.2443	30.00	1.0000	PASS
5785	23.58	0.2280	30.00	1.0000	PASS
5825	23.50	0.2239	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE20)_Ant.2	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	18.59	0.0723	30.00	1.0000	PASS
5200	23.36	0.2170	30.00	1.0000	PASS
5240	23.76	0.2377	30.00	1.0000	PASS
5260	18.98	0.0791	24.00	0.2512	PASS
5300	18.63	0.0729	24.00	0.2512	PASS
5320	18.99	0.0793	24.00	0.2512	PASS
5500	19.00	0.0794	24.00	0.2512	PASS
5580	18.65	0.0733	24.00	0.2512	PASS
5700	18.85	0.0767	24.00	0.2512	PASS
5745	23.63	0.2307	30.00	1.0000	PASS
5785	23.29	0.2133	30.00	1.0000	PASS
5825	23.32	0.2148	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE20)_Total	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	21.18	0.1313	30.00	1.0000	PASS
5200	26.44	0.4408	30.00	1.0000	PASS
5240	26.78	0.4765	30.00	1.0000	PASS
5260	21.83	0.1525	24.00	0.2512	PASS
5300	21.58	0.1437	24.00	0.2512	PASS
5320	21.78	0.1507	24.00	0.2512	PASS
5500	21.77	0.1502	24.00	0.2512	PASS
5580	21.53	0.1423	24.00	0.2512	PASS
5700	21.56	0.1431	24.00	0.2512	PASS
5745	26.77	0.4750	30.00	1.0000	PASS
5785	26.45	0.4413	30.00	1.0000	PASS
5825	26.42	0.4387	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE40)_Ant.1	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	18.10	0.0646	30.00	1.0000	PASS
5230	22.50	0.1778	30.00	1.0000	PASS
5270	18.99	0.0793	24.00	0.2512	PASS
5310	18.39	0.0690	24.00	0.2512	PASS
5510	19.31	0.0853	24.00	0.2512	PASS
5550	18.56	0.0718	24.00	0.2512	PASS
5670	17.96	0.0625	24.00	0.2512	PASS
5755	24.07	0.2553	30.00	1.0000	PASS
5795	24.24	0.2655	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE40)_Ant.2	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	18.46	0.0701	30.00	1.0000	PASS
5230	22.66	0.1845	30.00	1.0000	PASS
5270	18.89	0.0774	24.00	0.2512	PASS
5310	18.43	0.0697	24.00	0.2512	PASS
5510	18.03	0.0635	24.00	0.2512	PASS
5550	18.62	0.0728	24.00	0.2512	PASS
5670	18.84	0.0766	24.00	0.2512	PASS
5755	23.83	0.2415	30.00	1.0000	PASS
5795	23.97	0.2495	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE40)_Total	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	21.29	0.1347	30.00	1.0000	PASS
5230	25.59	0.3623	30.00	1.0000	PASS
5270	21.95	0.1567	24.00	0.2512	PASS
5310	21.42	0.1387	24.00	0.2512	PASS
5510	21.73	0.1488	24.00	0.2512	PASS
5550	21.60	0.1446	24.00	0.2512	PASS
5670	21.43	0.1391	24.00	0.2512	PASS
5755	26.96	0.4968	30.00	1.0000	PASS
5795	27.12	0.5149	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE80) _Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.56	0.0453	30.00	1.0000	PASS
5290	18.26	0.0670	24.00	0.2512	PASS
5530	16.42	0.0439	24.00	0.2512	PASS
5610	18.25	0.0668	24.00	0.2512	PASS
5775	21.98	0.1578	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE80) _Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.69	0.0467	30.00	1.0000	PASS
5290	18.37	0.0687	24.00	0.2512	PASS
5530	16.18	0.0415	24.00	0.2512	PASS
5610	18.75	0.0750	24.00	0.2512	PASS
5775	21.75	0.1496	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE80) _Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	19.64	0.0920	30.00	1.0000	PASS
5290	21.33	0.1357	24.00	0.2512	PASS
5530	19.31	0.0853	24.00	0.2512	PASS
5610	21.52	0.1418	24.00	0.2512	PASS
5775	24.88	0.3074	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.56	0.0453	30.00	1.0000	PASS
5570	17.96	0.0625	24.00	0.2512	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.87	0.0486	30.00	1.0000	PASS
5570	18.18	0.0658	24.00	0.2512	PASS

Test Mode	IEEE 802.11ax (HE160)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	19.73	0.0939	30.00	1.0000	PASS
5570	21.08	0.1283	24.00	0.2512	PASS

Test Mode	IEEE 802.11be (EHT20)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	19.14	0.0820	30.00	1.0000	PASS
5200	23.63	0.2307	30.00	1.0000	PASS
5240	23.85	0.2427	30.00	1.0000	PASS
5260	18.97	0.0789	24.00	0.2512	PASS
5300	18.88	0.0773	24.00	0.2512	PASS
5320	19.01	0.0796	24.00	0.2512	PASS
5500	18.55	0.0716	24.00	0.2512	PASS
5580	18.42	0.0695	24.00	0.2512	PASS
5700	18.62	0.0728	24.00	0.2512	PASS
5745	24.00	0.2512	30.00	1.0000	PASS
5785	23.88	0.2443	30.00	1.0000	PASS
5825	23.94	0.2477	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT20)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	19.39	0.0869	30.00	1.0000	PASS
5200	23.78	0.2388	30.00	1.0000	PASS
5240	24.02	0.2523	30.00	1.0000	PASS
5260	18.92	0.0780	24.00	0.2512	PASS
5300	18.79	0.0757	24.00	0.2512	PASS
5320	18.85	0.0767	24.00	0.2512	PASS
5500	19.16	0.0824	24.00	0.2512	PASS
5580	18.98	0.0791	24.00	0.2512	PASS
5700	19.18	0.0828	24.00	0.2512	PASS
5745	23.63	0.2307	30.00	1.0000	PASS
5785	23.54	0.2259	30.00	1.0000	PASS
5825	23.66	0.2323	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT20)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	22.28	0.1690	30.00	1.0000	PASS
5200	26.72	0.4699	30.00	1.0000	PASS
5240	26.95	0.4955	30.00	1.0000	PASS
5260	21.96	0.1569	24.00	0.2512	PASS
5300	21.85	0.1530	24.00	0.2512	PASS
5320	21.94	0.1564	24.00	0.2512	PASS
5500	21.88	0.1540	24.00	0.2512	PASS
5580	21.72	0.1486	24.00	0.2512	PASS
5700	21.92	0.1556	24.00	0.2512	PASS
5745	26.83	0.4819	30.00	1.0000	PASS
5785	26.72	0.4703	30.00	1.0000	PASS
5825	26.81	0.4800	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT40)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	17.89	0.0615	30.00	1.0000	PASS
5230	21.96	0.1570	30.00	1.0000	PASS
5270	18.70	0.0741	24.00	0.2512	PASS
5310	18.35	0.0684	24.00	0.2512	PASS
5510	18.18	0.0658	24.00	0.2512	PASS
5550	18.43	0.0697	24.00	0.2512	PASS
5670	18.23	0.0665	24.00	0.2512	PASS
5755	23.38	0.2178	30.00	1.0000	PASS
5795	24.49	0.2812	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT40)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	17.81	0.0604	30.00	1.0000	PASS
5230	22.09	0.1618	30.00	1.0000	PASS
5270	18.60	0.0724	24.00	0.2512	PASS
5310	18.47	0.0703	24.00	0.2512	PASS
5510	18.61	0.0726	24.00	0.2512	PASS
5550	19.01	0.0796	24.00	0.2512	PASS
5670	19.08	0.0809	24.00	0.2512	PASS
5755	23.15	0.2065	30.00	1.0000	PASS
5795	24.12	0.2582	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT40)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	20.86	0.1219	30.00	1.0000	PASS
5230	25.04	0.3192	30.00	1.0000	PASS
5270	21.66	0.1466	24.00	0.2512	PASS
5310	21.42	0.1387	24.00	0.2512	PASS
5510	21.41	0.1384	24.00	0.2512	PASS
5550	21.74	0.1493	24.00	0.2512	PASS
5670	21.69	0.1474	24.00	0.2512	PASS
5755	26.28	0.4243	30.00	1.0000	PASS
5795	27.32	0.5394	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	17.03	0.0505	30.00	1.0000	PASS
5290	18.47	0.0703	24.00	0.2512	PASS
5530	16.90	0.0490	24.00	0.2512	PASS
5610	18.42	0.0695	24.00	0.2512	PASS
5775	21.57	0.1435	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	17.17	0.0521	30.00	1.0000	PASS
5290	18.25	0.0668	24.00	0.2512	PASS
5530	17.62	0.0578	24.00	0.2512	PASS
5610	18.85	0.0767	24.00	0.2512	PASS
5775	21.35	0.1365	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT80)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	20.11	0.1026	30.00	1.0000	PASS
5290	21.37	0.1371	24.00	0.2512	PASS
5530	20.29	0.1068	24.00	0.2512	PASS
5610	21.65	0.1462	24.00	0.2512	PASS
5775	24.47	0.2800	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.1	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.79	0.0478	30.00	1.0000	PASS
5570	18.00	0.0631	24.00	0.2512	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.2	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.77	0.0475	30.00	1.0000	PASS
5570	18.33	0.0681	24.00	0.2512	PASS

Test Mode	IEEE 802.11be (EHT160)_Total	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	19.79	0.0953	30.00	1.0000	PASS
5570	21.18	0.1312	24.00	0.2512	PASS

For Beamforming:

Test Mode	IEEE 802.11n (HT20)_Ant.1	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	19.22	0.0836	27.62	0.5781	PASS
5200	23.24	0.2109	27.62	0.5781	PASS
5240	23.25	0.2113	27.62	0.5781	PASS
5260	17.92	0.0619	21.62	0.1452	PASS
5300	18.28	0.0673	21.62	0.1452	PASS
5320	17.91	0.0618	21.62	0.1452	PASS
5500	17.64	0.0581	21.62	0.1452	PASS
5580	18.05	0.0638	21.62	0.1452	PASS
5700	17.74	0.0594	21.62	0.1452	PASS
5745	23.35	0.2163	27.62	0.5781	PASS
5785	23.50	0.2239	27.62	0.5781	PASS
5825	23.00	0.1995	27.62	0.5781	PASS

Test Mode	IEEE 802.11n (HT20)_Ant.2	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	19.47	0.0885	27.62	0.5781	PASS
5200	22.95	0.1972	27.62	0.5781	PASS
5240	22.85	0.1928	27.62	0.5781	PASS
5260	17.84	0.0608	21.62	0.1452	PASS
5300	18.32	0.0679	21.62	0.1452	PASS
5320	18.31	0.0678	21.62	0.1452	PASS
5500	18.24	0.0667	21.62	0.1452	PASS
5580	18.37	0.0687	21.62	0.1452	PASS
5700	17.88	0.0614	21.62	0.1452	PASS
5745	23.36	0.2168	27.62	0.5781	PASS
5785	23.25	0.2113	27.62	0.5781	PASS
5825	23.34	0.2158	27.62	0.5781	PASS

Test Mode	IEEE 802.11n (HT20)_Total	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	22.36	0.1722	27.62	0.5781	PASS
5200	26.11	0.4083	27.62	0.5781	PASS
5240	26.06	0.4036	27.62	0.5781	PASS
5260	20.89	0.1228	21.62	0.1452	PASS
5300	21.31	0.1352	21.62	0.1452	PASS
5320	21.12	0.1296	21.62	0.1452	PASS
5500	20.96	0.1248	21.62	0.1452	PASS
5580	21.22	0.1325	21.62	0.1452	PASS
5700	20.82	0.1208	21.62	0.1452	PASS
5745	26.37	0.4330	27.62	0.5781	PASS
5785	26.39	0.4352	27.62	0.5781	PASS
5825	26.18	0.4153	27.62	0.5781	PASS

Test Mode	IEEE 802.11n (HT40)_Ant.1	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	18.71	0.0743	27.62	0.5781	PASS
5230	21.85	0.1531	27.62	0.5781	PASS
5270	18.06	0.0640	21.62	0.1452	PASS
5310	18.33	0.0681	21.62	0.1452	PASS
5510	17.85	0.0610	21.62	0.1452	PASS
5550	17.83	0.0607	21.62	0.1452	PASS
5670	17.44	0.0555	21.62	0.1452	PASS
5755	23.30	0.2138	27.62	0.5781	PASS
5795	22.95	0.1972	27.62	0.5781	PASS

Test Mode	IEEE 802.11n (HT40)_Ant.2	Test Date	2023/8/30~9/1
-----------	---------------------------	-----------	---------------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	18.60	0.0724	27.62	0.5781	PASS
5230	21.56	0.1432	27.62	0.5781	PASS
5270	17.72	0.0592	21.62	0.1452	PASS
5310	18.37	0.0687	21.62	0.1452	PASS
5510	18.03	0.0635	21.62	0.1452	PASS
5550	17.92	0.0619	21.62	0.1452	PASS
5670	18.00	0.0631	21.62	0.1452	PASS
5755	22.96	0.1977	27.62	0.5781	PASS
5795	23.24	0.2109	27.62	0.5781	PASS

Test Mode	IEEE 802.11n (HT40)_Total	Test Date	2024/3/14
-----------	---------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	21.67	0.1469	27.62	0.5781	PASS
5230	24.72	0.2965	27.62	0.5781	PASS
5270	20.90	0.1231	21.62	0.1452	PASS
5310	21.36	0.1368	21.62	0.1452	PASS
5510	20.95	0.1245	21.62	0.1452	PASS
5550	20.89	0.1226	21.62	0.1452	PASS
5670	20.74	0.1186	21.62	0.1452	PASS
5755	26.14	0.4115	27.62	0.5781	PASS
5795	26.11	0.4081	27.62	0.5781	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.62	0.0459	27.62	0.5781	PASS
5290	17.73	0.0593	21.62	0.1452	PASS
5530	17.09	0.0512	21.62	0.1452	PASS
5610	16.99	0.0500	21.62	0.1452	PASS
5775	21.27	0.1340	27.62	0.5781	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.52	0.0449	27.62	0.5781	PASS
5290	17.56	0.0570	21.62	0.1452	PASS
5530	17.21	0.0526	21.62	0.1452	PASS
5610	17.28	0.0535	21.62	0.1452	PASS
5775	21.27	0.1340	27.62	0.5781	PASS

Test Mode	IEEE 802.11ac (VHT80)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	19.58	0.0908	27.62	0.5781	PASS
5290	20.66	0.1163	21.62	0.1452	PASS
5530	20.16	0.1038	21.62	0.1452	PASS
5610	20.15	0.1035	21.62	0.1452	PASS
5775	24.28	0.2679	27.62	0.5781	PASS

Test Mode	IEEE 802.11ac (VHT160)_Ant.1	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	15.59	0.0362	27.62	0.5781	PASS
5570	17.07	0.0509	21.62	0.1452	PASS

Test Mode	IEEE 802.11ac (VHT160)_Ant.2	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	15.57	0.0361	27.62	0.5781	PASS
5570	17.44	0.0555	21.62	0.1452	PASS

Test Mode	IEEE 802.11ac (VHT160)_Total	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	18.59	0.0723	27.62	0.5781	PASS
5570	20.27	0.1064	21.62	0.1452	PASS

Test Mode	IEEE 802.11ax (HE20) _Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	17.27	0.0533	27.62	0.5781	PASS
5200	23.29	0.2133	27.62	0.5781	PASS
5240	23.35	0.2163	27.62	0.5781	PASS
5260	17.60	0.0575	21.62	0.1452	PASS
5300	17.52	0.0565	21.62	0.1452	PASS
5320	17.19	0.0524	21.62	0.1452	PASS
5500	17.25	0.0531	21.62	0.1452	PASS
5580	17.19	0.0524	21.62	0.1452	PASS
5700	17.29	0.0536	21.62	0.1452	PASS
5745	23.25	0.2113	27.62	0.5781	PASS
5785	23.10	0.2042	27.62	0.5781	PASS
5825	23.18	0.2080	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE20) _Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	17.79	0.0601	27.62	0.5781	PASS
5200	23.03	0.2009	27.62	0.5781	PASS
5240	23.51	0.2244	27.62	0.5781	PASS
5260	17.40	0.0550	21.62	0.1452	PASS
5300	17.37	0.0546	21.62	0.1452	PASS
5320	17.23	0.0528	21.62	0.1452	PASS
5500	17.71	0.0590	21.62	0.1452	PASS
5580	17.39	0.0548	21.62	0.1452	PASS
5700	17.43	0.0553	21.62	0.1452	PASS
5745	23.05	0.2018	27.62	0.5781	PASS
5785	23.44	0.2208	27.62	0.5781	PASS
5825	23.18	0.2080	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE20)_Total	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	20.55	0.1135	27.62	0.5781	PASS
5200	26.17	0.4140	27.62	0.5781	PASS
5240	26.44	0.4406	27.62	0.5781	PASS
5260	20.51	0.1125	21.62	0.1452	PASS
5300	20.46	0.1111	21.62	0.1452	PASS
5320	20.22	0.1052	21.62	0.1452	PASS
5500	20.50	0.1121	21.62	0.1452	PASS
5580	20.30	0.1072	21.62	0.1452	PASS
5700	20.37	0.1089	21.62	0.1452	PASS
5745	26.16	0.4132	27.62	0.5781	PASS
5785	26.28	0.4250	27.62	0.5781	PASS
5825	26.19	0.4159	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE40)_Ant.1	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	18.10	0.0646	27.62	0.5781	PASS
5230	22.50	0.1778	27.62	0.5781	PASS
5270	18.07	0.0641	21.62	0.1452	PASS
5310	17.99	0.0630	21.62	0.1452	PASS
5510	1.92	0.0016	21.62	0.1452	PASS
5550	17.87	0.0612	21.62	0.1452	PASS
5670	17.36	0.0545	21.62	0.1452	PASS
5755	23.07	0.2028	27.62	0.5781	PASS
5795	23.12	0.2051	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE40)_Ant.2	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	18.46	0.0701	27.62	0.5781	PASS
5230	22.66	0.1845	27.62	0.5781	PASS
5270	17.97	0.0627	21.62	0.1452	PASS
5310	17.91	0.0618	21.62	0.1452	PASS
5510	18.19	0.0659	21.62	0.1452	PASS
5550	18.00	0.0631	21.62	0.1452	PASS
5670	18.05	0.0638	21.62	0.1452	PASS
5755	23.21	0.2094	27.62	0.5781	PASS
5795	23.05	0.2018	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE40)_Total	Test Date	2024/3/14
-----------	----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	21.29	0.1346	27.62	0.5781	PASS
5230	25.59	0.3622	27.62	0.5781	PASS
5270	21.03	0.1268	21.62	0.1452	PASS
5310	20.96	0.1248	21.62	0.1452	PASS
5510	18.29	0.0675	21.62	0.1452	PASS
5550	20.95	0.1243	21.62	0.1452	PASS
5670	20.73	0.1183	21.62	0.1452	PASS
5755	26.15	0.4122	27.62	0.5781	PASS
5795	26.10	0.4070	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE80) _Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.30	0.0427	27.62	0.5781	PASS
5290	17.76	0.0597	21.62	0.1452	PASS
5530	15.40	0.0347	21.62	0.1452	PASS
5610	17.43	0.0553	21.62	0.1452	PASS
5775	20.82	0.1208	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE80) _Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.36	0.0433	27.62	0.5781	PASS
5290	17.61	0.0577	21.62	0.1452	PASS
5530	15.40	0.0347	21.62	0.1452	PASS
5610	17.91	0.0618	21.62	0.1452	PASS
5775	21.06	0.1276	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE80) _Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	19.34	0.0859	27.62	0.5781	PASS
5290	20.70	0.1174	21.62	0.1452	PASS
5530	18.41	0.0693	21.62	0.1452	PASS
5610	20.69	0.1171	21.62	0.1452	PASS
5775	23.95	0.2484	27.62	0.5781	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.37	0.0434	27.62	0.5781	PASS
5570	17.08	0.0511	24.00	0.2512	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.26	0.0423	27.62	0.5781	PASS
5570	17.42	0.0552	24.00	0.2512	PASS

Test Mode	IEEE 802.11ax (HE160)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	19.33	0.0857	27.62	0.5781	PASS
5570	20.26	0.1063	24.00	0.2512	PASS

Test Mode	IEEE 802.11be (EHT20)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	18.25	0.0668	27.62	0.5781	PASS
5200	22.87	0.1936	27.62	0.5781	PASS
5240	22.89	0.1945	27.62	0.5781	PASS
5260	18.05	0.0638	21.62	0.1452	PASS
5300	18.08	0.0643	21.62	0.1452	PASS
5320	17.72	0.0592	21.62	0.1452	PASS
5500	17.81	0.0604	21.62	0.1452	PASS
5580	17.71	0.0590	21.62	0.1452	PASS
5700	17.78	0.0600	21.62	0.1452	PASS
5745	23.50	0.2239	27.62	0.5781	PASS
5785	23.14	0.2061	27.62	0.5781	PASS
5825	23.26	0.2118	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT20)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	18.52	0.0711	27.62	0.5781	PASS
5200	22.99	0.1991	27.62	0.5781	PASS
5240	22.96	0.1977	27.62	0.5781	PASS
5260	17.92	0.0619	21.62	0.1452	PASS
5300	17.93	0.0621	21.62	0.1452	PASS
5320	17.79	0.0601	21.62	0.1452	PASS
5500	18.23	0.0665	21.62	0.1452	PASS
5580	18.02	0.0634	21.62	0.1452	PASS
5700	17.99	0.0630	21.62	0.1452	PASS
5745	23.02	0.2004	27.62	0.5781	PASS
5785	23.15	0.2065	27.62	0.5781	PASS
5825	23.46	0.2218	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT20)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	21.40	0.1380	27.62	0.5781	PASS
5200	25.94	0.3926	27.62	0.5781	PASS
5240	25.94	0.3926	27.62	0.5781	PASS
5260	21.00	0.1258	21.62	0.1452	PASS
5300	21.02	0.1264	21.62	0.1452	PASS
5320	20.77	0.1193	21.62	0.1452	PASS
5500	21.04	0.1269	21.62	0.1452	PASS
5580	20.88	0.1224	21.62	0.1452	PASS
5700	20.90	0.1229	21.62	0.1452	PASS
5745	26.28	0.4243	27.62	0.5781	PASS
5785	26.16	0.4126	27.62	0.5781	PASS
5825	26.37	0.4337	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT40)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	17.23	0.0528	27.62	0.5781	PASS
5230	21.00	0.1259	27.62	0.5781	PASS
5270	17.85	0.0610	21.62	0.1452	PASS
5310	17.81	0.0604	21.62	0.1452	PASS
5510	17.72	0.0592	21.62	0.1452	PASS
5550	17.68	0.0586	21.62	0.1452	PASS
5670	17.26	0.0532	21.62	0.1452	PASS
5755	23.25	0.2113	27.62	0.5781	PASS
5795	23.17	0.2075	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT40)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	17.51	0.0564	27.62	0.5781	PASS
5230	21.33	0.1358	27.62	0.5781	PASS
5270	17.67	0.0585	21.62	0.1452	PASS
5310	17.72	0.0592	21.62	0.1452	PASS
5510	17.97	0.0627	21.62	0.1452	PASS
5550	17.83	0.0607	21.62	0.1452	PASS
5670	17.86	0.0611	21.62	0.1452	PASS
5755	23.05	0.2018	27.62	0.5781	PASS
5795	23.28	0.2128	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT40)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	20.38	0.1091	27.62	0.5781	PASS
5230	24.18	0.2618	27.62	0.5781	PASS
5270	20.77	0.1194	21.62	0.1452	PASS
5310	20.78	0.1196	21.62	0.1452	PASS
5510	20.86	0.1218	21.62	0.1452	PASS
5550	20.77	0.1193	21.62	0.1452	PASS
5670	20.58	0.1143	21.62	0.1452	PASS
5755	26.16	0.4132	27.62	0.5781	PASS
5795	26.24	0.4203	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.1	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.42	0.0439	27.62	0.5781	PASS
5290	17.83	0.0607	21.62	0.1452	PASS
5530	16.35	0.0432	21.62	0.1452	PASS
5610	17.60	0.0575	21.62	0.1452	PASS
5775	21.25	0.1334	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.2	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.72	0.0470	27.62	0.5781	PASS
5290	17.73	0.0593	21.62	0.1452	PASS
5530	16.43	0.0440	21.62	0.1452	PASS
5610	18.02	0.0634	21.62	0.1452	PASS
5775	21.04	0.1271	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT80)_Total	Test Date	2024/3/14
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	19.58	0.0908	27.62	0.5781	PASS
5290	20.79	0.1200	21.62	0.1452	PASS
5530	19.40	0.0871	21.62	0.1452	PASS
5610	20.83	0.1209	21.62	0.1452	PASS
5775	24.16	0.2604	27.62	0.5781	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.1	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.05	0.0403	27.62	0.5781	PASS
5570	17.20	0.0525	24.00	0.2512	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.2	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.39	0.0436	27.62	0.5781	PASS
5570	17.53	0.0566	24.00	0.2512	PASS





Test Mode	IEEE 802.11be (EHT160)_Total	Test Date	2024/3/14
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	19.23	0.0838	27.62	0.5781	PASS
5570	20.38	0.1091	24.00	0.2512	PASS


APPENDIX G POWER SPECTRAL DENSITY

Test Mode | IEEE 802.11a_Ant.1



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	3.98	0.09	4.07	15.24	PASS
5200	11.21	0.09	11.30	15.24	PASS
5240	11.37	0.09	11.46	15.24	PASS



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	5.25	0.09	5.34	9.24	Pass
5300	5.80	0.09	5.89	9.24	Pass
5320	4.31	0.09	4.40	9.24	Pass




Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5500	5.75	0.09	5.84	9.24	Pass
5580	4.51	0.09	4.60	9.24	Pass
5700	4.84	0.09	4.93	9.24	Pass







Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	9.42	16.41	0.09	16.50	28.24	Pass
5785	9.20	16.19	0.09	16.28	28.24	Pass
5825	9.45	16.44	0.09	16.53	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$







Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------





Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	8.21	0.09	8.30	15.24	Pass
5200	11.06	0.09	11.15	15.24	Pass
5240	11.36	0.09	11.45	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	4.96	0.09	5.05	9.24	Pass
5300	5.44	0.09	5.53	9.24	Pass
5320	7.27	0.09	7.36	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5500	5.30	0.09	5.39	9.24	Pass
5580	6.74	0.09	6.83	9.24	Pass
5700	6.86	0.09	6.95	9.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	9.01	16.00	0.09	16.09	28.24	Pass
5785	9.28	16.27	0.09	16.36	28.24	Pass
5825	8.89	15.88	0.09	15.97	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11a_Total
-----------	--------------------





Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	9.69	15.24	Pass
5200	14.23	15.24	Pass
5240	14.46	15.24	Pass
5260	8.21	9.24	Pass
5300	8.72	9.24	Pass
5320	9.14	9.24	Pass
5500	8.63	9.24	Pass
5580	8.86	9.24	Pass
5700	9.06	9.24	Pass

Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	12.23	19.22	0.09	19.31	28.24	Pass
5785	12.25	19.24	0.09	19.33	28.24	Pass
5825	12.19	19.18	0.09	19.27	28.24	Pass





NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11n (HT20)_Ant.1
-----------	---------------------------


Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	6.93	0.09	7.02	15.24	Pass
5200	10.67	0.09	10.76	15.24	Pass
5240	10.90	0.09	10.99	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	4.47	0.09	4.56	9.24	Pass
5300	4.70	0.09	4.79	9.24	Pass
5320	4.75	0.09	4.84	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5500	4.58	0.09	4.67	9.24	Pass
5580	4.63	0.09	4.72	9.24	Pass
5700	5.17	0.09	5.26	9.24	Pass







Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	8.44	15.43	0.09	15.52	28.24	Pass
5785	8.28	15.27	0.09	15.36	28.24	Pass
5825	8.30	15.29	0.09	15.38	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode | IEEE 802.11n (HT20)_Ant.2


Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	6.87	0.09	6.96	15.24	Pass
5200	10.61	0.09	10.70	15.24	Pass
5240	10.91	0.09	11.00	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	6.05	0.09	6.14	9.24	Pass
5300	6.23	0.09	6.32	9.24	Pass
5320	6.55	0.09	6.64	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5500	6.35	0.09	6.44	9.24	Pass
5580	6.20	0.09	6.29	9.24	Pass
5700	5.52	0.09	5.61	9.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	8.19	15.18	0.09	15.27	28.24	Pass
5785	8.24	15.23	0.09	15.32	28.24	Pass
5825	8.07	15.06	0.09	15.15	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT20)_Total
-----------	---------------------------



Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	10.00	15.24	Pass
5200	13.74	15.24	Pass
5240	14.00	15.24	Pass
5260	8.43	9.24	Pass
5300	8.63	9.24	Pass
5320	8.84	9.24	Pass
5500	8.65	9.24	Pass
5580	8.58	9.24	Pass
5700	8.45	9.24	Pass

Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	11.33	18.32	0.09	18.40	28.24	Pass
5785	11.27	18.26	0.09	18.35	28.24	Pass
5825	11.20	18.19	0.09	18.27	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11n (HT40)_Ant.1
-----------	---------------------------





Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	1.63	0.17	1.80	15.24	Pass
5230	6.03	0.17	6.20	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5270	1.39	0.17	1.56	9.24	Pass
5310	1.46	0.17	1.63	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5510	1.48	0.17	1.65	9.24	Pass
5550	1.10	0.17	1.27	9.24	Pass
5670	1.38	0.17	1.55	9.24	Pass





Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	5.47	12.46	0.17	12.63	28.24	Pass
5795	5.20	12.19	0.17	12.36	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_Ant.2
-----------	---------------------------





Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	2.36	0.17	2.53	15.24	Pass
5230	6.01	0.17	6.18	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5270	1.94	0.17	2.11	9.24	Pass
5310	2.11	0.17	2.28	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5510	1.67	0.17	1.84	9.24	Pass
5550	1.45	0.17	1.62	9.24	Pass
5670	1.12	0.17	1.29	9.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	4.81	11.80	0.17	11.97	28.24	Pass
5795	5.02	12.01	0.17	12.18	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT40)_Total
-----------	---------------------------


Frequency (MHz)	Measured Power Spectral Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	5.19	15.24	Pass
5230	9.20	15.24	Pass
5270	4.85	9.24	Pass
5310	4.98	9.24	Pass
5510	4.75	9.24	Pass
5550	4.46	9.24	Pass
5670	4.43	9.24	Pass

Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	8.16	15.15	0.17	15.32	28.24	Pass
5795	8.12	15.11	0.17	15.28	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ac (VHT80)_Ant.1
-----------	-----------------------------


Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5210	-2.98	0.34	-2.64	15.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5290	-2.42	0.34	-2.08	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5530	-2.71	0.34	-2.37	9.24	Pass
5610	-2.86	0.34	-2.52	9.24	Pass




Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	
5775	-1.02	5.97	0.34	6.31	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Ant.2
-----------	-----------------------------


Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5210	-3.11	0.34	-2.77	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5290	-1.92	0.34	-1.58	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5530	-2.17	0.34	-1.83	9.24	Pass
5610	-2.81	0.34	-2.47	9.24	Pass



Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	
5775	-1.26	5.73	0.34	6.07	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	0.30	15.24	Pass
5290	1.19	9.24	Pass
5530	0.92	9.24	Pass
5610	0.51	9.24	Pass

Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5775	1.87	8.86	0.34	9.20	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ac (VHT160)_Ant.1
-----------	------------------------------

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5250	-6.08	0.26	-5.82	15.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5570	-3.93	0.26	-3.67	9.24	Pass




Test Mode	IEEE 802.11ac (VHT160)_Ant.2
-----------	------------------------------

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5250	-6.62	0.26	-6.36	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5570	-3.42	0.26	-3.16	9.24	Pass







Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-3.07	15.24	Pass
5570	-0.40	9.24	Pass

Test Mode	IEEE 802.11ax (HE20)_Ant.1
-----------	----------------------------


Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	5.06	0.19	5.25	15.24	Pass
5200	10.25	0.19	10.44	15.24	Pass
5240	10.46	0.19	10.65	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	5.42	0.19	5.61	9.24	Pass
5300	4.98	0.19	5.17	9.24	Pass
5320	4.97	0.19	5.16	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5500	5.29	0.19	5.48	9.24	Pass
5580	5.17	0.19	5.36	9.24	Pass
5700	4.88	0.19	5.07	9.24	Pass







Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz) (dBm/500kHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	7.85	14.84	0.19	15.03	28.24	Pass
5785	7.50	14.49	0.19	14.68	28.24	Pass
5825	7.75	14.74	0.19	14.93	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$





Test Mode | IEEE 802.11ax (HE20)_Ant.2



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	5.48	0.19	5.67	15.24	Pass
5200	10.21	0.19	10.40	15.24	Pass
5240	10.36	0.19	10.55	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	5.50	0.19	5.69	9.24	Pass
5300	5.40	0.19	5.59	9.24	Pass
5320	5.32	0.19	5.51	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5500	5.69	0.19	5.88	9.24	Pass
5580	5.30	0.19	5.49	9.24	Pass
5700	5.29	0.19	5.48	9.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	7.43	14.42	0.19	14.61	28.24	Pass
5785	7.44	14.43	0.19	14.62	28.24	Pass
5825	7.15	14.14	0.19	14.33	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	8.48	15.24	Pass
5200	13.43	15.24	Pass
5240	13.61	15.24	Pass
5260	8.66	9.24	Pass
5300	8.40	9.24	Pass
5320	8.35	9.24	Pass
5500	8.70	9.24	Pass
5580	8.44	9.24	Pass
5700	8.29	9.24	Pass

Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	10.66	17.65	0.19	17.84	28.24	Pass
5785	10.48	17.47	0.19	17.66	28.24	Pass
5825	10.47	17.46	0.19	17.65	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE40)_Ant.1
-----------	----------------------------





Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5190	0.28	0.10	0.38	15.24	Pass
5230	6.27	0.10	6.37	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5270	2.40	0.10	2.50	9.24	Pass
5310	2.23	0.10	2.33	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5510	2.13	0.10	2.23	9.24	Pass
5550	1.96	0.10	2.06	9.24	Pass
5670	1.98	0.10	2.08	9.24	Pass





Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	4.52	11.51	0.10	11.61	28.24	Pass
5795	5.15	12.14	0.10	12.24	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$





Test Mode	IEEE 802.11ax (HE40)_Ant.2
-----------	----------------------------



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	1.07	0.10	1.17	15.24	Pass
5230	6.45	0.10	6.55	15.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5270	2.42	0.10	2.52	9.24	Pass
5310	2.43	0.10	2.53	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5510	2.97	0.10	3.07	9.24	Pass
5550	2.28	0.10	2.38	9.24	Pass
5670	2.30	0.10	2.40	9.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz) (dBm/500kHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	4.35	11.34	0.10	11.44	28.24	Pass
5795	5.13	12.12	0.10	12.22	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------


Frequency (MHz)	Measured Power Spectral Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	3.80	15.24	Pass
5230	9.47	15.24	Pass
5270	5.52	9.24	Pass
5310	5.44	9.24	Pass
5510	5.68	9.24	Pass
5550	5.23	9.24	Pass
5670	5.25	9.24	Pass

Frequency (MHz)	Maximum Power Spectral Density		Duty Factor (dB)	Measured Power Spectral Density (dBm/500kHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	7.45	14.44	0.10	14.53	28.24	Pass
5795	8.15	15.14	0.10	15.24	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE80)_Ant.1
-----------	----------------------------


Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5210	-3.18	0.25	-2.93	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5290	-2.65	0.25	-2.40	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5530	-2.91	0.25	-2.66	9.24	Pass
5610	-1.13	0.25	-0.88	9.24	Pass




Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	
5775	0.02	7.01	0.25	7.26	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Ant.2
-----------	----------------------------


Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5210	-3.54	0.25	-3.29	15.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5290	-2.10	0.25	-1.85	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5530	-2.95	0.25	-2.70	9.24	Pass
5610	-0.51	0.25	-0.26	9.24	Pass



Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	
5775	-0.18	6.81	0.25	7.06	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	-0.09	15.24	Pass
5290	0.90	9.24	Pass
5530	0.34	9.24	Pass
5610	2.46	9.24	Pass

Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5775	2.93	9.92	0.25	10.18	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE160)_Ant.1
-----------	-----------------------------

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5250	-6.95	0.18	-6.77	15.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5570	-4.13	0.18	-3.95	9.24	Pass




Test Mode	IEEE 802.11ax (HE160)_Ant.2
-----------	-----------------------------

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5250	-6.48	0.18	-6.30	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5570	-3.48	0.18	-3.30	9.24	Pass







Test Mode	IEEE 802.11ax (HE160)_Total
-----------	-----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-3.52	15.24	Pass
5570	-0.60	9.24	Pass

Test Mode | IEEE 802.1be (EHT20)_Ant.1


Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	5.48	0.17	5.65	15.24	Pass
5200	10.04	0.17	10.21	15.24	Pass
5240	10.57	0.17	10.74	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	5.43	0.17	5.60	9.24	Pass
5300	5.24	0.17	5.41	9.24	Pass
5320	5.01	0.17	5.18	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5500	5.39	0.17	5.56	9.24	Pass
5580	5.23	0.17	5.40	9.24	Pass
5700	5.02	0.17	5.19	9.24	Pass





Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	7.57	14.56	0.17	14.73	28.24	Pass
5785	7.40	14.39	0.17	14.56	28.24	Pass
5825	7.50	14.49	0.17	14.66	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$







Test Mode | IEEE 802.1be (EHT20)_Ant.2





Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5180	5.90	0.17	6.07	15.24	Pass
5200	10.32	0.17	10.49	15.24	Pass
5240	10.46	0.17	10.63	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5260	5.45	0.17	5.62	9.24	Pass
5300	5.51	0.17	5.68	9.24	Pass
5320	5.35	0.17	5.52	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5500	5.71	0.17	5.88	9.24	Pass
5580	5.30	0.17	5.47	9.24	Pass
5700	5.22	0.17	5.39	9.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5745	7.35	14.34	0.17	14.51	28.24	Pass
5785	7.24	14.23	0.17	14.40	28.24	Pass
5825	7.12	14.11	0.17	14.28	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.1be (EHT20)_Total
-----------	----------------------------



Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	8.88	15.24	Pass
5200	13.36	15.24	Pass
5240	13.70	15.24	Pass
5260	8.62	9.24	Pass
5300	8.56	9.24	Pass
5320	8.36	9.24	Pass
5500	8.73	9.24	Pass
5580	8.45	9.24	Pass
5700	8.30	9.24	Pass

Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	
5745	10.47	17.46	0.17	17.63	28.24	Pass
5785	10.33	17.32	0.17	17.49	28.24	Pass
5825	10.32	17.31	0.17	17.49	28.24	Pass



NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode | IEEE 802.1be (EHT40)_Ant.1



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	1.72	0.17	1.89	15.24	Pass
5230	5.56	0.17	5.73	15.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5270	2.20	0.17	2.37	9.24	Pass
5310	0.55	0.17	0.72	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5510	2.03	0.17	2.20	9.24	Pass
5550	1.77	0.17	1.94	9.24	Pass
5670	1.86	0.17	2.03	9.24	Pass




Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	3.72	10.71	0.17	10.88	28.24	Pass
5795	5.04	12.03	0.17	12.20	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode | IEEE 802.1be (EHT40)_Ant.2



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	1.89	0.17	2.06	15.24	Pass
5230	5.58	0.17	5.75	15.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5270	2.17	0.17	2.34	9.24	Pass
5310	1.66	0.17	1.83	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5510	2.70	0.17	2.87	9.24	Pass
5550	2.11	0.17	2.28	9.24	Pass
5670	2.39	0.17	2.56	9.24	Pass



Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	3.95	10.94	0.17	11.11	28.24	Pass
5795	4.85	11.84	0.17	12.01	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.1be (EHT40)_Total
-----------	----------------------------


Frequency (MHz)	Measured Power Spectral Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5190	4.99	15.24	Pass
5230	8.75	15.24	Pass
5270	5.37	9.24	Pass
5310	4.32	9.24	Pass
5510	5.56	9.24	Pass
5550	5.12	9.24	Pass
5670	5.31	9.24	Pass

Frequency (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)				
5755	6.85	13.84	0.17	14.01	28.24	Pass
5795	7.96	14.95	0.17	15.12	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.1be (EHT80)_Ant.1
-----------	----------------------------


Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5210	-2.53	0.50	-2.03	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5290	-2.63	0.50	-2.13	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5530	-2.67	0.50	-2.17	9.24	Pass
5610	-0.99	0.50	-0.49	9.24	Pass




Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	
5775	-0.81	6.18	0.50	6.68	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.1be (EHT80)_Ant.2
-----------	----------------------------


Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5210	-2.88	0.50	-2.38	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5290	-1.54	0.50	-1.04	9.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5530	-2.22	0.50	-1.72	9.24	Pass
5610	-0.44	0.50	0.06	9.24	Pass



Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
(MHz)	(dBm/100kHz)	(dBm/500kHz)	(dB)	(dBm/500kHz)	(dBm/500kHz)	
5775	-1.03	5.96	0.50	6.46	28.24	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.1be (EHT80)_Total
-----------	----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	0.80	15.24	Pass
5290	1.46	9.24	Pass
5530	1.07	9.24	Pass
5610	2.80	9.24	Pass

Frequency	Power Density (dBm/MHz)		Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit	Result
	(dBm/100kHz)	(dBm/500kHz)				
5775	2.09	9.08	0.50	9.58	28.24	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.1be (EHT160)_Ant.1
-----------	-----------------------------

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5250	-7.04	0.28	-6.76	15.24	Pass




Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5570	-4.19	0.28	-3.91	9.24	Pass




Test Mode	IEEE 802.1be (EHT160)_Ant.2
-----------	-----------------------------

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5250	-6.16	0.28	-5.88	15.24	Pass



Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	
5570	-3.58	0.28	-3.30	9.24	Pass



Test Mode	IEEE 802.1be (EHT160)_Total
-----------	-----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-3.29	15.24	Pass
5570	-0.58	9.24	Pass

End of Test Report