


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	34.13	53.62	-19.48	54.00	-19.87	100	160 Average	Horizontal
2	1483.00	51.07	70.56	-19.48	74.00	-22.93	100	160 Peak	Horizontal
3	4536.00	43.71	53.92	-10.21	54.00	-10.29	400	125 Average	Horizontal
4	4536.00	52.74	62.95	-10.21	74.00	-21.26	400	125 Peak	Horizontal
5	4844.00	39.47	49.23	-9.76	54.00	-14.53	300	120 Average	Horizontal
6	4844.00	53.01	62.77	-9.76	74.00	-20.99	300	120 Peak	Horizontal
7	10490.00	50.40	53.02	-3.42	68.20	-17.80	100	36 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	34.21	53.69	-19.48	54.00	-19.79	300	330 Average	Vertical
2	1482.00	53.37	72.85	-19.48	74.00	-20.63	300	330 Peak	Vertical
3	4529.00	43.68	53.90	-10.22	54.00	-10.32	400	19 Average	Vertical
4	4529.00	55.84	66.06	-10.22	74.00	-18.16	400	19 Peak	Vertical
5	4839.00	46.46	56.23	-9.77	54.00	-7.54	300	251 Average	Vertical
6	4839.00	55.79	65.56	-9.77	74.00	-18.21	300	251 Peak	Vertical
7	10490.00	63.60	67.10	-3.42	68.20	-4.52	100	218 Peak	Vertical


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	34.73	54.23	-19.50	54.00	-19.27	100	161 Average	Horizontal	
2	1484.00	51.49	70.99	-19.50	74.00	-22.51	100	161 Peak	Horizontal	
3	4524.00	43.57	53.82	-10.25	54.00	-10.43	400	124 Average	Horizontal	
4	4524.00	52.70	62.95	-10.25	74.00	-21.30	400	124 Peak	Horizontal	
5	4841.00	38.99	48.76	-9.77	54.00	-15.01	300	143 Average	Horizontal	
6	4841.00	53.19	62.96	-9.77	74.00	-20.81	300	143 Peak	Horizontal	
7	10430.00	58.47	61.71	-3.24	68.20	-9.73	100	291 Peak	Horizontal	
8	15720.00	51.74	47.72	4.02	74.00	-22.26	100	31 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	34.60	54.11	-19.51	54.00	-19.40	300	338 Average	Vertical	
2	1486.00	53.52	73.03	-19.51	74.00	-20.48	300	338 Peak	Vertical	
3	4531.00	43.12	53.32	-10.20	54.00	-10.88	400	23 Average	Vertical	
4	4531.00	56.02	66.22	-10.20	74.00	-17.98	400	23 Peak	Vertical	
5	4832.00	46.13	55.93	-9.80	54.00	-7.87	400	27 Average	Vertical	
6	4832.00	54.97	64.77	-9.80	74.00	-19.03	400	27 Peak	Vertical	
7	10430.00	61.17	64.41	-3.24	68.20	-7.03	300	256 Peak	Vertical	
8	15720.00	50.68	46.66	4.02	54.00	-3.32	114	310 Average	Vertical	
9	15720.00	67.17	63.15	4.02	74.00	-6.83	114	310 Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7		
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	1481.00	34.31	53.78	-19.47	54.00	-19.69	100	164 Average
2	1481.00	52.12	71.59	-19.47	74.00	-21.88	100	164 Peak
3	4527.00	43.18	53.41	-10.23	54.00	-10.82	400	124 Average
4	4527.00	52.51	62.74	-10.23	74.00	-21.49	400	124 Peak
5	4842.00	38.95	48.72	-9.77	54.00	-15.05	300	146 Average
6	4842.00	52.49	62.26	-9.77	74.00	-21.51	300	146 Peak
7	10380.00	58.95	54.42	-3.47	68.28	-17.25	100	56 Peak



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7		
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	1483.00	33.99	53.48	-19.49	54.00	-20.01	300	342 Average
2	1483.00	53.65	73.14	-19.49	74.00	-20.35	300	342 Peak
3	4517.00	43.49	53.78	-10.29	54.00	-10.51	100	229 Average
4	4517.00	55.20	65.49	-10.29	74.00	-18.80	100	229 Peak
5	4832.00	46.12	55.92	-9.80	54.00	-7.88	400	26 Average
6	4832.00	55.47	65.27	-9.80	74.00	-18.53	400	26 Peak
7	10380.00	54.10	57.65	-3.47	68.28	-14.02	100	186 Average
8	15570.00	52.31	48.65	3.66	74.00	-21.69	300	316 Peak




802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	34.91	54.38	-19.47	54.00	-19.09	100	167 Average	Horizontal
2	1481.00	50.72	70.19	-19.47	74.00	-23.28	100	167 Peak	Horizontal
3	4529.00	43.04	53.26	-10.22	54.00	-10.96	400	299 Average	Horizontal
4	4529.00	52.64	62.86	-10.22	74.00	-21.36	400	299 Peak	Horizontal
5	4844.00	38.76	48.52	-9.76	54.00	-15.24	300	146 Average	Horizontal
6	4844.00	53.70	63.46	-9.76	74.00	-20.30	300	146 Peak	Horizontal
7	10420.00	45.49	48.78	-3.38	68.28	-22.80	100	262 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	34.23	53.71	-19.48	54.00	-19.77	393	360 Average	Vertical
2	1482.00	52.74	72.22	-19.48	74.00	-21.26	393	360 Peak	Vertical
3	4527.00	43.29	53.52	-10.23	54.00	-10.71	400	45 Average	Vertical
4	4527.00	55.52	65.75	-10.23	74.00	-10.48	400	45 Peak	Vertical
5	4840.00	45.99	55.76	-9.77	54.00	-8.01	300	247 Average	Vertical
6	4840.00	55.33	65.10	-9.77	74.00	-18.67	300	247 Peak	Vertical
7	10420.00	51.47	54.85	-3.38	68.28	-16.73	100	266 Peak	Vertical

**U-NII-2A**
**802.11a**
**CH 52 (Horizontal)**
**CH 52 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	45.88	65.37	-19.49	74.00	-28.12	200	160 Peak	Horizontal	
2	4525.00	50.33	60.58	-10.25	74.00	-23.67	300	127 Peak	Horizontal	
3	4844.00	49.39	59.15	-9.76	74.00	-24.61	300	144 Peak	Horizontal	
4	10520.00	51.86	54.99	-3.13	68.20	-16.34	100	38 Peak	Horizontal	
5	15780.00	46.49	42.33	4.16	74.00	-27.51	200	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	47.71	67.22	-19.51	74.00	-26.29	322	368 Peak	Vertical	
2	4527.00	40.85	51.08	-10.23	54.00	-13.15	100	233 Average	Vertical	
3	4527.00	54.71	64.94	-10.23	74.00	-19.29	100	233 Peak	Vertical	
4	4841.00	53.08	62.85	-9.77	74.00	-20.92	300	293 Peak	Vertical	
5	10520.00	64.08	67.21	-3.13	68.20	-4.12	100	294 Peak	Vertical	
6	15780.00	50.77	46.61	4.16	74.00	-23.23	300	320 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	46.14	65.62	-19.48	74.00	-27.86	200	145 Peak	Horizontal
2	4526.00	51.79	62.03	-10.24	74.00	-22.21	300	124 Peak	Horizontal
3	4827.00	49.18	59.80	-9.62	74.00	-24.82	400	312 Peak	Horizontal
4	10600.00	44.25	47.12	-2.87	54.00	-9.75	100	39 Average	Horizontal
5	10600.00	59.25	62.12	-2.87	68.20	-8.95	100	39 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	47.76	67.27	-19.51	74.00	-26.24	300	338 Peak	Vertical
2	4517.00	43.06	53.35	-10.29	54.00	-10.94	100	238 Average	Vertical
3	4517.00	55.82	66.11	-10.29	74.00	-18.18	100	228 Peak	Vertical
4	4839.00	52.71	62.48	-9.77	74.00	-21.29	200	192 Peak	Vertical
5	10600.00	50.76	53.63	-2.87	54.00	-3.24	100	216 Average	Vertical
6	10600.00	64.33	67.20	-2.87	68.20	-3.87	100	216 Peak	Vertical








802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	1485.00	34.41	53.92	-19.51	54.00	-19.59	100	163 Average Horizontal
2	1485.00	51.93	71.44	-19.51	74.00	-22.07	100	163 Peak Horizontal
3	4536.00	43.61	53.82	-10.21	54.00	-10.39	400	123 Average Horizontal
4	4536.00	53.15	63.36	-10.21	74.00	-20.85	400	123 Peak Horizontal
5	4842.00	38.88	48.65	-9.77	54.00	-15.12	300	137 Average Horizontal
6	4842.00	52.78	62.55	-9.77	74.00	-21.22	300	137 Peak Horizontal
7	10526.00	55.36	58.49	-3.13	68.00	-12.84	100	105 Peak Horizontal
8	15788.00	49.19	45.83	4.16	74.00	-24.81	400	282 Peak Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	1485.00	33.75	53.26	-19.51	54.00	-20.25	378	360 Average Vertical
2	1485.00	53.82	72.53	-19.51	74.00	-20.98	378	360 Peak Vertical
3	4531.00	43.57	53.77	-10.20	54.00	-10.43	400	52 Average Vertical
4	4531.00	55.33	65.53	-10.20	74.00	-16.67	400	52 Peak Vertical
5	4842.00	46.51	56.28	-9.77	54.00	-7.49	100	204 Average Vertical
6	4842.00	55.11	64.88	-9.77	74.00	-16.89	100	204 Peak Vertical
7	10526.00	62.12	65.25	-3.13	68.00	-6.08	100	136 Peak Vertical
8	15788.00	40.83	36.67	4.16	54.00	-13.17	107	309 Average Vertical
9	15788.00	57.09	52.93	4.16	74.00	-16.91	107	309 Peak Vertical


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	34.33	53.33	-19.50	54.00	-19.67	100	165 Average	Horizontal
2	1484.00	50.57	70.07	-19.50	74.00	-23.43	100	165 Peak	Horizontal
3	4520.00	43.09	53.36	-10.27	54.00	-10.91	400	124 Average	Horizontal
4	4520.00	53.06	63.33	-10.27	74.00	-20.94	400	124 Peak	Horizontal
5	4841.00	39.43	49.20	-9.77	54.00	-14.57	300	144 Average	Horizontal
6	4841.00	52.17	61.94	-9.77	74.00	-21.83	300	144 Peak	Horizontal
7	10690.00	56.55	59.00	-2.87	68.28	-11.27	100	24 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	34.61	54.12	-19.51	54.00	-19.39	300	341 Average	Vertical
2	1485.00	53.66	73.17	-19.51	74.00	-20.34	300	341 Peak	Vertical
3	4530.00	43.57	53.78	-10.21	54.00	-10.43	400	21 Average	Vertical
4	4530.00	56.30	66.51	-10.21	74.00	-17.70	400	21 Peak	Vertical
5	4844.00	45.98	55.74	-9.76	54.00	-8.02	200	205 Average	Vertical
6	4844.00	54.76	64.52	-9.76	74.00	-19.24	200	205 Peak	Vertical
7	10690.00	63.32	65.19	-2.87	68.28	-4.88	100	292 Peak	Vertical
8	15900.00	51.99	47.63	4.36	74.00	-22.01	200	304 Peak	Vertical


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	34.44	53.93	-19.49	54.00	-19.56	100	161 Average	Horizontal	
2	1483.00	51.77	71.26	-19.49	74.00	-22.23	100	161 Peak	Horizontal	
3	4531.00	43.01	53.21	-10.20	54.00	-10.99	400	167 Average	Horizontal	
4	4531.00	53.28	63.48	-10.20	74.00	-20.72	400	167 Peak	Horizontal	
5	4837.00	38.41	48.20	-9.79	54.00	-15.59	300	137 Average	Horizontal	
6	4837.00	52.87	62.66	-9.79	74.00	-21.13	300	137 Peak	Horizontal	
7	10640.00	59.36	53.18	-2.82	74.00	-23.64	100	125 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	33.75	53.22	-19.47	54.00	-20.25	300	346 Average	Vertical	
2	1481.00	53.42	72.89	-19.47	74.00	-20.58	300	346 Peak	Vertical	
3	4530.00	43.47	53.68	-10.21	54.00	-10.53	400	46 Average	Vertical	
4	4530.00	55.05	65.26	-10.21	74.00	-18.95	400	46 Peak	Vertical	
5	4843.00	46.52	56.28	-9.76	54.00	-7.48	300	250 Average	Vertical	
6	4843.00	55.70	65.46	-9.76	74.00	-18.30	300	250 Peak	Vertical	
7	10640.00	50.50	53.32	-2.82	54.00	-3.50	100	222 Average	Vertical	
8	10640.00	58.00	60.82	-2.82	74.00	-16.00	100	222 Peak	Vertical	




802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1483.00	58.44	63.33	-19.49	74.00	-23.56	100	165	Peak	Horizontal	
2	4531.00	59.45	60.65	-19.20	74.00	-23.55	400	122	Peak	Horizontal	
3	4842.00	50.14	59.91	-9.77	74.00	-23.86	300	342	Peak	Horizontal	
4	10620.00	51.63	54.47	-2.84	74.00	-22.37	100	44	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1485.00	34.31	53.82	-19.51	54.00	-19.69	300	338	Average	Vertical	
2	1485.00	52.36	71.87	-19.51	74.00	-21.64	300	338	Peak	Vertical	
3	4529.00	43.65	53.87	-10.22	54.00	-16.35	400	47	Average	Vertical	
4	4529.00	55.22	65.44	-10.22	74.00	-18.78	400	47	Peak	Vertical	
5	4842.00	46.85	56.62	-9.77	54.00	-7.15	300	250	Average	Vertical	
6	4842.00	55.53	65.30	-9.77	74.00	-18.47	300	250	Peak	Vertical	
7	10620.00	50.74	53.58	-2.84	54.00	-3.26	100	221	Average	Vertical	
8	10620.00	58.51	61.35	-2.84	74.00	-15.49	100	221	Peak	Vertical	

**802.11ax HE80**
**CH 58 (Horizontal)**
**CH 58 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	47.94	67.45	-19.51	74.00	-26.06	100	164 Peak	Horizontal
2	1959.00	52.27	66.03	-15.76	65.20	-15.93	300	56 Peak	Horizontal
3	4526.00	34.56	44.80	-10.24	54.00	-19.44	400	299 Average	Horizontal
4	4526.00	53.43	63.67	-10.24	74.00	-20.57	400	299 Peak	Horizontal
5	4839.00	51.98	61.75	-9.77	74.00	-22.02	300	146 Peak	Horizontal
6	10580.00	50.41	53.34	-2.93	68.20	-17.79	100	43 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	49.55	69.05	-19.50	74.00	-24.45	300	129 Peak	Vertical
2	4531.00	43.72	53.92	-10.20	54.00	-10.28	400	16 Average	Vertical
3	4531.00	56.30	66.50	-10.20	74.00	-17.70	400	16 Peak	Vertical
4	4840.00	46.35	56.12	-9.77	54.00	-7.65	300	249 Average	Vertical
5	4840.00	54.97	64.74	-9.77	74.00	-19.03	300	249 Peak	Vertical
6	10580.00	61.83	64.76	-2.93	68.20	-6.37	100	221 Peak	Vertical





U-NII-2C




802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	46.26	65.76	-19.50	74.00	-27.74	200	151 Peak	Horizontal
2	4519.00	59.87	61.15	-10.28	74.00	-23.13	400	173 Peak	Horizontal
3	4831.00	48.82	58.62	-9.80	74.00	-25.18	400	97 Peak	Horizontal
4	11160.00	44.73	46.79	-2.06	54.00	-9.27	100	31 Average	Horizontal
5	11160.00	60.51	62.57	-2.06	74.00	-13.49	100	31 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	47.98	67.49	-19.51	74.00	-26.02	300	360 Peak	Vertical
2	4518.00	42.77	53.05	-10.28	54.00	-11.23	100	226 Average	Vertical
3	4518.00	55.76	66.04	-10.28	74.00	-18.24	100	226 Peak	Vertical
4	4828.00	52.84	62.65	-9.81	74.00	-21.16	200	193 Peak	Vertical
5	11160.00	49.65	51.71	-2.06	54.00	-4.35	100	285 Average	Vertical
6	11160.00	66.27	68.33	-2.06	74.00	-7.73	100	285 Peak	Vertical


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1485.00	45.61	65.12	-19.51	74.00	-28.39	200	152 Peak	Horizontal
2	4523.00	59.08	60.53	-10.25	74.00	-23.72	400	174 Peak	Horizontal
3	4840.00	49.06	58.83	-9.77	74.00	-24.94	300	144 Peak	Horizontal
4	11400.00	45.11	46.69	-1.58	54.00	-8.89	100	163 Average	Horizontal
5	11400.00	59.61	61.19	-1.58	74.00	-14.39	100	163 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1486.00	48.36	67.87	-19.51	74.00	-25.64	310	360 Peak	Vertical
2	4517.00	41.70	51.99	-10.29	54.00	-12.30	100	231 Average	Vertical
3	4517.00	55.16	65.45	-10.29	74.00	-18.84	100	231 Peak	Vertical
4	4843.00	52.66	62.42	-9.76	74.00	-21.34	300	71 Peak	Vertical
5	11400.00	49.60	51.18	-1.58	54.00	-4.40	100	291 Average	Vertical
6	11400.00	64.59	66.17	-1.58	74.00	-9.41	100	291 Peak	Vertical




**802.11ax HE20**

**CH 116 (Horizontal)**

**CH 116 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	48.21	67.70	-19.48	74.00	-25.79	100	165 Peak	Horizontal
2	1759.00	57.87	75.19	-17.32	69.20	-10.33	300	15 Peak	Horizontal
3	4517.00	51.88	62.17	-10.29	74.00	-22.12	300	99 Peak	Horizontal
4	4844.00	50.19	59.95	-9.76	74.00	-23.81	300	144 Peak	Horizontal
5	11160.00	45.16	47.22	-2.06	54.00	-8.84	100	67 Average	Horizontal
6	11160.00	56.83	58.09	-2.06	74.00	-17.97	100	67 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	49.83	69.31	-19.48	74.00	-24.17	314	368 Peak	Vertical
2	1757.00	63.44	80.79	-17.35	68.20	-4.76	180	348 Peak	Vertical
3	4526.00	43.84	54.11	-10.27	54.00	-16.16	400	46 Average	Vertical
4	4526.00	57.57	67.84	-10.27	74.00	-16.43	400	46 Peak	Vertical
5	4842.00	52.90	62.67	-9.77	74.00	-21.10	300	252 Peak	Vertical
6	11160.00	49.57	51.63	-2.06	54.00	-4.43	100	228 Average	Vertical
7	11160.00	61.66	63.72	-2.06	74.00	-12.34	100	228 Peak	Vertical


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	48.01	67.48	-19.47	74.00	-25.99	100	161 Peak	Horizontal	
2	1760.00	64.28	81.58	-17.30	65.20	-3.92	400	84 Peak	Horizontal	
3	4531.00	53.07	63.27	-10.20	74.00	-20.93	400	181 Peak	Horizontal	
4	4841.00	48.82	58.59	-9.77	74.00	-25.18	300	345 Peak	Horizontal	
5	11400.00	50.48	52.06	-1.58	74.00	-23.52	400	359 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	50.21	69.70	-19.49	74.00	-23.79	300	345 Peak	Vertical	
2	1760.00	60.40	77.70	-17.30	65.20	-7.80	400	138 Peak	Vertical	
3	4532.00	45.89	56.09	-10.20	54.00	-8.11	400	47 Average	Vertical	
4	4532.00	58.20	68.40	-10.20	74.00	-15.80	400	47 Peak	Vertical	
5	4842.00	52.52	62.29	-9.77	74.00	-21.48	300	250 Peak	Vertical	
6	11400.00	49.81	51.39	-1.58	54.00	-4.19	100	298 Average	Vertical	
7	11400.00	61.95	63.53	-1.58	74.00	-12.05	100	298 Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	47.55	67.83	-19.48	74.00	-26.45	100	162 Peak	Horizontal
2	4521.00	52.87	63.13	-10.26	74.00	-21.13	300	90 Peak	Horizontal
3	4843.00	50.06	59.82	-9.76	74.00	-23.94	300	145 Peak	Horizontal
4	11020.00	44.45	46.69	-2.24	54.00	-9.55	100	165 Average	Horizontal
5	11020.00	55.73	57.97	-2.24	74.00	-18.27	100	165 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	50.23	69.74	-19.51	74.00	-23.77	316	360 Peak	Vertical
2	4524.00	43.12	53.37	-10.25	54.00	-10.88	400	50 Average	Vertical
3	4524.00	56.79	67.84	-10.25	74.00	-17.21	400	50 Peak	Vertical
4	4841.00	52.44	62.21	-9.77	74.00	-21.56	300	253 Peak	Vertical
5	11020.00	50.11	52.35	-2.24	54.00	-3.89	100	292 Average	Vertical
6	11020.00	61.28	63.52	-2.24	74.00	-12.72	100	292 Peak	Vertical




802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	49.78	69.17	-19.47	74.00	-24.30	100	166 Peak	Horizontal
2	1757.00	54.08	71.43	-17.35	69.20	-14.12	400	360 Peak	Horizontal
3	4531.00	52.52	62.72	-10.20	74.00	-21.48	400	102 Peak	Horizontal
4	4839.00	49.68	59.45	-9.77	74.00	-24.32	300	154 Peak	Horizontal
5	11100.00	45.68	47.82	-2.14	54.00	-8.32	100	183 Average	Horizontal
6	11100.00	59.28	61.42	-2.14	74.00	-14.72	100	183 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	50.08	69.59	-19.51	74.00	-23.92	300	349 Peak	Vertical
2	1773.00	51.52	68.64	-17.12	68.20	-16.68	200	344 Peak	Vertical
3	4517.00	43.92	54.21	-10.29	54.00	-16.08	400	47 Average	Vertical
4	4517.00	57.08	67.37	-10.29	74.00	-16.92	400	47 Peak	Vertical
5	4844.00	53.23	62.99	-9.76	74.00	-20.77	300	253 Peak	Vertical
6	11100.00	49.87	52.01	-2.14	54.00	-4.13	100	292 Average	Vertical
7	11100.00	62.25	64.39	-2.14	74.00	-11.75	100	292 Peak	Vertical


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1480.00	49.57	69.03	-19.46	74.00	-24.43	100	163 Peak	Horizontal
2	4523.00	52.79	63.04	-10.25	74.00	-21.21	300	99 Peak	Horizontal
3	4838.00	50.01	59.79	-9.78	74.00	-23.99	300	338 Peak	Horizontal
4	11340.00	44.45	46.17	-1.72	54.00	-9.55	100	168 Average	Horizontal
5	11340.00	56.45	58.17	-1.72	74.00	-17.55	100	168 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1480.00	50.81	70.29	-19.48	74.00	-23.19	300	343 Peak	Vertical
2	1717.00	47.58	65.13	-17.55	68.00	-20.62	100	267 Peak	Vertical
3	4531.00	46.64	56.84	-10.20	54.00	-7.36	400	52 Average	Vertical
4	4531.00	58.22	68.42	-10.20	74.00	-15.78	400	52 Peak	Vertical
5	4842.00	53.93	63.70	-9.77	74.00	-20.07	300	247 Peak	Vertical
6	11340.00	50.13	51.85	-1.72	54.00	-3.87	100	292 Average	Vertical
7	11340.00	59.55	61.27	-1.72	74.00	-14.45	100	292 Peak	Vertical


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	47.57	67.06	-19.49	74.00	-26.43	100	163 Peak	Horizontal	
2	1768.00	56.82	75.21	-17.19	68.20	-12.18	400	133 Peak	Horizontal	
3	4516.00	51.88	62.17	-10.29	74.00	-22.12	400	100 Peak	Horizontal	
4	4836.00	49.02	58.81	-9.79	74.00	-24.98	400	345 Peak	Horizontal	
5	11860.00	46.99	49.17	-2.18	54.00	-7.01	100	184 Average	Horizontal	
6	11860.00	54.31	56.49	-2.18	74.00	-19.69	100	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	50.49	69.99	-19.50	74.00	-23.51	300	344 Peak	Vertical	
2	1757.00	53.63	70.98	-17.35	68.20	-14.57	400	30 Peak	Vertical	
3	4522.00	43.89	54.15	-10.26	54.00	-10.11	400	46 Average	Vertical	
4	4522.00	57.02	67.28	-10.26	74.00	-16.98	400	46 Peak	Vertical	
5	4839.00	53.07	62.84	-9.77	74.00	-20.93	300	256 Peak	Vertical	
6	11860.00	50.64	52.82	-2.18	54.00	-3.36	100	223 Average	Vertical	
7	11860.00	59.93	62.11	-2.18	74.00	-14.07	100	223 Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1480.00	48.43	67.89	-19.46	74.00	-25.57	100	163 Peak	Horizontal	
2	1757.00	56.62	75.97	-17.35	68.20	-11.58	300	185 Peak	Horizontal	
3	4521.00	33.40	43.66	-10.26	54.00	-20.60	300	101 Average	Horizontal	
4	4521.00	53.30	63.56	-10.26	74.00	-20.70	300	101 Peak	Horizontal	
5	4836.00	48.72	58.51	-9.79	74.00	-25.28	300	154 Peak	Horizontal	
6	11220.00	48.19	50.17	-1.98	74.00	-25.81	100	288 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	50.57	70.08	-19.51	74.00	-23.43	300	344 Peak	Vertical	
2	1717.00	47.26	64.81	-17.55	68.20	-20.94	100	244 Peak	Vertical	
3	4519.00	43.49	53.77	-10.28	54.00	-16.51	400	43 Average	Vertical	
4	4519.00	57.37	67.65	-10.28	74.00	-16.63	400	43 Peak	Vertical	
5	4839.00	52.49	62.26	-9.77	74.00	-21.51	300	247 Peak	Vertical	
6	11220.00	52.41	54.39	-1.98	74.00	-21.59	100	207 Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	48.86	68.35	-19.49	74.00	-25.14	100	162 Peak	Horizontal
2	4512.00	34.45	44.78	-10.33	74.00	-39.55	400	90 Peak	Horizontal
3	4842.00	49.16	58.93	-9.77	74.00	-24.84	300	338 Peak	Horizontal
4	11140.00	41.75	43.85	-2.10	54.00	-12.25	100	25 Average	Horizontal
5	11140.00	54.55	56.65	-2.10	74.00	-19.45	100	25 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1480.00	50.66	70.12	-19.46	74.00	-23.34	300	337 Peak	Vertical
2	4531.00	43.62	53.82	-10.20	54.00	-10.38	400	45 Average	Vertical
3	4531.00	57.20	67.40	-10.20	74.00	-16.80	400	45 Peak	Vertical
4	4844.00	46.15	55.91	-9.76	54.00	-7.85	200	201 Average	Vertical
5	4844.00	52.84	62.60	-9.76	74.00	-21.16	200	201 Peak	Vertical
6	11140.00	46.25	48.35	-2.10	54.00	-7.75	100	222 Average	Vertical
7	11140.00	58.19	60.29	-2.10	74.00	-15.81	100	222 Peak	Vertical

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	46.71	66.22	-19.51	74.00	-27.29	200	145	Peak	Horizontal
2	4520.00	50.60	60.87	-10.27	74.00	-23.40	300	126	Peak	Horizontal
3	4833.00	48.94	58.73	-9.79	74.00	-25.06	400	97	Peak	Horizontal
4	11490.00	45.76	46.97	-1.21	54.00	-8.24	100	168	Average	Horizontal
5	11490.00	60.84	62.05	-1.21	74.00	-13.16	100	168	Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	48.19	67.70	-19.51	74.00	-25.81	300	343	Peak	Vertical
2	4518.00	41.70	51.98	-10.28	54.00	-12.30	100	232	Average	Vertical
3	4518.00	55.11	65.39	-10.28	74.00	-18.89	100	232	Peak	Vertical
4	4837.00	53.33	63.12	-9.79	74.00	-20.67	200	192	Peak	Vertical
5	11490.00	50.44	51.65	-1.21	54.00	-3.56	100	294	Average	Vertical
6	11490.00	65.40	66.61	-1.21	74.00	-8.60	100	294	Peak	Vertical


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	46.83	66.33	-19.50	74.00	-27.17	200	150 Peak	Horizontal
2	4529.00	59.52	60.84	-19.22	74.00	-23.38	300	126 Peak	Horizontal
3	4828.00	48.82	58.63	-9.81	74.00	-25.18	300	338 Peak	Horizontal
4	11570.00	45.91	46.95	-1.04	54.00	-8.09	100	213 Average	Horizontal
5	11570.00	63.05	64.09	-1.04	74.00	-10.95	100	213 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	47.77	67.28	-19.51	74.00	-26.23	321	368 Peak	Vertical
2	4526.00	42.34	52.58	-10.24	54.00	-11.66	400	44 Average	Vertical
3	4526.00	55.49	65.73	-10.24	74.00	-18.51	400	44 Peak	Vertical
4	4842.00	52.47	62.24	-9.77	74.00	-21.53	400	300 Peak	Vertical
5	11570.00	49.02	50.06	-1.04	54.00	-4.98	100	304 Average	Vertical
6	11570.00	65.70	66.74	-1.04	74.00	-8.30	100	304 Peak	Vertical




802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1483.00	46.05	65.54	-19.49	74.00	-27.95	200	149	Peak	Horizontal	
2	4512.00	50.92	61.25	-10.33	74.00	-23.08	300	105	Peak	Horizontal	
3	4542.00	49.12	58.89	-9.77	74.00	-24.88	300	145	Peak	Horizontal	
4	11650.00	47.62	48.56	-0.94	54.00	-6.38	100	211	Average	Horizontal	
5	11650.00	62.52	63.46	-0.94	74.00	-11.48	100	211	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1484.00	47.81	67.31	-19.50	74.00	-26.19	300	341	Peak	Vertical	
2	4531.00	43.29	53.49	-10.20	54.00	-10.71	400	47	Average	Vertical	
3	4531.00	55.87	66.87	-10.20	74.00	-18.13	400	47	Peak	Vertical	
4	4839.00	45.96	55.73	-9.77	54.00	-8.04	200	194	Average	Vertical	
5	4839.00	54.45	64.22	-9.77	74.00	-19.55	200	194	Peak	Vertical	
6	11650.00	50.64	51.58	-0.94	54.00	-3.36	100	284	Average	Vertical	
7	11650.00	65.68	66.62	-0.94	74.00	-8.32	100	284	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	47.78	67.19	-19.49	74.00	-26.30	100	163 Peak	Horizontal
2	1757.00	60.97	76.32	-17.35	69.29	-7.23	400	185 Peak	Horizontal
3	4525.00	53.47	63.72	-10.25	74.00	-20.53	300	99 Peak	Horizontal
4	11492.00	50.81	51.99	-1.18	74.00	-23.19	100	211 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	50.70	70.19	-19.49	74.00	-23.30	300	339 Peak	Vertical
2	4526.00	44.42	54.66	-10.24	54.00	-9.58	400	52 Average	Vertical
3	4526.00	57.18	67.42	-10.24	74.00	-16.82	400	52 Peak	Vertical
4	4844.00	52.58	62.34	-9.76	74.00	-21.42	100	299 Peak	Vertical
5	11489.00	49.14	50.35	-1.21	54.00	-4.86	100	296 Average	Vertical
6	11489.00	60.09	61.30	-1.21	74.00	-13.91	100	296 Peak	Vertical


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.85	47.91	67.39	-19.48	74.00	-26.09	100	162 Peak	Horizontal
2	1756.92	55.23	72.58	-17.35	68.20	-12.07	400	331 Peak	Horizontal
3	4528.31	51.94	62.16	-10.22	74.00	-22.06	400	97 Peak	Horizontal
4	4843.39	49.91	59.67	-9.76	74.00	-24.09	300	139 Peak	Horizontal
5	11570.00	46.68	47.72	-1.04	54.00	-7.32	100	178 Average	Horizontal
6	11570.00	59.73	60.77	-1.04	74.00	-14.27	100	178 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.85	49.65	69.13	-19.48	74.00	-24.35	300	334 Peak	Vertical
2	1756.62	53.35	70.70	-17.35	68.20	-14.85	100	273 Peak	Vertical
3	4526.15	46.25	56.48	-10.23	54.00	-7.75	400	49 Average	Vertical
4	4526.15	57.84	68.07	-10.23	74.00	-16.16	400	49 Peak	Vertical
5	4843.69	51.49	61.25	-9.76	74.00	-22.51	300	253 Peak	Vertical
6	11570.00	50.81	51.85	-1.04	54.00	-3.19	100	292 Average	Vertical
7	11570.00	62.88	63.92	-1.04	74.00	-11.12	100	292 Peak	Vertical

**802.11ax HE20**
**CH 165 (Horizontal)**
**CH 165 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.85	48.68	68.16	-19.48	74.00	-25.32	100	163 Peak	Horizontal
2	1757.23	52.21	69.55	-17.34	68.20	-15.99	116	360 Peak	Horizontal
3	4526.62	53.09	63.36	-10.27	74.00	-20.91	300	98 Peak	Horizontal
4	4835.69	48.31	58.10	-9.79	74.00	-25.69	300	340 Peak	Horizontal
5	11650.00	44.99	45.93	-0.94	54.00	-9.01	100	169 Average	Horizontal
6	11650.00	57.68	58.62	-0.94	74.00	-16.32	100	169 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	49.97	69.47	-19.50	74.00	-24.03	315	360 Peak	Vertical
2	1756.62	52.81	70.16	-17.35	68.20	-15.39	100	0 Peak	Vertical
3	4524.92	45.74	55.98	-10.24	54.00	-8.26	400	49 Average	Vertical
4	4524.92	57.49	67.73	-10.24	74.00	-16.51	400	49 Peak	Vertical
5	4843.39	53.35	63.11	-9.76	74.00	-20.65	200	189 Peak	Vertical
6	11650.00	48.75	49.69	-0.94	54.00	-5.25	100	292 Average	Vertical
7	11650.00	61.87	62.81	-0.94	74.00	-12.13	100	292 Peak	Vertical

**802.11ax HE40**
**CH 151 (Horizontal)**
**CH 151 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1481.54	48.29	67.77	-19.48	74.00	-25.71	100	166	Peak	Horizontal	
2	1757.23	52.96	70.20	-17.24	74.00	-21.04	400	32	Peak	Horizontal	
3	4529.23	52.93	63.14	-10.21	74.00	-21.07	400	95	Peak	Horizontal	
4	4842.15	49.32	59.09	-9.77	74.00	-24.68	400	317	Peak	Horizontal	
5	11510.00	53.52	54.66	-1.14	74.00	-20.48	100	177	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1486.15	50.44	69.95	-19.51	74.00	-23.56	0	0	Peak	Vertical	
2	4523.08	45.16	55.41	-10.25	74.00	-28.84	400	50	Average	Vertical	
3	4523.08	57.62	67.87	-10.25	74.00	-16.38	400	50	Peak	Vertical	
4	4843.39	53.25	63.01	-9.76	74.00	-20.75	100	242	Peak	Vertical	
5	11510.00	50.51	51.65	-1.14	74.00	-23.49	100	293	Average	Vertical	
6	11510.00	57.01	58.15	-1.14	74.00	-16.99	100	293	Peak	Vertical	

**802.11ax HE40**
**CH 159 (Horizontal)**
**CH 159 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1482.77	48.94	68.43	-19.49	74.00	-25.06	100	59	Peak	Horizontal	
2	1751.85	55.27	72.55	-17.28	68.20	-12.93	400	22	Peak	Horizontal	
3	4524.31	52.42	62.66	-10.24	74.00	-21.58	300	98	Peak	Horizontal	
4	4843.08	49.01	58.77	-9.76	74.00	-24.99	300	144	Peak	Horizontal	
5	11590.00	52.33	53.33	-1.00	74.00	-21.67	100	211	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	1483.69	50.41	69.91	-19.50	74.00	-23.59	300	341	Peak	Vertical	
2	1757.54	58.74	68.88	-10.14	68.20	-17.46	400	278	Peak	Vertical	
3	4516.62	44.72	55.01	-10.29	54.00	-9.28	400	46	Average	Vertical	
4	4516.62	57.39	67.68	-10.29	74.00	-16.61	400	46	Peak	Vertical	
5	4841.23	52.44	62.21	-9.77	74.00	-21.56	300	252	Peak	Vertical	
6	11590.00	48.49	49.49	-1.00	54.00	-5.51	122	293	Average	Vertical	
7	11590.00	57.20	58.20	-1.00	74.00	-16.80	122	293	Peak	Vertical	

**802.11ax HE80**
**CH 155 (Horizontal)**
**CH 155 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
MHz	Level	Level	Factor	Line	Limit	dB	cm	deg
1	1483.69	48.93	68.43	-19.50	74.00	-25.07	100	161
2	1757.23	69.44	77.78	-17.34	68.20	-7.76	400	5
3	4525.08	52.45	62.70	-10.25	74.00	-21.55	300	95
4	4841.54	49.80	59.57	-9.77	74.00	-24.20	300	148
5	11550.00	52.25	53.32	-1.07	74.00	-21.75	100	46



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
MHz	Level	Level	Factor	Line	Limit	dB	cm	deg
1	1481.54	50.21	69.69	-19.48	74.00	-23.79	300	338
2	1760.62	49.56	66.85	-17.29	68.20	-18.64	100	262
3	4528.92	44.05	54.27	-10.22	54.00	-9.95	100	221
4	4528.92	56.81	67.03	-10.22	74.00	-17.19	100	221
5	4843.39	52.87	62.63	-9.76	74.00	-21.13	300	250
6	11550.00	48.94	50.01	-1.07	54.00	-5.06	112	294
7	11550.00	57.38	58.45	-1.07	74.00	-16.62	112	294



**Spurious Emissions, Tx Mode, 30MHz ~ 1GHz**
**U-NII-1**
**802.11ax HE40**
**CH 46 (Horizontal)**
**CH 46 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	287.51	29.64	37.83	-8.19	43.58	-13.85	100	189 QP	Horizontal
2	242.43	29.19	35.98	-6.71	46.00	-16.81	100	132 QP	Horizontal
3	301.68	28.48	33.21	-4.73	46.00	-17.52	100	53 QP	Horizontal
4	416.06	34.03	36.83	-2.80	46.00	-11.97	100	327 QP	Horizontal
5	844.88	34.40	36.67	-3.73	46.00	-11.60	200	315 QP	Horizontal
6	942.77	35.10	29.84	5.26	46.00	-16.90	200	228 QP	Horizontal




TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	47.46	26.16	32.11	-5.95	40.00	-13.84	100	182 QP	Vertical
2	287.51	26.73	34.92	-8.19	43.58	-16.77	100	152 QP	Vertical
3	438.37	28.21	30.49	-2.28	46.00	-17.79	100	312 QP	Vertical
4	784.15	32.18	30.46	1.72	46.00	-13.82	200	31 QP	Vertical
5	846.74	34.80	31.06	3.74	46.00	-11.20	200	9 QP	Vertical
6	994.18	35.49	29.37	6.12	54.00	-18.51	100	293 QP	Vertical

**Spurious Emissions, Tx Mode, 9kHz ~ 30MHz**
**U-NII-1**
**802.11ax HE40**
**CH 46 (9kHz ~ 150kHz)**
**CH 46 (150kHz ~ 30MHz)**



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.01	48.13	36.37	17.76	127.72	-79.59	100	225	QP	Open	
2	0.03	60.18	49.99	10.19	119.13	-58.95	100	335	QP	Open	
3	0.04	54.18	34.73	19.45	116.38	-62.20	100	159	QP	Open	
4	0.06	42.00	23.54	19.06	111.82	-69.22	100	296	QP	Open	
5	0.07	46.91	28.08	18.63	110.44	-63.53	100	181	QP	Open	
6	0.11	35.65	17.40	18.25	106.82	-71.17	100	190	QP	Open	



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322






Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.15	43.73	25.33	18.40	104.08	-60.35	100	117	QP	Open	
2	0.48	39.88	20.85	18.95	94.01	-54.21	100	204	QP	Open	
3	9.46	34.91	13.67	21.24	69.50	-34.59	100	161	QP	Open	
4	17.16	35.54	13.54	22.00	69.50	-33.96	100	360	QP	Open	
5	24.75	36.34	13.93	22.41	69.50	-33.16	100	35	QP	Open	
6	27.28	36.19	13.66	22.53	69.50	-33.31	100	194	QP	Open	

Mains Conducted Emission, 150kHz ~ 30MHz

WLAN 2.4GHz + WLAN 5 GHz + WLAN 6E


(Line)

(Neutral)



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dB)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.19	28.74	19.13	9.61	54.05	-25.31	Average	line1	
2	0.19	46.54	36.93	9.61	64.05	-17.51	QP	line1	
3	0.33	18.36	8.75	9.61	49.50	-31.14	Average	line1	
4	0.33	32.81	23.20	9.61	59.50	-26.69	QP	line1	
5	2.53	24.15	14.50	9.65	46.00	-21.85	Average	line1	
6	2.53	31.08	21.43	9.65	56.00	-24.92	QP	line1	
7	5.27	27.88	18.19	9.69	50.00	-22.12	Average	line1	
8	5.27	33.85	24.16	9.69	60.00	-26.15	QP	line1	
9	7.50	25.48	15.77	9.71	50.00	-24.52	Average	line1	
10	7.50	31.15	21.44	9.71	60.00	-28.85	QP	line1	
11	20.13	23.52	13.80	9.72	50.00	-26.48	Average	line1	
12	20.13	28.46	19.14	9.72	60.00	-31.14	QP	line1	



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dB)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.16	16.57	6.98	9.59	55.50	-38.93	Average	neutral	
2	0.16	43.74	34.15	9.59	65.50	-21.76	QP	neutral	
3	0.19	28.56	18.97	9.59	54.18	-25.62	Average	neutral	
4	0.19	46.56	36.97	9.59	64.18	-17.62	QP	neutral	
5	0.39	19.14	9.54	9.60	48.01	-28.87	Average	neutral	
6	0.39	28.73	19.13	9.60	58.01	-29.28	QP	neutral	
7	3.54	21.39	11.73	9.66	46.00	-24.61	Average	neutral	
8	3.54	28.06	18.40	9.66	56.00	-27.94	QP	neutral	
9	5.27	28.30	18.61	9.69	50.00	-21.70	Average	neutral	
10	5.27	33.88	24.19	9.69	60.00	-26.12	QP	neutral	
11	6.69	24.75	15.04	9.71	50.00	-25.25	Average	neutral	
12	6.69	30.64	20.93	9.71	60.00	-29.36	QP	neutral	