


Appendix D: Test Results of Radiation Spurious Emissions

<Beamforming>

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1




802.11ax HE20

CH 36 (Horizontal) Average

CH 36 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2022-09-20

1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5150.00	44.78	1.88	42.90	54.00	-9.22	222	201	Average	Horizontal		
5180.00	102.04	59.06	42.98	54.00	48.04	222	201	Average	Horizontal		
5435.00	44.05	0.81	43.24	54.00	-9.95	222	201	Average	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2022-09-20

1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5150.00	46.52	3.62	42.90	54.00	-7.48	308	142	Average	Vertical		
5180.00	109.35	66.37	42.98	54.00	55.35	308	142	Average	Vertical		
5446.00	44.19	0.94	43.25	54.00	-9.81	308	142	Average	Vertical		


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2772-1000 Fax: +886-2772-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	57.70	14.84	42.86	74.00	-16.30	116	190	Peak	Horizontal	
2 *	5280.00	111.61	65.77	45.84	68.20	43.61	116	190	Peak	Horizontal	
3	5415.50	58.09	14.87	43.22	74.00	-15.91	116	190	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2772-1000 Fax: +886-2772-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	61.03	18.20	42.83	74.00	-12.97	308	296	Peak	Vertical	
2 *	5280.00	119.71	76.67	43.04	68.20	51.51	308	296	Peak	Vertical	
3	5444.50	56.72	13.47	43.25	74.00	-17.28	308	296	Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal) Average

CH 40 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5345.50	43.80	0.94	42.86	54.00	-10.20	116	190 Average	Horizontal	
2 *	5280.00	99.69	56.65	43.04	54.00	45.69	116	190 Average	Horizontal	
3	5385.00	43.40	0.25	43.15	54.00	-10.60	116	190 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5345.50	44.53	1.70	42.83	54.00	-9.47	308	296 Average	Vertical	
2 *	5280.00	107.55	64.51	43.04	54.00	53.55	308	296 Average	Vertical	
3	5387.00	43.70	0.55	43.15	54.00	-10.30	308	296 Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5092.00	56.04	13.47	42.57	74.00	-17.96	100	246	Peak	Horizontal	
2 *	5240.00	111.33	68.34	42.99	68.20	43.13	100	246	Peak	Horizontal	
3	5375.00	56.23	13.14	43.09	74.00	-17.77	100	246	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5141.00	58.92	16.08	42.84	74.00	-15.08	100	60	Peak	Vertical	
2 *	5240.00	119.45	76.46	42.99	68.20	51.25	100	60	Peak	Vertical	
3	5405.00	56.78	13.49	43.21	74.00	-17.30	100	60	Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal) Average

CH 48 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.50	43.61	0.77	42.84	54.00	-10.39	100	246 Average	Horizontal
2 *	5240.00	98.70	55.71	42.99	54.00	44.70	100	246 Average	Horizontal
3	5459.50	43.46	0.20	43.26	54.00	-10.54	100	246 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.00	44.21	1.35	42.86	54.00	-9.79	100	60 Average	Vertical
2 *	5240.00	108.47	63.66	42.99	54.00	52.47	100	60 Average	Vertical
3	5401.50	43.91	0.70	43.21	54.00	-10.09	100	60 Average	Vertical

802.11ax HE40

CH 38 (Horizontal) Peak



CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	61.92	19.04	42.88	74.00	-12.08	386	192	Peak	Horizontal	
2 *	5190.00	109.76	66.75	43.01	68.20	41.56	386	192	Peak	Horizontal	
3	5457.00	57.26	14.00	43.26	74.00	-16.74	386	192	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	68.84	25.95	42.89	74.00	-5.16	100	290	Peak	Vertical	
2 *	5190.00	117.74	74.73	43.01	68.20	49.54	100	290	Peak	Vertical	
3	5447.00	56.76	13.51	43.25	74.00	-17.24	100	290	Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal) Average

CH 38 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
98.13	55.12	43.01	54.00	44.13	386	192	Average	Horizontal	
5149.50	46.70	3.80	42.90	-7.30	386	192	Average	Horizontal	
5445.50	44.15	0.90	43.25	-9.85	386	192	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
100.09	63.08	43.01	54.00	52.09	100	290	Average	Vertical	
5150.00	51.06	8.16	42.90	-2.94	100	290	Average	Vertical	
5390.00	44.36	1.16	43.20	-9.64	100	290	Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5081.50	57.22	14.75	42.47	74.00	-16.78	398	193	Peak	Horizontal	
2 *	5230.00	111.01	68.00	43.01	68.20	42.81	398	193	Peak	Horizontal	
3	5418.00	56.46	13.23	43.23	74.00	-17.54	398	193	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5147.50	58.43	15.55	42.88	74.00	-15.57	100	296	Peak	Vertical	
2 *	5230.00	120.04	77.03	43.01	68.20	51.84	100	296	Peak	Vertical	
3	5446.50	56.64	13.39	43.25	74.00	-17.36	100	296	Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal) Average

CH 46 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2022-09-22

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.00	44.36	1.50	42.86	54.00	-9.64	398	193	Average Horizontal
2 *	5230.00	99.92	56.91	43.01	54.00	45.92	398	193	Average Horizontal
3	5449.50	44.03	0.78	43.25	54.00	-9.97	398	193	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2022-09-22

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	45.89	2.99	42.90	54.00	-8.11	100	296	Average Vertical
2 *	5230.00	107.75	64.74	43.01	54.00	53.75	100	296	Average Vertical
3	5441.50	44.45	1.20	43.25	54.00	-9.55	100	296	Average Vertical

802.11ax HE80


CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-09-28




Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5147.00	60.78	17.91	42.87	74.00	-13.22	100	191	Peak	Horizontal	
2 *	5204.50	104.97	61.94	43.03	68.20	36.77	100	191	Peak	Horizontal	
3	5383.50	56.06	12.93	43.13	74.00	-17.94	100	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-09-28



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5144.50	64.65	21.79	42.86	74.00	-9.35	225	130	Peak	Vertical	
2 *	5210.00	119.58	70.55	43.03	68.20	45.38	225	130	Peak	Vertical	
3	5422.00	56.44	13.21	43.23	74.00	-17.56	225	130	Peak	Vertical	

802.11ax HE80


CH 42 (Horizontal) Average

CH 42 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-09-28




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	48.40	5.50	42.90	54.00	-5.60	100	191	Average Horizontal
2	5207.00	92.55	49.91	43.04	54.00	38.55	100	191	Average Horizontal
3	5354.00	44.21	1.22	42.99	54.00	-9.79	100	191	Average Horizontal




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-09-28



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.50	51.09	9.10	42.09	54.00	-2.01	225	130	Average Vertical
2	5210.00	102.02	50.59	43.03	54.00	48.02	225	130	Average Vertical
3	5398.00	44.61	1.41	43.20	54.00	-9.39	225	130	Average Vertical

Band Edges, 5.35GHz
U-NII-2A



802.11ax HE20

CH 52 (Horizontal) Average

CH 52 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.00	44.12	1.33	42.79	54.00	-9.88	100	196 Average	Horizontal	
2 *	5260.00	98.38	55.41	42.97	54.00	44.38	100	196 Average	Horizontal	
3	5426.00	43.45	0.22	43.23	54.00	-10.55	100	196 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	44.08	1.25	42.83	54.00	-9.92	100	60 Average	Vertical	
2 *	5260.00	104.68	61.71	42.97	54.00	50.68	100	60 Average	Vertical	
3	5377.00	43.51	0.41	43.10	54.00	-10.49	100	60 Average	Vertical	

802.11ax HE20

CH 60 (Horizontal) Peak



CH 60 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	57.17	14.34	42.83	74.00	-16.83	360	320	Peak	Horizontal	
2 *	5300.00	108.96	68.84	42.92	68.20	40.76	360	320	Peak	Horizontal	
3	5436.00	56.12	12.68	43.24	74.00	-17.88	360	320	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	60.11	17.22	42.89	74.00	-13.89	343	3	Peak	Vertical	
2 *	5300.00	110.88	75.15	42.92	68.20	49.88	343	3	Peak	Vertical	
3	5457.50	56.31	13.05	43.26	74.00	-17.69	343	3	Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal) Average

CH 60 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5341.50	5380.00	5363.50
43.73	96.95	43.37
0.89	56.03	0.34
42.84	42.92	43.03
54.00	54.00	54.00
-10.27	42.95	-10.63
360	320	360
320	320	320
Average	Average	Average
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5147.00	5380.00	5417.00
44.69	104.83	43.51
1.82	61.91	0.29
42.87	42.92	43.22
54.00	54.00	54.00
-9.31	50.83	-10.49
343	343	343
3	3	3
Average	Average	Average
Vertical	Vertical	Vertical


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5136.58	56.66	13.85	42.81	74.00	-17.34	100	190	Peak	Horizontal	
2 *	5320.00	105.78	62.94	42.84	68.20	37.58	100	190	Peak	Horizontal	
3	5361.00	55.31	12.29	43.02	74.00	-18.69	100	190	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4536.00	56.41	14.77	41.64	74.00	-17.59	100	178	Peak	Vertical	
2 *	5320.00	116.13	73.19	42.94	68.20	47.93	100	178	Peak	Vertical	
3	5350.00	58.44	15.47	42.97	68.20	-9.76	100	178	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal) Average

CH 64 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5141.50	43.85	1.01	42.84	54.00	-10.15	100	190	Average	Horizontal	
2 *	5350.00	94.15	51.21	42.94	54.00	40.15	100	190	Average	Horizontal	
3	5351.00	43.65	0.68	42.97	54.00	-10.35	100	190	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5145.00	43.87	0.98	42.89	54.00	-10.13	100	178	Average	Vertical	
2 *	5350.00	104.94	62.00	42.94	54.00	50.94	100	178	Average	Vertical	
3	5398.00	44.00	0.60	43.20	54.00	-10.00	100	178	Average	Vertical	


802.11ax HE40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4842.58	56.89	14.78	42.11	74.00	-17.11	266	258	Peak	Horizontal	
2 *	5270.00	107.88	64.92	42.96	68.28	39.60	266	258	Peak	Horizontal	
3	5376.50	56.12	13.82	43.10	74.00	-17.88	266	258	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4843.00	58.62	16.58	42.12	74.00	-15.38	100	5	Peak	Vertical	
2 *	5270.00	120.26	77.30	42.96	68.28	52.06	100	5	Peak	Vertical	
3	5351.00	58.03	15.06	42.97	74.00	-15.97	100	5	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal) Average

CH 54 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	44.30	1.42	42.88	54.00	-9.70	266	258 Average	Horizontal	
2 *	5270.00	97.24	54.26	42.96	54.00	43.24	266	258 Average	Horizontal	
3	5427.50	44.00	0.77	43.23	54.00	-10.00	266	258 Average	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	44.91	2.04	42.87	54.00	-9.09	100	5 Average	Vertical	
2 *	5270.00	108.17	65.21	42.96	54.00	54.17	100	5 Average	Vertical	
3	5353.00	44.76	1.78	42.98	54.00	-9.24	100	5 Average	Vertical	

802.11ax HE40
CH 62 (Horizontal) Peak
CH 62 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2022-09-22

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5854.00	56.80	14.19	42.61	74.00	-17.20	361	250	Peak	Horizontal	
2 *	5319.00	104.82	61.09	42.93	68.28	35.82	301	250	Peak	Horizontal	
3	5352.00	56.79	13.61	42.98	74.00	-17.21	301	250	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2022-09-22

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.50	61.12	18.33	42.79	74.00	-12.88	183	253	Peak	Vertical	
2 *	5319.00	114.18	71.25	42.93	68.28	45.98	183	253	Peak	Vertical	
3	5351.50	61.57	18.59	42.98	74.00	-12.43	183	253	Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal) Average

CH 62 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	44.28	1.38	42.90	54.00	-9.72	301	250 Average	Horizontal
2 *	5318.00	93.20	50.27	42.93	54.00	39.20	301	250 Average	Horizontal
3	5426.50	44.05	0.82	43.23	54.00	-9.95	301	250 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5136.50	45.10	2.29	42.81	54.00	-8.90	103	253 Average	Vertical
2 *	5318.00	103.28	60.35	42.93	54.00	49.28	103	253 Average	Vertical
3 !	5350.50	48.05	5.08	42.97	54.00	-5.95	103	253 Average	Vertical


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5094.50	55.95	13.39	42.56	74.00	-18.05	240	251	Peak	Horizontal	
2 *	5230.00	101.95	59.01	42.94	68.20	33.75	240	251	Peak	Horizontal	
3	5351.50	57.00	14.02	42.98	74.00	-17.00	240	251	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4530.50	57.45	15.81	41.64	74.00	-16.55	100	293	Peak	Vertical	
2 *	5230.00	112.31	69.37	42.94	68.20	44.11	100	293	Peak	Vertical	
3	5352.50	65.90	22.92	42.98	74.00	-8.10	100	293	Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal) Average

CH 58 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.00	44.67	1.86	42.81	54.00	-9.33	240	251 Average	Horizontal
2 *	5290.00	91.52	46.58	42.94	54.00	37.52	240	251 Average	Horizontal
3	5350.00	46.21	3.24	42.97	54.00	-7.79	240	251 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.50	45.17	2.34	42.83	54.00	-8.83	100	293 Average	Vertical
2 *	5290.00	100.94	59.00	42.94	54.00	46.94	100	293 Average	Vertical
3 !	5350.00	52.38	9.41	42.97	54.00	-1.62	100	293 Average	Vertical

802.11ax HE160

CH 50 (Horizontal) Peak



CH 50 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2772-1000 Fax: +886-2772-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2772-1000 Fax: +886-2772-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5134.58	59.37	16.58	42.79	74.00	-14.63	100	192	Peak	Horizontal	
2 *	5250.00	101.96	58.98	42.98	68.20	33.76	100	192	Peak	Horizontal	
3	5376.50	56.73	13.63	43.10	74.00	-17.27	100	192	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5149.50	61.61	18.71	42.90	74.00	-12.39	100	292	Peak	Vertical	
2 *	5250.00	109.32	66.34	42.98	68.20	41.12	100	292	Peak	Vertical	
3	5361.00	61.60	18.58	43.02	74.00	-12.40	100	292	Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal) Average

CH 50 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	46.79	3.94	42.85	54.00	-7.21	100	192 Average	Horizontal	
2	5250.00	99.01	47.03	42.98	54.00	36.01	100	192 Average	Horizontal	
3	5355.00	45.51	2.52	42.99	54.00	-8.49	100	192 Average	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	50.11	7.24	42.87	54.00	-3.89	100	292 Average	Vertical	
2	5250.00	99.22	56.24	42.98	54.00	45.22	100	292 Average	Vertical	
3	5355.00	51.00	8.61	42.99	54.00	-2.20	100	292 Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz
U-NII-2C
802.11ax HE20
CH 100 (Horizontal) Peak
CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5396.00	55.76	12.57	43.19	74.00	-18.24	113	58	Peak	Horizontal	
2	5454.50	56.88	13.62	43.26	68.20	-11.32	113	58	Peak	Horizontal	
3 *	5500.00	110.20	66.97	43.23	68.20	42.06	113	58	Peak	Horizontal	
4	6952.50	60.11	14.83	45.28	68.20	-8.09	113	58	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.50	57.29	14.03	43.26	74.00	-16.71	100	293	Peak	Vertical	
2	5469.50	61.02	17.75	43.27	68.20	-7.18	100	293	Peak	Vertical	
3 *	5500.00	119.14	75.85	43.29	68.20	50.94	100	293	Peak	Vertical	
4	6979.50	60.47	15.12	45.35	68.20	-7.73	100	293	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5437.00	43.40	0.16	43.24	54.00	-10.60	113	58 Average	Horizontal
2 *	5500.00	98.47	55.18	43.29	54.00	44.47	113	58 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	43.87	0.61	43.26	54.00	-10.13	100	293 Average	Vertical
2 *	5500.00	107.07	63.78	43.29	54.00	53.07	100	293 Average	Vertical


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5458.50	55.79	12.53	43.26	74.00	-18.21	100	251	Peak	Horizontal	
2	5463.00	55.54	12.28	43.26	68.20	-12.66	100	251	Peak	Horizontal	
3*	5580.00	110.60	67.20	43.40	68.20	42.40	100	251	Peak	Horizontal	
4	6475.00	60.28	15.49	44.79	68.20	-7.92	100	251	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5456.50	56.04	13.68	43.26	74.00	-17.06	100	68	Peak	Vertical	
2	5460.50	56.78	13.51	43.27	68.20	-11.42	100	68	Peak	Vertical	
3*	5580.00	121.22	77.82	43.40	68.20	53.02	100	68	Peak	Vertical	
4	6957.00	59.74	14.46	45.28	68.20	-8.46	100	68	Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal) Average

CH 116 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5412.00	43.53	0.31	43.22	54.00	-10.47	100	251 Average	Horizontal	
2 *	5580.00	109.30	56.90	43.40	54.00	46.30	100	251 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5402.50	43.85	0.64	43.21	54.00	-10.15	100	68 Average	Vertical	
2 *	5580.00	109.91	66.51	43.40	54.00	55.91	100	68 Average	Vertical	

802.11ax HE20

CH 140 (Horizontal) Peak



CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5423.58	55.68	12.45	43.23	74.00	-18.32	100	251	Peak	Horizontal	
2	5466.00	55.00	11.81	43.27	68.20	-13.12	100	251	Peak	Horizontal	
3 *	5700.00	107.45	63.79	43.66	68.20	39.25	100	251	Peak	Horizontal	
4 !	5725.00	63.06	19.37	43.69	68.20	-5.14	100	251	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5420.50	57.20	13.97	43.23	74.00	-16.80	215	251	Peak	Vertical	
2	5465.50	55.89	12.62	43.27	68.20	-12.31	215	251	Peak	Vertical	
3 *	5700.00	121.45	77.79	43.66	68.20	53.25	215	251	Peak	Vertical	
4 !	5726.00	65.05	21.36	43.69	68.20	-3.15	215	251	Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.58	43.36	0.18	43.26	54.00	-10.64	100	251 Average	Horizontal
2 *	5780.00	95.59	51.93	43.66	54.00	41.59	100	251 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.58	43.94	0.68	43.26	54.00	-10.06	215	251 Average	Vertical
2 *	5780.00	109.08	65.42	43.66	54.00	55.08	215	251 Average	Vertical

802.11ax HE40

CH 102 (Horizontal) Peak



CH 102 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfae, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfae, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5481.00	56.88	13.67	43.21	68.20	-17.12	100	113	Peak	Horizontal	
2	5469.50	63.40	20.21	43.27	68.20	-4.72	100	113	Peak	Horizontal	
3	5510.00	105.11	61.79	43.32	68.20	36.91	100	113	Peak	Horizontal	
4	6909.50	61.01	15.77	45.24	68.20	-7.19	100	113	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	60.07	16.81	43.26	68.20	-8.13	100	179	Peak	Vertical	
2	5469.00	66.46	23.19	43.27	68.20	-1.74	100	179	Peak	Vertical	
3	5510.00	117.82	74.50	43.32	68.20	49.62	100	179	Peak	Vertical	
4	6956.00	60.71	15.43	45.28	68.20	-7.49	100	179	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	44.50	1.24	43.26	54.00	-9.50	100	113 Average	Horizontal	
2 *	5518.00	94.43	51.11	43.32	54.00	40.43	100	113 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	46.54	3.28	43.26	54.00	-7.46	100	179 Average	Vertical	
2 *	5518.00	104.96	61.64	43.32	54.00	50.96	100	179 Average	Vertical	

802.11ax HE40

CH 110 (Horizontal) Peak



CH 110 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5423.58	56.59	13.36	43.23	74.00	-17.41	100	100	Peak	Horizontal	
2	5461.00	56.29	13.03	43.26	68.20	-11.91	100	100	Peak	Horizontal	
3 *	5550.00	107.61	64.17	43.44	68.20	39.41	100	100	Peak	Horizontal	
4	6953.00	60.34	15.06	45.28	68.20	-7.86	100	100	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5366.00	57.75	14.71	43.04	74.00	-16.25	100	61	Peak	VERTICAL	
2	5470.00	55.63	12.36	43.27	68.20	-12.57	100	61	Peak	VERTICAL	
3 *	5550.00	116.56	73.14	43.44	68.20	48.38	100	61	Peak	VERTICAL	
4	6978.00	60.54	15.19	45.35	68.20	-7.66	100	61	Peak	VERTICAL	

802.11ax HE40

CH 110 (Horizontal) Average



CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5434.58	44.16	0.92	43.24	54.00	-9.84	100	109 Average	Horizontal	
2 *	5550.00	95.89	52.45	43.44	54.00	41.89	100	109 Average	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.58	44.36	1.10	43.26	54.00	-9.64	100	61 Average	VERTICAL	
2 *	5550.00	105.56	62.12	43.44	54.00	51.56	100	61 Average	VERTICAL	

802.11ax HE40

CH 134 (Horizontal) Peak



CH 134 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5354.00	56.51	13.52	42.99	74.00	-17.49	102	74	Peak	Horizontal	
2	5463.50	55.52	12.26	43.26	68.20	-12.68	102	74	Peak	Horizontal	
3 *	5670.00	106.92	63.40	43.52	68.20	38.72	102	74	Peak	Horizontal	
4	7000.00	60.54	15.14	45.40	68.20	-7.66	102	74	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.50	56.84	13.61	43.23	74.00	-17.16	100	300	Peak	Vertical	
2	5462.00	57.23	13.97	43.26	68.20	-10.97	100	300	Peak	Vertical	
3 *	5670.00	118.93	75.41	43.52	68.20	50.73	100	300	Peak	Vertical	
4 !	5730.00	65.48	21.79	43.69	68.20	-2.72	100	300	Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.58	43.99	0.73	43.26	54.00	-10.01	102	74	Average	Horizontal	
2 *	5670.00	95.01	52.49	43.52	54.00	42.01	102	74	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5446.00	44.53	1.28	43.25	54.00	-9.47	100	300	Average	Vertical	
2 *	5670.00	107.00	63.48	43.52	54.00	53.00	100	300	Average	Vertical	

802.11ax HE80

CH 106 (Horizontal) Peak



CH 106 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfae, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfae, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	56.77	13.51	43.26	74.00	-17.23	100	111	Peak	Horizontal	
2	5469.00	60.69	17.42	43.27	68.20	-7.51	100	111	Peak	Horizontal	
3 *	5530.00	101.19	57.81	43.38	68.20	32.99	100	111	Peak	Horizontal	
4	6949.00	60.70	15.43	45.27	68.20	-7.50	100	111	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.50	65.63	22.37	43.26	74.00	-8.37	100	85	Peak	Vertical	
2 !	5469.50	65.68	22.41	43.27	68.20	-2.52	100	85	Peak	Vertical	
3 *	5530.00	114.45	71.07	43.38	68.20	46.25	100	85	Peak	Vertical	
4	6009.00	61.15	16.30	44.85	68.20	-7.05	100	85	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal) Average

CH 106 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	46.18	2.92	43.26	54.00	-7.82	100	111 Average	Horizontal	
2 *	5530.00	89.83	46.45	43.38	54.00	35.83	100	111 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.50	50.96	7.70	43.26	54.00	-3.04	100	85 Average	Vertical	
2 *	5530.00	101.40	50.62	43.38	54.00	47.40	100	85 Average	Vertical	

802.11ax HE80


CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-09-22




Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5351.58	56.56	13.58	42.98	74.00	-17.44	100	113	Peak	Horizontal	
2	5469.58	55.78	12.51	43.27	68.20	-12.42	100	113	Peak	Horizontal	
3 *	5618.00	107.51	64.12	43.39	68.20	39.31	100	113	Peak	Horizontal	
4	6940.00	60.95	15.69	45.26	68.20	-7.25	100	113	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-09-22



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5438.58	57.26	14.02	43.24	74.00	-16.74	100	302	Peak	Vertical	
2	5462.00	57.63	14.57	43.26	68.20	-10.57	100	302	Peak	Vertical	
3 *	5618.00	117.06	73.67	43.39	68.20	48.86	100	302	Peak	Vertical	
4	6982.50	61.72	16.36	45.36	68.20	-6.48	100	302	Peak	Vertical	



802.11ax HE160

CH 114 (Horizontal) Peak



CH 114 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfae, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfae, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	57.92	14.66	43.26	74.00	-16.08	400	119	Peak	Horizontal	
2	5454.00	60.73	17.47	43.26	68.20	-7.47	400	119	Peak	Horizontal	
3 *	5579.00	102.76	59.35	43.41	68.20	34.56	400	119	Peak	Horizontal	
4	6948.50	60.51	15.25	45.26	68.20	-7.69	400	119	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	63.64	20.38	43.26	74.00	-10.36	119	179	Peak	Vertical	
2 !	5479.00	64.00	20.73	43.27	68.20	-4.20	119	179	Peak	Vertical	
3 *	5579.00	110.65	67.22	43.43	68.20	42.43	119	179	Peak	Vertical	
4	6801.50	60.82	15.85	44.97	68.20	-7.38	119	179	Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average


CH 114 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.58	46.79	3.53	43.26	54.00	-7.21	400	119	Average	Horizontal
2 *	5570.00	87.79	44.38	43.41	54.00	33.79	400	119	Average	Horizontal




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.58	52.03	8.77	43.26	54.00	-1.97	119	179	Average	Vertical
2 *	5570.00	97.33	53.92	43.41	54.00	43.33	119	179	Average	Vertical

Mask, 5.725GHz ~ 5.85GHz
U-NII-3
802.11ax HE20
CH 149 (Horizontal) Peak
CH 149 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
 Tel: +886-2772-1000 Fax: +886-2772-1322


Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5628.00	56.69	13.29	43.40	68.20	-11.51	137	191 Peak	Horizontal	
2	5696.00	56.97	13.32	43.65	103.73	-46.76	137	191 Peak	Horizontal	
3	5726.00	65.40	21.72	43.68	110.80	-45.40	137	191 Peak	Horizontal	
4	5721.00	67.68	24.00	43.68	113.08	-45.40	137	191 Peak	Horizontal	
5	5745.00	105.03	61.33	43.70	122.20	-17.17	137	191 Peak	Horizontal	
6	5853.00	55.95	11.94	44.01	115.36	-59.41	137	191 Peak	Horizontal	
7	5874.50	57.18	13.12	44.06	105.34	-48.16	137	191 Peak	Horizontal	
8	5896.00	57.89	13.78	44.11	94.07	-36.18	137	191 Peak	Horizontal	
9	5948.50	57.59	13.31	44.28	68.20	-10.61	137	191 Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
 Tel: +886-2772-1000 Fax: +886-2772-1322


Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5527.50	56.52	13.14	43.38	68.20	-11.68	100	265 Peak	Vertical	
2	5699.50	57.95	14.29	43.66	104.83	-46.88	100	265 Peak	Vertical	
3	5719.50	67.15	23.47	43.68	110.66	-43.51	100	265 Peak	Vertical	
4	5724.00	72.34	28.65	43.69	119.92	-47.58	100	265 Peak	Vertical	
5	5745.00	116.82	73.12	43.70	122.20	-5.38	100	265 Peak	Vertical	
6	5853.00	56.17	12.18	43.99	119.92	-63.75	100	265 Peak	Vertical	
7	5869.00	57.01	12.96	44.05	106.88	-49.87	100	265 Peak	Vertical	
8	5918.50	59.29	15.10	44.19	72.99	-13.70	100	265 Peak	Vertical	
9	5972.50	58.10	13.67	44.43	68.20	-10.10	100	265 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5494.00	57.52	14.23	43.29	68.20	-10.68	100	199 Peak	Horizontal
2	5683.50	56.50	12.92	43.58	93.03	-36.53	100	199 Peak	Horizontal
3	5704.00	56.48	12.81	43.67	106.32	-49.84	100	199 Peak	Horizontal
4	5720.00	56.14	12.46	43.68	110.00	-54.66	100	199 Peak	Horizontal
5	5785.00	105.82	62.01	43.81	122.20	-16.38	100	199 Peak	Horizontal
6	5859.00	56.72	12.73	43.99	122.20	-65.48	100	199 Peak	Horizontal
7	5866.50	57.48	13.44	44.04	107.58	-50.10	100	199 Peak	Horizontal
8	5905.00	58.27	14.12	44.15	82.96	-24.69	100	199 Peak	Horizontal
9	5980.50	58.06	13.58	44.48	68.20	-10.14	100	199 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5615.50	57.21	13.82	43.39	68.20	-10.99	100	180 Peak	Vertical
2	5657.00	56.84	13.38	43.46	73.40	-16.56	100	180 Peak	Vertical
3	5714.50	58.24	14.56	43.68	109.26	-51.02	100	180 Peak	Vertical
4	5724.50	56.04	12.35	43.69	121.06	-65.02	100	180 Peak	Vertical
5	5785.00	116.48	72.67	43.81	122.20	-5.72	100	180 Peak	Vertical
6	5855.00	57.01	13.00	44.01	110.00	-53.79	100	180 Peak	Vertical
7	5866.00	57.76	13.72	44.04	107.72	-49.96	100	180 Peak	Vertical
8	5922.50	57.74	13.55	44.19	70.04	-12.30	100	180 Peak	Vertical
9	5985.00	58.12	13.60	44.52	68.20	-10.08	100	180 Peak	Vertical


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2772-1000 Fax: +886-2772-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5560.50	56.52	13.39	43.43	68.20	-11.38	139	190 Peak	Horizontal
2	5684.50	56.28	12.69	43.59	93.76	-37.48	139	190 Peak	Horizontal
3	5785.00	56.01	12.34	43.67	106.60	-50.59	139	190 Peak	Horizontal
4	5720.50	55.45	11.77	43.68	111.94	-56.49	139	190 Peak	Horizontal
5	5825.00	106.50	62.58	43.92	122.20	-15.70	139	190 Peak	Horizontal
6	5853.00	63.23	19.22	44.01	115.36	-52.13	139	190 Peak	Horizontal
7	5855.50	61.39	17.38	44.01	110.66	-49.27	139	190 Peak	Horizontal
8	5879.00	57.20	13.12	44.08	102.23	-45.03	139	190 Peak	Horizontal
9	5996.50	58.17	13.57	44.60	68.20	-10.03	139	190 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2772-1000 Fax: +886-2772-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5483.50	56.43	13.15	43.28	68.20	-11.77	100	295 Peak	Vertical
2	5689.00	56.73	13.21	43.52	82.30	-25.57	100	295 Peak	Vertical
3	5707.00	56.65	12.98	43.67	107.16	-50.51	100	295 Peak	Vertical
4	5720.00	55.96	12.28	43.68	110.80	-54.04	100	295 Peak	Vertical
5	5825.00	116.87	72.95	43.92	122.20	-5.33	100	295 Peak	Vertical
6	5854.50	65.26	21.25	44.01	111.94	-46.68	100	295 Peak	Vertical
7	5855.00	63.92	19.91	44.01	110.80	-46.88	100	295 Peak	Vertical
8	5876.00	57.33	13.27	44.06	104.46	-47.13	100	295 Peak	Vertical
9	5994.00	57.86	13.29	44.57	68.20	-10.34	100	295 Peak	Vertical


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5480.50	56.68	13.40	43.28	68.20	-11.52	100	194 Peak	Horizontal
2	5690.50	57.59	13.94	43.65	104.09	-46.50	100	194 Peak	Horizontal
3	5712.50	60.74	17.06	43.68	108.70	-47.96	100	194 Peak	Horizontal
4	5724.50	69.19	25.50	43.69	121.06	-51.87	100	194 Peak	Horizontal
5	5755.00	105.13	61.41	43.72	122.20	-17.07	100	194 Peak	Horizontal
6	5853.50	56.60	12.50	44.01	114.22	-57.62	100	194 Peak	Horizontal
7	5863.50	57.17	13.14	44.03	108.42	-51.25	100	194 Peak	Horizontal
8	5882.00	57.55	13.47	44.08	100.00	-42.45	100	194 Peak	Horizontal
9	5972.50	57.68	13.25	44.43	68.20	-10.52	100	194 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5550.50	57.36	13.93	43.43	68.20	-10.84	100	299 Peak	Vertical
2	5695.50	58.49	14.85	43.64	101.88	-43.39	100	299 Peak	Vertical
3	5720.00	67.47	23.79	43.68	110.00	-43.33	100	299 Peak	Vertical
4	5725.00	70.30	26.61	43.69	122.20	-51.90	100	299 Peak	Vertical
5	5755.00	116.05	73.23	43.72	122.20	-5.25	100	299 Peak	Vertical
6	5850.00	57.51	13.52	43.99	122.20	-64.69	100	299 Peak	Vertical
7	5858.00	57.50	13.48	44.03	109.96	-52.46	100	299 Peak	Vertical
8	5898.50	57.65	13.52	44.13	87.77	-30.12	100	299 Peak	Vertical
9	5992.50	58.29	13.72	44.57	68.20	-9.91	100	299 Peak	Vertical

802.11ax HE40

CH 159 (Horizontal) Peak



CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5580.00	56.75	13.46	43.29	68.20	-11.45	100	190 Peak	Horizontal	
2	5683.50	56.34	12.76	43.58	93.83	-36.89	100	190 Peak	Horizontal	
3	5714.50	56.83	13.15	43.68	109.26	-52.43	100	190 Peak	Horizontal	
4	5722.00	55.85	12.17	43.68	115.36	-59.51	100	190 Peak	Horizontal	
5	5795.00	104.88	61.04	43.84	122.20	-17.32	100	190 Peak	Horizontal	
6	5852.00	57.52	13.53	43.99	117.64	-60.12	100	190 Peak	Horizontal	
7	5857.50	57.53	13.52	44.01	118.10	-52.57	100	190 Peak	Horizontal	
8	5911.50	58.26	14.10	44.16	78.16	-19.90	100	190 Peak	Horizontal	
9	5979.50	59.16	14.68	44.48	68.20	-9.04	100	190 Peak	Horizontal	

Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5595.00	57.20	13.81	43.39	68.20	-11.00	100	298 Peak	Vertical	
2	5689.00	57.53	13.93	43.60	96.35	-38.82	100	298 Peak	Vertical	
3	5701.00	56.90	13.23	43.67	105.48	-48.58	100	298 Peak	Vertical	
4	5723.00	56.90	13.22	43.68	117.64	-60.74	100	298 Peak	Vertical	
5	5795.00	116.09	72.25	43.84	122.20	-6.11	100	298 Peak	Vertical	
6	5850.50	58.08	14.89	43.99	121.06	-62.18	100	298 Peak	Vertical	
7	5855.50	57.28	13.27	44.01	110.66	-53.38	100	298 Peak	Vertical	
8	5875.50	57.89	13.83	44.06	104.83	-46.94	100	298 Peak	Vertical	
9	5950.50	57.92	13.59	44.33	68.20	-10.28	100	298 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5525.00	57.46	14.82	43.38	68.20	-18.88	290	157	Peak	Horizontal	
2	5780.00	57.71	14.85	43.56	105.20	-47.49	290	157	Peak	Horizontal	
3	5716.00	63.89	20.21	43.68	109.68	-45.79	290	157	Peak	Horizontal	
4	5725.00	68.26	24.57	43.69	122.20	-53.94	290	157	Peak	Horizontal	
5	5775.00	104.25	60.47	43.78	122.20	-17.95	290	157	Peak	Horizontal	
6	5851.50	56.59	12.60	43.99	118.78	-62.19	290	157	Peak	Horizontal	
7	5884.50	58.19	14.16	44.03	108.14	-49.95	290	157	Peak	Horizontal	
8	5883.50	57.99	13.90	44.09	98.89	-46.90	290	157	Peak	Horizontal	
9	5942.00	58.29	14.04	44.25	68.20	-9.91	290	157	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5625.50	57.50	14.10	43.46	68.20	-10.70	100	289	Peak	Vertical	
2	5699.00	64.27	20.61	43.66	104.46	-40.19	100	289	Peak	Vertical	
3	5720.00	69.24	25.56	43.68	110.00	-41.56	100	289	Peak	Vertical	
4	5721.50	71.35	27.67	43.68	114.22	-42.87	100	289	Peak	Vertical	
5	5775.00	112.66	68.88	43.78	122.20	-9.54	100	289	Peak	Vertical	
6	5850.00	60.27	16.28	43.99	122.20	-61.93	100	289	Peak	Vertical	
7	5856.00	59.18	15.17	44.01	110.52	-51.34	100	289	Peak	Vertical	
8	5901.00	58.21	14.07	44.14	85.92	-27.71	100	289	Peak	Vertical	
9	5987.50	58.13	13.60	44.53	68.20	-10.07	100	289	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	45.66	65.17	-19.51	74.00	-28.34	100	152 Peak	Horizontal
2	4531.00	42.24	52.44	-10.20	54.00	-11.76	400	108 Average	Horizontal
3	4531.00	56.00	66.20	-10.20	74.00	-18.00	400	108 Peak	Horizontal
4	4843.00	49.78	59.54	-9.76	74.00	-24.22	300	344 Peak	Horizontal
5	10360.00	49.45	52.96	-3.51	68.20	-18.75	400	228 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	47.17	66.67	-19.50	74.00	-26.83	300	76 Peak	Vertical
2	2728.00	47.46	61.12	-13.66	74.00	-26.54	200	67 Peak	Vertical
3	4532.00	43.90	54.10	-10.20	54.00	-10.10	400	49 Average	Vertical
4	4532.00	58.15	68.35	-10.20	74.00	-15.85	400	49 Peak	Vertical
5	4844.00	51.62	61.38	-9.76	74.00	-22.38	200	302 Peak	Vertical
6	10360.00	59.64	63.15	-3.51	68.20	-8.56	100	225 Peak	Vertical


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	46.15	65.62	-19.47	74.00	-27.85	100	203 Peak	Horizontal
2	4527.00	52.54	62.77	-10.23	74.00	-21.46	300	107 Peak	Horizontal
3	4634.00	49.71	59.50	-9.79	74.00	-24.29	300	346 Peak	Horizontal
4	10400.00	50.22	53.64	-3.42	68.20	-17.98	400	157 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	46.96	66.45	-19.49	74.00	-27.04	100	235 Peak	Vertical
2	4518.00	42.32	52.60	-10.28	54.00	-11.68	400	45 Average	Vertical
3	4518.00	57.48	67.76	-10.28	74.00	-16.52	400	45 Peak	Vertical
4	4839.00	52.35	62.12	-9.77	74.00	-21.65	100	298 Peak	Vertical
5	10400.00	54.85	58.27	-3.42	68.20	-13.35	100	201 Peak	Vertical


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoI/Phase	Note
1	1485.00	44.57	64.08	-19.51	74.00	-29.43	100	202	Peak	Horizontal	
2	4528.00	53.09	63.31	-10.22	74.00	-20.91	400	100	Peak	Horizontal	
3	4643.00	50.17	59.93	-9.76	74.00	-23.83	300	344	Peak	Horizontal	
4	10480.00	50.96	54.20	-3.24	68.20	-17.24	100	100	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoI/Phase	Note
1	1483.00	46.75	66.24	-19.49	74.00	-27.25	300	75	Peak	Vertical	
2	2730.00	49.31	62.95	-13.65	74.00	-24.69	100	40	Peak	Vertical	
3	4531.00	42.32	52.52	-10.20	54.00	-11.68	400	49	Average	Vertical	
4	4531.00	57.40	67.60	-10.20	74.00	-16.60	400	49	Peak	Vertical	
5	4843.00	51.88	61.64	-9.76	74.00	-22.12	300	254	Peak	Vertical	
6	10480.00	56.76	60.00	-3.24	68.20	-11.44	100	223	Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	43.75	63.23	-19.48	74.00	-38.25	180	282 Peak	Horizontal
2	4529.00	52.74	62.96	-10.22	74.00	-21.26	400	185 Peak	Horizontal
3	4639.00	49.59	59.36	-9.77	74.00	-24.41	400	184 Peak	Horizontal
4	10380.00	49.13	52.60	-3.47	68.20	-19.07	180	189 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	46.64	66.12	-19.48	74.00	-27.36	300	73 Peak	Vertical
2	2731.00	52.52	66.17	-13.65	74.00	-21.48	300	62 Peak	Vertical
3	4527.00	42.77	53.00	-10.23	54.00	-11.23	400	45 Average	Vertical
4	4527.00	57.44	67.67	-10.23	74.00	-16.56	400	45 Peak	Vertical
5	4843.00	52.01	61.77	-9.76	74.00	-21.99	400	308 Peak	Vertical
6	10380.00	56.61	60.88	-3.47	68.20	-11.59	180	215 Peak	Vertical
7	15570.00	59.67	47.61	3.66	74.00	-23.33	180	183 Peak	Vertical


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	50.44	69.92	-19.48	74.00	-23.56	100	200 Peak	Horizontal
2	1757.00	51.77	69.12	-17.35	68.20	-16.43	400	17 Peak	Horizontal
3	4529.00	50.79	61.01	-10.22	74.00	-23.21	400	157 Peak	Horizontal
4	4841.00	53.84	63.61	-9.77	74.00	-20.16	400	183 Peak	Horizontal
5	10460.00	52.14	55.42	-3.28	68.20	-16.06	100	299 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	50.99	70.47	-19.48	74.00	-23.01	300	76 Peak	Vertical
2	1729.00	52.24	65.89	-13.65	74.00	-21.76	400	153 Peak	Vertical
3	4531.00	46.95	57.15	-10.20	54.00	-7.05	400	48 Average	Vertical
4	4531.00	57.25	67.45	-10.20	74.00	-16.75	400	48 Peak	Vertical
5	4836.00	47.33	57.12	-9.79	54.00	-6.67	400	37 Average	Vertical
6	4836.00	56.31	66.10	-9.79	74.00	-17.69	400	37 Peak	Vertical
7	10460.00	56.40	59.68	-3.28	68.20	-11.80	100	303 Peak	Vertical
8	15690.00	52.72	48.79	3.93	74.00	-21.28	100	308 Peak	Vertical

802.11ax HE80

CH 42 (Horizontal)


CH 42 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	49.50	68.99	-19.49	74.00	-24.50	100	197	Peak	Horizontal	
2	4527.00	53.95	64.18	-10.23	74.00	-20.85	400	299	Peak	Horizontal	
3	4643.00	52.99	62.75	-9.76	74.00	-21.01	300	341	Peak	Horizontal	
4	10420.00	47.78	51.16	-3.38	68.20	-20.42	400	140	Peak	Horizontal	



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	48.65	68.16	-19.51	74.00	-25.35	300	360	Peak	Vertical	
2	2731.00	50.17	63.82	-13.65	74.00	-23.83	300	269	Peak	Vertical	
3	4525.00	46.14	56.39	-10.25	54.00	-7.86	400	49	Average	Vertical	
4	4525.00	57.42	67.67	-10.25	74.00	-16.58	400	49	Peak	Vertical	
5	4843.00	53.43	63.19	-9.76	74.00	-20.57	200	208	Peak	Vertical	
6	10420.00	54.83	58.21	-3.38	68.20	-13.37	100	176	Peak	Vertical	

U-NII-2A

802.11ax HE20																																																																																																																																			
CH 52 (Horizontal)	CH 52 (Vertical)																																																																																																																																		
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; margin-top: 10px;">Date: 2022-10-03</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1486.00</td> <td>45.14</td> <td>64.65</td> <td>-19.51</td> <td>74.00</td> <td>-28.86</td> <td>180</td> <td>152 Peak</td> <td>Horizontal</td> </tr> <tr> <td>2</td> <td>4521.00</td> <td>52.72</td> <td>62.96</td> <td>-10.26</td> <td>74.00</td> <td>-21.28</td> <td>400</td> <td>187 Peak</td> <td>Horizontal</td> </tr> <tr> <td>3</td> <td>4643.00</td> <td>49.69</td> <td>59.65</td> <td>-9.76</td> <td>74.00</td> <td>-24.11</td> <td>300</td> <td>340 Peak</td> <td>Horizontal</td> </tr> <tr> <td>4</td> <td>10525.00</td> <td>57.39</td> <td>60.51</td> <td>-3.12</td> <td>68.20</td> <td>-10.81</td> <td>100</td> <td>20 Peak</td> <td>Horizontal</td> </tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	1486.00	45.14	64.65	-19.51	74.00	-28.86	180	152 Peak	Horizontal	2	4521.00	52.72	62.96	-10.26	74.00	-21.28	400	187 Peak	Horizontal	3	4643.00	49.69	59.65	-9.76	74.00	-24.11	300	340 Peak	Horizontal	4	10525.00	57.39	60.51	-3.12	68.20	-10.81	100	20 Peak	Horizontal	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; margin-top: 10px;">Date: 2022-10-03</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1486.00</td> <td>46.52</td> <td>66.03</td> <td>-19.51</td> <td>74.00</td> <td>-27.48</td> <td>378</td> <td>360 Peak</td> <td>Vertical</td> </tr> <tr> <td>2</td> <td>4531.00</td> <td>47.61</td> <td>57.61</td> <td>-10.20</td> <td>54.00</td> <td>-6.39</td> <td>100</td> <td>230 Average</td> <td>Vertical</td> </tr> <tr> <td>3</td> <td>4531.00</td> <td>58.64</td> <td>68.64</td> <td>-10.20</td> <td>74.00</td> <td>-15.36</td> <td>100</td> <td>230 Peak</td> <td>Vertical</td> </tr> <tr> <td>4</td> <td>4835.00</td> <td>52.90</td> <td>62.69</td> <td>-9.79</td> <td>74.00</td> <td>-21.10</td> <td>200</td> <td>200 Peak</td> <td>Vertical</td> </tr> <tr> <td>5</td> <td>10520.00</td> <td>65.08</td> <td>68.21</td> <td>-3.13</td> <td>68.20</td> <td>-3.12</td> <td>100</td> <td>218 Peak</td> <td>Vertical</td> </tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	1486.00	46.52	66.03	-19.51	74.00	-27.48	378	360 Peak	Vertical	2	4531.00	47.61	57.61	-10.20	54.00	-6.39	100	230 Average	Vertical	3	4531.00	58.64	68.64	-10.20	74.00	-15.36	100	230 Peak	Vertical	4	4835.00	52.90	62.69	-9.79	74.00	-21.10	200	200 Peak	Vertical	5	10520.00	65.08	68.21	-3.13	68.20	-3.12	100	218 Peak	Vertical
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																																																										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																																												
1	1486.00	45.14	64.65	-19.51	74.00	-28.86	180	152 Peak	Horizontal																																																																																																																										
2	4521.00	52.72	62.96	-10.26	74.00	-21.28	400	187 Peak	Horizontal																																																																																																																										
3	4643.00	49.69	59.65	-9.76	74.00	-24.11	300	340 Peak	Horizontal																																																																																																																										
4	10525.00	57.39	60.51	-3.12	68.20	-10.81	100	20 Peak	Horizontal																																																																																																																										
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																																																										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																																												
1	1486.00	46.52	66.03	-19.51	74.00	-27.48	378	360 Peak	Vertical																																																																																																																										
2	4531.00	47.61	57.61	-10.20	54.00	-6.39	100	230 Average	Vertical																																																																																																																										
3	4531.00	58.64	68.64	-10.20	74.00	-15.36	100	230 Peak	Vertical																																																																																																																										
4	4835.00	52.90	62.69	-9.79	74.00	-21.10	200	200 Peak	Vertical																																																																																																																										
5	10520.00	65.08	68.21	-3.13	68.20	-3.12	100	218 Peak	Vertical																																																																																																																										


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengtao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	44.62	64.32	-19.50	74.00	-29.18	280	152 Peak	Horizontal
2	2730.00	48.52	62.17	-13.65	74.00	-25.48	303	360 Peak	Horizontal
3	4520.00	51.49	61.76	-10.27	74.00	-22.51	300	97 Peak	Horizontal
4	4844.00	50.97	60.74	-9.77	74.00	-23.03	300	344 Peak	Horizontal
5	10600.00	43.74	46.61	-2.87	54.00	-10.26	100	109 Average	Horizontal
6	10600.00	61.96	64.85	-2.87	74.00	-12.02	100	169 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengtao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1480.00	46.28	65.74	-19.46	74.00	-27.72	317	360 Peak	Vertical
2	4520.00	47.55	57.77	-10.22	54.00	-6.45	400	46 Average	Vertical
3	4520.00	57.53	67.75	-10.22	74.00	-16.47	400	46 Peak	Vertical
4	4844.00	46.09	55.85	-9.76	54.00	-7.91	300	298 Average	Vertical
5	4844.00	54.90	64.66	-9.76	74.00	-19.10	300	298 Peak	Vertical
6	10600.00	50.23	53.10	-2.87	54.00	-3.77	100	174 Average	Vertical
7	10600.00	68.65	71.52	-2.87	74.00	-5.35	100	174 Peak	Vertical


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	43.60	63.09	-19.49	74.00	-38.40	100	200 Peak	Horizontal
2	4523.00	51.93	62.15	-10.25	74.00	-22.07	300	90 Peak	Horizontal
3	4629.00	50.92	60.72	-9.80	74.00	-23.08	300	344 Peak	Horizontal
4	10640.00	45.55	48.37	-2.82	54.00	-8.45	100	40 Average	Horizontal
5	10640.00	62.83	65.65	-2.82	74.00	-11.17	100	40 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	46.78	66.29	-19.51	74.00	-27.22	300	360 Peak	Vertical
2	4528.00	47.79	58.81	-10.22	54.00	-6.21	100	239 Average	Vertical
3	4528.00	58.09	68.31	-10.22	74.00	-15.91	100	239 Peak	Vertical
4	4836.00	53.29	63.08	-9.79	74.00	-20.71	300	289 Peak	Vertical
5	10640.00	49.82	52.64	-2.82	54.00	-4.18	100	258 Average	Vertical
6	10640.00	67.33	70.15	-2.82	74.00	-6.67	100	258 Peak	Vertical


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	45.41	64.90	-19.49	74.00	-28.59	180	261 Peak	Horizontal
2	4520.00	51.46	61.73	-10.27	74.00	-22.54	300	180 Peak	Horizontal
3	4644.00	50.29	60.05	-9.76	74.00	-23.71	300	334 Peak	Horizontal
4	10540.00	55.57	58.64	-3.07	68.20	-12.63	300	297 Peak	Horizontal
5	15810.00	50.41	46.18	4.23	74.00	-23.59	300	56 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	47.03	66.52	-19.49	74.00	-26.97	303	360 Peak	Vertical
2	4531.00	47.72	57.52	-10.20	54.00	-6.28	400	39 Average	Vertical
3	4531.00	58.20	68.40	-10.20	74.00	-15.80	400	39 Peak	Vertical
4	4841.00	45.55	55.32	-9.77	54.00	-8.45	200	200 Average	Vertical
5	4841.00	54.03	63.80	-9.77	74.00	-19.97	200	200 Peak	Vertical
6	18540.00	62.54	65.61	-3.07	68.20	-5.66	180	232 Peak	Vertical
7	15810.00	44.80	40.66	4.23	54.00	-9.11	203	326 Average	Vertical
8	15810.00	57.04	52.81	4.23	74.00	-16.96	203	326 Peak	Vertical


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	44.52	64.03	-19.51	74.00	-29.48	100	205 Peak	Horizontal	
2	4527.00	52.43	62.66	-10.23	74.00	-21.57	400	110 Peak	Horizontal	
3	4644.00	52.44	62.20	-9.76	74.00	-21.56	300	344 Peak	Horizontal	
4	10620.00	46.00	48.84	-2.84	54.00	-8.00	400	328 Average	Horizontal	
5	10620.00	57.36	60.20	-2.84	74.00	-16.64	400	328 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1403.00	46.63	66.12	-19.49	74.00	-27.37	400	14 Peak	Vertical	
2	4529.00	46.99	57.21	-10.22	54.00	-7.01	100	229 Average	Vertical	
3	4529.00	57.29	67.51	-10.22	74.00	-16.71	100	229 Peak	Vertical	
4	4842.00	53.01	62.78	-9.77	74.00	-20.99	200	307 Peak	Vertical	
5	10620.00	50.28	53.12	-2.84	54.00	-3.72	100	258 Average	Vertical	
6	10620.00	61.64	64.48	-2.84	74.00	-12.36	100	258 Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	43.96	63.45	-19.49	74.00	-30.04	100	197	Peak	Horizontal	
2	4527.00	52.63	62.26	-10.23	74.00	-21.97	400	166	Peak	Horizontal	
3	4634.00	50.20	59.99	-9.79	74.00	-23.80	100	34	Peak	Horizontal	
4	10580.00	56.81	59.74	-2.93	68.20	-11.39	296	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	46.10	65.60	-19.50	74.00	-27.90	387	350	Peak	Vertical	
2	4528.00	47.35	57.57	-10.22	54.00	-6.65	400	48	Average	Vertical	
3	4528.00	58.08	68.30	-10.22	74.00	-15.92	400	48	Peak	Vertical	
4	4833.00	53.92	63.71	-9.79	74.00	-20.08	200	202	Peak	Vertical	
5	10580.00	64.37	67.30	-2.93	68.20	-3.83	100	223	Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	44.44	63.93	-19.49	74.00	-29.56	100	201 Peak	Horizontal	
2	4524.00	51.54	61.79	-10.25	74.00	-22.46	300	99 Peak	Horizontal	
3	4637.00	50.05	59.64	-9.79	74.00	-23.95	300	344 Peak	Horizontal	
4	10500.00	48.98	52.18	-3.20	68.20	-19.22	100	286 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1401.00	46.68	66.15	-19.47	74.00	-27.32	375	360 Peak	Vertical	
2	4524.00	47.73	57.58	-10.25	54.00	-6.27	400	49 Average	Vertical	
3	4524.00	58.03	68.28	-10.25	74.00	-15.97	400	49 Peak	Vertical	
4	4844.00	46.50	56.26	-9.76	54.00	-7.50	300	302 Average	Vertical	
5	4844.00	54.85	64.61	-9.76	74.00	-19.15	300	302 Peak	Vertical	
6	10500.00	59.23	62.43	-3.20	68.20	-8.97	100	225 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	43.69	63.18	-19.49	74.00	-38.31	280	197 Peak	Horizontal
2	4531.00	53.12	63.32	-10.20	74.00	-20.88	400	189 Peak	Horizontal
3	4829.00	50.27	60.87	-9.80	74.00	-23.73	300	343 Peak	Horizontal
4	11160.00	45.86	47.92	-2.06	54.00	-8.14	100	111 Average	Horizontal
5	11160.00	61.35	63.41	-2.06	74.00	-12.65	100	111 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	46.91	66.48	-19.49	74.00	-27.09	376	368 Peak	Vertical
2	4528.00	47.44	57.55	-10.22	54.00	-6.56	300	236 Average	Vertical
3	4528.00	57.66	67.88	-10.22	74.00	-16.34	100	236 Peak	Vertical
4	4842.00	53.82	63.59	-9.77	74.00	-20.18	200	206 Peak	Vertical
5	11160.00	50.64	52.70	-2.06	54.00	-3.36	100	285 Average	Vertical
6	11160.00	66.85	68.91	-2.06	74.00	-7.15	100	285 Peak	Vertical
7	16740.00	62.23	55.58	6.65	68.20	-5.97	100	244 Peak	Vertical


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	44.59	64.09	-19.50	74.00	-29.41	100	152 Peak	Horizontal
2	4520.00	52.06	62.33	-10.27	74.00	-21.94	300	102 Peak	Horizontal
3	4643.00	51.66	61.42	-9.76	74.00	-22.34	300	343 Peak	Horizontal
4	11400.00	45.59	47.17	-1.58	54.00	-8.41	100	11 Average	Horizontal
5	11400.00	61.56	63.14	-1.58	74.00	-12.44	100	11 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1402.00	45.84	65.32	-19.48	74.00	-28.16	366	368 Peak	Vertical
2	4531.00	47.24	57.44	-10.20	54.00	-6.76	100	238 Average	Vertical
3	4531.00	57.83	68.03	-10.20	74.00	-16.17	100	238 Peak	Vertical
4	4837.00	46.78	56.57	-9.79	54.00	-7.22	200	201 Average	Vertical
5	4837.00	55.49	65.28	-9.79	74.00	-18.51	200	201 Peak	Vertical
6	11400.00	50.53	52.11	-1.58	54.00	-3.47	100	297 Average	Vertical
7	11400.00	66.01	67.59	-1.58	74.00	-7.99	100	297 Peak	Vertical
8	17100.00	53.56	46.58	6.92	68.20	-14.70	100	342 Peak	Vertical

802.11ax HE40

CH 102 (Horizontal)



CH 102 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	43.51	62.98	-19.47	74.00	-38.49	180	281 Peak	Horizontal
2	4516.00	52.11	62.46	-10.29	74.00	-21.89	300	188 Peak	Horizontal
3	4644.00	50.91	60.57	-9.76	74.00	-23.09	300	338 Peak	Horizontal
4	11820.00	46.00	48.24	-2.24	54.00	-8.00	100	46 Average	Horizontal
5	11820.00	56.94	59.18	-2.24	74.00	-17.06	100	46 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	46.50	65.99	-19.49	74.00	-27.50	385	368 Peak	Vertical
2	4527.00	47.50	57.73	-10.23	54.00	-6.50	400	44 Average	Vertical
3	4527.00	58.03	68.26	-10.23	74.00	-15.97	400	44 Peak	Vertical
4	4827.00	53.89	63.71	-9.82	74.00	-20.11	200	199 Peak	Vertical
5	11820.00	50.99	53.23	-2.24	54.00	-3.01	100	288 Average	Vertical
6	11820.00	62.49	64.73	-2.24	74.00	-11.51	100	288 Peak	Vertical


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	44.48	63.98	-19.50	74.00	-29.52	180	281 Peak	Horizontal
2	4531.00	53.31	63.51	-10.20	74.00	-20.69	400	187 Peak	Horizontal
3	4843.00	51.28	61.04	-9.76	74.00	-22.72	300	345 Peak	Horizontal
4	11100.00	46.29	48.43	-2.14	54.00	-7.71	100	153 Average	Horizontal
5	11100.00	56.36	58.50	-2.14	74.00	-17.64	100	153 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	45.83	65.31	-19.48	74.00	-28.17	375	368 Peak	Vertical
2	4530.00	46.08	56.29	-10.21	54.00	-7.92	400	44 Average	Vertical
3	4530.00	57.78	67.99	-10.21	74.00	-16.22	400	44 Peak	Vertical
4	4843.00	46.55	56.31	-9.76	54.00	-7.45	300	288 Average	Vertical
5	4843.00	54.36	64.12	-9.76	74.00	-19.64	300	288 Peak	Vertical
6	11100.00	50.39	52.53	-2.14	54.00	-3.61	100	263 Average	Vertical
7	11100.00	59.74	61.88	-2.14	74.00	-14.26	100	263 Peak	Vertical


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	45.89	65.38	-19.49	74.00	-28.11	100	203 Peak	Horizontal
2	4529.00	53.28	63.50	-10.22	74.00	-20.72	400	104 Peak	Horizontal
3	4644.00	50.70	60.46	-9.76	74.00	-23.30	100	36 Peak	Horizontal
4	11340.00	46.82	48.54	-1.72	54.00	-7.18	100	214 Average	Horizontal
5	11340.00	58.30	60.02	-1.72	74.00	-15.70	100	214 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	47.26	66.77	-19.51	74.00	-26.74	306	360 Peak	Vertical
2	4525.00	46.76	57.91	-10.25	54.00	-7.24	400	48 Average	Vertical
3	4525.00	57.74	67.99	-10.25	74.00	-16.26	400	48 Peak	Vertical
4	4841.00	53.51	63.28	-9.77	74.00	-20.49	300	294 Peak	Vertical
5	11340.00	50.90	52.62	-1.72	54.00	-3.10	100	294 Average	Vertical
6	11340.00	61.31	63.03	-1.72	74.00	-12.69	100	294 Peak	Vertical


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	44.27	63.75	-19.48	74.00	-29.73	180	194 Peak	Horizontal
2	4523.00	52.73	62.96	-10.25	74.00	-21.27	300	181 Peak	Horizontal
3	4641.00	50.15	59.92	-9.77	74.00	-23.85	200	340 Peak	Horizontal
4	11860.00	46.87	49.05	-2.18	54.00	-7.13	100	133 Average	Horizontal
5	11860.00	60.26	62.44	-2.18	74.00	-13.74	100	133 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	46.68	66.19	-19.51	74.00	-27.32	378	360 Peak	Vertical
2	4531.00	47.02	57.22	-10.20	54.00	-6.98	400	43 Average	Vertical
3	4531.00	58.12	68.32	-10.20	74.00	-15.88	400	43 Peak	Vertical
4	4843.00	53.49	63.25	-9.76	74.00	-20.51	300	304 Peak	Vertical
5	11860.00	49.52	51.70	-2.18	54.00	-4.48	100	198 Average	Vertical
6	11860.00	64.97	67.15	-2.18	74.00	-9.03	100	198 Peak	Vertical


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	45.58	65.05	-19.47	74.00	-28.42	100	196 Peak	Horizontal
2	4527.00	51.95	62.18	-10.23	74.00	-22.05	400	109 Peak	Horizontal
3	4643.00	50.29	60.05	-9.76	74.00	-23.71	300	343 Peak	Horizontal
4	11220.00	49.49	51.47	-1.98	74.00	-24.51	400	312 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	46.18	65.69	-19.51	74.00	-27.82	200	232 Peak	Vertical
2	4518.00	46.70	56.98	-10.28	54.00	-7.30	100	231 Average	Vertical
3	4518.00	57.37	67.65	-10.28	74.00	-16.63	100	231 Peak	Vertical
4	4839.00	53.00	62.77	-9.77	74.00	-21.00	300	289 Peak	Vertical
5	11220.00	42.40	44.38	-1.98	54.00	-11.60	100	294 Average	Vertical
6	11220.00	57.78	59.76	-1.98	74.00	-16.22	100	294 Peak	Vertical


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	44.66	64.17	-19.51	74.00	-29.34	100	201 Peak	Horizontal
2	4525.00	52.49	62.74	-10.25	74.00	-21.51	400	188 Peak	Horizontal
3	4641.00	50.77	60.54	-9.77	74.00	-23.23	200	339 Peak	Horizontal
4	11140.00	43.17	45.27	-2.10	54.00	-10.83	100	149 Average	Horizontal
5	11140.00	57.72	59.82	-2.10	74.00	-16.28	100	149 Peak	Horizontal






TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	46.52	66.03	-19.51	74.00	-27.48	300	73 Peak	Vertical
2	4530.00	47.17	57.58	-10.21	54.00	-6.83	400	43 Average	Vertical
3	4530.00	58.00	68.21	-10.21	74.00	-16.00	400	43 Peak	Vertical
4	4828.00	53.39	63.20	-9.81	74.00	-20.61	200	202 Peak	Vertical
5	11140.00	47.71	49.81	-2.10	54.00	-6.29	100	306 Average	Vertical
6	11140.00	61.24	63.34	-2.10	74.00	-12.76	100	306 Peak	Vertical

U-NII-3

802.11ax HE20

CH 149 (Horizontal)																				CH 149 (Vertical)																																																																															
 <p style="font-size: small; margin-top: 10px;">TUVRheinland Taiwan Ltd. No. 438-18, Sec 2, Fenglin, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.) Tel: +886-2772-1000 Fax: +886-2772-1322</p>										 <p style="font-size: small; margin-top: 10px;">TUVRheinland Taiwan Ltd. No. 438-18, Sec 2, Fenglin, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.) Tel: +886-2772-1000 Fax: +886-2772-1322</p>																																																																																									
Date: 2022-10-03																																																																																																			
																																																																																																			
<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Freq</th><th>Level</th><th>Read</th><th>Limit</th><th>Over</th><th>APos</th><th>TPos</th><th>Remark</th><th>Pol/Phase</th><th>Note</th> </tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th> </tr> </thead> <tbody> <tr> <td>1</td><td>1483.00</td><td>45.38</td><td>64.87</td><td>-19.49</td><td>74.00</td><td>-28.62</td><td>180</td><td>196 Peak</td><td>Horizontal</td> </tr> <tr> <td>2</td><td>4529.00</td><td>52.29</td><td>62.51</td><td>-10.22</td><td>74.00</td><td>-21.71</td><td>400</td><td>180 Peak</td><td>Horizontal</td> </tr> <tr> <td>3</td><td>4640.00</td><td>51.22</td><td>60.99</td><td>-9.77</td><td>74.00</td><td>-22.78</td><td>200</td><td>340 Peak</td><td>Horizontal</td> </tr> <tr> <td>4</td><td>11490.00</td><td>43.36</td><td>44.57</td><td>-1.21</td><td>54.00</td><td>-10.64</td><td>123</td><td>1 Average</td><td>Horizontal</td> </tr> <tr> <td>5</td><td>11490.00</td><td>60.40</td><td>61.61</td><td>-1.21</td><td>74.00</td><td>-13.60</td><td>123</td><td>1 Peak</td><td>Horizontal</td> </tr> </tbody> </table>																				Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	1483.00	45.38	64.87	-19.49	74.00	-28.62	180	196 Peak	Horizontal	2	4529.00	52.29	62.51	-10.22	74.00	-21.71	400	180 Peak	Horizontal	3	4640.00	51.22	60.99	-9.77	74.00	-22.78	200	340 Peak	Horizontal	4	11490.00	43.36	44.57	-1.21	54.00	-10.64	123	1 Average	Horizontal	5	11490.00	60.40	61.61	-1.21	74.00	-13.60	123	1 Peak	Horizontal										
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																												
1	1483.00	45.38	64.87	-19.49	74.00	-28.62	180	196 Peak	Horizontal																																																																																										
2	4529.00	52.29	62.51	-10.22	74.00	-21.71	400	180 Peak	Horizontal																																																																																										
3	4640.00	51.22	60.99	-9.77	74.00	-22.78	200	340 Peak	Horizontal																																																																																										
4	11490.00	43.36	44.57	-1.21	54.00	-10.64	123	1 Average	Horizontal																																																																																										
5	11490.00	60.40	61.61	-1.21	74.00	-13.60	123	1 Peak	Horizontal																																																																																										
<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Freq</th><th>Level</th><th>Read</th><th>Limit</th><th>Over</th><th>APos</th><th>TPos</th><th>Remark</th><th>Pol/Phase</th><th>Note</th> </tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th> </tr> </thead> <tbody> <tr> <td>1</td><td>1405.00</td><td>46.78</td><td>66.29</td><td>-19.51</td><td>74.00</td><td>-27.22</td><td>382</td><td>368 Peak</td><td>Vertical</td> </tr> <tr> <td>2</td><td>4527.00</td><td>46.82</td><td>57.85</td><td>-10.23</td><td>54.00</td><td>-7.18</td><td>400</td><td>48 Average</td><td>Vertical</td> </tr> <tr> <td>3</td><td>4527.00</td><td>57.64</td><td>67.87</td><td>-10.23</td><td>74.00</td><td>-16.36</td><td>400</td><td>48 Peak</td><td>Vertical</td> </tr> <tr> <td>4</td><td>4844.00</td><td>53.50</td><td>63.26</td><td>-9.76</td><td>74.00</td><td>-20.50</td><td>100</td><td>301 Peak</td><td>Vertical</td> </tr> <tr> <td>5</td><td>11490.00</td><td>49.41</td><td>50.62</td><td>-1.21</td><td>54.00</td><td>-4.59</td><td>100</td><td>294 Average</td><td>Vertical</td> </tr> <tr> <td>6</td><td>11490.00</td><td>66.38</td><td>67.59</td><td>-1.21</td><td>74.00</td><td>-7.62</td><td>100</td><td>294 Peak</td><td>Vertical</td> </tr> </tbody> </table>																				Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	1405.00	46.78	66.29	-19.51	74.00	-27.22	382	368 Peak	Vertical	2	4527.00	46.82	57.85	-10.23	54.00	-7.18	400	48 Average	Vertical	3	4527.00	57.64	67.87	-10.23	74.00	-16.36	400	48 Peak	Vertical	4	4844.00	53.50	63.26	-9.76	74.00	-20.50	100	301 Peak	Vertical	5	11490.00	49.41	50.62	-1.21	54.00	-4.59	100	294 Average	Vertical	6	11490.00	66.38	67.59	-1.21	74.00	-7.62	100	294 Peak	Vertical
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																												
1	1405.00	46.78	66.29	-19.51	74.00	-27.22	382	368 Peak	Vertical																																																																																										
2	4527.00	46.82	57.85	-10.23	54.00	-7.18	400	48 Average	Vertical																																																																																										
3	4527.00	57.64	67.87	-10.23	74.00	-16.36	400	48 Peak	Vertical																																																																																										
4	4844.00	53.50	63.26	-9.76	74.00	-20.50	100	301 Peak	Vertical																																																																																										
5	11490.00	49.41	50.62	-1.21	54.00	-4.59	100	294 Average	Vertical																																																																																										
6	11490.00	66.38	67.59	-1.21	74.00	-7.62	100	294 Peak	Vertical																																																																																										


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	44.39	63.86	-19.47	74.00	-29.61	180	282 Peak	Horizontal
2	4528.00	53.00	63.22	-10.22	74.00	-21.00	400	186 Peak	Horizontal
3	4644.00	50.57	60.33	-9.76	74.00	-23.43	400	351 Peak	Horizontal
4	11570.00	47.34	48.38	-1.04	54.00	-6.66	100	177 Average	Horizontal
5	11570.00	62.37	63.41	-1.04	74.00	-11.63	100	177 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	46.26	65.76	-19.50	74.00	-27.74	385	368 Peak	Vertical
2	4529.00	46.85	57.97	-10.22	54.00	-7.15	400	44 Average	Vertical
3	4529.00	56.99	67.21	-10.22	74.00	-17.01	400	44 Peak	Vertical
4	4838.00	46.35	56.13	-9.78	54.00	-7.65	200	200 Average	Vertical
5	4838.00	54.22	64.00	-9.78	74.00	-19.78	200	200 Peak	Vertical
6	11570.00	50.97	52.01	-1.04	54.00	-3.03	100	296 Average	Vertical
7	11570.00	65.42	66.46	-1.04	74.00	-8.58	100	296 Peak	Vertical


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.00	44.52	64.03	-19.51	74.00	-29.48	100	200 Peak	Horizontal
2	4525.00	52.01	62.26	-10.25	74.00	-21.99	400	107 Peak	Horizontal
3	4640.00	49.78	59.55	-9.77	74.00	-24.22	200	337 Peak	Horizontal
4	11650.00	46.26	47.20	-0.94	54.00	-7.74	100	322 Average	Horizontal
5	11650.00	59.22	60.16	-0.94	74.00	-14.78	100	322 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	46.55	66.05	-19.50	74.00	-27.45	400	10 Peak	Vertical
2	4512.00	46.26	56.59	-10.33	54.00	-7.74	300	34 Average	Vertical
3	4512.00	56.85	67.18	-10.33	74.00	-17.15	300	34 Peak	Vertical
4	4844.00	53.65	63.41	-9.76	74.00	-20.35	400	306 Peak	Vertical
5	11650.00	50.84	51.78	-0.94	54.00	-3.16	100	281 Average	Vertical
6	11650.00	64.61	65.55	-0.94	74.00	-9.39	100	281 Peak	Vertical


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1400.00	44.18	63.64	-19.46	74.00	-29.82	100	202 Peak	Horizontal
2	4520.00	51.33	61.57	-10.24	74.00	-22.67	300	108 Peak	Horizontal
3	4643.00	50.03	59.79	-9.76	74.00	-23.97	400	347 Peak	Horizontal
4	11510.00	47.48	48.62	-1.14	54.00	-6.52	100	204 Average	Horizontal
5	11510.00	57.10	58.24	-1.14	74.00	-16.90	100	204 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fengfa, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	46.89	66.40	-19.51	74.00	-27.11	307	360 Peak	Vertical
2	4520.00	47.13	57.57	-10.24	54.00	-6.87	400	45 Average	Vertical
3	4520.00	57.67	67.91	-10.24	74.00	-16.33	400	45 Peak	Vertical
4	4838.00	53.74	63.52	-9.78	74.00	-20.26	200	202 Peak	Vertical
5	11510.00	50.30	51.44	-1.14	54.00	-3.70	100	298 Average	Vertical
6	11510.00	61.04	62.18	-1.14	74.00	-12.96	100	298 Peak	Vertical


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	45.79	65.27	-19.48	74.00	-28.21	100	200 Peak	Horizontal
2	4527.00	51.46	61.69	-10.23	74.00	-22.54	400	106 Peak	Horizontal
3	4643.00	50.91	60.57	-9.76	74.00	-23.09	400	182 Peak	Horizontal
4	11590.00	48.60	49.60	-1.00	54.00	-5.40	100	178 Average	Horizontal
5	11590.00	63.89	64.89	-1.00	74.00	-10.11	100	178 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	46.83	66.33	-19.50	74.00	-27.17	376	360 Peak	Vertical
2	2730.00	51.38	65.93	-13.55	74.00	-22.62	300	77 Peak	Vertical
3	4517.00	47.13	57.42	-10.29	54.00	-6.87	100	230 Average	Vertical
4	4517.00	57.54	67.83	-10.29	74.00	-16.46	100	230 Peak	Vertical
5	4832.00	53.26	63.06	-9.80	74.00	-20.74	200	198 Peak	Vertical
6	11590.00	50.93	51.93	-1.00	54.00	-3.07	100	282 Average	Vertical
7	11590.00	66.93	67.93	-1.00	74.00	-7.07	100	282 Peak	Vertical


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	44.34	63.83	-19.49	74.00	-29.66	180	148 Peak	Horizontal
2	4526.00	51.72	61.96	-10.24	74.00	-22.28	400	187 Peak	Horizontal
3	4643.00	49.93	59.69	-9.76	74.00	-24.07	300	348 Peak	Horizontal
4	11550.00	44.20	45.27	-1.07	54.00	-9.80	100	169 Average	Horizontal
5	11550.00	58.45	59.52	-1.07	74.00	-15.55	100	169 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 284, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	46.38	65.89	-19.51	74.00	-27.62	362	368 Peak	Vertical
2	2731.00	52.67	66.32	-13.65	74.00	-21.33	200	204 Peak	Vertical
3	4517.00	46.96	57.27	-10.29	54.00	-7.02	100	232 Average	Vertical
4	4517.00	57.24	67.53	-10.29	74.00	-16.76	100	232 Peak	Vertical
5	4844.00	53.58	63.34	-9.76	74.00	-20.42	300	302 Peak	Vertical
6	11550.00	49.92	50.99	-1.07	54.00	-4.08	100	278 Average	Vertical
7	11550.00	65.44	66.51	-1.07	74.00	-8.56	100	278 Peak	Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-1

