


Appendix C: Test Results of Radiation Spurious Emissions & Mains Conducted Emission

<CDD>

Band Edges, 5.46GHz ~ 7.250GHz

U-NII 5




802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5799.83	48.12	4.27	43.85	68.20	-20.08	101	316 RMS	Horizontal
2 *	5955.00	98.07	53.76	44.31	68.20	29.87	101	316 RMS	Horizontal
3	7248.57	49.10	3.62	45.48	68.20	-19.10	101	316 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5874.92	49.37	5.31	44.06	68.20	-18.83	100	121 RMS	Vertical
2 *	5955.00	103.18	58.87	44.31	68.20	34.98	100	121 RMS	Vertical
3	7230.67	49.91	4.45	45.46	68.20	-18.29	100	121 RMS	Vertical

802.11ax HE20

CH45 (Horizontal) Peak



CH45 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5911.88	6175.88	7246.42
47.77	91.88	49.87
3.68	48.91	4.40
44.17	44.89	45.47
68.28	68.28	68.28
-28.43	25.80	-18.33
124	124	124
328 RMS	328 RMS	328 RMS
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5988.22	6175.88	7245.35
47.65	91.88	50.00
3.49	54.44	4.53
44.16	44.89	45.47
68.28	68.28	68.28
-20.55	31.13	-18.20
100	100	100
101 RMS	101 RMS	101 RMS
Vertical	Vertical	Vertical


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5631.48	57.59	14.18	43.41	88.20	-30.61	100	76	Peak	Horizontal	
2 *	6415.00	107.88	63.11	44.77	88.20	19.68	100	76	Peak	Horizontal	
3	7137.59	60.53	15.11	45.42	88.20	-27.67	100	76	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5540.91	58.03	14.62	43.41	88.20	-30.17	100	210	Peak	Vertical	
2 *	6415.00	114.71	69.94	44.77	88.20	26.51	100	210	Peak	Vertical	
3	7241.77	60.45	14.98	45.47	88.20	-27.75	100	210	Peak	Vertical	


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5915.81	47.74	3.56	44.18	68.20	-20.46	100	76	RHS	Horizontal		
6415.00	59.34	54.57	44.77	68.20	31.14	100	76	RHS	Horizontal		
7236.75	50.11	4.64	45.47	68.20	-18.09	100	76	RHS	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5878.14	47.88	3.88	44.00	68.20	-20.32	100	210	RHS	Vertical		
6415.00	105.53	61.76	44.77	68.20	38.33	100	210	RHS	Vertical		
7228.16	50.90	5.44	45.46	68.20	-17.30	100	210	RHS	Vertical		

802.11ax HE20
CH03 (Horizontal) Peak
CH03 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
5923.25	65.90	21.70	44.20	88.20	-22.30	100	312 Peak	Horizontal	
5925.00	103.79	59.41	44.38	88.20	15.59	100	312 Peak	Horizontal	
7284.53	59.15	13.70	45.45	88.20	-29.05	100	312 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
5924.68	67.81	23.60	44.21	88.20	-20.39	100	122 Peak	Vertical	
5925.00	107.92	63.54	44.38	88.20	19.72	100	122 Peak	Vertical	
7212.05	59.46	14.01	45.45	88.20	-26.74	100	122 Peak	Vertical	


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5921.10	50.73	6.54	44.19	68.20	-17.47	100	312 R/HS	Horizontal
2 *	5905.00	94.78	50.41	44.38	68.20	26.53	100	312 R/HS	Horizontal
3	7248.93	49.24	3.76	45.48	68.20	-18.96	100	312 R/HS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5921.10	52.65	8.46	44.19	68.20	-15.55	100	122 R/HS	Vertical
2 *	5905.00	99.09	55.31	44.38	68.20	31.49	100	122 R/HS	Vertical
3	7216.71	50.35	4.90	45.45	68.20	-17.85	100	122 R/HS	Vertical

802.11ax HE40

CH43 (Horizontal) Peak



CH43 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5855.66	57.88	13.87	44.01	88.20	-30.32	123	329	Peak	Horizontal	
2 *	6105.00	104.27	59.37	44.90	88.20	16.07	123	329	Peak	Horizontal	
3	7158.35	59.38	13.97	45.41	88.20	-28.82	123	329	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5913.59	57.18	13.00	44.18	88.20	-31.02	100	106	Peak	Vertical	
2 *	6105.00	106.82	63.92	44.90	88.20	20.62	100	106	Peak	Vertical	
3	7235.32	59.07	13.60	45.47	88.20	-29.13	100	106	Peak	Vertical	


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5912.15	47.78	3.61	44.17	68.20	-20.42	123	329	RHS	Horizontal		
6165.00	95.58	50.68	44.90	68.20	27.38	123	329	RHS	Horizontal		
7228.52	50.26	4.80	45.46	68.20	-17.94	123	329	RHS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5878.98	47.98	3.85	44.05	68.20	-20.38	100	106	RHS	Vertical		
6165.00	95.77	54.67	44.99	68.20	31.57	100	106	RHS	Vertical		
7228.52	50.14	4.68	45.46	68.20	-18.06	100	106	RHS	Vertical		


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
5655.83	57.65	14.28	43.45	88.20	-30.55	100	76 Peak	Horizontal	
6405.00	106.73	61.94	44.79	88.20	-18.53	100	76 Peak	Horizontal	
7233.89	59.30	13.83	45.47	88.20	-28.90	100	76 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
5913.94	57.48	13.38	44.18	88.20	-30.72	100	210 Peak	Vertical	
6405.00	114.88	70.99	44.79	88.20	-26.68	100	210 Peak	Vertical	
7230.31	59.31	13.85	45.46	88.20	-28.89	100	210 Peak	Vertical	


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5859.17	48.09	4.07	44.02	68.20	-20.11	100	76	RHS	Horizontal		
6405.00	98.39	53.60	44.79	68.20	30.19	100	76	RHS	Horizontal		
7233.53	49.90	4.43	45.47	68.20	-18.30	100	76	RHS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5896.76	48.10	3.98	44.12	68.20	-20.10	100	210	RHS	Vertical		
6405.00	105.59	60.80	44.79	68.20	37.39	100	210	RHS	Vertical		
7217.78	49.77	4.32	45.45	68.20	-18.43	100	210	RHS	Vertical		

802.11ax HE80

CH07 (Horizontal) Peak



CH07 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5915.73	64.53	20.35	44.18	88.20	-23.67	100		316 Peak	Horizontal	
2	5921.46	105.43	60.91	44.52	88.20	17.23	100		316 Peak	Horizontal	
3	7244.63	60.71	15.24	45.47	88.20	-27.49	100		316 Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5921.46	68.51	24.32	44.19	88.20	-19.69	100		206 Peak	Vertical	
2	5925.00	109.07	64.55	44.52	88.20	20.87	100		206 Peak	Vertical	
3	7248.21	59.00	13.52	45.48	88.20	-29.20	100		206 Peak	Vertical	


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.25	52.43	9.23	44.20	68.20	-15.77	100	316 RMS	Horizontal	
2 *	5985.08	63.84	49.35	44.49	68.20	25.64	100	316 RMS	Horizontal	
3	7233.53	47.94	2.47	45.47	68.20	-20.26	100	316 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.97	57.54	13.33	44.21	68.20	-10.66	100	206 RMS	Vertical	
2 *	5985.08	68.72	54.25	44.47	68.20	30.52	100	206 RMS	Vertical	
3	7234.96	48.14	2.67	45.47	68.20	-20.06	100	206 RMS	Vertical	


802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5818.12	59.41	15.53	43.88	88.20	-28.79	100			329 Peak	Horizontal	
6145.00	61.19	44.91	88.20	17.90	100				329 Peak	Horizontal	
7228.52	60.66	15.20	45.46	88.20	-27.54	100			329 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5907.14	58.93	14.78	44.15	88.20	-29.27	100			205 Peak	Vertical	
6145.00	66.96	44.91	88.20	23.67	100				205 Peak	Vertical	
7249.64	58.97	13.49	45.48	88.20	-29.23	100			205 Peak	Vertical	


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5794.01	50.06	6.23	43.83	68.20	-18.14	100	329 RMS	Horizontal
2 *	6145.00	49.48	44.92	44.92	68.20	26.20	100	329 RMS	Horizontal
3	7248.57	47.92	2.44	45.48	68.20	-20.28	100	329 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5862.39	45.70	2.68	44.02	68.20	-21.50	100	205 RMS	Vertical
2 *	6145.00	99.91	55.03	44.88	68.20	31.71	100	205 RMS	Vertical
3	7217.42	47.72	2.27	45.45	68.20	-20.48	100	205 RMS	Vertical

802.11ax HE80

CH87 (Horizontal) Peak



CH87 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5667.64	57.88	14.37	43.51	88.20	-30.32	100		101 Peak	Horizontal	
2 *	6305.00	110.38	65.60	44.78	88.20	22.18	100		101 Peak	Horizontal	
3	7188.07	60.73	15.30	45.43	88.20	-27.47	100		101 Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5900.70	59.19	15.95	44.14	88.20	-29.01	100		105 Peak	Vertical	
2 *	6305.00	110.03	65.25	44.78	88.20	21.83	100		105 Peak	Vertical	
3	7228.52	58.15	12.69	45.46	88.20	-30.05	100		105 Peak	Vertical	

802.11ax HE80

CH87 (Horizontal) RMS



CH87 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note					
Level	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg							
5985.78	47.98	3.75	44.15	68.20	-20.30	100	101 RMS	Horizontal						
6385.00	101.76	58.98	44.78	68.20	33.56	100	101 RMS	Horizontal						
7239.62	49.32	3.85	45.47	68.20	-18.88	100	101 RMS	Horizontal						

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note					
Level	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg							
5918.68	48.17	3.98	44.19	68.20	-20.03	100	105 RMS	Vertical						
6385.00	100.77	55.99	44.78	68.20	32.97	100	105 RMS	Vertical						
7233.53	49.21	3.74	45.47	68.20	-18.99	100	105 RMS	Vertical						

802.11ax HE160

CH15 (Horizontal) Peak



CH15 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5891.39	69.05	77.18	-8.13	88.20	-19.15	100		322 Peak	Horizontal	
2 *	5925.00	102.97	119.24	-7.07	88.20	14.37	100		322 Peak	Horizontal	
3	7182.70	64.32	71.65	-7.33	88.20	-23.88	100		322 Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5902.49	73.37	81.48	-8.11	88.20	-14.83	100		114 Peak	Vertical	
2 *	5925.00	100.00	116.55	-7.07	88.20	20.68	100		114 Peak	Vertical	
3	7136.16	63.78	71.00	-7.30	88.20	-24.50	100		114 Peak	Vertical	


802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Limit	Over
dBuV/m	dBuV/m	dB
60.62	68.20	-7.58
63.30	68.20	5.10
55.49	68.20	-12.71



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Limit	Over
dBuV/m	dBuV/m	dB
65.29	68.20	-2.91
59.87	68.20	39.87
55.83	68.20	-12.37


802.11ax HE160

CH47 (Horizontal) Peak

CH47 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5763.94	64.79	73.22	-8.43	88.20	-23.41	100	320 Peak	Horizontal											
6185.00	102.25	109.75	-7.50	88.20	14.05	100	320 Peak	Horizontal											
7188.78	64.67	72.00	-7.33	88.20	-23.53	100	320 Peak	Horizontal											



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5910.36	64.92	73.02	-8.10	88.20	-23.28	100	104 Peak	Vertical											
6185.00	110.81	118.33	-7.52	88.20	22.61	100	104 Peak	Vertical											
7283.10	65.42	72.75	-7.33	88.20	-22.78	100	104 Peak	Vertical											


802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
dBuV/m	dBuV	dB/m
55.64	63.87	-8.23
68.28	-12.56	100
320	RMS	Horizontal
63.87	181.35	-7.48
68.28	25.67	100
320	RMS	Horizontal
55.84	63.17	-7.33
68.20	-12.36	100
320	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
dBuV/m	dBuV	dB/m
56.18	64.38	-8.28
68.20	-12.18	100
104	RMS	Vertical
63.87	99.76	187.28
68.20	31.56	100
104	RMS	Vertical
55.88	63.21	-7.33
68.20	-12.32	100
104	RMS	Vertical

802.11ax HE160

CH79 (Horizontal) Peak



CH79 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
Freq	Level	Level	Line	Limit	cm	deg													
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	deg													
5893.96	64.60	72.73	-8.13	88.20	-23.60	254	349 Peak	Horizontal											
6345.00	103.57	111.30	-7.73	88.20	15.57	254	349 Peak	Horizontal											
7138.07	64.42	71.71	-7.29	88.20	-23.78	254	349 Peak	Horizontal											

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
Freq	Level	Level	Line	Limit	cm	deg													
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	deg													
5801.53	64.79	73.14	-8.35	88.20	-23.41	100	77 Peak	Vertical											
6345.00	107.11	114.84	-7.73	88.20	18.91	100	77 Peak	Vertical											
7218.14	64.84	72.17	-7.33	88.20	-23.36	100	77 Peak	Vertical											


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5839.17	56.19	64.47	-8.28	68.20	-12.01	254	349 RMS	Horizontal
2 *	6345.08	84.64	102.37	-17.73	68.20	26.44	254	349 RMS	Horizontal
3	7143.32	55.52	62.84	-7.32	68.20	-12.68	254	349 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5809.41	55.56	63.89	-8.33	68.20	-12.64	100	77 RMS	Vertical
2 *	6345.08	98.17	105.90	-7.73	68.20	29.97	100	77 RMS	Vertical
3	7222.43	55.66	62.99	-7.33	68.20	-12.54	100	77 RMS	Vertical

U-NII 6


802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level		Line	Limit						cm	deg
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5842.70	57.92	13.94	43.98	88.20	-30.28	100	71 Peak	Horizontal			
6435.00	107.70	62.95	44.75	88.20	19.50	100	71 Peak	Horizontal			
7249.28	58.95	13.47	45.48	88.20	-29.25	100	71 Peak	Horizontal			



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level		Line	Limit						cm	deg
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5805.83	58.20	14.34	43.86	88.20	-30.00	100	123 Peak	Vertical			
6435.00	114.57	69.82	44.75	88.20	26.37	100	123 Peak	Vertical			
7234.96	58.67	13.20	45.47	88.20	-29.53	100	123 Peak	Vertical			


802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5847.36	48.06	4.08	43.98	68.20	-20.14	100	71 RMS	Horizontal
2 *	6435.00	108.71	55.96	44.75	68.20	32.51	100	71 RMS	Horizontal
3	7214.56	49.09	3.64	45.45	68.20	-19.11	100	71 RMS	Horizontal




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5848.07	48.06	4.07	43.99	68.20	-20.14	100	123 RMS	Vertical
2 *	6435.00	108.05	61.33	44.75	68.20	37.88	100	123 RMS	Vertical
3	7239.62	49.39	3.92	45.47	68.20	-18.81	100	123 RMS	Vertical

802.11ax HE20
CH105 (Horizontal) Peak
CH105 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dB	cm	deg			
1	5894.84	58.15	14.29	43.86	88.20	-30.05	110	335 Peak	Horizontal	
2 *	6475.00	106.62	61.63	44.79	89.28	18.42	110	335 Peak	Horizontal	
3	7211.69	58.22	12.77	45.45	88.20	-29.98	110	335 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dB	cm	deg			
1	5834.83	57.49	13.54	43.95	88.20	-30.71	100	69 Peak	Vertical	
2 *	6475.00	115.55	70.76	44.79	89.28	27.35	100	69 Peak	Vertical	
3	7282.74	59.17	13.73	45.44	88.20	-29.83	100	69 Peak	Vertical	


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
Level	dBuV/m	dBuV	dBm	dB	cm	deg													
47.66	5916.00	3.71	68.20	-20.54	110	335	RMS	Horizontal											
98.31	6475.00	53.52	68.20	30.11	110	335	RMS	Horizontal											
45.46	7218.50	4.63	68.20	-18.11	110	335	RMS	Horizontal											



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
Level	dBuV/m	dBuV	dBm	dB	cm	deg													
48.37	5916.45	4.19	68.20	-19.83	100	69	RMS	Vertical											
107.33	6475.00	62.54	68.20	39.13	100	69	RMS	Vertical											
45.47	7233.89	3.84	68.20	-18.89	100	69	RMS	Vertical											


802.11ax HE20

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
Level	Line	Limit	Line	Limit	cm	deg													
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg													
5857.74	57.87	13.85	44.02	88.20	-30.33	104	334 Peak	Horizontal											
6515.00	107.92	63.05	44.87	88.20	-19.72	104	334 Peak	Horizontal											
7237.83	59.64	14.17	45.47	88.20	-28.56	104	334 Peak	Horizontal											



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
Level	Line	Limit	Line	Limit	cm	deg													
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg													
5819.43	58.06	14.15	43.91	88.20	-30.14	103	70 Peak	Vertical											
6515.00	114.39	69.43	44.87	88.20	-26.19	103	70 Peak	Vertical											
7287.76	58.61	13.16	45.45	88.20	-29.59	103	70 Peak	Vertical											


802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5861.32	47.72	3.78	44.82	68.28	-20.48	184	334	RHS	Horizontal		
6515.00	98.46	53.59	44.87	68.28	30.28	184	334	RHS	Horizontal		
7249.64	50.27	4.79	45.48	68.28	-17.93	184	334	RHS	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5831.96	47.83	3.89	43.94	68.28	-20.37	183	70	RHS	Vertical		
6515.00	186.36	61.88	44.87	68.28	38.16	183	70	RHS	Vertical		
7247.49	49.23	3.75	45.48	68.28	-18.97	183	70	RHS	Vertical		


802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.56	58.81	13.88	44.21	88.20	-30.19	100	75 Peak	Horizontal	
2 *	6445.00	118.93	66.29	44.73	88.20	22.73	100	75 Peak	Horizontal	
3	7226.06	59.46	14.80	45.46	88.20	-28.74	100	75 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5856.31	58.56	14.55	44.01	88.20	-29.64	100	114 Peak	Vertical	
2 *	6445.00	129.74	76.91	44.73	88.20	32.54	100	114 Peak	Vertical	
3	7218.55	59.72	14.26	45.46	88.20	-28.48	100	114 Peak	Vertical	


802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5902.77	6445.00	7228.34
46.66	100.00	48.10
2.51	55.27	2.64
44.15	44.73	45.46
68.20	68.20	68.20
-21.54	31.80	-28.10
100	100	100
75	75	75
RHS	RHS	RHS
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5893.83	6445.00	7236.42
47.06	100.75	49.42
2.94	64.81	3.95
44.12	44.74	45.47
68.20	68.20	68.20
-21.14	49.53	-18.78
100	100	100
114	114	114
RHS	RHS	RHS
Vertical	Vertical	Vertical


802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5848.75	6485.08	7249.64
58.94	114.65	61.14
14.95	69.83	15.66
43.99	44.82	45.48
88.28	88.28	88.28
-29.26	26.45	-27.06
232	232	232
347 Peak	347 Peak	347 Peak
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5858.18	6485.08	7246.42
59.32	118.52	68.41
15.38	73.78	14.94
44.02	44.82	45.47
88.28	88.28	88.28
-28.88	30.32	-27.79
100	100	100
70 Peak	70 Peak	70 Peak
Vertical	Vertical	Vertical


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
Limit	Over	APos	TPos	Remark	Pol/Phase	Note														
Line	Limit	cm	deg																	
dB	dB																			
68.20	-21.57	232	347	RHS	Horizontal															
58.87	44.82	68.20	34.89	232	347	RHS	Horizontal													
68.20	-20.15	232	347	RHS	Horizontal															



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
Limit	Over	APos	TPos	Remark	Pol/Phase	Note														
Line	Limit	cm	deg																	
dB	dB																			
68.20	-21.61	100	70	RHS	Vertical															
63.16	44.81	68.20	39.79	100	70	RHS	Vertical													
68.20	-19.99	100	70	RHS	Vertical															


802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5867.05	6525.00	7235.68
Level	Level	Level
58.30	112.10	59.00
Factor	Factor	Factor
14.26	67.22	13.53
Limit	Limit	Limit
44.04	44.88	45.47
Over	Over	Over
88.20	88.20	88.20
Limit	Limit	Limit
-29.90	-29.90	-29.20
APos	APos	APos
223	223	223
TPos	TPos	TPos
335	335	335
Peak	Peak	Peak
Horizontal	Horizontal	Horizontal
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5895.71	6525.00	7161.22
Level	Level	Level
58.20	120.17	59.99
Factor	Factor	Factor
14.14	75.29	14.58
Limit	Limit	Limit
44.15	44.88	45.41
Over	Over	Over
88.20	88.20	88.20
Limit	Limit	Limit
-29.91	-31.97	-28.21
APos	APos	APos
100	100	100
TPos	TPos	TPos
72	72	72
Peak	Peak	Peak
Vertical	Vertical	Vertical
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note


802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5989.34	46.48	2.34	44.14	68.20	-21.72	223	335 RNS	Horizontal
2 *	6525.00	101.24	56.36	44.88	68.20	33.04	223	335 RNS	Horizontal
3	7228.52	47.92	2.46	45.46	68.20	-28.28	223	335 RNS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5852.01	46.56	2.57	43.99	68.20	-21.64	100	72 RNS	Vertical
2 *	6525.00	108.47	63.59	44.88	68.20	40.27	100	72 RNS	Vertical
3	7228.64	48.16	2.70	45.46	68.20	-28.04	100	72 RNS	Vertical

802.11ax HE80

CH103 (Horizontal) Peak



CH103 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5867.76	57.73	13.68	44.05	88.20	-30.47	100	76	Peak	Horizontal	
2 *	6495.00	105.74	58.97	44.77	88.20	15.54	100	76	Peak	Horizontal	
3	7236.40	58.51	13.84	45.47	88.20	-29.69	100	76	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5883.16	58.93	14.94	44.09	88.20	-29.27	100	133	Peak	Vertical	
2 *	6495.00	119.36	65.59	44.77	88.20	22.16	100	133	Peak	Vertical	
3	7241.41	58.91	13.44	45.47	88.20	-29.29	100	133	Peak	Vertical	


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5885.02	47.81	3.72	44.09	68.20	-20.39	100	76 RMS	Horizontal
2 *	6495.00	94.43	49.66	44.77	68.20	26.23	100	76 RMS	Horizontal
3	7247.49	49.98	4.50	45.48	68.20	-18.22	100	76 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.01	48.00	3.04	44.16	68.20	-20.20	100	133 RMS	Vertical
2 *	6495.00	102.35	57.58	44.77	68.20	34.15	100	133 RMS	Vertical
3	7226.73	50.18	4.72	45.46	68.20	-18.02	100	133 RMS	Vertical

802.11ax HE80

CH119 (Horizontal) Peak



CH119 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5911.88	57.59	13.42	44.17	88.20	-30.61	147	338 Peak	Horizontal	
2 *	6545.88	105.39	58.58	44.89	88.20	15.19	147	338 Peak	Horizontal	
3	7222.43	57.76	12.30	45.46	88.20	-30.44	147	338 Peak	Horizontal	

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5818.36	58.28	14.38	43.91	88.20	-29.91	100	99 Peak	Vertical	
2 *	6545.88	109.13	63.24	44.89	88.20	19.93	100	99 Peak	Vertical	
3	7226.73	58.55	13.09	45.46	88.20	-29.65	100	99 Peak	Vertical	

802.11ax HE80

CH119 (Horizontal) RMS



CH119 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5899.67	47.78	3.67	44.11	68.20	-20.42	147	338	RHS	Horizontal		
6545.00	99.08	48.54	44.89	68.20	25.23	147	338	RHS	Horizontal		
7223.15	48.89	3.43	45.46	68.20	-19.31	147	338	RHS	Horizontal		

1	2	3	Read Level	Read Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5899.62	47.79	3.66	44.13	68.20	-20.41	100	99	RHS	Vertical		
6545.00	99.08	54.19	44.89	68.20	30.88	100	99	RHS	Vertical		
7223.11	48.88	3.33	45.47	68.20	-19.40	100	99	RHS	Vertical		


802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5797.59	65.98	74.33	-8.35	88.28	-22.22	133	335 Peak	Horizontal											
6595.08	101.59	109.29	-7.70	88.28	15.39	133	335 Peak	Horizontal											
7224.22	65.14	72.47	-7.33	88.28	-23.06	133	335 Peak	Horizontal											



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note										
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5857.02	64.52	72.74	-8.22	88.28	-23.68	100	72 Peak	Vertical											
6595.08	108.27	115.97	-7.70	88.28	20.67	100	72 Peak	Vertical											
7206.68	64.76	72.09	-7.33	88.28	-23.44	100	72 Peak	Vertical											


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5835.98	55.57	63.84	-8.27	68.20	-12.63	133	335 RMS	Horizontal
2 *	6505.08	82.34	108.84	-7.70	68.20	24.14	133	335 RMS	Horizontal
3	7225.30	55.46	62.79	-7.33	68.20	-12.74	133	335 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5792.94	55.58	63.95	-8.37	68.20	-12.62	100	72 RMS	Vertical
2 *	6505.08	99.82	107.52	-7.70	68.20	31.62	100	72 RMS	Vertical
3	7231.74	55.55	62.88	-7.33	68.20	-12.65	100	72 RMS	Vertical

U-NII 7


802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5848.43	58.32	14.33	43.99	88.20	-29.88	122	334 Peak	Horizontal
2	6535.00	108.70	63.82	44.88	88.20	28.50	122	334 Peak	Horizontal
3	7196.66	58.63	13.19	45.44	88.20	-29.57	122	334 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5921.82	58.29	14.10	44.19	88.20	-29.91	100	71 Peak	Vertical
2	6535.00	115.31	70.43	44.88	88.20	27.11	100	71 Peak	Vertical
3	7233.89	58.28	12.81	45.47	88.20	-29.92	100	71 Peak	Vertical


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5856.66	47.75	3.74	44.01	68.20	-20.45	122	334 RHS	Horizontal
2 *	6535.08	99.92	55.04	44.88	68.20	31.72	122	334 RHS	Horizontal
3	7234.61	50.28	4.81	45.47	68.20	-17.92	122	334 RHS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5913.59	47.86	3.68	44.18	68.20	-20.34	100	71 RHS	Vertical
2 *	6535.08	106.25	61.38	44.88	68.20	38.06	100	71 RHS	Vertical
3	7241.77	49.28	3.81	45.47	68.20	-18.92	100	71 RHS	Vertical


802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5912.15	57.66	13.49	44.17	88.20	-30.54	213	342	Peak	Horizontal	
2	6695.00	104.79	59.89	44.90	88.20	16.59	213	342	Peak	Horizontal	
3	7247.14	57.99	12.51	45.48	88.20	-30.21	213	342	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5924.33	57.93	13.72	44.21	88.20	-30.27	100	74	Peak	Vertical	
2	6695.00	112.24	67.34	44.90	88.20	24.04	100	74	Peak	Vertical	
3	7226.37	59.52	14.06	45.46	88.20	-28.68	100	74	Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5823.37	47.84	3.92	43.92	68.20	-20.36	213	342 RMS	Horizontal
2	6695.00	96.78	51.88	44.90	68.20	28.58	213	342 RMS	Horizontal
3	7229.24	49.37	3.91	45.46	68.20	-18.83	213	342 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5856.66	47.66	3.65	44.01	68.20	-20.54	100	74 RMS	Vertical
2	6695.00	102.59	57.69	44.90	68.20	34.39	100	74 RMS	Vertical
3	7243.91	49.97	4.50	45.47	68.20	-18.23	100	74 RMS	Vertical


802.11ax HE20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5987.14	58.18	13.95	44.15	88.28	-38.18	234	345 Peak	Horizontal
2 *	6855.00	109.42	64.31	45.11	88.28	21.22	234	345 Peak	Horizontal
3	7238.98	58.48	12.93	45.47	88.28	-29.80	234	345 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5989.29	58.08	13.92	44.16	88.28	-38.12	100	70 Peak	Vertical
2 *	6855.00	116.69	71.58	45.11	88.28	28.49	100	70 Peak	Vertical
3	7247.49	58.81	13.33	45.48	88.28	-29.39	100	70 Peak	Vertical


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5878.85	47.75	3.67	44.08	68.20	-20.45	234	345 RMS	Horizontal
2 *	6855.88	100.82	54.91	45.11	68.20	31.82	234	345 RMS	Horizontal
3	7248.93	49.28	3.88	45.48	68.20	-18.92	234	345 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5824.88	47.79	3.87	43.92	68.20	-20.41	100	70 RMS	Vertical
2 *	6855.88	100.72	63.61	45.11	68.20	48.52	100	70 RMS	Vertical
3	7242.48	49.41	3.94	45.47	68.20	-18.79	100	70 RMS	Vertical


802.11ax HE20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5749.26	65.43	73.98	-8.47	88.28	-22.77	249	355	Peak	Horizontal	
2 *	6875.00	111.28	118.64	-7.44	88.28	23.08	249	355	Peak	Horizontal	
3	7176.97	65.18	72.43	-7.33	88.28	-23.10	249	355	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5476.11	64.73	73.58	-8.77	88.28	-23.47	108	75	Peak	Vertical	
2 *	6875.00	116.96	124.48	-7.44	88.28	28.76	108	75	Peak	Vertical	
3	7127.92	64.82	71.31	-7.29	88.28	-24.18	108	75	Peak	Vertical	


802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5851.65	54.17	62.40	-8.23	68.20	-14.03	249	355 RMS	Horizontal
2 *	6875.00	100.73	100.17	-7.44	68.20	32.53	249	355 RMS	Horizontal
3	7206.32	53.98	61.31	-7.33	68.20	-14.22	249	355 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5802.61	54.10	62.44	-8.34	68.20	-14.10	100	75 RMS	Vertical
2 *	6875.00	100.42	115.86	-7.44	68.20	40.22	100	75 RMS	Vertical
3	7204.53	54.10	61.43	-7.33	68.20	-14.10	100	75 RMS	Vertical


802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5769.00	58.71	14.97	43.74	88.20	-29.49	220	335	Peak	Horizontal	
2 *	6565.00	113.08	68.31	44.87	88.20	24.88	220	335	Peak	Horizontal	
3	7258.00	58.78	13.30	45.48	74.00	-15.22	220	335	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5782.20	58.81	15.02	43.79	88.20	-29.39	100	72	Peak	Vertical	
2 *	6565.00	119.76	74.99	44.87	88.20	31.56	100	72	Peak	Vertical	
3	7222.43	59.91	14.45	45.46	88.20	-28.29	100	72	Peak	Vertical	


802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5859.89	46.87	2.85	44.02	68.20	-21.33	220	335 RMS	Horizontal
2	6565.00	101.78	56.91	44.87	68.20	33.58	220	335 RMS	Horizontal
3	7245.79	49.03	3.56	45.47	68.20	-19.17	220	335 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5909.65	46.56	2.40	44.16	68.20	-21.64	100	72 RMS	Vertical
2	6565.00	107.99	63.12	44.87	68.20	39.79	100	72 RMS	Vertical
3	7235.32	48.02	2.55	45.47	68.20	-20.18	100	72 RMS	Vertical


802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5821.58	58.68	14.77	43.91	88.28	-29.52	280	346 Peak	Horizontal
2	6725.88	111.24	66.38	44.86	88.28	23.04	280	346 Peak	Horizontal
3	7226.64	59.25	13.79	45.46	88.28	-28.95	280	346 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5872.42	58.45	14.48	44.05	88.28	-29.75	100	73 Peak	Vertical
2	6725.88	116.36	71.58	44.86	88.28	28.16	100	73 Peak	Vertical
3	7216.71	59.48	13.95	45.45	88.28	-28.80	100	73 Peak	Vertical


802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5868.12	46.43	2.38	44.05	68.28	-21.77	280	346 RMS	Horizontal	
2 *	6725.00	99.97	55.11	44.05	68.28	31.77	280	346 RMS	Horizontal	
3	7246.06	47.90	2.43	45.47	68.28	-26.30	280	346 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.97	46.65	2.44	44.21	68.28	-21.55	100	73 RMS	Vertical	
2 *	6725.00	106.21	61.35	44.06	68.28	38.01	100	73 RMS	Vertical	
3	7217.42	48.94	3.49	45.45	68.28	-19.26	100	73 RMS	Vertical	


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5876.71	59.09	15.02	44.07	88.20	-29.11	233	345	Peak	Horizontal	
2	6845.00	112.79	67.71	45.08	88.20	24.59	233	345	Peak	Horizontal	
3	7242.84	60.16	14.63	45.47	88.20	-28.10	233	345	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5568.47	58.54	15.13	43.41	88.20	-29.66	100	71	Peak	Vertical	
2	6845.00	119.09	74.01	45.08	88.20	30.89	100	71	Peak	Vertical	
3	7173.03	58.52	13.10	45.42	88.20	-29.68	100	71	Peak	Vertical	


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5873.13	46.74	2.68	44.06	68.20	-21.46	233	345 RMS	Horizontal
2	6845.00	100.17	55.89	45.00	68.20	31.07	233	345 RMS	Horizontal
3	7237.11	48.32	2.85	45.47	68.20	-19.88	233	345 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5920.03	46.62	2.43	44.19	68.20	-21.58	100	71 RMS	Vertical
2	6845.00	100.15	63.18	45.00	68.20	39.98	100	71 RMS	Vertical
3	7216.71	48.02	2.57	45.45	68.20	-20.18	100	71 RMS	Vertical


802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5888.69	59.53	15.65	43.88	88.20	-28.67	215	348	Peak	Horizontal	
2	6885.00	109.08	63.89	45.19	88.20	20.88	215	348	Peak	Horizontal	
3	7288.11	60.29	14.84	45.45	88.20	-27.91	215	348	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5794.01	58.58	14.75	43.83	88.20	-29.62	100	71	Peak	Vertical	
2	6885.00	116.02	70.83	45.19	88.20	27.82	100	71	Peak	Vertical	
3	7126.85	59.21	13.77	45.44	88.20	-28.99	100	71	Peak	Vertical	


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5898.82	47.83	3.98	43.85	68.28	-28.37	215	348 RMS	Horizontal
2 *	6885.00	97.89	52.59	45.39	68.28	29.49	215	348 RMS	Horizontal
3	7234.96	47.93	2.46	45.47	68.28	-28.27	215	348 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5898.82	46.73	2.61	44.12	68.28	-21.47	100	71 RMS	Vertical
2 *	6885.00	105.36	60.17	45.19	68.28	37.16	100	71 RMS	Vertical
3	7219.93	48.28	2.82	45.46	68.28	-19.92	100	71 RMS	Vertical


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5836.26	57.94	13.99	43.95	88.20	-30.26	124	337	Peak	Horizontal	
2	6625.00	104.60	59.71	44.89	88.20	16.40	124	337	Peak	Horizontal	
3	7202.03	58.83	13.39	45.44	88.20	-29.37	124	337	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5896.76	58.13	14.01	44.12	88.20	-30.07	100	74	Peak	Vertical	
2	6625.00	109.60	64.71	44.89	88.20	21.40	100	74	Peak	Vertical	
3	7198.81	60.09	14.65	45.44	88.20	-28.11	100	74	Peak	Vertical	


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.24	47.76	3.57	44.19	68.20	-20.44	124	337 RMS	Horizontal
2 *	6625.00	94.30	49.41	44.89	68.20	26.10	124	337 RMS	Horizontal
3	7213.84	49.60	4.15	45.45	68.20	-18.60	124	337 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5846.64	47.79	3.81	43.98	68.20	-20.41	100	74 RMS	Vertical
2 *	6625.00	99.80	54.91	44.89	68.20	31.60	100	74 RMS	Vertical
3	7221.36	48.95	3.49	45.46	68.20	-19.25	100	74 RMS	Vertical


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5764.38	59.12	15.37	43.75	88.28	-29.08	238	336	Peak	Horizontal	
2	6785.88	104.07	59.18	44.89	88.28	15.87	238	336	Peak	Horizontal	
3	7286.32	58.42	12.97	45.45	88.28	-29.78	238	336	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5572.41	57.96	14.54	43.42	88.28	-30.24	183	77	Peak	Vertical	
2	6785.88	111.33	66.44	44.89	88.28	23.13	183	77	Peak	Vertical	
3	7247.85	58.55	13.07	45.48	88.28	-29.65	183	77	Peak	Vertical	


802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5877.79	49.01	3.93	44.08	68.20	-20.19	230	336 RMS	Horizontal
2	6705.00	95.58	50.69	44.89	68.20	27.38	230	336 RMS	Horizontal
3	7234.96	49.18	3.71	45.47	68.20	-19.02	230	336 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5980.57	47.67	3.51	44.16	68.20	-20.53	103	77 RMS	Vertical
2	6705.00	101.85	56.99	44.89	68.20	33.68	103	77 RMS	Vertical
3	7227.45	49.11	3.65	45.46	68.20	-19.09	103	77 RMS	Vertical


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5924.33	57.70	13.49	44.21	88.20	-30.50	215	336	Peak	Horizontal	
2	6785.00	103.95	59.03	44.92	88.20	15.75	215	336	Peak	Horizontal	
3	7177.33	57.95	12.52	45.43	88.20	-30.25	215	336	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5768.95	58.60	14.84	43.76	88.20	-29.60	100	77	Peak	Vertical	
2	6785.00	111.17	66.25	44.92	88.20	22.97	100	77	Peak	Vertical	
3	7246.06	58.38	12.91	45.47	88.20	-29.82	100	77	Peak	Vertical	


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5897.48	48.09	3.97	44.12	68.20	-20.11	215	336 RMS	Horizontal
2 *	6785.00	95.93	51.01	44.92	68.20	27.73	215	336 RMS	Horizontal
3	7236.04	49.12	3.65	45.47	68.20	-19.08	215	336 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5788.64	48.03	4.21	43.82	68.20	-20.17	100	77 RMS	Vertical
2 *	6785.00	102.03	57.11	44.92	68.20	33.83	100	77 RMS	Vertical
3	7207.04	48.94	3.49	45.45	68.20	-19.26	100	77 RMS	Vertical


802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5891.03	57.99	13.88	44.11	88.20	-30.21	216	337	Peak	Horizontal	
2	6865.00	102.62	57.48	45.14	88.20	14.42	216	337	Peak	Horizontal	
3	7237.47	57.79	12.32	45.47	88.20	-30.41	216	337	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5854.52	57.41	13.40	44.01	88.20	-30.79	100	71	Peak	Vertical	
2	6865.00	111.23	66.09	45.14	88.20	23.03	100	71	Peak	Vertical	
3	7229.24	54.33	8.87	45.46	88.20	-33.87	100	71	Peak	Vertical	


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5914.38	47.98	3.72	44.18	68.28	-28.30	216	337 RMS	Horizontal
2 *	6865.08	93.29	48.15	45.14	68.28	25.09	216	337 RMS	Horizontal
3	7233.17	48.18	2.63	45.47	68.28	-28.10	216	337 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5828.86	47.78	3.79	43.91	68.28	-28.58	180	71 RMS	Vertical
2 *	6865.08	101.96	56.82	45.14	68.28	33.76	180	71 RMS	Vertical
3	7213.84	45.73	0.28	45.45	68.28	-22.47	180	71 RMS	Vertical


802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5769.36	65.14	73.59	-8.45	88.20	-23.06	232	335	Peak	Horizontal	
2 *	6665.00	103.43	111.07	-7.64	88.20	15.23	232	335	Peak	Horizontal	
3	7219.57	65.87	73.20	-7.33	88.20	-22.33	232	335	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5809.41	65.56	73.89	-8.33	88.20	-22.64	100	76	Peak	Vertical	
2 *	6665.00	118.98	118.62	-7.64	88.20	22.78	100	76	Peak	Vertical	
3	7202.39	65.49	72.82	-7.33	88.20	-22.71	100	76	Peak	Vertical	


802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5895.11	55.87	64.21	-8.34	68.20	-12.33	232	335 RMS	Horizontal
2	6665.00	99.12	100.76	-7.64	68.20	24.92	232	335 RMS	Horizontal
3	7196.30	55.50	62.83	-7.33	68.20	-12.70	232	335 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5869.91	56.02	64.20	-8.18	68.20	-12.18	100	76 RMS	Vertical
2	6665.00	99.77	107.41	-7.64	68.20	31.57	100	76 RMS	Vertical
3	7231.38	55.87	63.20	-7.33	68.20	-12.33	100	76 RMS	Vertical


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5883.68	65.26	73.60	-8.34	88.20	-22.94	283	350	Peak	Horizontal	
2	6825.00	102.55	110.13	-7.58	88.20	14.35	283	350	Peak	Horizontal	
3	7191.65	65.60	72.93	-7.33	88.20	-22.60	283	350	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5790.31	65.73	74.08	-8.35	88.20	-22.47	100	76	Peak	Vertical	
2	6825.00	108.71	116.29	-7.58	88.20	28.51	100	76	Peak	Vertical	
3	7140.09	64.23	71.54	-7.31	88.20	-23.97	100	76	Peak	Vertical	


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5837.33	56.04	64.30	-8.26	68.20	-12.16	283	350 RMS	Horizontal
2	6825.00	92.02	100.40	-7.58	68.20	24.62	283	350 RMS	Horizontal
3	7223.51	55.72	63.05	-7.33	68.20	-12.48	283	350 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.39	56.02	64.44	-8.42	68.20	-12.18	100	76 RMS	Vertical
2	6825.00	100.24	107.82	-7.58	68.20	32.04	100	76 RMS	Vertical
3	7212.41	56.18	63.51	-7.33	68.20	-12.02	100	76 RMS	Vertical

U-NII 8


802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5852.37	57.81	13.82	43.99	88.20	-30.39	220	351 Peak	Horizontal
2	6895.00	108.17	62.95	45.22	88.20	19.97	220	351 Peak	Horizontal
3	7221.36	58.81	13.35	45.46	88.20	-29.39	220	351 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5911.00	58.21	14.05	44.16	88.20	-29.99	100	84 Peak	Vertical
2	6895.00	115.82	78.68	45.22	88.20	27.62	100	84 Peak	Vertical
3	7246.06	59.17	13.70	45.47	88.20	-29.03	100	84 Peak	Vertical


802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5781.48	49.44	5.65	43.79	68.20	-18.76	220	351 R/HS	Horizontal
2 *	6895.08	98.64	53.42	45.22	68.20	38.44	220	351 R/HS	Horizontal
3	7242.12	49.21	3.74	45.47	68.20	-18.99	220	351 R/HS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5980.57	48.48	4.24	44.16	68.20	-19.80	100	84 R/HS	Vertical
2 *	6895.08	107.61	62.39	45.22	68.20	39.41	100	84 R/HS	Vertical
3	7244.63	49.67	4.20	45.47	68.20	-18.53	100	84 R/HS	Vertical


802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak No.	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5823.73	65.35	73.64	-8.29	88.20	-22.85	260	354	Peak	Horizontal	
2	6995.00	118.56	117.80	-7.24	88.20	22.36	260	354	Peak	Horizontal	
3	7226.37	65.26	72.59	-7.33	88.20	-22.94	260	354	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak No.	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5843.06	65.12	73.37	-8.25	88.20	-23.08	100	102	Peak	Vertical	
2	6995.00	118.35	125.59	-7.24	88.20	30.15	100	102	Peak	Vertical	
3	7220.29	64.88	72.13	-7.33	88.20	-23.40	100	102	Peak	Vertical	


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5887.98	53.24	61.56	-8.32	88.20	-34.96	260	354 R/MS	Horizontal
2	6995.00	99.62	106.87	-7.25	88.20	31.42	260	354 R/MS	Horizontal
3	7244.99	53.38	60.71	-7.33	88.20	-34.82	260	354 R/MS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5813.35	53.27	61.59	-8.32	88.20	-14.93	100	102 R/MS	Vertical
2	6995.00	106.92	114.16	-7.24	88.20	38.72	100	102 R/MS	Vertical
3	7246.42	53.28	60.61	-7.33	88.20	-14.92	100	102 R/MS	Vertical


802.11ax HE20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5825.52	65.29	73.59	-8.30	88.20	-22.91	262	352 Peak	Horizontal
2	7115.00	87.34	94.60	-7.26	88.20	-0.86	262	352 Peak	Horizontal
3	7233.89	65.57	72.90	-7.33	88.20	-22.63	262	352 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5494.01	64.89	73.65	-8.76	88.20	-23.31	100	123 Peak	Vertical
2	7115.00	95.36	102.62	-7.26	88.20	7.16	100	123 Peak	Vertical
3	7125.42	73.17	80.45	-7.28	88.20	-15.03	100	123 Peak	Vertical