


## Appendix D: Test Results of Radiation Spurious Emissions

### <Beamforming>

### Band Edges, 5.46GHz ~ 7.250GHz

### U-NII 5




802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.33	45.74	1.53	44.21	68.20	-22.46	226	324 RMS	Horizontal
2	5955.00	102.49	50.18	44.31	68.20	34.20	226	324 RMS	Horizontal
3	7243.56	46.67	1.20	45.47	68.20	-21.53	226	324 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.97	51.30	7.09	44.21	68.20	-16.90	100	118 RMS	Vertical
2	5955.00	105.54	61.23	44.31	68.20	37.34	100	118 RMS	Vertical
3	7243.56	46.43	0.96	45.47	68.20	-21.77	100	118 RMS	Vertical


802.11ax HE20

CH45 (Horizontal) Peak

CH45 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5818.12	58.15	14.27	43.88	88.28	-30.85	112	328	Peak	Horizontal	
2 *	6175.00	112.92	68.03	44.89	88.28	24.72	112	328	Peak	Horizontal	
3	7245.35	59.00	13.53	45.47	88.28	-29.20	112	328	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5849.50	57.98	13.91	43.99	88.28	-30.30	102	288	Peak	Vertical	
2 *	6175.00	117.48	72.59	44.89	88.28	29.20	102	288	Peak	Vertical	
3	7248.57	59.35	13.87	45.48	88.28	-28.85	102	288	Peak	Vertical	


802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.61	45.09	0.88	44.21	68.20	-23.11	112	320 RMS	Horizontal
2 *	6175.00	100.00	55.90	44.90	68.20	32.60	112	320 RMS	Horizontal
3	7244.99	47.35	1.88	45.47	68.20	-20.85	112	320 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.61	45.14	0.93	44.21	68.20	-23.06	102	200 RMS	Vertical
2 *	6175.00	105.63	60.74	44.89	68.20	37.43	102	200 RMS	Vertical
3	7250.00	47.14	1.66	45.48	54.00	-6.86	102	200 Average	Vertical


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
Level	Level	Level
dBuV/m	dBuV/m	dBuV/m
57.71	111.94	59.83
13.52	67.17	14.37
44.19	44.77	45.46
88.20	88.20	88.20
-30.49	23.74	-28.37
102	102	102
330	330	330
Peak	Peak	Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
Level	Level	Level
dBuV/m	dBuV/m	dBuV/m
58.47	118.84	60.62
14.69	74.07	15.15
43.78	44.77	45.47
88.20	88.20	88.20
-29.73	30.64	-27.58
101	101	101
214	214	214
Peak	Peak	Peak
Vertical	Vertical	Vertical


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5871.70	45.19	1.14	44.05	68.20	-23.01	182	330 RMS	Horizontal
2 *	6415.00	99.72	54.95	44.77	68.20	31.52	182	330 RMS	Horizontal
3	7233.17	47.08	1.61	45.47	68.20	-21.12	182	330 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.33	45.18	0.89	44.21	68.20	-23.10	181	214 RMS	Vertical
2 *	6415.00	106.62	61.85	44.77	68.20	38.42	181	214 RMS	Vertical
3	7246.06	47.04	1.57	45.47	68.20	-21.16	181	214 RMS	Vertical


802.11ax HE40

CH03 (Horizontal) Peak

CH03 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.25	78.81	26.61	44.20	88.20	-17.39	100	308 Peak	Horizontal
2 *	5965.00	109.69	65.31	44.38	88.20	21.49	100	308 Peak	Horizontal
3	7225.66	57.28	11.82	45.46	88.20	-30.92	100	308 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5921.46	75.76	31.57	44.19	88.20	-12.44	100	117 Peak	Vertical
2 *	5965.00	114.04	69.66	44.38	88.20	25.84	100	117 Peak	Vertical
3	7224.22	58.18	12.72	45.46	88.20	-30.02	100	117 Peak	Vertical


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
5924.33	56.44	12.23	44.21	68.20	-11.76	100	308	RHS	Horizontal		
5965.00	98.43	54.05	44.38	68.20	30.23	100	308	RHS	Horizontal		
7243.56	46.81	1.34	45.47	68.20	-21.39	100	308	RHS	Horizontal		



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
5924.68	69.63	16.42	44.21	68.20	-7.57	100	117	RHS	Vertical		
5965.00	103.06	58.68	44.38	68.20	34.86	100	117	RHS	Vertical		
7233.53	46.98	1.43	45.47	68.20	-21.30	100	117	RHS	Vertical		




802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5779.69	57.32	13.53	43.79	88.28	-36.88	100	317 Peak	Horizontal
2	6165.00	107.31	62.41	44.90	88.28	19.11	100	317 Peak	Horizontal
3	7221.00	58.11	12.65	45.46	88.28	-36.09	100	317 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5846.64	59.36	14.38	43.98	88.28	-29.84	100	3 Peak	Vertical
2	6165.00	114.32	69.42	44.90	88.28	26.12	100	3 Peak	Vertical
3	7224.58	58.82	13.36	45.46	88.28	-29.38	100	3 Peak	Vertical


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5928.75	45.87	0.88	44.19	68.28	-23.13	100	317 RMS	Horizontal
2	6165.00	97.00	52.10	44.90	68.28	28.00	100	317 RMS	Horizontal
3	7231.03	46.93	1.47	45.46	68.28	-21.27	100	317 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.33	45.26	1.05	44.21	68.28	-22.94	100	3 RMS	Vertical
2	6165.00	103.00	58.10	44.90	68.28	34.89	100	3 RMS	Vertical
3	7227.09	47.12	1.66	45.46	68.28	-21.08	100	3 RMS	Vertical


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5815.49	57.63	13.74	43.89	88.20	-30.57	100	326	Peak	Horizontal	
2 *	6405.00	110.05	65.26	44.79	88.20	21.85	100	326	Peak	Horizontal	
3	7213.84	58.86	13.41	45.45	88.20	-29.34	100	326	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5903.20	57.20	13.05	44.15	88.20	-31.00	100	48	Peak	Vertical	
2 *	6405.00	112.50	67.80	44.70	88.20	24.30	100	48	Peak	Vertical	
3	7204.18	60.28	14.84	45.44	88.20	-27.92	100	48	Peak	Vertical	


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5911.44	45.16	1.00	44.16	68.20	-23.04	100	326 RMS	Horizontal
2	6405.00	99.27	54.48	44.79	68.20	31.07	100	326 RMS	Horizontal
3	7234.25	46.93	1.46	45.47	68.20	-21.27	100	326 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5908.57	45.09	0.93	44.16	68.20	-23.11	100	48 RMS	Vertical
2	6405.00	101.59	56.80	44.79	68.20	33.39	100	48 RMS	Vertical
3	7249.28	47.02	1.54	45.48	68.20	-21.18	100	48 RMS	Vertical


802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5918.72	71.96	27.80	44.16	88.20	-16.24	265	323	Peak	Horizontal	
2	5985.08	109.39	64.87	44.52	88.20	21.19	265	323	Peak	Horizontal	
3	7199.16	59.48	13.96	45.44	88.20	-28.80	265	323	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5988.93	75.96	31.88	44.16	88.20	-12.24	100	1	Peak	Vertical	
2	5985.08	113.58	68.98	44.52	88.20	25.38	100	1	Peak	Vertical	
3	7241.77	59.32	13.85	45.47	88.20	-28.88	100	1	Peak	Vertical	


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.33	54.47	10.26	44.21	68.20	-13.73	265	323 RHS	Horizontal
2	5985.00	97.71	53.25	44.46	68.20	29.51	265	323 RHS	Horizontal
3	7243.20	47.38	1.91	45.47	68.20	-20.82	265	323 RHS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.97	57.63	13.42	44.21	68.20	-10.57	100	1 RHS	Vertical
2	5985.00	100.49	56.12	44.37	68.20	32.29	100	1 RHS	Vertical
3	7242.84	47.43	1.96	45.47	68.20	-20.77	100	1 RHS	Vertical


802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5888.08	58.55	14.44	44.11	88.20	-29.65	101	318 Peak	Horizontal
2 *	6145.00	108.32	63.41	44.91	88.20	20.12	101	318 Peak	Horizontal
3	7216.62	59.75	14.30	45.45	88.20	-28.45	101	318 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5885.30	58.65	14.56	44.09	88.20	-29.55	100	5 Peak	Vertical
2 *	6145.00	115.22	70.31	44.91	88.20	27.02	100	5 Peak	Vertical
3	7240.33	59.53	14.06	45.47	88.20	-28.67	100	5 Peak	Vertical


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
5915.73	6145.00	7239.62
45.22	96.00	47.30
1.04	51.12	1.83
44.18	44.88	45.47
68.20	68.20	68.20
-22.90	27.00	-20.90
101	101	101
318	318	318
RMS	RMS	RMS
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
5924.33	6145.00	7232.46
45.53	102.36	47.30
1.32	57.45	1.83
44.21	44.01	45.47
68.20	68.20	68.20
-22.67	34.16	-20.90
100	100	100
5	5	5
RMS	RMS	RMS
Vertical	Vertical	Vertical




802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5763.58	58.89	15.14	43.75	88.20	-29.31	100	327 Peak	Horizontal
2	6385.00	107.82	62.24	44.76	88.20	18.82	100	327 Peak	Horizontal
3	7289.90	59.51	14.86	45.45	88.20	-28.69	100	327 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5836.62	58.86	14.11	43.95	88.20	-30.14	100	54 Peak	Vertical
2	6385.00	113.61	68.83	44.78	88.20	25.41	100	54 Peak	Vertical
3	7235.32	59.88	14.33	45.47	88.20	-28.40	100	54 Peak	Vertical


802.11ax HE80

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5928.39	45.35	1.16	44.19	68.20	-22.85	100	327 RMS	Horizontal
2	6385.00	96.04	51.26	44.78	68.20	27.84	100	327 RMS	Horizontal
3	7215.27	47.22	1.77	45.45	68.20	-20.98	100	327 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5912.07	45.25	1.07	44.18	68.20	-22.95	100	54 RMS	Vertical
2	6385.00	100.74	55.98	44.76	68.20	32.54	100	54 RMS	Vertical
3	7233.89	47.38	1.91	45.47	68.20	-20.82	100	54 RMS	Vertical


802.11ax HE160

CH15 (Horizontal) Peak

CH15 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5899.98	76.41	32.28	44.13	88.20	-11.79	229	321	Peak	Horizontal	
2	6025.00	108.86	64.32	44.64	88.20	20.66	229	321	Peak	Horizontal	
3	7235.68	59.26	13.79	45.47	88.20	-28.94	229	321	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5918.60	79.18	34.91	44.19	88.20	-9.10	100	359	Peak	Vertical	
2	6025.00	118.32	65.68	44.64	88.20	22.12	100	359	Peak	Vertical	
3	7224.58	59.77	14.31	45.46	88.20	-28.43	100	359	Peak	Vertical	


802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.68	58.23	14.82	44.21	68.28	-9.97	229	321 R/HS	Horizontal
2	6025.00	96.49	51.86	44.63	68.28	28.29	229	321 R/HS	Horizontal
3	7242.48	47.81	2.34	45.47	68.28	-26.39	229	321 R/HS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.96	63.17	18.98	44.19	68.28	-5.83	100	359 R/HS	Vertical
2	6025.00	96.49	53.25	44.64	68.28	38.29	100	359 R/HS	Vertical
3	7239.98	48.07	2.60	45.47	68.28	-26.13	100	359 R/HS	Vertical


802.11ax HE160

CH47 (Horizontal) Peak

CH47 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5886.02	59.10	15.01	44.09	88.20	-29.10	121	324	Peak	Horizontal	
2	6185.00	103.95	59.07	44.88	88.20	15.75	121	324	Peak	Horizontal	
3	7198.09	59.35	13.91	45.44	88.20	-28.85	121	324	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5922.89	62.16	17.96	44.20	88.20	-26.04	100	360	Peak	Vertical	
2	6185.00	110.05	65.77	44.88	88.20	22.45	100	360	Peak	Vertical	
3	7194.15	59.16	13.72	45.44	88.20	-29.04	100	360	Peak	Vertical	


802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5917.88	46.97	1.88	44.19	68.28	-22.13	121	324 R/HS	Horizontal
2	6185.00	93.39	48.51	44.88	68.28	25.19	121	324 R/HS	Horizontal
3	7243.28	47.72	2.25	45.47	68.28	-26.48	121	324 R/HS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.96	47.58	3.31	44.19	68.28	-20.70	100	360 R/HS	Vertical
2	6185.00	98.13	53.25	44.88	68.28	29.93	100	360 R/HS	Vertical
3	7236.48	47.88	2.41	45.47	68.28	-20.32	100	360 R/HS	Vertical


802.11ax HE160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5898.18	59.16	14.31	43.85	88.20	-30.04	100	324 Peak	Horizontal
2 *	6345.00	104.11	59.36	44.75	88.20	15.91	100	324 Peak	Horizontal
3	7229.95	59.09	13.63	45.46	88.20	-29.11	100	324 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5859.17	58.45	14.43	44.02	88.20	-29.75	100	56 Peak	Vertical
2 *	6345.00	111.74	66.99	44.75	88.20	23.54	100	56 Peak	Vertical
3	7247.85	59.79	14.31	45.48	88.20	-28.41	100	56 Peak	Vertical


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5867.48	45.71	1.67	44.04	68.20	-22.49	100	324 RMS	Horizontal
2	6345.00	92.44	47.69	44.75	68.20	24.24	100	324 RMS	Horizontal
3	7237.83	47.81	2.34	45.47	68.20	-26.39	100	324 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5886.02	45.70	1.61	44.09	68.20	-22.50	100	56 RMS	Vertical
2	6345.00	98.60	53.85	44.75	68.20	30.00	100	56 RMS	Vertical
3	7242.84	47.75	2.28	45.47	68.20	-26.45	100	56 RMS	Vertical



U-NII 6


802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5839.12	58.26	14.30	43.96	88.20	-29.94	110	329 Peak	Horizontal
2 *	6435.00	113.91	69.16	44.75	88.20	25.71	110	329 Peak	Horizontal
3	7242.48	59.08	13.61	45.47	88.20	-29.12	110	329 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5784.35	58.95	15.14	43.81	88.20	-29.25	100	214 Peak	Vertical
2 *	6435.00	119.80	75.05	44.75	88.20	33.60	100	214 Peak	Vertical
3	7249.64	61.51	16.03	45.48	88.20	-26.69	100	214 Peak	Vertical


802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5989.65	45.19	1.03	44.16	68.20	-23.01	110	329 RMS	Horizontal
2	6435.00	102.55	57.80	44.75	68.20	34.35	110	329 RMS	Horizontal
3	7223.15	47.05	1.59	45.46	68.20	-21.15	110	329 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5984.99	44.97	0.82	44.15	68.20	-23.23	100	214 RMS	Vertical
2	6435.00	107.00	62.25	44.75	68.20	38.80	100	214 RMS	Vertical
3	7249.28	46.98	1.50	45.48	68.20	-21.22	100	214 RMS	Vertical


802.11ax HE20

CH105 (Horizontal) Peak

CH105 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5897.12	57.88	13.68	44.12	88.28	-38.40	243	341 Peak	Horizontal
2	6475.00	111.98	67.19	44.79	88.28	23.78	243	341 Peak	Horizontal
3	7242.84	61.03	15.56	45.47	88.28	-27.17	243	341 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5909.29	58.71	14.55	44.16	88.28	-29.49	100	311 Peak	Vertical
2	6475.00	119.73	74.94	44.79	88.28	31.53	100	311 Peak	Vertical
3	7221.36	59.69	14.23	45.46	88.28	-28.51	100	311 Peak	Vertical


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
5986.43	6475.00	7235.68
45.17	100.60	46.98
1.02	55.81	1.51
44.15	44.79	45.47
68.20	68.20	68.20
-23.03	32.40	-21.22
243	243	243
341	341	341
RMS	RMS	RMS
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
5986.07	6475.00	7249.64
45.14	107.57	47.05
0.99	62.78	1.57
44.15	44.79	45.48
68.20	68.20	68.20
-23.06	39.37	-21.15
100	100	100
311	311	311
RMS	RMS	RMS
Vertical	Vertical	Vertical


802.11ax HE20

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5823.73	58.45	14.53	43.92	88.28	-29.75	121	337	Peak	Horizontal	
2	6515.00	114.79	69.92	44.87	88.28	26.50	121	337	Peak	Horizontal	
3	7244.27	68.79	15.32	45.47	88.28	-27.41	121	337	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5907.50	58.77	14.61	44.16	88.28	-29.43	100	73	Peak	Vertical	
2	6515.00	117.48	72.61	44.87	88.28	29.20	100	73	Peak	Vertical	
3	7198.09	59.29	13.85	45.44	88.28	-28.91	100	73	Peak	Vertical	


802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.68	45.01	0.80	44.21	68.20	-23.19	121	337 RMS	Horizontal
2 *	6515.00	103.11	58.23	44.88	68.20	34.91	121	337 RMS	Horizontal
3	7245.35	47.18	1.63	45.47	68.20	-21.10	121	337 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.24	45.54	1.35	44.19	68.20	-22.66	100	73 RMS	Vertical
2 *	6515.00	106.51	61.64	44.87	68.20	36.31	100	73 RMS	Vertical
3	7243.20	47.04	1.57	45.47	68.20	-21.16	100	73 RMS	Vertical


802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5847.71	57.24	13.25	43.99	88.20	-30.96	109	325	Peak	Horizontal	
2	6445.00	106.97	62.34	44.73	88.20	18.77	109	325	Peak	Horizontal	
3	7221.72	58.45	12.99	45.46	88.20	-29.75	109	325	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5915.38	56.97	12.79	44.18	88.20	-31.23	100	54	Peak	Vertical	
2	6445.00	114.74	70.01	44.73	88.20	26.54	100	54	Peak	Vertical	
3	7244.99	58.41	12.94	45.47	88.20	-29.79	100	54	Peak	Vertical	


802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.96	45.00	0.98	44.02	68.20	-23.20	109	325 RMS	Horizontal
2	6445.00	95.90	51.17	44.73	68.20	27.70	109	325 RMS	Horizontal
3	7244.63	46.72	1.25	45.47	68.20	-21.48	109	325 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.96	44.96	0.77	44.19	68.20	-23.24	100	54 RMS	Vertical
2	6445.00	103.46	58.73	44.73	68.20	35.26	100	54 RMS	Vertical
3	7233.53	46.97	1.50	45.47	68.20	-21.23	100	54 RMS	Vertical




802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5784.35	57.54	13.73	43.81	88.20	-30.66	100	337	Peak	Horizontal	
2 *	6485.00	106.82	62.00	44.82	88.20	18.62	100	337	Peak	Horizontal	
3	7256.00	57.78	12.30	45.48	74.00	-16.22	100	337	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5762.15	57.11	13.37	43.74	88.20	-31.09	100	312	Peak	Vertical	
2 *	6485.00	115.80	70.98	44.82	88.20	27.60	100	312	Peak	Vertical	
3	7241.05	58.08	12.61	45.47	88.20	-30.12	100	312	Peak	Vertical	


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.25	44.93	0.73	44.20	68.20	-23.27	100	337 RMS	Horizontal
2	6485.00	97.05	52.33	44.82	68.20	28.85	100	337 RMS	Horizontal
3	7256.00	46.77	1.29	45.48	54.00	-7.23	100	337 Average	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5911.44	45.17	1.01	44.16	68.20	-23.03	100	312 RMS	Vertical
2	6485.00	104.05	60.03	44.02	68.20	36.85	100	312 RMS	Vertical
3	7242.84	46.92	1.45	45.47	68.20	-21.28	100	312 RMS	Vertical


802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5912.15	57.52	13.35	44.17	88.20	-30.68	100	336	Peak	Horizontal	
2	6525.00	106.74	63.86	44.88	88.20	20.54	100	336	Peak	Horizontal	
3	7245.35	58.08	13.33	45.47	88.20	-29.40	100	336	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5900.70	57.39	13.25	44.14	88.20	-30.81	100	75	Peak	Vertical	
2	6525.00	115.30	70.42	44.88	88.20	27.10	100	75	Peak	Vertical	
3	7243.20	58.62	13.15	45.47	88.20	-29.58	100	75	Peak	Vertical	


802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5989.29	45.88	0.92	44.16	68.28	-23.12	100	336 RMS	Horizontal
2 *	6525.08	98.61	53.73	44.88	68.28	30.41	100	336 RMS	Horizontal
3	7243.28	46.94	1.47	45.47	68.28	-21.26	100	336 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.61	45.19	0.98	44.21	68.28	-23.01	100	75 RMS	Vertical
2 *	6525.08	102.82	57.94	44.88	68.28	34.62	100	75 RMS	Vertical
3	7234.25	46.93	1.46	45.47	68.28	-21.27	100	75 RMS	Vertical


802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5881.72	59.71	14.63	44.08	88.20	-29.49	226	347	Peak	Horizontal	
2	6465.00	108.62	63.85	44.77	88.20	20.42	226	347	Peak	Horizontal	
3	7236.49	59.24	13.77	45.47	88.20	-28.96	226	347	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5889.24	59.35	14.24	44.11	88.20	-29.85	100	215	Peak	Vertical	
2	6465.00	114.13	69.36	44.77	88.20	25.93	100	215	Peak	Vertical	
3	7223.87	60.23	14.77	45.46	88.20	-27.97	100	215	Peak	Vertical	


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.68	45.28	1.07	44.21	68.20	-22.92	226	347 RMS	Horizontal
2 *	6465.00	95.81	51.84	44.77	68.20	27.61	226	347 RMS	Horizontal
3	7245.79	47.46	1.99	45.47	68.20	-26.74	226	347 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5916.81	45.43	1.25	44.18	68.20	-22.77	100	215 RMS	Vertical
2 *	6465.00	101.59	56.85	44.74	68.20	33.39	100	215 RMS	Vertical
3	7250.00	47.38	1.90	45.48	54.00	-6.62	100	215 Average	Vertical


802.11ax HE80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5911.08	57.59	13.42	44.17	88.20	-30.61	147	338	Peak	Horizontal	
2	6545.08	103.39	59.50	44.89	88.20	15.19	147	338	Peak	Horizontal	
3	7222.43	57.76	12.30	45.46	88.20	-30.44	147	338	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5810.36	58.29	14.38	43.91	88.20	-29.91	100	99	Peak	Vertical	
2	6545.08	108.13	63.24	44.89	88.20	19.93	100	99	Peak	Vertical	
3	7226.73	58.55	13.09	45.46	88.20	-29.65	100	99	Peak	Vertical	


802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5898.67	47.78	3.67	44.11	68.20	-20.42	147	338 RMS	Horizontal
2 *	6545.00	93.43	48.54	44.89	68.20	25.23	147	338 RMS	Horizontal
3	7223.15	48.89	3.43	45.46	68.20	-19.31	147	338 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5899.62	47.79	3.66	44.13	68.20	-20.41	100	99 RMS	Vertical
2 *	6545.00	99.08	54.19	44.89	68.20	30.88	100	99 RMS	Vertical
3	7237.11	48.88	3.33	45.47	68.20	-19.40	100	99 RMS	Vertical




802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5908.57	57.65	13.49	44.16	88.20	-30.55	100	336	Peak	Horizontal	
2 *	6505.00	104.14	59.28	44.86	88.20	15.94	100	336	Peak	Horizontal	
3	7234.96	59.02	13.55	45.47	88.20	-29.18	100	336	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5515.85	58.28	14.94	43.34	88.20	-29.92	100	163	Peak	Vertical	
2 *	6505.00	107.06	63.12	44.86	88.20	19.78	100	163	Peak	Vertical	
3	7238.19	59.53	14.86	45.47	88.20	-28.67	100	163	Peak	Vertical	


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5907.58	45.55	1.39	44.16	68.20	-22.65	100	336	RMS	HORIZONTAL		
6585.00	91.91	47.05	44.86	68.20	23.71	100	336	RMS	HORIZONTAL		
7213.84	47.54	2.09	45.45	68.20	-20.66	100	336	RMS	HORIZONTAL		




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322




1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5908.93	45.77	1.61	44.16	68.20	-22.43	100	163	RMS	Vertical		
6585.00	97.64	52.78	44.86	68.20	29.44	100	163	RMS	Vertical		
7224.94	47.77	2.31	45.46	68.20	-20.43	100	163	RMS	Vertical		

**U-NII 7**
**802.11ax HE20**
**CH117 (Horizontal) Peak**
**CH117 (Vertical) Peak**

 TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1922


Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5782.28	57.92	14.13	43.79	88.28	-30.28	185	327 Peak	Horizontal	
2 *	6535.08	112.65	67.77	44.88	88.28	24.45	185	327 Peak	Horizontal	
3	7247.85	59.38	13.90	45.48	88.28	-28.82	185	327 Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1922


Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5871.70	58.58	14.53	44.05	88.28	-29.62	188	79 Peak	Vertical	
2 *	6535.08	118.16	73.28	44.88	88.28	29.96	188	79 Peak	Vertical	
3	7228.64	59.53	14.07	45.46	88.28	-28.67	188	79 Peak	Vertical	


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5874.56	45.17	1.11	44.06	68.20	-23.03	185	327 RMS	Horizontal
2	6535.00	102.28	57.39	44.89	68.20	34.00	185	327 RMS	Horizontal
3	7223.15	47.02	1.56	45.46	68.20	-21.18	185	327 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5911.00	45.29	1.13	44.16	68.20	-22.91	180	79 RMS	Vertical
2	6535.00	105.29	60.41	44.88	68.20	37.00	180	79 RMS	Vertical
3	7243.20	47.02	1.55	45.47	68.20	-21.18	180	79 RMS	Vertical


802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5881.72	57.99	13.82	44.08	88.28	-30.30	149	324 Peak	Horizontal	
2	6695.00	118.37	65.47	44.90	88.28	22.17	149	324 Peak	Horizontal	
3	7238.54	59.59	14.12	45.47	88.28	-28.61	149	324 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5921.46	57.67	13.48	44.19	88.28	-30.53	263	174 Peak	Vertical	
2	6695.00	116.53	71.63	44.90	88.28	28.33	263	174 Peak	Vertical	
3	7250.00	59.25	13.77	45.48	74.00	-14.75	263	174 Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
5901.06	6695.00	7249.64
44.94	97.43	46.98
0.80	52.53	1.50
44.14	44.98	45.48
68.20	68.20	68.20
-23.26	29.23	-21.22
149	149	149
324 RMS	324 RMS	324 RMS
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3
5910.24	6695.00	7250.00
45.22	105.70	47.17
1.03	60.88	1.69
44.19	44.90	45.48
68.20	68.20	68.20
-22.98	37.58	-6.83
263	263	263
174 RMS	174 RMS	174 Average
Vertical	Vertical	Vertical


802.11ax HE20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5984.28	57.88	13.73	44.15	88.28	-30.32	128	342 Peak	Horizontal
2 *	6855.88	108.99	63.88	45.11	88.28	-28.79	128	342 Peak	Horizontal
3	7233.53	59.67	14.20	45.47	88.28	-28.53	128	342 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5899.62	58.89	13.96	44.13	88.28	-30.11	104	88 Peak	Vertical
2 *	6855.88	119.89	73.98	45.11	88.28	-30.89	184	88 Peak	Vertical
3	7246.86	60.25	14.78	45.47	88.28	-27.95	184	88 Peak	Vertical


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5922.54	45.08	0.88	44.20	68.20	-23.12	128	342 RMS	Horizontal
2 *	6855.09	97.65	52.56	45.09	68.20	29.45	128	342 RMS	Horizontal
3	7224.58	46.98	1.52	45.46	68.20	-21.22	128	342 RMS	Horizontal




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5922.09	45.34	1.14	44.20	68.20	-22.86	104	88 RMS	Vertical
2 *	6855.09	107.32	62.23	45.09	68.20	39.12	104	88 RMS	Vertical
3	7231.74	47.11	1.65	45.46	68.20	-21.09	104	88 RMS	Vertical



**802.11ax HE20**
**CH185 (Horizontal) Peak**
**CH185 (Vertical) Peak**

 TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1922


Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5624.32	63.73	72.44	-8.71	88.20	-24.47	283	354	Peak	Horizontal	
2	6875.00	105.94	113.38	-7.44	88.20	17.74	283	354	Peak	Horizontal	
3	7181.26	63.84	71.17	-7.33	88.20	-24.36	283	354	Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1922


Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5823.37	64.36	72.65	-8.29	88.20	-23.84	100	93	Peak	Vertical	
2	6875.00	114.22	121.66	-7.44	88.20	26.82	100	93	Peak	Vertical	
3	7231.74	64.01	71.34	-7.33	88.20	-24.19	100	93	Peak	Vertical	


802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5911.08	51.87	59.96	-8.09	68.20	-16.33	283	354 RMS	Horizontal
2 *	6875.08	96.80	104.33	-7.44	68.20	28.60	283	354 RMS	Horizontal
3	7143.32	52.14	59.46	-7.32	68.20	-16.06	283	354 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5905.71	51.83	59.93	-8.10	68.20	-16.37	100	93 RMS	Vertical
2 *	6875.08	103.26	110.78	-7.44	68.20	35.06	100	93 RMS	Vertical
3	7168.38	51.98	59.31	-7.33	68.20	-16.22	100	93 RMS	Vertical


802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5873.85	56.59	12.53	44.06	88.20	-31.61	100	337	Peak	Horizontal	
2	6565.00	108.02	63.15	44.87	88.20	19.82	100	337	Peak	Horizontal	
3	7237.47	59.61	14.14	45.47	88.20	-28.59	100	337	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5680.89	58.17	14.60	43.57	88.20	-30.03	100	355	Peak	Vertical	
2	6565.00	112.07	68.18	44.87	88.20	24.77	100	355	Peak	Vertical	
3	7247.85	58.32	12.84	45.48	88.20	-29.88	100	355	Peak	Vertical	


802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5928.83	44.94	0.75	44.19	68.28	-23.26	100	337 RMS	Horizontal
2 *	6565.00	97.87	52.38	44.87	68.28	28.87	100	337 RMS	Horizontal
3	7248.57	46.98	1.50	45.48	68.28	-21.22	100	337 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5988.34	45.31	1.17	44.14	68.28	-22.89	100	355 RMS	Vertical
2 *	6565.00	101.38	56.43	44.87	68.28	33.18	100	355 RMS	Vertical
3	7246.78	46.98	1.42	45.48	68.28	-21.30	100	355 RMS	Vertical


802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5872.42	57.51	13.46	44.05	88.20	-30.69	136	333 Peak	Horizontal
2 *	6725.00	104.92	60.86	44.06	88.20	16.72	136	333 Peak	Horizontal
3	7246.33	59.84	14.37	45.47	88.20	-28.36	136	333 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5847.36	57.84	13.86	43.98	88.20	-30.36	100	309 Peak	Vertical
2 *	6725.00	112.87	68.01	44.86	88.20	24.67	100	309 Peak	Vertical
3	7244.63	59.06	13.59	45.47	88.20	-29.14	100	309 Peak	Vertical


802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5989.65	45.19	1.03	44.16	68.20	-23.01	136	333 RMS	Horizontal
2	6725.00	94.80	49.94	44.86	68.20	26.60	136	333 RMS	Horizontal
3	7256.00	46.96	1.48	45.48	68.20	-21.24	136	333 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5916.81	45.82	0.84	44.18	68.20	-23.18	100	309 RMS	Vertical
2	6725.00	100.45	55.62	44.86	68.20	32.28	100	309 RMS	Vertical
3	7233.17	46.83	1.36	45.47	68.20	-21.37	100	309 RMS	Vertical


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5919.67	56.96	12.77	44.19	88.20	-31.24	100	342 Peak	Horizontal
2 *	6845.00	107.41	62.33	45.08	88.20	19.21	100	342 Peak	Horizontal
3	7222.43	57.88	12.42	45.46	88.20	-30.32	100	342 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5791.15	57.31	13.49	43.82	88.20	-30.89	100	76 Peak	Vertical
2 *	6845.00	113.09	68.01	45.08	88.20	24.89	100	76 Peak	Vertical
3	7218.14	58.12	12.67	45.45	88.20	-30.08	100	76 Peak	Vertical


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5921.10	45.07	0.88	44.19	68.20	-23.13	100	342 R/HS	Horizontal
2	6845.00	95.73	50.65	45.08	68.20	27.53	100	342 R/HS	Horizontal
3	7247.14	46.91	1.43	45.48	68.20	-21.29	100	342 R/HS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5899.27	45.11	0.98	44.13	68.20	-23.09	100	76 R/HS	Vertical
2	6845.00	101.04	56.76	45.08	68.20	33.64	100	76 R/HS	Vertical
3	7214.56	47.05	1.60	45.45	68.20	-21.15	100	76 R/HS	Vertical




802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5819.79	64.11	72.41	-8.30	88.20	-24.09	215	348 Peak	Horizontal	
2 *	6885.00	106.46	113.89	-7.43	88.20	18.26	215	348 Peak	Horizontal	
3	7203.46	64.20	71.53	-7.33	88.20	-24.00	215	348 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5862.39	64.29	72.50	-8.21	88.20	-23.91	100	120 Peak	Vertical	
2 *	6885.00	112.63	120.06	-7.43	88.20	24.43	100	120 Peak	Vertical	
3	7147.97	64.79	72.12	-7.33	88.20	-23.41	100	120 Peak	Vertical	


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5869.19	52.02	60.20	-8.18	68.20	-16.18	215	348 RMS	Horizontal
2	6885.00	97.27	104.70	-7.43	68.20	29.07	215	348 RMS	Horizontal
3	7147.97	52.25	59.58	-7.33	68.20	-15.95	215	348 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5869.19	52.06	60.19	-8.13	68.20	-16.14	100	120 RMS	Vertical
2	6885.00	101.66	109.09	-7.43	68.20	33.46	100	120 RMS	Vertical
3	7136.87	52.34	59.64	-7.30	68.20	-15.86	100	120 RMS	Vertical


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5918.01	57.85	13.69	44.16	88.28	-30.35	100	328	Peak	Horizontal	
2 *	6625.00	106.22	61.33	44.89	88.28	18.02	100	328	Peak	Horizontal	
3	7258.00	59.54	14.66	45.48	74.00	-14.46	100	328	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5846.28	57.77	13.79	43.98	88.28	-30.43	100	214	Peak	Vertical	
2 *	6617.77	110.43	65.55	44.88	88.28	22.23	100	214	Peak	Vertical	
3	7237.83	59.56	14.69	45.47	88.28	-28.64	100	214	Peak	Vertical	


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5908.57	45.22	1.06	44.16	68.20	-22.98	100	328 RMS	Horizontal
2 *	6625.00	92.40	47.57	44.83	68.20	24.20	100	328 RMS	Horizontal
3	7244.27	47.28	1.81	45.47	68.20	-20.92	100	328 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5922.54	45.43	1.23	44.20	68.20	-22.77	100	214 RMS	Vertical
2 *	6625.00	97.96	53.07	44.89	68.20	29.76	100	214 RMS	Vertical
3	7233.17	47.38	1.91	45.47	68.20	-20.82	100	214 RMS	Vertical


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5877.07	57.98	13.91	44.07	88.20	-30.22	116	329 Peak	Horizontal
2	6705.00	104.03	59.14	44.89	88.20	15.83	116	329 Peak	Horizontal
3	7225.66	59.26	13.80	45.46	88.20	-28.94	116	329 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5819.43	58.98	15.07	43.91	88.20	-29.22	100	214 Peak	Vertical
2	6705.00	111.36	66.47	44.89	88.20	23.16	100	214 Peak	Vertical
3	7232.46	60.08	14.61	45.47	88.20	-28.12	100	214 Peak	Vertical


802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5983.20	45.14	0.99	44.15	68.20	-23.06	116	329 RMS	Horizontal
2	6705.00	91.40	46.52	44.88	68.20	23.20	116	329 RMS	Horizontal
3	7246.78	47.27	1.79	45.48	68.20	-20.93	116	329 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5980.70	45.33	1.19	44.14	68.20	-22.87	100	214 RMS	Vertical
2	6705.00	98.92	54.03	44.89	68.20	30.72	100	214 RMS	Vertical
3	7246.78	47.45	1.97	45.48	68.20	-20.75	100	214 RMS	Vertical


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5879.93	58.29	14.21	44.08	88.20	-29.91	100	336	Peak	Horizontal	
2 *	6785.00	105.68	60.76	44.92	88.20	17.48	100	336	Peak	Horizontal	
3	7241.77	60.27	14.80	45.47	88.20	-27.93	100	336	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5864.18	57.87	13.84	44.03	88.20	-30.33	100	118	Peak	Vertical	
2 *	6785.00	109.35	64.63	44.92	88.20	21.15	100	118	Peak	Vertical	
3	7205.25	59.57	14.12	45.45	88.20	-28.63	100	118	Peak	Vertical	


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5831.25	45.38	1.44	43.94	68.28	-22.82	100	336 RMS	Horizontal
2 *	6785.00	92.38	47.54	44.84	68.28	24.18	100	336 RMS	Horizontal
3	7232.82	47.61	2.14	45.47	68.28	-28.59	100	336 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5918.72	45.58	1.34	44.16	68.28	-22.70	100	118 RMS	Vertical
2 *	6785.00	97.27	52.62	44.95	68.28	29.37	100	118 RMS	Vertical
3	7239.62	47.51	2.04	45.47	68.28	-28.69	100	118 RMS	Vertical




802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5756.07	64.52	72.97	-8.45	88.20	-23.68	241	350	Peak	Horizontal	
2 *	6865.00	104.87	113.34	-7.47	88.20	16.67	241	350	Peak	Horizontal	
3	7126.13	64.62	71.90	-7.28	88.20	-23.58	241	350	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5726.35	65.45	73.93	-8.48	88.20	-22.75	131	170	Peak	Vertical	
2 *	6865.00	106.64	114.11	-7.47	88.20	18.44	131	170	Peak	Vertical	
3	7228.88	64.69	72.02	-7.33	88.20	-23.51	131	170	Peak	Vertical	


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5922.54	52.57	60.62	-8.05	68.20	-15.63	241	350 RMS	Horizontal
2 *	6885.00	95.04	102.51	-7.47	68.20	26.84	241	350 RMS	Horizontal
3	7247.49	53.03	60.36	-7.33	68.20	-15.17	241	350 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5842.70	52.66	60.91	-8.25	68.20	-15.54	131	170 RMS	Vertical
2 *	6885.00	97.04	105.42	-7.47	68.20	29.74	131	170 RMS	Vertical
3	7159.07	53.01	60.34	-7.33	68.20	-15.19	131	170 RMS	Vertical


802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5881.72	57.81	13.73	44.08	88.20	-30.39	100	325	Peak	Horizontal	
2	6665.00	101.98	57.04	44.94	88.20	13.78	100	325	Peak	Horizontal	
3	7228.29	60.21	14.75	45.46	88.20	-27.99	100	325	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5884.59	57.96	13.87	44.09	88.20	-30.24	100	51	Peak	Vertical	
2	6665.00	106.25	61.31	44.94	88.20	18.05	100	51	Peak	Vertical	
3	7289.55	58.87	13.42	45.45	88.20	-29.33	100	51	Peak	Vertical	


802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5922.89	45.58	1.38	44.20	68.20	-22.62	100	325 RMS	Horizontal
2	6665.00	88.76	43.82	44.94	68.20	20.56	100	325 RMS	Horizontal
3	7232.10	47.45	1.99	45.46	68.20	-20.75	100	325 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5890.55	45.74	1.61	44.13	68.20	-22.46	100	51 RMS	Vertical
2	6665.00	94.57	49.63	44.94	68.20	26.37	100	51 RMS	Vertical
3	7210.98	47.48	2.03	45.45	68.20	-20.72	100	51 RMS	Vertical


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5877.43	64.01	72.19	-8.18	88.20	-24.19	241	353 Peak	Horizontal
2	6825.00	101.26	108.84	-7.58	88.20	13.06	241	353 Peak	Horizontal
3	7145.11	64.87	72.19	-7.32	88.20	-23.33	241	353 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5728.14	64.29	72.77	-8.48	88.20	-23.91	100	103 Peak	Vertical
2	6825.00	100.69	116.27	-7.58	88.20	20.49	100	103 Peak	Vertical
3	7217.42	64.84	72.17	-7.33	88.20	-23.36	100	103 Peak	Vertical


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5897.12	52.78	60.91	-8.13	68.20	-15.42	241	353 RMS	Horizontal
2 *	6825.00	91.66	99.34	-7.58	68.20	23.46	241	353 RMS	Horizontal
3	7193.44	52.96	60.29	-7.33	68.20	-15.24	241	353 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.97	52.73	60.78	-8.05	68.20	-15.47	100	103 RMS	Vertical
2 *	6825.00	97.05	105.43	-7.50	68.20	29.65	100	103 RMS	Vertical
3	7141.17	53.21	60.52	-7.31	68.20	-14.99	100	103 RMS	Vertical

U-NII 8


802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5796.15	63.66	72.02	-8.36	88.20	-24.54	100	330 Peak	Horizontal	
2 *	6895.00	102.51	109.91	-7.40	88.20	14.31	100	330 Peak	Horizontal	
3	7212.05	63.96	71.29	-7.33	88.20	-24.24	100	330 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5867.05	64.70	72.90	-8.20	88.20	-23.50	100	107 Peak	Vertical	
2 *	6895.00	113.11	120.51	-7.40	88.20	24.91	100	107 Peak	Vertical	
3	7223.87	64.03	71.36	-7.33	88.20	-24.17	100	107 Peak	Vertical	


802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5919.67	51.89	59.96	-8.07	68.20	-16.31	100	330 RMS	Horizontal
2 *	6895.00	93.56	100.96	-7.40	68.20	25.36	100	330 RMS	Horizontal
3	7157.28	51.94	59.27	-7.33	68.20	-16.26	100	330 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5778.26	51.77	60.17	-8.40	68.20	-16.43	100	107 RMS	Vertical
2 *	6895.00	103.19	110.59	-7.40	68.20	34.99	100	107 RMS	Vertical
3	7132.93	51.98	59.28	-7.30	68.20	-16.22	100	107 RMS	Vertical




802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dB	cm	deg			
1	5744.25	64.50	72.97	-8.47	88.20	-23.70	369	356 Peak	Horizontal	
2 *	6995.00	118.63	117.87	-7.24	88.20	22.43	369	356 Peak	Horizontal	
3	7203.46	64.01	71.34	-7.33	88.20	-24.19	369	356 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dB	cm	deg			
1	5662.27	64.91	73.56	-8.65	88.20	-23.29	100	218 Peak	Vertical	
2 *	6995.00	114.22	121.46	-7.24	88.20	26.02	100	218 Peak	Vertical	
3	7129.00	64.28	71.57	-7.29	88.20	-23.92	100	218 Peak	Vertical	


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5912.51	51.71	59.79	-8.08	68.20	-16.49	369	356 RMS	Horizontal
2	6995.00	97.43	104.67	-7.24	88.20	29.23	369	356 RMS	Horizontal
3	7216.35	52.02	59.35	-7.33	68.20	-16.18	369	356 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5920.39	51.89	59.96	-8.07	68.20	-36.31	100	218 Peak	Vertical
2	6995.00	101.55	108.82	-7.24	88.20	13.38	100	218 Peak	Vertical
3	7169.45	52.18	59.43	-7.33	68.20	-36.10	100	218 Peak	Vertical


802.11ax HE20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5524.44	64.25	72.94	-8.69	88.28	-23.95	100	342 Peak	Horizontal
2 *	7115.08	98.84	97.38	-7.26	88.28	1.84	100	342 Peak	Horizontal
3	7125.42	73.35	88.63	-7.28	88.28	-14.85	100	342 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5889.24	63.54	71.68	-8.14	88.28	-24.66	100	123 Peak	Vertical
2 *	7115.08	100.27	107.53	-7.26	88.28	12.87	100	123 Peak	Vertical
3 !	7125.77	83.03	98.31	-7.28	88.28	-5.17	100	123 Peak	Vertical