


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 5554.00 | 58.24 | 15.97 | 42.27 | 68.20 | -9.96 | 279 | 162 | Peak | Horizontal | |
| 2 | 5691.50 | 58.86 | 16.47 | 42.39 | 98.93 | -40.07 | 279 | 162 | Peak | Horizontal | |
| 3 | 5719.00 | 59.00 | 16.53 | 42.47 | 110.52 | -51.52 | 279 | 162 | Peak | Horizontal | |
| 4 | 5725.00 | 59.63 | 17.14 | 42.49 | 122.20 | -62.57 | 279 | 162 | Peak | Horizontal | |
| 5 | 5785.00 | 118.04 | 75.34 | 42.70 | 122.20 | -4.16 | 279 | 162 | Peak | Horizontal | |
| 6 | 5852.50 | 57.93 | 15.26 | 42.67 | 116.50 | -58.57 | 279 | 162 | Peak | Horizontal | |
| 7 | 5857.50 | 58.74 | 16.07 | 42.67 | 118.18 | -51.36 | 279 | 162 | Peak | Horizontal | |
| 8 | 5898.50 | 57.71 | 15.01 | 42.70 | 87.77 | -30.06 | 279 | 162 | Peak | Horizontal | |
| 9 | 5951.50 | 58.73 | 15.80 | 42.93 | 68.20 | -9.47 | 279 | 162 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 5643.00 | 58.63 | 16.22 | 42.41 | 68.20 | -9.57 | 100 | 81 | Peak | Vertical | |
| 2 | 5696.00 | 59.24 | 16.86 | 42.38 | 102.25 | -43.01 | 100 | 81 | Peak | Vertical | |
| 3 | 5717.00 | 58.75 | 16.30 | 42.45 | 109.96 | -51.21 | 100 | 81 | Peak | Vertical | |
| 4 | 5721.50 | 59.83 | 17.35 | 42.48 | 114.22 | -54.39 | 100 | 81 | Peak | Vertical | |
| 5 | 5785.00 | 120.06 | 77.36 | 42.70 | 122.20 | -2.14 | 100 | 81 | Peak | Vertical | |
| 6 | 5855.00 | 59.02 | 16.35 | 42.67 | 118.00 | -51.78 | 100 | 81 | Peak | Vertical | |
| 7 | 5865.00 | 59.26 | 16.58 | 42.68 | 108.00 | -48.74 | 100 | 81 | Peak | Vertical | |
| 8 | 5922.50 | 59.47 | 16.67 | 42.80 | 70.04 | -16.57 | 100 | 81 | Peak | Vertical | |
| 9 | 5945.50 | 59.13 | 16.22 | 42.91 | 68.20 | -9.07 | 100 | 81 | Peak | Vertical | |


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 5637.50 | 58.43 | 16.04 | 42.39 | 68.20 | -9.77 | 362 | 120 | Peak | Horizontal | |
| 2 | 5690.00 | 58.67 | 16.28 | 42.39 | 97.83 | -39.16 | 362 | 120 | Peak | Horizontal | |
| 3 | 5716.00 | 58.30 | 15.86 | 42.44 | 109.68 | -51.38 | 362 | 120 | Peak | Horizontal | |
| 4 | 5723.50 | 58.00 | 15.52 | 42.48 | 118.78 | -60.78 | 362 | 120 | Peak | Horizontal | |
| 5 | 5825.00 | 117.73 | 75.03 | 42.70 | 122.20 | -4.47 | 362 | 120 | Peak | Horizontal | |
| 6 | 5850.00 | 71.18 | 28.51 | 42.67 | 122.20 | -51.02 | 362 | 120 | Peak | Horizontal | |
| 7 | 5855.50 | 67.81 | 25.14 | 42.67 | 118.66 | -42.85 | 362 | 120 | Peak | Horizontal | |
| 8 | 5900.50 | 58.76 | 16.06 | 42.70 | 86.29 | -27.53 | 362 | 120 | Peak | Horizontal | |
| 9 | 5955.00 | 59.70 | 16.76 | 42.94 | 68.20 | -8.50 | 362 | 120 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 5612.50 | 58.77 | 16.50 | 42.27 | 68.20 | -9.43 | 100 | 104 | Peak | Vertical | |
| 2 | 5686.50 | 58.93 | 16.53 | 42.40 | 95.24 | -36.31 | 100 | 104 | Peak | Vertical | |
| 3 | 5705.00 | 58.53 | 16.13 | 42.40 | 106.60 | -48.07 | 100 | 104 | Peak | Vertical | |
| 4 | 5723.00 | 59.83 | 17.35 | 42.48 | 117.64 | -57.81 | 100 | 104 | Peak | Vertical | |
| 5 | 5825.00 | 124.38 | 81.68 | 42.70 | 122.20 | 2.18 | 100 | 104 | Peak | Vertical | |
| 6 | 5851.00 | 69.31 | 26.64 | 42.67 | 119.92 | -50.61 | 100 | 104 | Peak | Vertical | |
| 7 | 5858.00 | 67.01 | 24.34 | 42.67 | 109.96 | -42.95 | 100 | 104 | Peak | Vertical | |
| 8 | 5912.00 | 59.74 | 16.98 | 42.76 | 77.79 | -18.05 | 100 | 104 | Peak | Vertical | |
| 9 | 5995.00 | 59.20 | 16.15 | 43.05 | 68.20 | -9.00 | 100 | 104 | Peak | Vertical | |


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|-----|---------|--------|-------|--------|--------|--------|-----------|----------|------------|
| 1 | Level | Line | Limit | cm | deg | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | | | | |
| 1 | 5566.58 | 56.89 | 14.63 | 42.26 | 68.20 | -11.31 | 100 | 285 Peak | HORIZONTAL |
| 2 | 5695.58 | 64.91 | 22.53 | 42.38 | 181.88 | -36.97 | 100 | 285 Peak | HORIZONTAL |
| 3 | 5704.00 | 69.52 | 27.12 | 42.40 | 186.32 | -36.80 | 100 | 285 Peak | HORIZONTAL |
| 4 | 5722.58 | 68.45 | 25.97 | 42.48 | 116.50 | -48.05 | 100 | 285 Peak | HORIZONTAL |
| 5 | 5755.00 | 112.59 | 69.97 | 42.62 | 122.20 | -9.61 | 100 | 285 Peak | HORIZONTAL |
| 6 | 5852.00 | 57.25 | 14.50 | 42.67 | 117.64 | -80.39 | 100 | 285 Peak | HORIZONTAL |
| 7 | 5867.58 | 56.45 | 13.77 | 42.68 | 187.30 | -50.85 | 100 | 285 Peak | HORIZONTAL |
| 8 | 5917.00 | 57.27 | 14.49 | 42.78 | 74.10 | -16.83 | 100 | 285 Peak | HORIZONTAL |
| 9 | 5947.00 | 58.39 | 15.47 | 42.92 | 68.20 | -9.81 | 100 | 285 Peak | HORIZONTAL |




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|-----|---------|--------|-------|--------|--------|--------|-----------|----------|----------|
| 1 | Level | Line | Limit | cm | deg | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | | | | |
| 1 | 5658.00 | 59.81 | 16.57 | 42.44 | 68.20 | -9.19 | 100 | 157 Peak | Vertical |
| 2 | 5697.00 | 69.19 | 26.81 | 42.38 | 182.99 | -33.80 | 100 | 157 Peak | Vertical |
| 3 | 5715.50 | 71.63 | 29.19 | 42.44 | 189.54 | -37.91 | 100 | 157 Peak | Vertical |
| 4 | 5723.00 | 72.50 | 30.82 | 42.48 | 117.64 | -45.14 | 100 | 157 Peak | Vertical |
| 5 | 5755.00 | 120.68 | 78.06 | 42.62 | 122.20 | -1.52 | 100 | 157 Peak | Vertical |
| 6 | 5852.00 | 58.34 | 15.67 | 42.67 | 117.64 | -59.30 | 100 | 157 Peak | Vertical |
| 7 | 5859.58 | 58.63 | 15.86 | 42.67 | 189.54 | -50.91 | 100 | 157 Peak | Vertical |
| 8 | 5877.00 | 58.19 | 15.51 | 42.68 | 183.71 | -45.52 | 100 | 157 Peak | Vertical |
| 9 | 5941.00 | 57.45 | 14.57 | 42.88 | 68.20 | -10.75 | 100 | 157 Peak | Vertical |

802.11ax HE40
CH 159 (Horizontal) Peak
CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|--------|--------|--------|-----------|----------|
| 1 | Level | Line | Limit | cm | deg | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | | | |
| 1 | 5533.00 | 56.71 | 14.41 | 42.30 | 68.20 | -11.49 | 100 | 137 Peak |
| 2 | 5684.00 | 56.78 | 14.39 | 42.39 | 93.48 | -36.62 | 100 | 137 Peak |
| 3 | 5719.00 | 60.43 | 17.96 | 42.47 | 110.52 | -58.09 | 100 | 137 Peak |
| 4 | 5724.50 | 62.11 | 19.62 | 42.49 | 121.06 | -58.95 | 100 | 137 Peak |
| 5 | 5795.00 | 112.48 | 69.76 | 42.72 | 122.20 | -9.72 | 100 | 137 Peak |
| 6 | 5850.50 | 67.35 | 24.68 | 42.67 | 121.06 | -53.71 | 100 | 137 Peak |
| 7 | 5855.50 | 63.28 | 20.61 | 42.67 | 118.66 | -47.38 | 100 | 137 Peak |
| 8 | 5877.50 | 58.50 | 15.82 | 42.68 | 103.34 | -44.84 | 100 | 137 Peak |
| 9 | 5925.00 | 57.09 | 14.28 | 42.81 | 68.20 | -11.11 | 100 | 137 Peak |



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|--------|--------|--------|-----------|---------|
| 1 | Level | Line | Limit | cm | deg | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | | | |
| 1 | 5640.50 | 57.36 | 14.96 | 42.40 | 68.20 | -10.84 | 100 | 74 Peak |
| 2 | 5685.50 | 58.36 | 15.96 | 42.40 | 94.50 | -36.14 | 100 | 74 Peak |
| 3 | 5717.00 | 63.68 | 21.23 | 42.45 | 109.96 | -46.28 | 100 | 74 Peak |
| 4 | 5721.50 | 65.61 | 23.13 | 42.48 | 114.22 | -48.61 | 100 | 74 Peak |
| 5 | 5795.00 | 116.35 | 73.63 | 42.72 | 122.20 | -5.85 | 100 | 74 Peak |
| 6 | 5850.50 | 70.04 | 28.17 | 42.67 | 121.06 | -50.22 | 100 | 74 Peak |
| 7 | 5867.50 | 67.82 | 25.14 | 42.68 | 107.30 | -39.48 | 100 | 74 Peak |
| 8 | 5876.00 | 65.32 | 22.64 | 42.68 | 104.46 | -39.14 | 100 | 74 Peak |
| 9 | 5956.00 | 58.75 | 15.81 | 42.94 | 68.20 | -9.45 | 100 | 74 Peak |


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 5648.58 | 65.48 | 22.97 | 42.43 | 68.20 | -2.80 | 100 | 288 | Peak | Horizontal | |
| 2 | 5697.00 | 77.08 | 34.70 | 42.38 | 102.99 | -25.91 | 100 | 288 | Peak | Horizontal | |
| 3 | 5716.50 | 80.14 | 37.69 | 42.45 | 109.82 | -29.68 | 100 | 288 | Peak | Horizontal | |
| 4 | 5724.50 | 81.91 | 39.42 | 42.49 | 121.06 | -39.15 | 100 | 288 | Peak | Horizontal | |
| 5 | 5775.00 | 112.64 | 69.97 | 42.67 | 122.20 | -9.56 | 100 | 288 | Peak | Horizontal | |
| 6 | 5852.50 | 74.42 | 31.75 | 42.67 | 116.50 | -42.08 | 100 | 288 | Peak | Horizontal | |
| 7 | 5863.50 | 76.91 | 34.23 | 42.68 | 108.42 | -31.51 | 100 | 288 | Peak | Horizontal | |
| 8 | 5882.00 | 70.42 | 27.73 | 42.69 | 100.00 | -29.58 | 100 | 288 | Peak | Horizontal | |
| 9 | 5941.00 | 60.91 | 18.03 | 42.88 | 68.20 | -7.29 | 100 | 288 | Peak | Horizontal | |




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 5633.50 | 65.30 | 22.94 | 42.36 | 68.20 | -2.90 | 100 | 45 | Peak | Vertical | |
| 2 | 5696.00 | 82.36 | 39.98 | 42.38 | 102.25 | -19.89 | 100 | 45 | Peak | Vertical | |
| 3 | 5717.50 | 82.94 | 40.49 | 42.45 | 110.10 | -27.16 | 100 | 45 | Peak | Vertical | |
| 4 | 5725.00 | 81.43 | 38.94 | 42.49 | 122.20 | -40.77 | 100 | 45 | Peak | Vertical | |
| 5 | 5775.00 | 117.66 | 74.99 | 42.67 | 122.20 | -4.54 | 100 | 45 | Peak | Vertical | |
| 6 | 5850.50 | 73.05 | 30.38 | 42.67 | 121.06 | -48.01 | 100 | 45 | Peak | Vertical | |
| 7 | 5858.00 | 78.23 | 35.56 | 42.67 | 109.06 | -31.73 | 100 | 45 | Peak | Vertical | |
| 8 | 5875.50 | 73.53 | 30.85 | 42.68 | 104.83 | -31.30 | 100 | 45 | Peak | Vertical | |
| 9 | 5933.50 | 62.88 | 20.03 | 42.85 | 68.20 | -5.32 | 100 | 45 | Peak | Vertical | |

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1
802.11ax HE40
CH 102(Open) (9kHz ~ 150kHz)
CH 102(Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.03 | 58.22 | 39.27 | 18.95 | 119.13 | -68.91 | 100 | 307 QP | Open |
| 2 | 0.04 | 61.85 | 42.67 | 19.18 | 116.55 | -54.78 | 100 | 244 QP | Open |
| 3 | 0.07 | 54.00 | 35.42 | 18.58 | 110.43 | -56.43 | 100 | 158 QP | Open |
| 4 | 0.11 | 43.43 | 25.48 | 17.95 | 106.99 | -63.56 | 100 | 178 QP | Open |
| 5 | 0.13 | 37.56 | 19.52 | 18.04 | 105.31 | -67.75 | 100 | 247 QP | Open |
| 6 | 0.14 | 37.84 | 19.74 | 18.10 | 104.38 | -66.54 | 100 | 83 QP | Open |




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.33 | 47.09 | 28.34 | 18.75 | 97.26 | -50.17 | 100 | 242 QP | Open |
| 2 | 3.91 | 32.39 | 12.83 | 19.56 | 69.50 | -37.11 | 100 | 73 QP | Open |
| 3 | 8.18 | 33.65 | 12.88 | 20.77 | 69.50 | -35.85 | 100 | 360 QP | Open |
| 4 | 12.18 | 34.87 | 13.12 | 21.75 | 69.50 | -34.63 | 100 | 287 QP | Open |
| 5 | 22.63 | 36.19 | 13.85 | 22.34 | 69.50 | -33.31 | 100 | 61 QP | Open |
| 6 | 27.40 | 35.79 | 13.38 | 22.41 | 69.50 | -33.71 | 100 | 189 QP | Open |


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1



Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1




802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|-------|-------|--------|-----------|------------|
| Level | Line | Limit | cm | deg | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| dBuV | dBuV/m | dB | cm | deg | | | |
| 65.56 | 70.67 | -5.11 | 68.20 | -2.64 | 341 | 293 Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|-------|-------|--------|-----------|----------|
| Level | Line | Limit | cm | deg | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| dBuV | dBuV/m | dB | cm | deg | | | |
| 64.99 | 70.10 | -5.11 | 68.20 | -3.21 | 100 | 65 Peak | Vertical |


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|------|------|--------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 67.28 | 68.20 | -5.77 | 231 | 291 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|------|------|--------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 70.51 | 68.20 | -2.54 | 100 | 77 | Peak | Vertical | |


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|-------|-------|--------|-----------|------------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 63.01 | 68.16 | -5.15 | 68.20 | -5.19 | 221 | 2 Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|-------|-------|--------|-----------|----------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 64.55 | 69.70 | -5.15 | 68.20 | -3.65 | 400 | 152 Peak | Vertical |


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|--------------|--------|-------|--------|--------|--------|-----------|------|------|------------|
| Freq | Level | Level | Factor | Line | Limit | dB | cm | deg | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 10460.00 | 65.63 | 70.54 | -4.91 | 68.20 | -2.57 | 312 | 41 | Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|--------------|--------|-------|--------|--------|--------|-----------|------|------|----------|
| Freq | Level | Level | Factor | Line | Limit | dB | cm | deg | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 10460.00 | 64.25 | 69.16 | -4.91 | 68.20 | -3.95 | 300 | 174 | Peak | Vertical |


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|--------------|-------|--------|--------|-----------|--------------------|
| Freq | Level | Level Factor | Line | Limit | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 10420.00 | 62.10 | 67.14 | -5.04 | 68.20 | -6.10 | 281 | 42 Peak Horizontal |







TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|--------------|-------|--------|--------|-----------|-------------------|
| Freq | Level | Level Factor | Line | Limit | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 10420.00 | 63.45 | 68.49 | -5.04 | 68.20 | -4.75 | 100 | 313 Peak Vertical |

U-NII-2A

| 802.11ax HE20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------------|------------|------------|------------|------------|------------|------|--------|------------|-----------|------|-----|--------|------|------|--------|----|----|-----|--|--|--|--------------|-------|-------|-------|-------|-------|-----|-----|------|------------|--|---|------|-------|------------|--------|------------|------------|------|------|--------|-----------|------|-----|--------|------|------|--------|----|----|-----|--|--|--|--------------|-------|-------|-------|-------|-------|-----|-----|------|----------|--|
| CH 52 (Horizontal) | CH 52 (Vertical) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1010 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; margin-top: 10px;">Date: 2023-02-15</div>  <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level</th> <th>Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>64.74</td> <td>69.53</td> <td>-4.79</td> <td>68.20</td> <td>-3.46</td> <td>297</td> <td>360</td> <td>Peak</td> <td>Horizontal</td> <td></td> </tr> </tbody> </table> | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | 1 10520.00 | 64.74 | 69.53 | -4.79 | 68.20 | -3.46 | 297 | 360 | Peak | Horizontal | | <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1010 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; margin-top: 10px;">Date: 2023-02-15</div>  <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level</th> <th>Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>65.30</td> <td>70.09</td> <td>-4.79</td> <td>68.20</td> <td>-2.90</td> <td>280</td> <td>323</td> <td>Peak</td> <td>Vertical</td> <td></td> </tr> </tbody> </table> | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | 1 10520.00 | 65.30 | 70.09 | -4.79 | 68.20 | -2.90 | 280 | 323 | Peak | Vertical | |
| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10520.00 | 64.74 | 69.53 | -4.79 | 68.20 | -3.46 | 297 | 360 | Peak | Horizontal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 10520.00 | 65.30 | 70.09 | -4.79 | 68.20 | -2.90 | 280 | 323 | Peak | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|------|------|---------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 52.69 | 54.00 | -6.88 | 193 | 66 | Average | Horizontal | |
| 67.28 | 68.20 | -5.69 | 193 | 66 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|------|------|---------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 52.64 | 54.00 | -6.13 | 283 | 61 | Average | Vertical | |
| 68.32 | 68.20 | -4.65 | 283 | 61 | Peak | Vertical | |


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|------|------|---------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 52.11 | 54.00 | -6.58 | 100 | 24 | Average | Horizontal | |
| 62.79 | 74.00 | -15.90 | 100 | 24 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|------|------|---------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 52.03 | 54.00 | -6.66 | 100 | 301 | Average | Vertical | |
| 64.56 | 74.00 | -14.13 | 100 | 301 | Peak | Vertical | |


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|------|------|--------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 69.80 | 68.20 | -3.19 | 335 | 360 | Peak | Horizontal | |

1 | 10540.00 | 65.01 | 69.80 | -4.79 | 68.20 | -3.19 | 335 | 360 | Peak | Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|------|------|--------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 70.33 | 68.20 | -2.66 | 100 | 76 | Peak | Vertical | |

1 | 10540.00 | 65.54 | 70.33 | -4.79 | 68.20 | -2.66 | 100 | 76 | Peak | Vertical


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|-------|-------|--------|-------|--------|-----------|------------------------|
| MHz | Level | Line | Line | dB | cm | deg | | |
| | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 10620.00 | 42.59 | 47.32 | -4.73 | 54.00 | -11.41 | 300 | 358 Average Horizontal |
| 2 | 10620.00 | 57.95 | 61.79 | -4.73 | 74.00 | -16.94 | 300 | 358 Peak Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|-------|-------|--------|-------|--------|-----------|---------------------|
| MHz | Level | Line | Line | dB | cm | deg | | |
| | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 10620.00 | 48.20 | 52.93 | -4.73 | 54.00 | -5.80 | 100 | 64 Average Vertical |
| 2 | 10620.00 | 63.58 | 68.31 | -4.73 | 74.00 | -10.42 | 100 | 64 Peak Vertical |


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------------|--------|-------|--------|--------|--------|-----------|------|------|------------|
| Freq | Level | Level | Factor | Line | Limit | dB | cm | deg | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 10580.00 | 51.68 | 56.46 | -4.78 | 68.20 | -16.52 | 237 | 360 | Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------------|--------|-------|--------|--------|--------|-----------|------|------|----------|
| Freq | Level | Level | Factor | Line | Limit | dB | cm | deg | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 10580.00 | 54.63 | 59.41 | -4.78 | 68.20 | -13.57 | 400 | 205 | Peak | Vertical |

802.11ax HE160

CH 50 (Horizontal)



CH 50 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10590.00 | 52.73 | 57.52 | -4.79 | 68.20 | -15.47 | 310 | 360 | Peak | Horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10590.00 | 51.78 | 56.57 | -4.79 | 68.20 | -16.42 | 280 | 154 | Peak | Vertical | |

U-NII-2C

| 802.11ax HE20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------------|-------|-------|-------|--------|-----------|------------------------|------|-------|------|-------|--|--|--|--|--|--------|--------|----|----|-----|--|--|--|--------------|-------|-------|-------|-------|-------|-----|------------------------|--------------|-------|-------|-------|-------|--------|-----|---------------------|---|------|-------|------|------|------|--------|-----------|------|-------|------|-------|--|--|--|--|--|--------|--------|----|----|-----|--|--|--|--------------|-------|-------|-------|-------|-------|-----|---------------------|--------------|-------|-------|-------|-------|-------|-----|------------------|
| CH 100 (Horizontal) | CH 100 (Vertical) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1010 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; margin-top: 10px;">Date: 2023-02-15</div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Limit</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11982.00</td> <td>45.31</td> <td>49.42</td> <td>-4.11</td> <td>54.00</td> <td>-8.69</td> <td>400</td> <td>316 Average Horizontal</td> </tr> <tr> <td>2 11982.00</td> <td>58.59</td> <td>62.70</td> <td>-4.11</td> <td>74.00</td> <td>-15.41</td> <td>400</td> <td>316 Peak Horizontal</td> </tr> </tbody> </table> | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | Level | Line | Limit | | | | | | dBuV/m | dBuV/m | dB | cm | deg | | | | 1 11982.00 | 45.31 | 49.42 | -4.11 | 54.00 | -8.69 | 400 | 316 Average Horizontal | 2 11982.00 | 58.59 | 62.70 | -4.11 | 74.00 | -15.41 | 400 | 316 Peak Horizontal | <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1010 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; margin-top: 10px;">Date: 2023-02-15</div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Limit</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11980.00</td> <td>51.10</td> <td>55.21</td> <td>-4.11</td> <td>54.00</td> <td>-2.90</td> <td>100</td> <td>59 Average Vertical</td> </tr> <tr> <td>2 11980.00</td> <td>65.11</td> <td>69.22</td> <td>-4.11</td> <td>74.00</td> <td>-8.89</td> <td>100</td> <td>59 Peak Vertical</td> </tr> </tbody> </table> | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | Level | Line | Limit | | | | | | dBuV/m | dBuV/m | dB | cm | deg | | | | 1 11980.00 | 51.10 | 55.21 | -4.11 | 54.00 | -2.90 | 100 | 59 Average Vertical | 2 11980.00 | 65.11 | 69.22 | -4.11 | 74.00 | -8.89 | 100 | 59 Peak Vertical |
| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Level | Line | Limit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| dBuV/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11982.00 | 45.31 | 49.42 | -4.11 | 54.00 | -8.69 | 400 | 316 Average Horizontal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 11982.00 | 58.59 | 62.70 | -4.11 | 74.00 | -15.41 | 400 | 316 Peak Horizontal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Level | Line | Limit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| dBuV/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11980.00 | 51.10 | 55.21 | -4.11 | 54.00 | -2.90 | 100 | 59 Average Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 11980.00 | 65.11 | 69.22 | -4.11 | 74.00 | -8.89 | 100 | 59 Peak Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------|-------|-------|--------|-----------|------------------------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11160.00 | 49.93 | 53.75 | -3.82 | 54.00 | -4.07 | 100 | 118 Average Horizontal |
| 2 11160.00 | 69.55 | 73.37 | -3.82 | 74.00 | -4.45 | 100 | 118 Peak Horizontal |
| 3 16740.00 | 51.27 | 47.56 | 3.71 | 68.20 | -16.93 | 300 | 219 Peak Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------|-------|-------|--------|-----------|----------------------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11160.00 | 48.44 | 52.26 | -3.82 | 54.00 | -5.56 | 100 | 213 Average Vertical |
| 2 11160.00 | 68.76 | 72.58 | -3.82 | 74.00 | -5.24 | 100 | 213 Peak Vertical |
| 3 16740.00 | 59.66 | 55.95 | 3.71 | 68.20 | -8.54 | 400 | 328 Peak Vertical |

802.11ax HE20


CH 140 (Horizontal)

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-02-16




| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|------|------|---------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 49.75 | 54.00 | -4.25 | 200 | 4 | Average | Horizontal | |
| 55.69 | 74.00 | -18.31 | 200 | 4 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-02-16



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|------|------|---------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 50.87 | 54.00 | -3.13 | 400 | 58 | Average | Vertical | |
| 58.73 | 74.00 | -15.27 | 400 | 58 | Peak | Vertical | |


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|-------|--------|--------|-----------|--------------------|
| Level | Line | Limit | | | | | |
| Factor | Factor | Factor | | | | | |
| dB/m | dB/m | dB/m | cm | deg | | | |
| 37.38 | 41.45 | -4.07 | 54.00 | -16.62 | 100 | 360 | Average Horizontal |
| 52.03 | 56.10 | -4.07 | 74.00 | -21.97 | 100 | 360 | Peak Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|-------|--------|--------|-----------|------------------|
| Level | Line | Limit | | | | | |
| Factor | Factor | Factor | | | | | |
| dB/m | dB/m | dB/m | cm | deg | | | |
| 42.11 | 46.15 | -4.04 | 54.00 | -11.89 | 100 | 73 | Average Vertical |
| 57.20 | 61.24 | -4.04 | 74.00 | -16.00 | 100 | 73 | Peak Vertical |




802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|------|------|---------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 54.66 | 54.00 | -3.46 | 100 | 118 | Average | Horizontal | |
| 71.05 | 74.00 | -7.07 | 100 | 118 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|-------|------|------|---------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 53.40 | 54.00 | -4.72 | 100 | 204 | Average | Vertical | |
| 69.87 | 74.00 | -8.25 | 100 | 204 | Peak | Vertical | |

802.11ax HE80


CH 106 (Horizontal)

CH 106 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-02-17




| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|--------|-----------|--------------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11860.00 | 36.69 | 48.67 | -3.98 | 54.00 | -17.31 | 124 | 360 | Average Horizontal |
| 2 | 11960.00 | 45.76 | 49.74 | -3.98 | 74.00 | -28.24 | 124 | 360 | Peak Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-02-17



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|--------|-----------|------------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11860.00 | 37.18 | 41.16 | -3.98 | 54.00 | -16.82 | 333 | 360 | Average Vertical |
| 2 | 11960.00 | 47.00 | 50.98 | -3.98 | 74.00 | -27.00 | 333 | 360 | Peak Vertical |


802.11ax HE40

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11220.00 | 42.19 | 45.92 | -3.73 | 54.00 | -11.81 | 100 | 124 | Average | Horizontal | |
| 2 | 11220.00 | 54.57 | 58.30 | -3.73 | 74.00 | -19.43 | 100 | 124 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11220.00 | 42.99 | 46.72 | -3.73 | 54.00 | -11.81 | 100 | 168 | Average | Vertical | |
| 2 | 11220.00 | 55.70 | 59.43 | -3.73 | 74.00 | -18.30 | 100 | 168 | Peak | Vertical | |


802.11ax HE80

CH 114 (Horizontal)

CH 114 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|-------|-------|-------|-------|--------|--------|-----------|--------------------|
| 1 | Level | Line | Limit | cm | deg | | | |
| 2 | Level | Line | Limit | cm | deg | | | |
| 1 | 32.77 | 36.62 | -3.85 | 54.00 | -21.23 | 374 | 1 | Average Horizontal |
| 2 | 45.38 | 49.23 | -3.85 | 74.00 | -28.62 | 374 | 1 | Peak Horizontal |




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|-------|-------|-------|-------|--------|--------|-----------|------------------|
| 1 | Level | Line | Limit | cm | deg | | | |
| 2 | Level | Line | Limit | cm | deg | | | |
| 1 | 34.66 | 38.51 | -3.85 | 54.00 | -19.34 | 100 | 360 | Average Vertical |
| 2 | 47.73 | 51.58 | -3.85 | 74.00 | -26.27 | 100 | 360 | Peak Vertical |

U-NII-3




802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11570.00 | 47.00 | 50.98 | -3.18 | 54.00 | -6.20 | 100 | 318 Average | Horizontal | |
| 2 | 11570.00 | 58.22 | 61.40 | -3.18 | 74.00 | -15.78 | 100 | 318 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11570.00 | 50.52 | 53.70 | -3.18 | 54.00 | -3.48 | 100 | 185 Average | Vertical | |
| 2 | 11570.00 | 62.38 | 65.56 | -3.18 | 74.00 | -11.62 | 100 | 185 Peak | Vertical | |


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|------|------|---------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 53.33 | 54.00 | -3.68 | 100 | 305 | Average | Horizontal | |
| 58.59 | 74.00 | -18.42 | 100 | 305 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|------|------|---------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dBuV/m | dB | cm | deg | | | |
| 54.11 | 54.00 | -2.90 | 100 | 76 | Average | Vertical | |
| 60.75 | 74.00 | -16.26 | 100 | 76 | Peak | Vertical | |




802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|-------|-------|-------|-------|--------|-----------|------------------------|
| 1 | Level | Line | Limit | dB | cm | deg | | |
| 2 | Level | Line | Limit | dB | cm | deg | | |
| 1 | 11590.00 | 46.01 | 50.47 | -3.66 | 54.00 | -7.19 | 100 | 117 Average Horizontal |
| 2 | 11590.00 | 62.83 | 66.49 | -3.66 | 74.00 | -11.17 | 100 | 117 Peak Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|-------|-------|-------|-------|--------|-----------|----------------------|
| 1 | Level | Line | Limit | dB | cm | deg | | |
| 2 | Level | Line | Limit | dB | cm | deg | | |
| 1 | 11590.00 | 51.15 | 54.81 | -3.66 | 54.00 | -2.85 | 100 | 172 Average Vertical |
| 2 | 11590.00 | 67.25 | 70.91 | -3.66 | 74.00 | -6.75 | 100 | 172 Peak Vertical |


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|-------|--------|------|------|---------|------------|------|
| Line | Line | Limit | cm | deg | | | |
| 1 | 54.00 | -6.30 | 100 | 118 | Average | Horizontal | |
| 2 | 74.00 | -16.33 | 100 | 118 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|-------|--------|------|------|---------|-----------|------|
| Line | Line | Limit | cm | deg | | | |
| 1 | 54.00 | -5.17 | 100 | 198 | Average | Vertical | |
| 2 | 74.00 | -16.73 | 100 | 198 | Peak | Vertical | |