


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
51.97	54.00	-6.76	367	360	Average	Horizontal	
61.67	74.00	-17.06	367	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
55.31	54.00	-3.42	100	90	Average	Vertical	
65.63	74.00	-13.10	100	90	Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	50.30	55.08	-4.78	68.20	-17.90	239	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	51.52	56.30	-4.78	68.20	-16.68	300	300	Peak	Vertical

802.11ax HE160

CH 50 (Horizontal)


CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	10590.00	46.52	51.31	-4.79	68.20	-21.68	200	5	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	---	------	------------



1	10590.00	47.20	51.99	-4.79	68.20	-21.00	200	360	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------

U-NII-2C




802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11160.00	48.48	52.22	-3.82	54.00	-5.60	100	286 Average	Horizontal	
2 11160.00	58.29	62.11	-3.82	74.00	-15.71	100	286 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11160.00	50.70	54.52	-3.82	54.00	-3.30	100	154 Average	Vertical	
2 11160.00	61.70	65.52	-3.82	74.00	-12.30	100	154 Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	dB	dB					
dB/m	dBuV/m	dBuV/m					
dB/m	dBuV/m	dBuV/m					
48.38	54.00	-9.05	100	292	Average	Horizontal	
58.39	74.00	-19.05	100	292	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	dB	dB					
dB/m	dBuV/m	dBuV/m					
dB/m	dBuV/m	dBuV/m					
51.31	54.00	-2.69	100	288	Average	Vertical	
58.46	74.00	-15.54	100	288	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Line					
Factor	Factor	Factor					
dB/m	dB/m	dB/m	cm	deg			
44.76	48.87	-4.11	54.00	-9.24	100	306 Average	Horizontal
51.74	55.85	-4.11	74.00	-22.26	100	306 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Line					
Factor	Factor	Factor					
dB/m	dB/m	dB/m	cm	deg			
51.02	55.13	-4.11	54.00	-2.98	100	98 Average	Vertical
56.47	60.58	-4.11	74.00	-17.53	100	98 Peak	Vertical


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dB/m	dBuV/m	dB	cm	deg					
1	11160.00	47.35	51.17	-3.82	54.00	-6.65	100	120 Average	Horizontal
2	11160.00	57.92	61.74	-3.82	74.00	-16.08	100	120 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dB/m	dBuV/m	dB	cm	deg					
1	11160.00	50.62	54.44	-3.82	54.00	-3.38	100	202 Average	Vertical
2	11160.00	59.04	62.86	-3.82	74.00	-14.96	100	202 Peak	Vertical


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11480.00	48.87	52.31	-3.44	54.00	-5.13	100	121 Average	Horizontal	
2 11480.00	55.52	58.96	-3.44	74.00	-18.48	100	121 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11480.00	50.84	54.28	-3.44	54.00	-3.16	100	195 Average	Vertical	
2 11480.00	56.96	60.40	-3.44	74.00	-17.04	100	195 Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
48.57	54.00	-13.43	100	359	Average	Horizontal	
55.24	74.00	-18.76	100	359	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
50.47	54.00	-3.53	200	185	Average	Vertical	
64.37	74.00	-9.63	200	185	Peak	Vertical	


802.11ax HE20

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11180.00	42.95	46.84	-3.89	54.00	-11.05	100	116 Average	Horizontal
2	11180.00	61.30	65.19	-3.89	74.00	-12.70	100	116 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11180.00	50.92	54.81	-3.89	54.00	-3.08	100	62 Average	Vertical
2	11180.00	63.19	67.08	-3.89	74.00	-10.81	100	62 Peak	Vertical


802.11ax HE20

CH 134 (Horizontal)

CH 134 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Line	cm	deg			
2	Level	Line	Line	cm	deg			
1	46.94	50.36	-3.52	54.00	-7.16	100	346 Average	Horizontal
2	62.23	65.75	-3.52	74.00	-11.77	100	346 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Line	cm	deg			
2	Level	Line	Line	cm	deg			
1	50.91	54.43	-3.52	54.00	-3.89	100	196 Average	Vertical
2	66.23	69.75	-3.52	74.00	-7.77	100	196 Peak	Vertical


802.11ax HE40

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor	Factor	Factor					
dB	dB	dB	cm	deg			
36.21	40.19	-3.98	54.00	-17.79	100	282 Average	Horizontal
45.09	49.07	-3.98	74.00	-28.91	100	282 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor	Factor	Factor					
dB	dB	dB	cm	deg			
36.39	40.37	-3.98	54.00	-17.61	100	68 Average	Vertical
45.97	49.95	-3.98	74.00	-28.03	100	68 Peak	Vertical


802.11ax HE40

CH 122 (Horizontal)

CH 122 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	45.44	49.17	-3.73	54.00	-8.56	400	311 Average	Horizontal
2	11220.00	50.84	54.57	-3.73	74.00	-23.16	400	311 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	48.48	52.21	-3.73	54.00	-5.52	100	46 Average	Vertical
2	11220.00	55.91	59.64	-3.73	74.00	-18.09	100	46 Peak	Vertical


802.11ax HE80

CH 114 (Horizontal)

CH 114 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
dBuV/m	dBuV/m	dB	cm	deg			
35.78	54.00	-18.22	346	360	Average	Horizontal	
45.81	74.00	-28.19	346	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
dBuV/m	dBuV/m	dB	cm	deg			
37.90	54.00	-16.10	100	114	Average	Vertical	
47.97	74.00	-26.03	100	114	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
dBuV/m	dBuV/m	dB	cm	deg			
58.92	54.00	-3.88	100	122	Average	Horizontal	
57.41	54.00	-3.25	100	122	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
dBuV/m	dBuV/m	dB	cm	deg			
48.54	54.00	-5.46	200	152	Average	Vertical	
55.05	54.00	-18.95	200	152	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11566.00	49.15	52.33	-3.18	54.00	-4.85	100	119 Average	Horizontal	
2 11566.00	65.62	69.00	-3.18	74.00	-7.38	100	119 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11570.00	50.70	53.88	-3.18	54.00	-3.30	111	175 Average	Vertical	
2 11570.00	67.35	70.53	-3.18	74.00	-6.65	111	175 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.00	48.54	51.55	-3.01	54.00	-5.46	100	120 Average	Horizontal	
2 11650.00	64.86	67.87	-3.01	74.00	-9.14	100	120 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.00	49.63	52.64	-3.01	54.00	-4.37	106	174 Average	Vertical	
2 11650.00	65.70	68.71	-3.01	74.00	-8.30	106	174 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11492.00	47.67	50.91	-3.24	54.00	-6.33	100	345	Average	Horizontal	
2	11492.00	55.68	58.84	-3.24	74.00	-18.40	100	345	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	51.11	54.36	-3.25	54.00	-2.89	100	172	Average	Vertical	
2	11490.00	56.81	60.06	-3.25	74.00	-17.19	100	172	Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Line	Line	Limit	cm	deg			
1	54.00	-7.07	100	116	Average	Horizontal	
2	74.00	-13.83	100	116	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Line	Line	Limit	cm	deg			
1	54.00	-3.11	100	39	Average	Vertical	
2	74.00	-11.08	100	39	Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	47.21	50.22	-3.01	54.00	-6.79	100	300	Average	Horizontal	
2	11650.00	57.93	60.94	-3.01	74.00	-16.07	100	300	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	50.93	53.94	-3.01	54.00	-3.07	100	171	Average	Vertical	
2	11650.00	60.50	63.51	-3.01	74.00	-13.50	100	171	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
58.81	54.00	-6.41	100	352	Average	Horizontal	
59.99	74.00	-17.23	100	352	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
51.24	54.00	-2.76	100	164	Average	Vertical	
70.81	74.00	-6.41	100	164	Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	46.41	49.56	-3.15	54.00	-7.59	100	130	Average	Horizontal	
2	11590.00	63.96	67.05	-3.15	74.00	-10.10	100	130	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	51.01	54.16	-3.15	54.00	-2.99	100	165	Average	Vertical	
2	11590.00	66.71	69.86	-3.15	74.00	-7.29	100	165	Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
46.78	54.00	-7.22	100	133	Average	Horizontal	
56.06	74.00	-17.94	100	133	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
48.78	54.00	-5.22	100	34	Average	Vertical	
56.46	74.00	-17.54	100	34	Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)
<EUT with Adapter 1>


<EUT with Adapter 2>
