


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|---------|------------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13810.00 | 53.41 | 54.77 | -1.36 | 88.28 | -34.79 | 100 | 47 Peak | Horizontal |
| 2 | 13810.00 | 48.38 | 49.74 | -1.36 | 68.28 | -19.82 | 100 | 47 RMS | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|---------|----------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13810.00 | 57.15 | 58.51 | -1.36 | 88.28 | -31.05 | 100 | 86 Peak | Vertical |
| 2 | 13810.00 | 51.53 | 52.89 | -1.36 | 68.28 | -16.67 | 100 | 86 RMS | Vertical |

U-NII 7


802.11ax HE20

CH117 (Horizontal)

CH117 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13870.00 | 46.69 | 48.88 | -1.39 | 88.28 | -41.51 | 100 | 360 | Peak | Horizontal | |
| 2 | 13870.00 | 36.21 | 37.68 | -1.39 | 68.28 | -31.99 | 100 | 360 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13870.00 | 46.69 | 48.88 | -1.39 | 88.28 | -41.51 | 200 | 82 | Peak | Vertical | |
| 2 | 13870.00 | 33.68 | 34.99 | -1.39 | 68.28 | -34.68 | 200 | 82 | RMS | Vertical | |


802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 13398.00 | 36.06 | 37.02 | -0.96 | 54.00 | -17.94 | 321 | 360 | Average | Horizontal |
|---|----------|-------|-------|-------|-------|--------|-----|-----|---------|------------|
| 2 | 13398.00 | 47.53 | 48.49 | -0.96 | 74.00 | -26.47 | 321 | 360 | Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 13398.00 | 36.13 | 37.09 | -0.96 | 54.00 | -17.87 | 200 | 69 | Average | Vertical |
|---|----------|-------|-------|-------|-------|--------|-----|----|---------|----------|
| 2 | 13398.00 | 46.86 | 47.82 | -0.96 | 74.00 | -27.14 | 200 | 69 | Peak | Vertical |


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13710.00 | 46.24 | 47.14 | -0.90 | 88.20 | -41.96 | 200 | 18 | Peak | Horizontal | |
| 2 | 13710.00 | 35.30 | 36.20 | -0.90 | 68.20 | -32.90 | 200 | 18 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13710.00 | 47.40 | 48.30 | -0.90 | 88.20 | -40.80 | 177 | 360 | Peak | Vertical | |
| 2 | 13710.00 | 37.44 | 38.34 | -0.90 | 68.20 | -30.76 | 177 | 360 | RMS | Vertical | |


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|-------|--------|--------|-----------|------------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB/m | dB | cm | deg | | | |
| 47.38 | 40.21 | -0.83 | 88.28 | -48.82 | 100 | 209 Peak | Horizontal |
| 35.77 | 36.60 | -0.83 | 68.28 | -32.43 | 100 | 209 RMS | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|-------|--------|--------|-----------|----------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB/m | dB | cm | deg | | | |
| 46.96 | 47.79 | -0.83 | 88.28 | -41.24 | 200 | 15 Peak | Vertical |
| 35.74 | 36.57 | -0.83 | 68.28 | -32.46 | 200 | 15 RMS | Vertical |


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|------|------|--------|------------|------|
| Level | Line | Limit | | | | | |
| dBuV/m | dBm | dBuV/m | cm | deg | | | |
| 53.12 | 40.00 | -35.08 | 100 | 116 | Peak | Horizontal | |
| 39.53 | 40.00 | -28.67 | 100 | 116 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|------|------|--------|-----------|------|
| Level | Line | Limit | | | | | |
| dBuV/m | dBm | dBuV/m | cm | deg | | | |
| 57.62 | 40.00 | -30.58 | 100 | 83 | Peak | Vertical | |
| 43.99 | 40.00 | -24.21 | 100 | 83 | RMS | Vertical | |


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|---------|------------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13450.00 | 48.35 | 49.23 | -0.88 | 88.20 | -39.85 | 100 | 52 Peak | Horizontal |
| 2 | 13450.00 | 35.78 | 36.67 | -0.89 | 68.20 | -32.42 | 100 | 52 RMS | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|----------|----------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13450.00 | 50.65 | 51.53 | -0.88 | 88.20 | -37.55 | 100 | 100 Peak | Vertical |
| 2 | 13450.00 | 38.37 | 39.26 | -0.89 | 68.20 | -29.83 | 100 | 100 RMS | Vertical |


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|-------|--------|--------|-----------|------------|
| Level | Line | Limit | cm | deg | | | |
| dBuV/m | dBuV | dBuV/m | cm | deg | | | |
| 47.35 | 40.24 | -0.89 | 88.28 | -48.85 | 141 | 360 Peak | Horizontal |
| 36.94 | 37.83 | -0.89 | 68.28 | -31.26 | 141 | 360 RMS | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|-------|--------|--------|-----------|----------|
| Level | Line | Limit | cm | deg | | | |
| dBuV/m | dBuV | dBuV/m | cm | deg | | | |
| 53.68 | 54.57 | -0.89 | 88.28 | -34.52 | 100 | 353 Peak | Vertical |
| 40.05 | 40.94 | -0.89 | 68.28 | -28.15 | 100 | 353 RMS | Vertical |


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|--------|--------|--------|-----------|---------------------|
| Freq | Level | Level | Factor | Line | Limit | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 | 13770.00 | 47.81 | -0.79 | 88.28 | -41.18 | 364 | 360 Peak Horizontal |
| 2 | 13770.00 | 36.81 | -0.79 | 68.28 | -32.19 | 364 | 360 RMS Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|--------|--------|--------|-----------|-------------------|
| Freq | Level | Level | Factor | Line | Limit | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 | 13770.00 | 52.21 | -0.79 | 88.28 | -35.99 | 100 | 360 Peak Vertical |
| 2 | 13770.00 | 39.70 | -0.79 | 68.28 | -28.58 | 100 | 360 RMS Vertical |


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|------------|------------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13250.00 | 37.65 | 38.68 | -1.03 | 54.00 | -16.35 | 100 | 74 Average | Horizontal |
| 2 | 13250.00 | 47.62 | 48.65 | -1.03 | 74.00 | -26.38 | 100 | 74 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|-------------|----------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13250.00 | 39.92 | 40.95 | -1.03 | 54.00 | -14.08 | 100 | 359 Average | Vertical |
| 2 | 13250.00 | 51.47 | 52.50 | -1.03 | 74.00 | -22.53 | 100 | 359 Peak | Vertical |


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13410.00 | 47.38 | 48.32 | -0.94 | 88.28 | -40.82 | 100 | 19 | Peak | Horizontal | |
| 2 | 13410.00 | 36.38 | 37.32 | -0.94 | 68.28 | -31.82 | 100 | 19 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13410.00 | 48.11 | 49.05 | -0.94 | 88.28 | -40.80 | 100 | 358 | Peak | Vertical | |
| 2 | 13410.00 | 38.47 | 39.41 | -0.94 | 68.28 | -29.73 | 100 | 358 | RMS | Vertical | |


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13570.00 | 47.75 | 48.52 | -0.77 | 88.28 | -40.45 | 100 | 95 | Peak | Horizontal | |
| 2 | 13570.00 | 36.92 | 37.69 | -0.77 | 68.28 | -31.28 | 100 | 95 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13570.00 | 47.44 | 48.21 | -0.77 | 88.28 | -40.76 | 400 | 106 | Peak | Vertical | |
| 2 | 13570.00 | 36.11 | 36.88 | -0.77 | 68.28 | -32.09 | 400 | 106 | RMS | Vertical | |


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|------|------|--------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 44.72 | 40 | 4.72 | 400 | 286 | Peak | Horizontal | |
| 39.18 | 40 | -0.82 | 400 | 286 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|------|------|--------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 46.51 | 40 | 6.51 | 200 | 273 | Peak | Vertical | |
| 42.05 | 40 | -1.95 | 200 | 273 | RMS | Vertical | |


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13330.00 | 43.65 | 44.57 | -0.92 | 54.00 | -10.35 | 100 | 31 | Average | Horizontal | |
| 2 | 13330.00 | 44.69 | 45.61 | -0.92 | 74.00 | -29.31 | 100 | 31 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13330.00 | 44.51 | 45.43 | -0.92 | 54.00 | -9.49 | 100 | 187 | Average | Vertical | |
| 2 | 13330.00 | 46.10 | 47.02 | -0.92 | 74.00 | -27.90 | 100 | 187 | Peak | Vertical | |


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|-------|--------|--------|-----------|------|----------|------------|
| Freq | Level | Level | Line | Line | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13659.00 | 48.23 | 49.06 | -0.83 | 88.28 | -39.97 | 100 | 128 Peak | Horizontal |
| 2 | 13659.00 | 43.98 | 44.73 | -0.83 | 68.28 | -24.30 | 100 | 128 RMS | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|-------|--------|--------|-----------|------|----------|----------|
| Freq | Level | Level | Line | Line | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13659.00 | 52.48 | 53.31 | -0.83 | 88.28 | -35.72 | 100 | 343 Peak | Vertical |
| 2 | 13659.00 | 46.52 | 47.35 | -0.83 | 68.28 | -21.68 | 100 | 343 RMS | Vertical |

U-NII 8


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|-------|--------|--------|-----------|------------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB/m | dB | cm | deg | | | |
| 47.64 | 48.40 | -0.76 | 88.20 | -48.56 | 100 | 130 Peak | Horizontal |
| 35.96 | 36.73 | -0.77 | 68.28 | -32.24 | 100 | 130 RMS | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|-------|--------|--------|-----------|----------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB/m | dB | cm | deg | | | |
| 46.95 | 47.71 | -0.76 | 88.20 | -41.25 | 200 | 28 Peak | Vertical |
| 35.90 | 36.67 | -0.77 | 68.28 | -32.38 | 200 | 28 RMS | Vertical |


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13999.00 | 47.42 | 47.50 | -0.08 | 88.20 | -40.78 | 170 | 360 | Peak | Horizontal | |
| 2 | 13999.00 | 36.55 | 36.63 | -0.08 | 68.20 | -31.65 | 170 | 360 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 13999.00 | 47.39 | 47.47 | -0.08 | 88.20 | -40.81 | 400 | 20 | Peak | Vertical | |
| 2 | 13999.00 | 38.25 | 38.33 | -0.08 | 68.20 | -29.95 | 400 | 20 | RMS | Vertical | |


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|--------|--------|--------|-----------|-------------------------|
| Freq | Level | Level | Factor | Line | Limit | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 | 14230.00 | 44.20 | 43.69 | 0.51 | 88.20 | -44.00 | 200 360 Peak Horizontal |
| 2 | 14230.00 | 34.74 | 34.23 | 0.51 | 68.20 | -33.46 | 200 360 RMS Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|--------|--------|--------|-----------|-----------------------|
| Freq | Level | Level | Factor | Line | Limit | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 | 14230.00 | 44.61 | 44.10 | 0.51 | 88.20 | -43.59 | 200 360 Peak Vertical |
| 2 | 14230.00 | 36.73 | 36.22 | 0.51 | 68.20 | -31.47 | 200 360 RMS Vertical |


802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13850.00 | 47.49 | 48.06 | -0.57 | 88.20 | -48.71 | 300 | 360 Peak | Horizontal |
| 2 | 13850.00 | 36.51 | 37.08 | -0.57 | 68.20 | -31.69 | 300 | 360 RMS | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13850.00 | 49.82 | 50.39 | -0.57 | 88.20 | -38.38 | 100 | 206 Peak | Vertical |
| 2 | 13850.00 | 38.45 | 39.02 | -0.57 | 68.20 | -29.75 | 100 | 206 RMS | Vertical |


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 14810.00 | 48.28 | 48.31 | -0.03 | 88.28 | -39.92 | 200 | 10 | Peak | Horizontal | |
| 2 | 14810.00 | 36.57 | 36.60 | -0.03 | 68.28 | -31.63 | 200 | 10 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 14810.00 | 48.77 | 48.80 | -0.03 | 88.28 | -39.43 | 300 | 360 | Peak | Vertical | |
| 2 | 14810.00 | 38.64 | 38.67 | -0.03 | 68.28 | -29.56 | 300 | 360 | RMS | Vertical | |


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|--------|------|----------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 48.47 | 40.30 | 88.28 | -39.73 | 100 | 153 Peak | Horizontal | |
| 36.56 | 40.30 | 68.28 | -31.34 | 100 | 153 RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|--------|------|---------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 54.78 | 40.30 | 88.28 | -33.50 | 100 | 12 Peak | Vertical | |
| 41.87 | 40.30 | 68.28 | -26.03 | 100 | 12 RMS | Vertical | |


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|----------|------------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13899.00 | 44.44 | 44.88 | -0.44 | 88.28 | -43.76 | 300 | 349 Peak | Horizontal |
| 2 | 13899.00 | 39.44 | 39.88 | -0.44 | 68.28 | -28.76 | 300 | 349 RMS | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|----------|----------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 13899.00 | 45.58 | 46.02 | -0.44 | 88.28 | -42.62 | 279 | 132 Peak | Vertical |
| 2 | 13899.00 | 41.20 | 41.64 | -0.44 | 68.28 | -27.08 | 279 | 132 RMS | Vertical |


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 14850.00 | 45.22 | 45.15 | 0.07 | 88.20 | -42.98 | 100 | 354 | Peak | Horizontal | |
| 2 | 14850.00 | 39.41 | 39.34 | 0.07 | 68.20 | -28.79 | 100 | 354 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 14850.00 | 47.42 | 47.35 | 0.07 | 88.20 | -40.78 | 100 | 194 | Peak | Vertical | |
| 2 | 14850.00 | 43.13 | 43.06 | 0.07 | 68.20 | -25.07 | 100 | 194 | RMS | Vertical | |


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|------|------|--------|------------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 46.58 | 47.00 | -0.42 | 100 | 118 | Peak | Horizontal | |
| 43.26 | 43.00 | 0.26 | 100 | 118 | RMS | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|-------|------|------|--------|-----------|------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dB/m | dB | dB | cm | deg | | | |
| 52.21 | 47.00 | 5.21 | 100 | 187 | Peak | Vertical | |
| 47.32 | 43.00 | 4.32 | 100 | 187 | RMS | Vertical | |

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

| Line | Freq | Level | Read Level | Limit | Over | Remark | Pol/Phase | Note |
|------|-------|-------|------------|-------|-------|--------|-----------|-------|
| | NHz | dBuV | dBuV | dB | dBuV | dB | | |
| 1 | 0.16 | 28.94 | 19.32 | 9.62 | 55.71 | -26.77 | Average | line1 |
| 2 | 0.16 | 46.14 | 36.52 | 9.62 | 65.71 | -19.57 | QP | line1 |
| 3 | 0.45 | 28.21 | 18.68 | 9.63 | 46.89 | -18.58 | Average | line1 |
| 4 | 0.45 | 31.70 | 22.07 | 9.63 | 56.89 | -25.19 | QP | line1 |
| 5 | 1.27 | 15.43 | 5.79 | 9.64 | 46.00 | -30.57 | Average | line1 |
| 6 | 1.27 | 20.21 | 10.57 | 9.64 | 56.00 | -35.79 | QP | line1 |
| 7 | 3.12 | 10.34 | 0.66 | 9.68 | 46.00 | -35.66 | Average | line1 |
| 8 | 3.12 | 16.46 | 6.78 | 9.68 | 56.00 | -39.54 | QP | line1 |
| 9 | 7.66 | 15.97 | 6.23 | 9.74 | 50.00 | -34.03 | Average | line1 |
| 10 | 7.66 | 21.67 | 11.93 | 9.74 | 60.00 | -38.33 | QP | line1 |
| 11 | 18.78 | 15.54 | 5.77 | 9.77 | 50.00 | -34.46 | Average | line1 |
| 12 | 18.78 | 20.47 | 10.70 | 9.77 | 60.00 | -39.53 | QP | line1 |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

| Line | Freq | Level | Read Level | Limit | Over | Remark | Pol/Phase | Note |
|------|-------|-------|------------|-------|-------|--------|-----------|---------|
| | NHz | dBuV | dBuV | dB | dBuV | dB | | |
| 1 | 0.15 | 27.68 | 18.06 | 9.62 | 55.96 | -28.28 | Average | neutral |
| 2 | 0.15 | 45.21 | 35.59 | 9.62 | 65.96 | -20.75 | QP | neutral |
| 3 | 0.18 | 23.67 | 14.05 | 9.62 | 54.68 | -31.01 | Average | neutral |
| 4 | 0.18 | 40.27 | 30.65 | 9.62 | 64.68 | -24.41 | QP | neutral |
| 5 | 0.21 | 20.46 | 10.84 | 9.62 | 53.14 | -32.68 | Average | neutral |
| 6 | 0.21 | 35.92 | 26.30 | 9.62 | 63.14 | -27.22 | QP | neutral |
| 7 | 0.45 | 28.69 | 19.06 | 9.63 | 46.81 | -18.12 | Average | neutral |
| 8 | 0.45 | 33.22 | 23.59 | 9.63 | 56.81 | -23.59 | QP | neutral |
| 9 | 5.06 | 17.48 | 7.76 | 9.72 | 50.00 | -32.52 | Average | neutral |
| 10 | 5.06 | 23.48 | 13.76 | 9.72 | 60.00 | -36.52 | QP | neutral |
| 11 | 10.59 | 19.43 | 9.64 | 9.79 | 50.00 | -30.57 | Average | neutral |
| 12 | 10.59 | 24.39 | 14.60 | 9.79 | 60.00 | -35.61 | QP | neutral |