


# Appendix C: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test

<CDD>

Band Edges, 5.46GHz ~ 7.250GHz

U-NII 5




802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5781.62	56.17	65.23	-9.06	68.20	-12.03	100	236 RMS	Horizontal
2 *	5955.00	98.30	107.11	-8.81	68.20	30.10	100	236 RMS	Horizontal
3	7166.93	55.66	64.20	-8.54	68.20	-12.54	100	236 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5765.09	56.15	65.25	-9.10	68.20	-12.05	105	9 RMS	Vertical
2 *	5955.00	95.51	104.32	-8.81	68.20	27.31	105	9 RMS	Vertical
3	7249.58	55.71	64.21	-8.50	68.20	-12.49	105	9 RMS	Vertical


802.11ax HE20

CH45 (Horizontal) Peak

CH45 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5772.04	65.54	74.61	-9.07	88.20	-22.66	100	71 Peak	Horizontal	
2 *	6175.00	109.75	117.88	-8.13	88.20	21.55	100	71 Peak	Horizontal	
3	7223.10	64.40	72.91	-8.51	88.20	-23.80	100	71 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5780.40	65.80	74.86	-9.06	88.20	-22.40	100	276 Peak	Vertical	
2 *	6175.00	107.13	115.26	-8.13	88.20	18.93	100	276 Peak	Vertical	
3	7148.58	65.23	73.78	-8.55	88.20	-22.97	100	276 Peak	Vertical	


802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5771.76	56.19	65.28	-9.09	68.20	-12.01	100	71 RMS	Horizontal
2 *	6175.00	100.68	100.81	-8.13	68.20	32.48	100	71 RMS	Horizontal
3	7216.44	55.90	64.42	-8.52	68.20	-12.30	100	71 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5792.02	53.74	62.76	-9.02	68.20	-14.46	100	276 RMS	Vertical
2 *	6175.00	93.66	101.79	-8.13	68.20	25.48	100	276 RMS	Vertical
3	7198.08	53.32	61.84	-8.52	68.20	-14.88	100	276 RMS	Vertical


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5874.00	65.36	74.43	-9.07	88.20	-22.84	100	76	Peak	Horizontal	
2 *	6415.00	107.78	115.93	-8.15	88.20	19.58	100	76	Peak	Horizontal	
3	7236.00	65.50	74.60	-8.50	88.20	-22.70	100	76	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5595.90	65.56	74.95	-9.39	88.20	-22.64	100	74	Peak	Vertical	
2 *	6415.00	104.23	112.38	-8.15	88.20	16.03	100	74	Peak	Vertical	
3	7148.58	64.85	73.40	-8.55	88.20	-23.35	100	74	Peak	Vertical	


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5886.05	53.75	62.76	-9.01	68.20	-14.45	100	76 RMS	Horizontal
2 *	6415.00	95.88	104.03	-8.15	68.20	27.68	100	76 RMS	Horizontal
3	7243.44	53.30	61.80	-8.50	68.20	-14.90	100	76 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5769.78	53.01	62.90	-9.89	68.20	-14.39	100	74 RMS	Vertical
2 *	6415.00	92.91	101.06	-8.15	68.20	24.71	100	74 RMS	Vertical
3	7245.06	53.51	62.01	-8.50	68.20	-14.69	100	74 RMS	Vertical


802.11ax HE40

CH03 (Horizontal) Peak

CH03 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5924.75	70.67	79.60	-8.93	88.20	-17.53	115	236	Peak	Horizontal	
2 *	5965.00	109.22	118.00	-8.78	88.20	21.02	115	236	Peak	Horizontal	
3	7164.42	65.93	74.47	-8.54	88.20	-22.27	115	236	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5870.50	65.99	75.06	-9.07	88.20	-22.21	100	269	Peak	Vertical	
2 *	5965.00	105.95	114.73	-8.78	88.20	17.75	100	269	Peak	Vertical	
3	7246.14	65.09	73.59	-8.50	88.20	-23.11	100	269	Peak	Vertical	


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5899.02	53.79	62.81	-9.02	68.20	-14.41	115	236 RMS	Horizontal
2 *	5965.00	96.25	105.03	-8.78	68.20	20.05	115	236 RMS	Horizontal
3	7249.38	53.40	61.90	-8.50	68.20	-14.80	115	236 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5807.40	53.84	62.85	-9.01	68.20	-14.36	100	269 RMS	Vertical
2 *	5965.00	92.76	101.54	-8.78	68.20	24.50	100	269 RMS	Vertical
3	7232.82	53.53	62.04	-8.51	68.20	-14.67	100	269 RMS	Vertical




802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5587.88	64.87	74.26	-9.39	88.28	-23.33	100	69 Peak	Horizontal	
2 *	6165.88	118.45	118.68	-8.15	88.28	22.25	100	69 Peak	Horizontal	
3	7249.92	65.64	74.14	-8.56	88.28	-22.56	100	69 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5497.88	66.13	75.52	-9.39	88.28	-22.87	100	273 Peak	Vertical	
2 *	6165.88	108.58	116.73	-8.15	88.28	20.38	100	273 Peak	Vertical	
3	7158.56	64.18	72.65	-8.55	88.28	-24.10	100	273 Peak	Vertical	


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5498.24	53.93	63.35	-9.42	68.28	-14.27	100	69 RMS	Horizontal
2 *	6165.00	98.21	106.36	-8.15	68.28	38.01	100	69 RMS	Horizontal
3	7224.00	53.49	62.00	-8.51	68.28	-14.71	100	69 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5818.20	53.88	62.91	-9.03	68.28	-14.32	100	273 RMS	Vertical
2 *	6165.00	94.97	103.12	-8.15	68.28	26.77	100	273 RMS	Vertical
3	7245.78	53.58	62.00	-8.58	68.28	-14.70	100	273 RMS	Vertical


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5766.00	65.54	74.64	-9.10	88.20	-22.66	100	86	Peak	Horizontal	
2 *	6485.00	109.21	117.35	-8.14	88.20	21.01	100	86	Peak	Horizontal	
3	7197.00	66.45	74.97	-8.52	88.20	-21.75	100	86	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5814.06	66.24	75.27	-9.03	88.20	-21.96	100	93	Peak	Vertical	
2 *	6485.00	107.12	115.26	-8.14	88.20	18.92	100	93	Peak	Vertical	
3	7207.26	65.93	74.44	-8.51	88.20	-22.27	100	93	Peak	Vertical	


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5891.10	53.68	62.69	-9.01	68.20	-14.52	100	86 RMS	Horizontal
2 *	6485.00	97.26	105.48	-8.24	68.20	29.06	100	86 RMS	Horizontal
3	7228.22	53.48	61.91	-8.51	68.20	-14.80	100	86 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5784.36	53.74	62.79	-9.05	68.20	-14.46	100	93 RMS	Vertical
2 *	6485.00	94.69	102.63	-8.14	68.20	26.49	100	93 RMS	Vertical
3	7199.34	53.39	61.91	-8.52	68.20	-14.81	100	93 RMS	Vertical


802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5918.72	67.28	76.28	-9.00	88.20	-20.92	100	236	Peak	Horizontal	
2 *	5985.00	107.42	116.15	-8.73	88.20	19.22	100	236	Peak	Horizontal	
3	7148.40	64.70	73.25	-8.55	88.20	-23.50	100	236	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5785.26	65.81	74.86	-9.05	88.20	-22.39	100	273	Peak	Vertical	
2 *	5985.00	104.92	113.65	-8.73	88.20	16.72	100	273	Peak	Vertical	
3	7197.18	64.86	73.38	-8.52	88.20	-23.34	100	273	Peak	Vertical	


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.48	56.18	65.83	-8.93	68.28	-12.10	100	236 RMS	Horizontal
2	5985.88	96.21	184.94	-8.73	68.28	26.01	100	236 RMS	Horizontal
3	7184.58	53.92	62.45	-8.53	68.28	-14.28	100	236 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.76	54.42	63.35	-8.93	68.28	-13.78	100	273 RMS	Vertical
2	5985.88	94.21	182.94	-8.73	68.28	26.01	100	273 RMS	Vertical
3	7178.98	53.87	62.40	-8.53	68.28	-14.33	100	273 RMS	Vertical


802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5752.68	65.46	74.59	-9.13	88.20	-22.74	100	243 Peak	Horizontal	
2 *	6145.00	106.32	116.52	-8.20	88.20	20.12	100	243 Peak	Horizontal	
3	7245.60	65.43	73.93	-8.50	88.20	-22.77	100	243 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5836.56	65.14	74.19	-9.05	88.20	-23.06	100	275 Peak	Vertical	
2 *	6145.00	106.19	114.39	-8.20	88.20	17.99	100	275 Peak	Vertical	
3	7206.36	65.03	73.54	-8.51	88.20	-23.17	100	275 Peak	Vertical	


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5744.94	53.74	62.89	-9.15	68.28	-14.46	100	243 RMS	Horizontal
2 *	6145.89	94.63	102.83	-8.20	68.28	26.43	100	243 RMS	Horizontal
3	7219.86	53.39	61.90	-8.51	68.28	-14.81	100	243 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5787.96	53.76	62.79	-9.03	68.28	-14.44	100	275 RMS	Vertical
2 *	6145.89	92.44	100.64	-8.20	68.28	24.24	100	275 RMS	Vertical
3	7221.38	53.44	61.95	-8.51	68.28	-14.76	100	275 RMS	Vertical




802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5771.22	65.16	74.25	-9.09	88.28	-23.04	100		72 Peak	Horizontal	
2 *	6385.88	106.65	116.82	-8.17	88.28	28.45	100		72 Peak	Horizontal	
3	7243.98	64.75	73.25	-8.50	88.28	-23.45	100		72 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5821.88	65.64	74.67	-9.03	88.28	-22.56	100		92 Peak	Vertical	
2 *	6385.88	104.54	112.71	-8.17	88.28	16.34	100		92 Peak	Vertical	
3	7168.82	65.42	73.96	-8.54	88.28	-22.78	100		92 Peak	Vertical	


802.11ax HE80

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5791.02	54.41	63.44	-9.03	68.20	-13.79	100	72 RMS	Horizontal
2 *	6385.00	97.45	105.62	-8.17	68.20	29.25	100	72 RMS	Horizontal
3	7234.08	54.01	62.51	-8.50	68.20	-14.19	100	72 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5472.42	54.23	63.72	-9.49	68.20	-13.97	100	92 RMS	Vertical
2 *	6385.00	93.02	101.99	-8.17	68.20	25.62	100	92 RMS	Vertical
3	7186.02	53.76	62.28	-8.52	68.20	-14.44	100	92 RMS	Vertical


802.11ax HE160

CH15 (Horizontal) Peak

CH15 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5891.45	74.30	83.35	-9.05	88.20	-13.90	100	238	Peak	Horizontal	
2 *	6825.00	103.94	112.46	-8.52	88.20	15.74	100	238	Peak	Horizontal	
3	7158.30	64.96	73.50	-8.54	88.20	-23.24	100	238	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5889.66	69.04	78.10	-9.06	88.20	-19.16	100	287	Peak	Vertical	
2 *	6825.00	101.13	109.65	-8.52	88.20	12.93	100	287	Peak	Vertical	
3	7235.52	64.30	72.80	-8.50	88.20	-23.90	100	287	Peak	Vertical	


802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5867.78	54.47	63.54	-9.07	68.28	-13.73	100	238 RMS	Horizontal
2 *	6925.00	89.98	98.59	-8.52	68.28	21.78	100	238 RMS	Horizontal
3	7244.79	53.23	61.73	-8.50	68.28	-14.97	100	238 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5797.86	54.09	63.10	-9.01	68.28	-14.11	100	287 RMS	Vertical
2 *	6925.00	89.87	97.59	-8.52	68.28	20.87	100	287 RMS	Vertical
3	7245.06	53.49	61.99	-8.50	68.28	-14.71	100	287 RMS	Vertical


802.11ax HE160

CH47 (Horizontal) Peak

CH47 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5752.59	64.60	73.74	-9.14	88.20	-23.60	100		71 Peak	Horizontal	
2 *	6185.00	104.78	112.88	-8.10	88.20	16.58	100		71 Peak	Horizontal	
3	7228.86	65.43	73.94	-8.51	88.20	-22.77	100		71 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5794.00	64.99	74.01	-9.02	88.20	-23.21	100		277 Peak	Vertical	
2 *	6185.00	103.32	111.42	-8.10	88.20	15.12	100		277 Peak	Vertical	
3	7203.48	64.15	72.66	-8.51	88.20	-24.05	100		277 Peak	Vertical	


802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5779.68	52.95	62.81	-9.86	68.28	-15.25	100	71 RMS	Horizontal
2 *	6185.00	98.97	99.87	-8.10	68.28	22.77	100	71 RMS	Horizontal
3	7213.38	53.18	61.70	-8.52	68.28	-15.02	100	71 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5788.14	52.92	61.95	-9.03	68.28	-15.28	100	277 RMS	Vertical
2 *	6185.00	88.88	96.98	-8.10	68.28	20.68	100	277 RMS	Vertical
3	7241.10	53.18	61.68	-8.50	68.28	-15.02	100	277 RMS	Vertical


802.11ax HE160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5737.28	64.74	73.93	-9.19	88.28	-23.46	100	73	Peak	Horizontal	
2 *	6345.88	104.88	113.88	-8.28	88.28	16.68	100	73	Peak	Horizontal	
3	7247.94	64.76	73.26	-8.56	88.28	-23.44	100	73	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5722.44	64.99	74.25	-9.26	88.28	-23.21	100	265	Peak	Vertical	
2 *	6345.88	101.83	118.11	-8.28	88.28	13.63	100	265	Peak	Vertical	
3	7287.88	64.99	73.58	-8.51	88.28	-23.21	100	265	Peak	Vertical	


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5884.88	52.99	62.00	-9.01	68.20	-15.21	100	73 RMS	Horizontal
2 *	6345.00	98.16	98.44	-3.28	68.20	21.06	100	73 RMS	Horizontal
3	7208.42	53.19	61.71	-8.52	68.20	-15.01	100	73 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5792.10	52.92	61.95	-9.03	68.20	-15.28	100	265 RMS	Vertical
2 *	6345.00	86.77	95.85	-9.08	68.20	18.57	100	265 RMS	Vertical
3	7244.70	53.38	61.88	-8.50	68.20	-14.82	100	265 RMS	Vertical



U-NII 6


802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5761.06	65.15	74.26	-9.11	88.20	-23.05	100		72 Peak	Horizontal	
2 *	6435.00	106.64	116.82	-8.18	88.20	28.64	100		72 Peak	Horizontal	
3	7185.12	65.45	73.98	-8.53	88.20	-22.75	100		72 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5483.50	65.32	74.77	-9.45	88.20	-22.88	104		75 Peak	Vertical	
2 *	6435.00	105.52	113.70	-8.18	88.20	17.52	104		75 Peak	Vertical	
3	7164.24	64.55	73.09	-8.54	88.20	-23.65	104		75 Peak	Vertical	


802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5782.92	53.78	62.83	-9.05	68.28	-14.42	100	72 RMS	Horizontal
2 *	6435.00	96.45	104.63	-8.18	68.28	28.25	100	72 RMS	Horizontal
3	7246.86	53.29	61.79	-8.50	68.28	-14.91	100	72 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5799.48	53.93	62.94	-9.01	68.28	-14.27	104	75 RMS	Vertical
2 *	6435.00	93.64	101.82	-8.18	68.28	25.44	104	75 RMS	Vertical
3	7239.66	53.29	61.79	-8.50	68.28	-14.91	104	75 RMS	Vertical


802.11ax HE20

CH105 (Horizontal) Peak

CH105 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dB)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5778.96	66.27	75.33	-9.06	88.28	-21.93	100	73	Peak	Horizontal	
2 *	6475.89	108.57	116.81	-8.24	88.28	28.53	100	73	Peak	Horizontal	
3	7222.56	64.72	73.23	-8.51	88.28	-23.48	100	73	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dB)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5844.84	65.19	74.26	-9.07	88.28	-23.01	100	90	Peak	Vertical	
2 *	6475.89	108.93	114.17	-5.24	88.28	25.89	100	90	Peak	Vertical	
3	7288.16	65.67	74.18	-8.51	88.28	-22.53	100	90	Peak	Vertical	


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5884.88	53.94	62.95	-9.01	68.28	-14.26	100	73 RMS	Horizontal
2 *	6475.00	95.70	103.94	-8.24	68.28	27.50	100	73 RMS	Horizontal
3	7229.22	53.52	62.63	-8.51	68.28	-14.68	100	73 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5785.26	53.78	62.83	-9.05	68.28	-14.42	100	90 RMS	Vertical
2 *	6475.00	93.44	101.67	-8.23	68.28	25.24	100	90 RMS	Vertical
3	7249.20	53.30	61.80	-8.50	68.28	-14.90	100	90 RMS	Vertical


802.11ax HE20

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5466.65	65.59	75.09	-9.50	88.20	-22.61	100	88 Peak	Horizontal
2 *	6515.00	107.39	115.64	-8.25	88.20	19.10	100	88 Peak	Horizontal
3	7167.30	64.79	73.33	-8.54	88.20	-23.41	100	88 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5819.46	66.06	75.09	-9.03	88.20	-22.14	400	150 Peak	Vertical
2 *	6515.00	104.73	112.98	-8.25	88.20	16.53	400	150 Peak	Vertical
3	7169.10	65.56	74.10	-8.54	88.20	-22.64	400	150 Peak	Vertical


802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.68	53.86	62.95	-9.09	68.20	-14.34	100	88 RMS	Horizontal
2 *	6515.00	94.62	102.87	-8.25	68.20	26.42	100	88 RMS	Horizontal
3	7236.96	53.41	61.91	-8.50	68.20	-14.79	100	88 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5816.50	53.94	62.96	-9.02	68.20	-14.26	400	150 RMS	Vertical
2 *	6515.00	92.93	101.18	-8.25	68.20	24.73	400	150 RMS	Vertical
3	7230.66	53.44	61.95	-8.51	68.20	-14.76	400	150 RMS	Vertical


802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
5499.96	65.71	75.09	-9.38	88.28	-22.49	100			72 Peak	Horizontal	
6445.00	118.91	119.11	-8.20	88.28	22.71	100			72 Peak	Horizontal	
7245.60	65.10	73.60	-8.50	88.28	-23.10	100			72 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
5731.90	66.27	75.48	-9.21	88.28	-21.93	100			93 Peak	Vertical	
6445.00	109.42	117.62	-8.20	88.28	23.22	100			93 Peak	Vertical	
7186.74	64.29	72.81	-8.52	88.28	-23.91	100			93 Peak	Vertical	


802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5798.84	53.78	62.73	-9.03	68.28	-14.50	100	72 RMS	Horizontal
2 *	6445.00	98.68	106.89	-8.20	68.28	38.40	100	72 RMS	Horizontal
3	7237.86	53.34	61.84	-8.50	68.28	-14.86	100	72 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5766.54	53.98	63.00	-9.10	68.28	-14.30	100	93 RMS	Vertical
2 *	6445.00	95.97	104.17	-8.20	68.28	27.77	100	93 RMS	Vertical
3	7178.64	53.44	61.97	-8.53	68.28	-14.76	100	93 RMS	Vertical




802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Level	Factor	Limit	Over	A	T	Remark	Pol/Phase	Note									
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5863.56	65.43	74.50	-9.07	88.20	-22.77	100	70	Peak	Horizontal										
6485.00	109.80	118.05	-8.25	88.20	21.60	100	70	Peak	Horizontal										
7139.76	65.00	73.55	-8.55	88.20	-23.20	100	70	Peak	Horizontal										



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Level	Factor	Limit	Over	A	T	Remark	Pol/Phase	Note									
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5796.42	66.05	75.07	-9.02	88.20	-22.15	100	5	Peak	Vertical										
6485.00	107.83	116.08	-8.25	88.20	19.63	100	5	Peak	Vertical										
7247.04	65.24	73.74	-8.50	88.20	-22.96	100	5	Peak	Vertical										


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5773.38	53.83	62.98	-9.07	68.28	-14.37	100	70 RMS	Horizontal
2 *	6485.88	97.12	105.36	-8.24	68.28	28.92	100	70 RMS	Horizontal
3	7248.66	53.49	61.99	-8.50	68.28	-14.71	100	70 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5766.72	53.78	62.88	-9.10	68.28	-14.42	100	5 RMS	Vertical
2 *	6485.88	94.07	103.22	-8.25	68.28	26.77	100	5 RMS	Vertical
3	7282.94	53.58	62.81	-8.51	68.28	-14.70	100	5 RMS	Vertical


802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5494.02	65.66	75.05	-9.39	88.20	-22.54	100	88 Peak	Horizontal	
2 *	6525.00	109.54	117.77	-8.23	88.20	21.34	100	88 Peak	Horizontal	
3	7188.90	65.17	73.69	-8.52	88.20	-23.03	100	88 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5758.62	65.38	74.49	-9.11	88.20	-22.82	100	74 Peak	Vertical	
2 *	6525.00	109.16	117.39	-8.23	88.20	20.96	100	74 Peak	Vertical	
3	7244.88	65.05	73.55	-8.50	88.20	-23.15	100	74 Peak	Vertical	


802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5764.56	53.86	62.96	-9.10	68.20	-14.34	100	88 RMS	Horizontal
2 *	6525.00	97.07	105.30	-8.23	68.20	20.07	100	88 RMS	Horizontal
3	7186.74	53.71	62.23	-8.52	68.20	-14.49	100	88 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5786.00	53.01	62.85	-9.04	68.20	-14.39	100	74 RMS	Vertical
2 *	6525.00	95.18	103.41	-8.23	68.20	26.08	100	74 RMS	Vertical
3	7228.32	53.52	62.03	-8.51	68.20	-14.68	100	74 RMS	Vertical


802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5841.42	65.10	74.16	-9.06	88.20	-23.10	100	71	Peak	Horizontal	
2 *	6465.08	109.46	117.68	-8.22	88.20	21.26	100	71	Peak	Horizontal	
3	7202.76	65.08	73.59	-8.51	88.20	-23.12	100	71	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5526.24	65.61	75.02	-9.41	88.20	-22.59	100	91	Peak	Vertical	
2 *	6465.08	109.85	114.07	-8.22	88.20	17.65	100	91	Peak	Vertical	
3	7210.32	64.83	73.35	-8.52	88.20	-23.37	100	91	Peak	Vertical	


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5767.44	54.28	63.38	-9.10	68.28	-13.92	100	71 RMS	Horizontal
2 *	6465.00	97.69	105.91	-8.22	68.28	29.49	100	71 RMS	Horizontal
3	7216.44	54.25	62.77	-8.52	68.28	-13.95	100	71 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5467.56	54.22	63.72	-9.50	68.28	-13.98	100	91 RMS	Vertical
2 *	6465.00	95.82	104.04	-8.22	68.28	27.62	100	91 RMS	Vertical
3	7183.14	53.92	62.45	-8.53	68.28	-14.28	100	91 RMS	Vertical


802.11ax HE80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5462.34	65.76	75.29	-9.53	88.28	-22.44	100	73	Peak	Horizontal	
2 *	6545.00	106.75	116.96	-8.21	88.28	28.55	100	73	Peak	Horizontal	
3	7163.34	63.86	72.40	-8.54	88.28	-24.34	100	73	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5487.00	65.93	75.36	-9.43	88.28	-22.27	100	72	Peak	Vertical	
2 *	6545.00	106.85	115.06	-8.21	88.28	26.55	100	72	Peak	Vertical	
3	7217.34	65.27	73.79	-8.52	88.28	-22.93	100	72	Peak	Vertical	


802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5798.66	54.37	63.48	-9.03	68.28	-13.83	100	73 RMS	Horizontal
2 *	6545.89	97.34	103.55	-8.21	68.28	29.14	100	73 RMS	Horizontal
3	7212.66	54.09	62.61	-8.52	68.28	-14.11	100	73 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5752.86	54.38	63.43	-9.13	68.28	-13.90	100	72 RMS	Vertical
2 *	6545.89	94.84	103.05	-8.21	68.28	26.64	100	72 RMS	Vertical
3	7222.28	53.71	62.22	-8.51	68.28	-14.49	100	72 RMS	Vertical




802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5989.82	64.98	73.98	-9.00	88.20	-23.22	100	68 Peak	Horizontal	
2 *	6505.00	107.70	115.97	-8.27	88.20	19.50	100	68 Peak	Horizontal	
3	7197.36	64.42	72.94	-8.52	88.20	-23.78	100	68 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5981.46	64.46	73.47	-9.01	88.20	-23.74	100	233 Peak	Horizontal	
2 *	6505.00	106.54	114.81	-8.27	88.20	18.34	100	233 Peak	Horizontal	
3	7127.16	64.55	73.11	-8.56	88.20	-23.65	100	233 Peak	Horizontal	


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5785.98	52.96	62.01	-9.05	68.20	-15.24	100	68 RMS	Horizontal
2 *	6585.00	92.45	100.72	-8.27	68.20	24.25	100	68 RMS	Horizontal
3	7245.96	53.13	61.63	-8.50	68.20	-15.07	100	68 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5785.26	53.01	62.06	-9.05	68.20	-15.19	100	233 RMS	Horizontal
2 *	6585.00	92.17	100.44	-8.27	68.20	23.97	100	233 RMS	Horizontal
3	7190.34	53.15	61.67	-8.52	68.20	-15.05	100	233 RMS	Horizontal

U-NII 7


802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5834.75	65.79	74.84	-9.05	88.20	-22.41	100	238	Peak	Horizontal	
2 *	6535.00	106.64	114.87	-8.23	88.20	18.44	100	238	Peak	Horizontal	
3	7225.44	67.18	75.61	-8.51	88.20	-21.10	100	238	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5782.02	65.55	74.61	-9.06	88.20	-22.65	100	93	Peak	Vertical	
2 *	6535.00	105.07	113.30	-8.23	88.20	16.87	100	93	Peak	Vertical	
3	7144.62	66.05	74.60	-8.55	88.20	-22.15	100	93	Peak	Vertical	


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5791.56	53.80	62.83	-9.03	68.20	-14.40	100	238 RMS	Horizontal
2 *	6535.00	94.06	102.29	-8.23	68.20	25.06	100	238 RMS	Horizontal
3	7164.96	53.43	61.97	-8.54	68.20	-14.77	100	238 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5793.00	53.80	62.82	-9.02	68.20	-14.40	100	93 RMS	Vertical
2 *	6535.00	92.28	100.51	-8.23	68.20	24.08	100	93 RMS	Vertical
3	7222.02	53.22	61.73	-8.51	68.20	-14.98	100	93 RMS	Vertical


802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5893.98	65.31	74.32	-9.01	88.20	-22.89	100	90	Peak	Horizontal	
2 *	6695.00	107.88	116.20	-8.32	88.20	19.68	100	90	Peak	Horizontal	
3	7214.10	66.38	74.90	-8.52	88.20	-21.82	100	90	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5756.10	65.38	74.51	-9.13	88.20	-22.82	260	212	Peak	Vertical	
2 *	6695.00	106.05	115.17	-9.12	88.20	18.65	260	212	Peak	Vertical	
3	7240.55	65.14	73.64	-8.50	88.20	-23.06	260	212	Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5783.28	53.87	62.92	-9.05	68.28	-14.33	100	90 RMS	Horizontal
2 *	6695.89	95.48	103.89	-8.32	68.28	27.28	100	90 RMS	Horizontal
3	7233.36	53.48	61.99	-8.51	68.28	-14.72	100	90 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5798.58	53.78	62.79	-9.01	68.28	-14.42	269	212 RMS	Vertical
2 *	6695.89	94.38	102.62	-8.32	68.28	26.18	269	212 RMS	Vertical
3	7248.82	53.55	62.95	-8.58	68.28	-14.65	269	212 RMS	Vertical


802.11ax HE20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5868.32	65.54	74.61	-9.07	88.20	-22.66	100	238 Peak	Horizontal
2 *	6855.00	104.87	113.30	-8.43	88.20	16.67	100	238 Peak	Horizontal
3	7176.00	64.97	73.50	-8.53	88.20	-23.23	100	238 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5723.70	65.49	74.75	-9.26	88.20	-22.71	100	64 Peak	Vertical
2 *	6855.00	105.73	114.16	-8.43	88.20	17.53	100	64 Peak	Vertical
3	7137.06	64.15	72.71	-8.56	88.20	-24.05	100	64 Peak	Vertical


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5591.58	53.86	63.24	-9.38	68.28	-14.34	100	238 RMS	Horizontal
2 *	6855.89	92.56	100.99	-8.43	68.28	24.36	100	238 RMS	Horizontal
3	7242.36	53.35	61.85	-8.50	68.28	-14.85	100	238 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5477.46	53.77	63.24	-9.47	68.28	-14.43	100	64 RMS	Vertical
2 *	6855.89	94.48	102.91	-8.43	68.28	26.28	100	64 RMS	Vertical
3	7239.48	53.48	61.98	-8.50	68.28	-14.72	100	64 RMS	Vertical




802.11ax HE20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5841.96	65.44	74.50	-9.06	88.20	-22.76	100	239	Peak	Horizontal	
2 *	6875.00	104.09	112.57	-8.48	88.20	15.89	100	239	Peak	Horizontal	
3	7234.98	65.23	73.73	-8.50	88.20	-22.97	100	239	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5515.26	65.57	74.97	-9.40	88.20	-22.63	100	84	Peak	Vertical	
2 *	6875.00	106.91	115.39	-8.48	88.20	18.71	100	84	Peak	Vertical	
3	7236.60	64.22	72.72	-8.50	88.20	-23.98	100	84	Peak	Vertical	


802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5792.64	53.85	62.87	-9.02	68.28	-14.35	100	239 RMS	Horizontal
2 *	6875.00	92.04	100.52	-8.48	68.28	23.84	100	239 RMS	Horizontal
3	7236.96	53.62	62.12	-8.50	68.28	-14.58	100	239 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5795.52	53.82	62.84	-9.02	68.28	-14.38	100	84 RMS	Vertical
2 *	6875.00	94.29	102.77	-8.48	68.28	26.09	100	84 RMS	Vertical
3	7234.62	53.31	61.81	-8.50	68.28	-14.89	100	84 RMS	Vertical


802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5787.78	65.23	74.26	-9.03	88.28	-22.97	100	89	Peak	Horizontal	
2 *	6565.08	109.94	118.16	-8.22	88.28	21.74	100	89	Peak	Horizontal	
3	7141.02	64.82	73.37	-8.55	88.28	-23.38	100	89	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5833.68	65.44	74.49	-9.05	88.28	-22.76	100	90	Peak	Vertical	
2 *	6565.08	106.12	114.34	-8.22	88.28	17.92	100	90	Peak	Vertical	
3	7175.76	65.68	74.13	-8.53	88.28	-22.60	100	90	Peak	Vertical	


802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5789.04	53.77	62.80	-9.03	68.20	-14.43	100	89 RMS	Horizontal
2 *	6565.00	97.44	105.66	-8.22	68.20	29.24	100	89 RMS	Horizontal
3	7249.38	53.43	61.93	-8.50	68.20	-14.77	100	89 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5793.90	53.86	62.88	-9.02	68.20	-14.34	100	90 RMS	Vertical
2 *	6565.00	93.69	101.91	-8.22	68.20	25.49	100	90 RMS	Vertical
3	7237.86	53.47	61.97	-8.50	68.20	-14.73	100	90 RMS	Vertical


802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5834.48	65.87	74.92	-9.05	88.28	-22.33	100		78 Peak	Horizontal	
2 *	6725.88	106.40	116.78	-8.38	88.28	28.20	100		78 Peak	Horizontal	
3	7223.64	65.26	73.77	-8.51	88.28	-22.94	100		78 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5567.82	65.09	74.57	-9.48	88.28	-23.11	100		118 Peak	Vertical	
2 *	6725.88	105.43	113.81	-8.38	88.28	17.23	100		118 Peak	Vertical	
3	7146.96	64.93	73.48	-8.55	88.28	-23.27	100		118 Peak	Vertical	


802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5788.22	53.69	62.75	-9.06	68.28	-14.51	100	78 RMS	Horizontal
2 *	6725.00	94.61	102.99	-8.38	68.28	26.41	100	78 RMS	Horizontal
3	7193.94	53.45	61.97	-8.52	68.28	-14.75	100	78 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5742.60	53.74	62.91	-9.17	68.28	-14.46	100	118 RMS	Vertical
2 *	6725.00	92.66	101.04	-8.38	68.28	24.46	100	118 RMS	Vertical
3	7248.66	53.77	62.27	-8.50	68.28	-14.43	100	118 RMS	Vertical


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5824.85	65.82	74.86	-9.04	88.28	-22.38	100	233	Peak	Horizontal	
2 *	6845.00	105.22	113.62	-8.40	88.28	17.02	100	233	Peak	Horizontal	
3	7186.92	65.73	74.25	-8.52	88.28	-22.47	100	233	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5846.28	65.78	74.76	-9.06	88.28	-22.50	100	351	Peak	Vertical	
2 *	6845.00	105.67	114.07	-8.40	88.28	17.47	100	351	Peak	Vertical	
3	7243.26	64.58	73.00	-8.58	88.28	-23.70	100	351	Peak	Vertical	