


Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1




802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	dB/m	dB					
dBuV	dBuV/m	dB					
57.88	68.20	-14.94	100		1 Peak	Horizontal	
36.01	54.00	-16.74	100	47	Average	Horizontal	
46.87	74.00	-26.68	100	47	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	dB/m	dB					
dBuV	dBuV/m	dB					
64.88	68.20	-3.32	100	155	Peak	Vertical	
40.62	54.00	-13.38	100	272	Average	Vertical	
52.50	74.00	-26.25	100	272	Peak	Vertical	




802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	52.04	57.50	-4.66	68.20	-15.36	100	360 Peak	Horizontal
2	15570.00	37.25	35.96	1.29	54.00	-16.75	300	119 Average	Horizontal
3	15570.00	50.99	49.70	1.29	74.00	-23.01	300	119 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	65.05	69.71	-4.66	68.20	-3.15	100	147 Peak	Vertical
2	15570.00	36.53	35.24	1.29	54.00	-17.47	300	284 Average	Vertical
3	15570.00	52.56	51.27	1.29	74.00	-21.44	300	284 Peak	Vertical


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	57.00	61.42	-4.42	68.20	-11.20	100	360 Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	65.01	69.43	-4.42	68.20	-3.19	100	260 Peak	Vertical	



U-NII-2A




802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10650.00	42.37	46.61	-4.24	54.00	-11.63	100	76 Average	Horizontal
2	10650.00	56.69	60.93	-4.24	74.00	-17.31	100	76 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10650.00	50.63	54.87	-4.24	54.00	-3.37	100	163 Average	Vertical
2	10650.00	63.77	68.01	-4.24	74.00	-10.23	100	163 Peak	Vertical


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	44.69	48.83	-4.14	54.00	-9.31	181	360 Average	Horizontal
2	10640.00	61.52	65.66	-4.14	74.00	-12.48	101	360 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	50.10	54.24	-4.14	54.00	-3.90	180	262 Average	Vertical
2	10640.00	66.90	71.04	-4.14	74.00	-7.10	100	262 Peak	Vertical


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
55.58	-4.28	68.20	-12.62	100	8 Peak	Horizontal	
49.16	1.75	54.00	-13.84	100	126 Average	Horizontal	
47.92	1.75	74.00	-26.08	100	126 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
64.53	-4.28	68.20	-3.67	100	191 Peak	Vertical	
42.32	1.75	54.00	-11.68	100	252 Average	Vertical	
52.35	1.75	74.00	-21.65	100	252 Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	44.58	48.77	-4.19	54.00	-9.42	100	78 Average	Horizontal
2	10620.00	54.21	58.49	-4.19	74.00	-19.79	100	78 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	50.31	54.58	-4.19	54.00	-3.69	100	195 Average	Vertical
2	10620.00	60.12	64.31	-4.19	74.00	-13.88	100	195 Peak	Vertical


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	10580.00	51.55	55.81	-4.26	68.20	-16.65	100	360	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10580.00	58.59	62.85	-4.26	68.20	-9.61	100	189	Peak	Vertical
---	----------	-------	-------	-------	-------	-------	-----	-----	------	----------



U-NII-2C




802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 11160.00	48.70	51.92	-3.22	54.00	-5.30	100	69 Average Horizontal
2 11160.00	64.85	68.07	-3.22	74.00	-9.15	100	69 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 11160.00	50.51	53.73	-3.22	54.00	-3.49	102	314 Average Vertical
2 11160.00	65.26	68.48	-3.22	74.00	-6.74	102	314 Peak Vertical


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	11400.00	46.43	49.37	-2.94	54.00	-7.57	100	288 Average Horizontal
2	11400.00	64.53	67.47	-2.94	74.00	-9.47	100	288 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	11400.00	48.80	51.74	-2.94	54.00	-5.20	100	261 Average Vertical
2	11400.00	67.24	70.18	-2.94	74.00	-6.76	100	261 Peak Vertical


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11820.00	44.71	48.11	-3.40	54.00	-9.29	180	198 Average	Horizontal
2	11820.00	58.02	61.42	-3.40	74.00	-15.98	180	198 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11820.00	49.84	53.24	-3.40	54.00	-4.16	180	188 Average	Vertical
2	11820.00	58.44	61.84	-3.40	74.00	-15.56	180	188 Peak	Vertical

802.11ax HE40

CH 110 (Horizontal)


CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
44.90	48.16	-3.26	54.00	-9.10	100	347 Average	Horizontal
56.57	59.83	-3.26	74.00	-17.43	100	347 Peak	Horizontal



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
50.73	53.99	-3.26	54.00	-3.27	100	303 Average	Vertical
59.49	62.75	-3.26	74.00	-14.51	100	303 Peak	Vertical


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	11340.00	45.36	48.35	-2.99	54.00	-8.64	100	288 Average Horizontal
2	11340.00	58.15	61.14	-2.99	74.00	-15.85	100	288 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	11340.00	50.66	53.65	-2.99	54.00	-3.34	100	263 Average Vertical
2	11340.00	64.19	67.18	-2.99	74.00	-9.81	100	263 Peak Vertical


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	34.86	38.19	-3.33	54.00	-19.14	100	360	Average Horizontal
2	11860.00	48.97	52.30	-3.33	74.00	-25.03	100	360	Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	35.00	38.33	-3.33	54.00	-19.00	200	250	Average Vertical
2	11860.00	47.30	50.63	-3.33	74.00	-26.70	200	250	Peak Vertical



802.11ax HE160

CH 114 (Horizontal)


CH 114 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	34.91	38.14	-3.23	54.00	-19.09	100	115	Average	Horizontal	
2	11140.00	48.67	51.90	-3.23	74.00	-25.33	100	115	Peak	Horizontal	



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	35.06	38.29	-3.23	54.00	-18.94	100	360	Average	Vertical	
2	11140.00	49.60	52.83	-3.23	74.00	-24.40	100	360	Peak	Vertical	

U-NII-3



802.11ax HE20

CH 157 (Horizontal)


CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	11570.00	46.73	49.48	-2.67	54.00	-7.27	100	143 Average Horizontal
2	11570.00	65.12	67.79	-2.67	74.00	-8.88	100	143 Peak Horizontal



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	11570.00	49.85	52.52	-2.67	54.00	-4.15	100	266 Average Vertical
2	11570.00	66.52	69.19	-2.67	74.00	-7.48	100	266 Peak Vertical


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	46.23	48.67	-2.44	54.00	-7.77	100	326 Average	Horizontal
2	11650.00	61.94	64.38	-2.44	74.00	-12.06	100	326 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	49.40	51.84	-2.44	54.00	-4.60	100	263 Average	Vertical
2	11650.00	67.94	70.38	-2.44	74.00	-6.06	100	263 Peak	Vertical


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	49.14	51.90	-2.76	54.00	-4.86	100	282 Average	Horizontal
2	11510.00	61.78	64.54	-2.76	74.00	-12.22	100	282 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	50.52	53.28	-2.76	54.00	-3.48	100	254 Average	Vertical
2	11510.00	62.21	64.97	-2.76	74.00	-11.79	100	254 Peak	Vertical


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	47.82	58.45	-2.63	54.00	-6.18	100	291 Average	Horizontal
2	11590.00	55.75	58.38	-2.63	74.00	-18.25	100	291 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	50.91	53.54	-2.63	54.00	-3.09	100	268 Average	Vertical
2	11590.00	61.17	63.80	-2.63	74.00	-12.83	100	268 Peak	Vertical

802.11ax HE80

CH 155 (Horizontal)


CH 155 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Freq	Level	Level	Line	Limit				
	MHz	dBuV/m	Factor	dB/m	dBuV/m	dB	cm	deg	
1	11550.00	44.52	47.22	-2.70	54.00	-9.48	100	119 Average	Horizontal
2	11550.00	58.23	60.93	-2.70	74.00	-15.77	100	119 Peak	Horizontal



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Freq	Level	Level	Line	Limit				
	MHz	dBuV/m	Factor	dB/m	dBuV/m	dB	cm	deg	
1	11550.00	50.48	53.18	-2.70	54.00	-3.52	100	262 Average	Vertical
2	11550.00	64.20	66.90	-2.70	74.00	-9.80	100	262 Peak	Vertical