


802.11ax HE40

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.58	48.29	5.03	43.26	54.00	-5.71	236	131	Average Horizontal
2 *	5518.00	104.48	61.08	43.32	54.00	50.48	236	131	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.58	47.63	4.37	43.26	54.00	-6.37	100	91	Average Vertical
2 *	5518.00	99.42	56.10	43.32	54.00	45.42	100	91	Average Vertical



802.11ax HE40



CH 110 (Horizontal) Average

CH 110 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5430.00	48.12	4.88	43.24	54.00	-5.88	221	314	Average Horizontal
2	5558.00	103.92	60.48	43.44	54.00	49.92	221	314	Average Horizontal

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.50	46.60	3.35	43.25	54.00	-7.40	115	335	Average Vertical
2	5558.00	100.96	57.52	43.44	54.00	46.96	115	335	Average Vertical

802.11ax HE40

CH 134 (Horizontal) Peak


CH 134 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5357.00	57.79	14.70	43.00	74.00	-16.30	100	308	Peak	Horizontal	
2	5467.00	56.67	13.40	43.27	68.20	-11.53	100	308	Peak	Horizontal	
3 *	5678.00	111.77	68.25	43.52	68.20	43.57	100	308	Peak	Horizontal	
4	6968.00	62.01	16.69	45.32	68.20	-6.19	100	308	Peak	Horizontal	



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5448.50	57.09	13.84	43.25	74.00	-16.91	100	334	Peak	Vertical	
2	5460.50	56.46	13.20	43.26	68.20	-11.74	100	334	Peak	Vertical	
3 *	5678.00	111.54	68.02	43.52	68.20	43.34	100	334	Peak	Vertical	
4	6905.50	61.00	15.76	45.24	68.20	-7.20	100	334	Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5444.58	46.06	2.81	43.25	54.00	-7.94	100	308 Average	Horizontal	
2 *	5670.00	101.36	57.64	43.52	54.00	47.36	100	308 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5438.00	46.94	3.78	43.24	54.00	-7.06	100	334 Average	Vertical	
2 *	5670.00	101.55	58.63	43.52	54.00	47.55	100	334 Average	Vertical	

802.11ax HE80

CH 106 (Horizontal) Peak



CH 106 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
Freq	Level	Factor	dB/m	dB				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5457.00	63.54	20.38	43.26	74.00	-10.46	250	132 Peak Horizontal
2	5466.50	65.78	22.51	43.27	68.20	-2.42	250	132 Peak Horizontal
3	5530.00	113.03	69.65	43.38	68.20	44.83	250	132 Peak Horizontal
4	6899.00	60.75	15.52	45.23	68.20	-7.45	250	132 Peak Horizontal

	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
Freq	Level	Factor	dB/m	dB				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5468.00	62.74	19.48	43.26	68.20	-5.46	100	94 Peak Vertical
2	5479.00	65.12	21.85	43.27	68.20	-3.08	100	94 Peak Vertical
3	5530.00	109.48	66.10	43.38	68.20	41.28	100	94 Peak Vertical
4	6780.50	60.35	15.44	44.91	68.20	-7.85	100	94 Peak Vertical


802.11ax HE80

CH 106 (Horizontal) Average

CH 106 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.00	52.20	8.94	43.26	54.00	-1.80	250	132	Average Horizontal
2	5538.00	102.33	58.95	43.38	54.00	48.33	250	132	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5468.00	50.07	6.81	43.26	54.00	-3.93	100	94	Average Vertical
2	5538.00	98.76	55.38	43.38	54.00	44.76	100	94	Average Vertical


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5427.50	57.37	15.08	42.29	74.00	-16.63	242	130	Peak	Horizontal	
2	5470.00	58.21	16.00	42.21	68.20	-9.99	242	130	Peak	Horizontal	
3 *	5618.00	115.53	73.27	42.26	68.20	47.33	242	130	Peak	Horizontal	
4 !	5725.50	64.55	22.06	42.49	68.20	-3.65	242	130	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5433.50	56.70	14.44	42.26	74.00	-17.30	120	40	Peak	Vertical	
2	5466.00	55.90	13.71	42.19	68.20	-12.30	120	40	Peak	Vertical	
3 *	5618.00	111.11	68.85	42.26	68.20	42.91	120	40	Peak	Vertical	
4	6614.50	59.10	15.51	43.59	68.20	-9.10	120	40	Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5442.00	45.82	3.65	42.17	54.00	-8.18	242	130	Average Horizontal
2 *	5618.00	103.91	61.65	42.26	54.00	49.91	242	130	Average Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.00	45.26	2.89	42.37	54.00	-8.74	120	40	Average Vertical
2 *	5618.00	100.21	57.95	42.26	54.00	46.21	120	40	Average Vertical

802.11ax HE160

CH 114 (Horizontal) Peak



CH 114 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
Freq	Level	Factor	dB/m	dB				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5433.00	61.14	17.90	43.24	74.00	-12.86	241	131 Peak Horizontal
2	5465.50	62.71	19.44	43.27	68.20	-5.49	241	131 Peak Horizontal
3	5578.00	105.73	62.32	43.41	68.20	37.53	241	131 Peak Horizontal
4	6940.00	60.41	15.15	45.26	68.20	-7.79	241	131 Peak Horizontal

	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
Freq	Level	Factor	dB/m	dB				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5452.00	62.41	19.16	43.25	74.00	-11.59	100	330 Peak Vertical
2	5464.50	62.59	19.33	43.26	68.20	-5.61	100	330 Peak Vertical
3	5578.00	101.54	58.13	43.41	68.20	33.34	100	330 Peak Vertical
4	6868.50	60.22	15.07	45.15	68.20	-7.98	100	330 Peak Vertical


802.11ax HE160

CH 114 (Horizontal) Average

CH 114 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 5443.58	51.31	8.06	43.25	54.00	-2.69	241	131 Average	Horizontal	
2 * 5578.00	94.78	51.37	43.41	54.00	40.78	241	131 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 5452.50	52.02	8.77	43.25	54.00	-1.98	100	330 Average	Vertical	
2 * 5578.00	91.39	47.98	43.41	54.00	37.39	100	330 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	56.35	13.91	42.44	68.20	-11.85	264	122 Peak	Horizontal	
2	5697.50	56.52	14.14	42.38	103.36	-46.84	264	122 Peak	Horizontal	
3	5715.00	56.12	13.68	42.44	109.40	-53.28	264	122 Peak	Horizontal	
4	5725.00	60.34	17.85	42.49	122.20	-61.86	264	122 Peak	Horizontal	
5	5745.00	112.77	70.19	42.58	122.20	-9.43	264	122 Peak	Horizontal	
6	5851.50	56.05	13.38	42.67	118.78	-62.73	264	122 Peak	Horizontal	
7	5873.50	56.69	14.01	42.68	105.62	-48.93	264	122 Peak	Horizontal	
8	5923.50	57.26	14.46	42.80	69.31	-12.05	264	122 Peak	Horizontal	
9	5948.00	57.86	14.94	42.92	68.20	-10.34	264	122 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5479.50	56.49	14.23	42.26	68.20	-11.71	218	299 Peak	Vertical	
2	5689.50	56.70	14.31	42.39	97.46	-40.76	218	299 Peak	Vertical	
3	5708.00	56.00	13.59	42.41	107.44	-51.44	218	299 Peak	Vertical	
4	5725.00	58.94	16.45	42.49	122.20	-63.26	218	299 Peak	Vertical	
5	5745.00	110.76	68.18	42.58	122.20	-11.44	218	299 Peak	Vertical	
6	5852.50	56.20	13.53	42.67	116.50	-60.30	218	299 Peak	Vertical	
7	5867.50	57.35	14.67	42.68	107.30	-49.95	218	299 Peak	Vertical	
8	5906.00	57.10	14.38	42.72	82.22	-25.12	218	299 Peak	Vertical	
9	5958.50	57.23	14.28	42.95	68.20	-10.97	218	299 Peak	Vertical	


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5556.00	56.49	14.22	42.27	68.20	-11.71	241	309	Peak	Horizontal	
2	5652.00	57.00	14.56	42.44	69.69	-12.69	241	309	Peak	Horizontal	
3	5719.00	56.25	13.78	42.47	110.52	-54.27	241	309	Peak	Horizontal	
4	5721.00	56.84	14.37	42.47	113.08	-56.24	241	309	Peak	Horizontal	
5	5785.00	113.57	70.87	42.70	122.20	-8.63	241	309	Peak	Horizontal	
6	5853.00	56.39	13.72	42.67	115.36	-58.97	241	309	Peak	Horizontal	
7	5866.50	57.23	14.55	42.68	107.58	-50.35	241	309	Peak	Horizontal	
8	5911.00	57.01	14.27	42.74	78.53	-21.52	241	309	Peak	Horizontal	
9	5937.50	57.08	14.21	42.87	68.20	-11.12	241	309	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5593.50	56.45	14.23	42.22	68.20	-11.75	100	94	Peak	Vertical	
2	5680.00	56.87	14.47	42.40	90.44	-33.57	100	94	Peak	Vertical	
3	5709.50	56.62	14.20	42.42	107.86	-51.24	100	94	Peak	Vertical	
4	5721.00	56.52	14.05	42.47	113.08	-56.56	100	94	Peak	Vertical	
5	5785.00	110.58	67.88	42.70	122.20	-11.62	100	94	Peak	Vertical	
6	5855.00	56.29	13.62	42.67	110.00	-54.51	100	94	Peak	Vertical	
7	5859.00	57.01	14.34	42.67	109.68	-52.67	100	94	Peak	Vertical	
8	5912.50	56.62	13.86	42.76	77.42	-20.80	100	94	Peak	Vertical	
9	5929.00	56.89	14.05	42.84	68.20	-11.31	100	94	Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5633.00	55.94	13.58	42.36	68.20	-12.26	134	310	Peak	Horizontal	
2	5655.50	57.71	15.27	42.44	72.29	-14.58	134	310	Peak	Horizontal	
3	5720.00	55.58	13.21	42.37	105.20	-49.62	134	310	Peak	Horizontal	
4	5720.00	55.28	12.81	42.47	110.80	-55.52	134	310	Peak	Horizontal	
5	5825.00	113.66	70.96	42.70	122.20	-8.54	134	310	Peak	Horizontal	
6	5851.00	55.53	12.86	42.67	119.92	-64.39	134	310	Peak	Horizontal	
7	5863.50	56.01	13.33	42.68	108.42	-52.41	134	310	Peak	Horizontal	
8	5900.50	56.53	13.83	42.70	86.29	-29.76	134	310	Peak	Horizontal	
9	5938.00	56.54	13.67	42.87	68.20	-11.66	134	310	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5636.00	55.74	13.37	42.37	68.20	-12.46	100	55	Peak	Vertical	
2	5650.50	56.36	13.92	42.44	68.57	-12.21	100	55	Peak	Vertical	
3	5710.00	55.91	13.49	42.42	108.00	-52.09	100	55	Peak	Vertical	
4	5724.50	54.48	11.99	42.49	121.06	-66.58	100	55	Peak	Vertical	
5	5825.00	110.56	67.86	42.70	122.20	-11.64	100	55	Peak	Vertical	
6	5854.50	55.95	13.28	42.67	111.94	-55.99	100	55	Peak	Vertical	
7	5869.50	55.65	12.97	42.68	106.74	-51.09	100	55	Peak	Vertical	
8	5899.50	57.36	14.66	42.70	87.03	-29.67	100	55	Peak	Vertical	
9	5931.00	57.07	14.23	42.84	68.20	-11.13	100	55	Peak	Vertical	

802.11ax HE20
CH 149 (Horizontal) Peak
CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5643.00	56.23	13.82	42.41	68.20	-11.97	100	298 Peak Horizontal
2	5663.00	56.32	13.90	42.42	77.85	-21.53	100	298 Peak Horizontal
3	5719.00	56.51	14.04	42.47	110.52	-54.01	100	298 Peak Horizontal
4	5723.00	57.37	14.89	42.48	117.64	-60.27	100	298 Peak Horizontal
5	5745.00	111.89	69.31	42.58	122.20	-10.31	100	298 Peak Horizontal
6	5853.50	56.15	13.48	42.67	114.22	-58.07	100	298 Peak Horizontal
7	5868.00	57.13	14.45	42.68	107.16	-50.03	100	298 Peak Horizontal
8	5909.50	58.21	15.47	42.74	79.64	-21.43	100	298 Peak Horizontal
9	5925.50	57.12	14.31	42.81	68.20	-11.08	100	298 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5603.00	56.44	14.22	42.22	68.20	-11.76	146	333 Peak Vertical
2	5676.00	57.64	15.23	42.41	67.48	-29.84	146	333 Peak Vertical
3	5720.00	56.89	14.42	42.47	110.80	-53.91	146	333 Peak Vertical
4	5725.00	60.81	18.32	42.49	122.20	-61.39	146	333 Peak Vertical
5	5745.00	111.29	68.71	42.58	122.20	-10.91	146	333 Peak Vertical
6	5850.00	55.97	13.30	42.67	122.20	-66.23	146	333 Peak Vertical
7	5867.50	56.48	13.80	42.68	107.30	-50.82	146	333 Peak Vertical
8	5916.00	56.42	13.65	42.77	74.84	-18.42	146	333 Peak Vertical
9	5927.50	57.06	14.23	42.83	68.20	-11.14	146	333 Peak Vertical


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5613.00	57.23	14.96	42.27	68.20	-10.97	238	124	Peak	Horizontal	
2	5677.50	56.88	14.48	42.40	89.59	-31.71	238	124	Peak	Horizontal	
3	5708.00	56.38	13.97	42.41	107.44	-51.06	238	124	Peak	Horizontal	
4	5720.00	55.93	13.46	42.47	110.80	-54.87	238	124	Peak	Horizontal	
5	5785.00	116.35	73.65	42.70	122.20	-5.85	238	124	Peak	Horizontal	
6	5855.00	55.70	13.03	42.67	118.00	-55.10	238	124	Peak	Horizontal	
7	5862.00	56.50	13.83	42.67	108.84	-52.34	238	124	Peak	Horizontal	
8	5912.50	56.77	14.01	42.76	77.42	-20.65	238	124	Peak	Horizontal	
9	5992.00	56.57	13.53	43.04	68.20	-11.63	238	124	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5622.50	56.78	14.46	42.32	68.20	-11.42	100	333	Peak	Vertical	
2	5668.00	56.01	13.60	42.41	81.56	-25.55	100	333	Peak	Vertical	
3	5715.00	57.16	14.72	42.44	109.40	-52.24	100	333	Peak	Vertical	
4	5723.00	56.27	13.79	42.48	117.64	-61.37	100	333	Peak	Vertical	
5	5785.00	113.28	70.58	42.70	122.20	-8.92	100	333	Peak	Vertical	
6	5855.00	55.96	13.29	42.67	118.00	-54.84	100	333	Peak	Vertical	
7	5863.50	56.65	13.97	42.68	108.42	-51.77	100	333	Peak	Vertical	
8	5911.50	57.55	14.79	42.76	78.16	-20.61	100	333	Peak	Vertical	
9	5978.50	57.79	14.78	43.01	68.20	-10.41	100	333	Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5584.50	56.41	14.07	42.34	68.20	-11.79	100	298	Peak	Horizontal	
2	5691.50	57.18	14.79	42.39	98.93	-41.75	100	298	Peak	Horizontal	
3	5703.00	57.37	14.98	42.39	106.04	-48.67	100	298	Peak	Horizontal	
4	5722.00	55.78	13.30	42.48	116.50	-60.72	100	298	Peak	Horizontal	
5	5825.00	114.65	71.95	42.70	122.20	-7.55	100	298	Peak	Horizontal	
6	5851.00	58.34	15.67	42.67	119.92	-61.58	100	298	Peak	Horizontal	
7	5859.00	55.71	14.04	42.67	109.68	-52.97	100	298	Peak	Horizontal	
8	5909.50	57.42	14.68	42.74	79.64	-22.22	100	298	Peak	Horizontal	
9	5949.50	57.24	14.31	42.93	68.20	-10.96	100	298	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5631.00	56.26	13.91	42.35	68.20	-11.94	100	297	Peak	Vertical	
2	5652.50	56.13	13.70	42.43	70.06	-13.93	100	297	Peak	Vertical	
3	5710.00	56.17	13.75	42.42	108.00	-51.83	100	297	Peak	Vertical	
4	5722.00	55.93	13.45	42.48	115.36	-59.43	100	297	Peak	Vertical	
5	5825.00	112.15	69.45	42.70	122.20	-10.05	100	297	Peak	Vertical	
6	5851.00	56.93	14.26	42.67	119.92	-62.99	100	297	Peak	Vertical	
7	5863.00	56.85	14.17	42.68	108.56	-51.71	100	297	Peak	Vertical	
8	5907.00	57.39	14.66	42.73	81.48	-24.09	100	297	Peak	Vertical	
9	5938.00	57.00	14.13	42.87	68.20	-11.20	100	297	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5613.00	56.44	14.17	42.27	68.20	-11.76	229	318	Peak	Horizontal	
2	5685.50	55.79	14.39	42.40	94.50	-37.71	229	318	Peak	Horizontal	
3	5719.00	62.91	20.44	42.47	110.52	-47.61	229	318	Peak	Horizontal	
4	5723.50	66.63	24.15	42.48	118.78	-52.15	229	318	Peak	Horizontal	
5	5755.00	114.14	71.52	42.62	122.20	-8.06	229	318	Peak	Horizontal	
6	5854.00	55.29	12.62	42.67	113.08	-57.79	229	318	Peak	Horizontal	
7	5875.00	56.67	13.99	42.68	105.28	-48.53	229	318	Peak	Horizontal	
8	5916.50	56.69	13.91	42.78	74.47	-17.78	229	318	Peak	Horizontal	
9	5988.00	56.93	13.92	43.01	68.20	-11.27	229	318	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5618.50	56.43	14.14	42.29	68.20	-11.77	100	331	Peak	Vertical	
2	5675.00	57.42	15.01	42.41	86.74	-29.32	100	331	Peak	Vertical	
3	5728.00	62.79	20.32	42.47	110.80	-48.01	100	331	Peak	Vertical	
4	5723.50	66.50	24.02	42.48	118.78	-52.28	100	331	Peak	Vertical	
5	5755.00	111.68	69.06	42.62	122.20	-10.52	100	331	Peak	Vertical	
6	5856.00	55.35	12.68	42.67	122.20	-66.85	100	331	Peak	Vertical	
7	5869.50	55.90	13.22	42.68	106.74	-50.84	100	331	Peak	Vertical	
8	5883.50	56.53	13.84	42.69	98.89	-42.36	100	331	Peak	Vertical	
9	5953.00	57.14	14.20	42.94	68.20	-11.06	100	331	Peak	Vertical	

802.11ax HE40

CH 159 (Horizontal) Peak



CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5683.00	56.37	14.15	42.22	68.20	-11.83	100	304 Peak	Horizontal	
2	5694.00	56.82	13.64	42.38	100.73	-44.76	100	304 Peak	Horizontal	
3	5711.50	56.58	14.15	42.43	108.42	-51.84	100	304 Peak	Horizontal	
4	5720.00	55.33	12.86	42.47	110.80	-55.47	100	304 Peak	Horizontal	
5	5795.00	112.43	69.71	42.72	122.20	-9.77	100	304 Peak	Horizontal	
6	5850.00	56.51	13.84	42.67	122.20	-65.69	100	304 Peak	Horizontal	
7	5872.00	55.83	13.15	42.68	106.84	-50.21	100	304 Peak	Horizontal	
8	5923.50	57.29	14.49	42.80	69.31	-12.02	100	304 Peak	Horizontal	
9	5972.00	56.88	13.90	42.98	68.20	-11.32	100	304 Peak	Horizontal	

Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5634.00	56.23	13.86	42.37	68.20	-11.97	100	80 Peak	Vertical	
2	5699.00	56.98	14.61	42.37	104.46	-47.48	100	80 Peak	Vertical	
3	5712.00	57.13	14.70	42.43	108.56	-51.43	100	80 Peak	Vertical	
4	5720.00	56.70	14.23	42.47	110.80	-54.10	100	80 Peak	Vertical	
5	5795.00	111.90	69.18	42.72	122.20	-10.30	100	80 Peak	Vertical	
6	5850.00	58.16	15.49	42.67	122.20	-64.04	100	80 Peak	Vertical	
7	5869.00	56.35	13.67	42.68	106.88	-50.53	100	80 Peak	Vertical	
8	5911.50	57.16	14.40	42.76	78.16	-21.00	100	80 Peak	Vertical	
9	5979.00	57.51	14.50	43.01	68.20	-10.69	100	80 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.00	58.71	16.30	42.41	68.20	-9.49	228	126 Peak	Horizontal	
2	5790.00	65.10	22.73	42.37	105.20	-40.10	228	126 Peak	Horizontal	
3	5719.50	70.96	28.49	42.47	110.66	-39.70	228	126 Peak	Horizontal	
4	5720.50	71.18	28.71	42.47	111.94	-40.76	228	126 Peak	Horizontal	
5	5775.00	110.65	67.98	42.67	122.20	-11.55	228	126 Peak	Horizontal	
6	5851.50	61.73	19.06	42.67	118.78	-57.05	228	126 Peak	Horizontal	
7	5859.00	60.92	18.25	42.67	109.68	-48.76	228	126 Peak	Horizontal	
8	5878.00	58.98	16.30	42.68	102.97	-43.99	228	126 Peak	Horizontal	
9	5961.50	57.27	14.31	42.96	68.20	-10.93	228	126 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	56.69	14.26	42.43	68.20	-11.51	100	192 Peak	Vertical	
2	5790.00	63.43	21.06	42.37	105.20	-41.77	100	192 Peak	Vertical	
3	5719.50	68.65	26.18	42.47	110.66	-42.01	100	192 Peak	Vertical	
4	5720.00	67.68	25.21	42.47	110.80	-43.12	100	192 Peak	Vertical	
5	5775.00	106.88	64.21	42.67	122.20	-15.32	100	192 Peak	Vertical	
6	5851.00	61.12	18.45	42.67	119.92	-50.80	100	192 Peak	Vertical	
7	5857.50	59.44	16.77	42.67	110.10	-50.66	100	192 Peak	Vertical	
8	5880.00	57.30	14.61	42.69	101.49	-44.19	100	192 Peak	Vertical	
9	5954.00	57.23	14.29	42.94	68.20	-10.97	100	192 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-2C


802.11ax HE80

CH 106(Open) (9kHz ~ 150kHz)

CH 106(Open) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	57.59	38.64	18.95	119.13	-61.54	100	115	Peak	Open	
2	0.05	47.98	28.95	19.03	113.82	-65.04	100	202	Peak	Open	
3	0.06	45.64	26.77	18.87	111.98	-66.34	100	176	Peak	Open	
4	0.08	43.00	24.61	18.39	109.50	-66.50	100	202	Peak	Open	
5	0.09	38.55	20.41	18.14	108.44	-69.89	100	172	Peak	Open	
6	0.11	36.08	18.10	17.98	106.54	-70.46	100	178	Peak	Open	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.39	37.35	18.56	18.79	95.81	-58.46	100	86	Peak	Open	
2	0.69	34.46	15.53	18.93	70.79	-36.33	100	204	Peak	Open	
3	5.46	30.96	11.28	19.68	69.50	-38.54	100	97	Peak	Open	
4	14.51	31.76	9.89	21.87	69.50	-37.74	100	89	Peak	Open	
5	20.90	34.85	12.60	22.25	69.50	-34.65	100	205	Peak	Open	
6	25.55	34.41	12.12	22.29	69.50	-35.09	100	48	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-2C


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	38.73	29.11	37.37	-8.26	48.00	-18.89	380	261	Peak	Horizontal	
2	156.77	24.89	31.82	-6.93	43.50	-18.61	200	263	Peak	Horizontal	
3	252.13	36.20	44.17	-7.97	46.00	-9.80	100	122	Peak	Horizontal	
4	416.06	37.23	41.33	-4.10	46.00	-8.77	100	225	Peak	Horizontal	
5	627.52	29.41	29.09	0.32	46.00	-16.59	100	58	Peak	Horizontal	
6	852.56	34.24	38.59	-4.35	46.00	-11.76	100	226	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	43.58	33.67	41.16	-7.49	48.00	-14.33	180	157	Peak	Vertical	
2	100.81	28.46	40.40	-11.94	43.50	-15.04	100	37	Peak	Vertical	
3	252.13	32.37	40.34	-7.97	46.00	-13.63	100	54	Peak	Vertical	
4	416.06	36.38	40.48	-4.10	46.00	-9.62	125	0	Peak	Vertical	
5	728.40	32.83	31.19	1.64	46.00	-13.17	100	80	Peak	Vertical	
6	845.77	33.62	29.92	3.70	46.00	-12.38	100	302	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10368.00	62.80	67.51	-4.71	68.20	-5.40	100	53 Peak	Horizontal
2	15540.00	40.35	39.01	1.34	54.00	-13.65	100	285 Average	Horizontal
3	15540.00	55.47	54.13	1.34	74.00	-18.53	100	285 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10368.00	64.68	69.39	-4.71	68.20	-3.52	100	189 Peak	Vertical
2	15540.00	43.75	42.41	1.34	54.00	-10.25	400	257 Average	Vertical
3	15540.00	61.73	60.39	1.34	74.00	-12.27	400	257 Peak	Vertical


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	58.54	63.16	-4.62	68.20	-9.66	100	58 Peak	Horizontal
2	15600.00	35.34	34.09	1.25	54.00	-18.66	300	123 Average	Horizontal
3	15600.00	49.39	48.14	1.25	74.00	-24.61	300	123 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	64.77	69.39	-4.62	68.20	-3.43	100	178 Peak	Vertical
2	15600.00	39.69	38.44	1.25	54.00	-14.31	100	22 Average	Vertical
3	15600.00	55.28	54.03	1.25	74.00	-18.72	100	22 Peak	Vertical


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10488.00	58.23	62.59	-4.36	68.20	-9.97	100	357	Peak	Horizontal	
2	15720.00	35.25	34.39	1.86	54.00	-17.75	100	157	Average	Horizontal	
3	15720.00	52.23	50.37	1.86	74.00	-21.77	100	157	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10488.00	64.19	68.55	-4.36	68.20	-4.01	100	268	Peak	Vertical	
2	15720.00	37.62	35.76	1.86	54.00	-16.38	100	14	Average	Vertical	
3	15720.00	59.50	57.64	1.86	74.00	-14.50	100	14	Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10368.00	56.79	61.50	-4.71	68.20	-11.41	100	62 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10368.00	64.49	69.20	-4.71	68.20	-3.71	102	153 Peak	Vertical	

802.11ax HE20



CH 40 (Horizontal)

CH 40 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10400.00	56.86	61.48	-4.62	68.20	-11.34	100	62	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------

1	10400.00	64.02	68.64	-4.62	68.20	-4.18	100	160	Peak	Vertical
---	----------	-------	-------	-------	-------	-------	-----	-----	------	----------


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	56.79	61.15	-4.36	68.20	-11.41	100	67 Peak	Horizontal
2	15720.00	40.98	39.12	1.86	54.00	-13.02	100	99 Average	Horizontal
3	15720.00	52.79	50.93	1.86	74.00	-21.21	100	99 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	64.72	69.08	-4.36	68.20	-3.48	101	259 Peak	Vertical
2	15720.00	46.06	44.20	1.86	54.00	-7.94	100	16 Average	Vertical
3	15720.00	58.11	56.25	1.86	74.00	-15.89	100	16 Peak	Vertical

802.11ax HE40

CH 38 (Horizontal)


CH 38 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10388.00	51.82	56.48	-4.66	68.20	-16.38	101	360	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	10388.00	54.55	59.21	-4.66	68.20	-13.65	100	171	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11ax HE40



CH 46 (Horizontal)

CH 46 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10468.00	54.56	58.98	-4.42	68.20	-13.64	100	32	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------

1	10468.00	65.16	69.58	-4.42	68.20	-3.04	100	281	Peak	Vertical
---	----------	-------	-------	-------	-------	-------	-----	-----	------	----------

802.11ax HE80

CH 42 (Horizontal)


CH 42 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	10420.00	43.70	48.25	-4.55	68.20	-24.50	200	316	Peak	Horizontal	
Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				



1	10420.00	49.26	53.81	-4.55	68.20	-18.94	100	260	Peak	Vertical	
Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				

U-NII-2A




802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	42.63	46.87	-4.24	54.00	-11.37	100	360	Average Horizontal
2	10690.00	58.83	62.27	-4.24	74.00	-15.97	100	360	Peak Horizontal
3	15900.00	36.12	34.25	1.87	54.00	-17.88	100	111	Average Horizontal
4	15900.00	49.46	47.59	1.87	74.00	-24.54	100	111	Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	50.17	54.41	-4.24	54.00	-3.83	100	265	Average Vertical
2	10690.00	65.12	69.36	-4.24	74.00	-8.88	100	265	Peak Vertical
3	15900.00	35.86	33.99	1.87	54.00	-18.14	100	28	Average Vertical
4	15900.00	49.67	47.80	1.87	74.00	-24.33	100	28	Peak Vertical


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4							
10648.00	10648.00	15968.00	15968.00							
Freq	Level	Read	Limit							
MHz	dBuV/m	Level	Line							
		Factor	Limit							
		dBuV	dBuV/m							
			dB							
		Over	Limit							
		Limit	dB							
		APos	TPos							
		cm	deg							
		Remark	Pol/Phase							
		Note								
1	42.97	47.11	-4.14	54.00	-11.83	100	360	Average	Horizontal	
2	57.99	62.13	-4.14	74.00	-16.01	100	360	Peak	Horizontal	
3	35.63	33.49	2.14	54.00	-18.37	120	360	Average	Horizontal	
4	49.68	47.54	2.14	74.00	-24.32	120	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4							
10648.00	10648.00	15968.00	15968.00							
Freq	Level	Read	Limit							
MHz	dBuV/m	Level	Line							
		Factor	Limit							
		dBuV	dBuV/m							
			dB							
		Over	Limit							
		Limit	dB							
		APos	TPos							
		cm	deg							
		Remark	Pol/Phase							
		Note								
1	50.61	54.75	-4.14	54.00	-3.39	100	266	Average	Vertical	
2	65.72	69.86	-4.14	74.00	-8.28	100	266	Peak	Vertical	
3	35.72	33.58	2.14	54.00	-18.28	100	69	Average	Vertical	
4	49.28	47.14	2.14	74.00	-24.72	100	69	Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10528.00	58.95	63.24	-4.29	68.20	-9.25	100	66 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10528.00	64.43	68.72	-4.29	68.20	-3.77	100	261 Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal)



CH 60 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	43.53	47.77	-4.24	54.00	-10.47	100	1	Average Horizontal
2	10690.00	57.12	61.36	-4.24	74.00	-16.88	100	1	Peak Horizontal

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	48.78	53.02	-4.24	54.00	-5.22	100	262	Average Vertical
2	10690.00	64.73	68.97	-4.24	74.00	-9.27	100	262	Peak Vertical

802.11ax HE20

CH 64 (Horizontal)



CH 64 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10648.00	42.43	46.57	-4.14	54.00	-11.57	100	360	Average Horizontal
2	10648.00	56.49	60.63	-4.14	74.00	-17.51	100	360	Peak Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10648.00	50.22	54.36	-4.14	54.00	-3.78	100	266	Average Vertical
2	10648.00	64.03	68.17	-4.14	74.00	-9.97	100	266	Peak Vertical


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	55.94	60.22	-4.28	68.20	-12.26	100	358 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	64.23	68.51	-4.28	68.20	-3.97	100	280 Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	42.44	46.63	-4.19	54.00	-11.56	100	1	Average Horizontal
2	10620.00	49.74	53.93	-4.19	74.00	-24.26	100	1	Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	50.29	54.48	-4.19	54.00	-3.71	114	260	Average Vertical
2	10620.00	58.98	63.17	-4.19	74.00	-15.02	114	260	Peak Vertical

802.11ax HE80

CH 58 (Horizontal)


CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10588.00	49.20	53.46	-4.26	68.20	-19.00	100	158	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	10588.00	52.60	56.86	-4.26	68.20	-15.60	100	254	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10500.00	48.57	52.87	-4.30	68.20	-19.63	100	70	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10500.00	53.75	58.05	-4.30	68.20	-14.45	100	276	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	dB	cm	deg		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11980.00	44.80	48.23	-3.43	54.00	-9.20	102	338	Average Horizontal
2	11980.00	54.00	57.43	-3.43	74.00	-20.00	102	338	Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	dB	cm	deg		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11980.00	49.46	52.89	-3.43	54.00	-4.54	100	259	Average Vertical
2	11980.00	59.77	63.20	-3.43	74.00	-14.23	100	259	Peak Vertical

802.11a

CH 116 (Horizontal)


CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11160.00	48.35	51.57	-3.22	54.00	-5.65	100	345 Average	Horizontal	
2 11160.00	63.46	66.68	-3.22	74.00	-10.54	100	345 Peak	Horizontal	



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11160.00	50.67	53.89	-3.22	54.00	-3.33	187	299 Average	Vertical	
2 11160.00	66.32	69.54	-3.22	74.00	-7.68	187	299 Peak	Vertical	

802.11a



CH 140 (Horizontal)

CH 140 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11480.00	58.99	53.93	-2.94	54.00	-3.01	113	258 Average	Vertical
2	11480.00	61.79	64.73	-2.94	74.00	-12.21	113	258 Peak	Vertical

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11480.00	44.79	47.73	-2.94	54.00	-9.21	114	278 Average	Horizontal
2	11480.00	59.21	62.15	-2.94	74.00	-14.79	114	278 Peak	Horizontal

802.11ax HE20

CH 100 (Horizontal)



CH 100 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	44.87	48.09	-3.22	54.00	-9.13	100	195 Average	Horizontal
2	11160.00	57.60	60.82	-3.22	74.00	-16.40	100	195 Peak	Horizontal

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	49.71	52.93	-3.22	54.00	-4.29	106	301 Average	VERTICAL
2	11160.00	61.04	65.06	-3.22	74.00	-12.16	106	301 Peak	VERTICAL

802.11ax HE20



CH 116 (Horizontal)

CH 116 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11160.00	42.61	45.83	-3.22	54.00	-11.39	100	252	Average	Horizontal
2	11160.00	49.70	52.92	-3.22	74.00	-24.30	100	252	Peak	Horizontal

1	11160.00	49.71	52.93	-3.22	54.00	-4.29	100	160	Average	Vertical
2	11160.00	53.86	57.08	-3.22	74.00	-20.14	100	160	Peak	Vertical

802.11ax HE20



CH 140 (Horizontal)

CH 140 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	49.99	52.93	-2.94	54.00	-4.01	100	257 Average	Vertical
2	11400.00	62.55	65.49	-2.94	74.00	-11.45	100	257 Peak	Vertical

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	44.02	46.96	-2.94	54.00	-9.98	100	277 Average	Horizontal
2	11400.00	56.43	59.37	-2.94	74.00	-17.57	100	277 Peak	Horizontal

802.11ax HE40

CH 102 (Horizontal)



CH 102 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11820.00	37.55	40.95	-3.40	54.00	-16.45	100	297 Average	Horizontal
2	11820.00	51.11	54.51	-3.40	74.00	-22.89	100	297 Peak	Horizontal

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11820.00	43.17	46.57	-3.40	54.00	-10.83	100	256 Average	Vertical
2	11820.00	57.71	61.11	-3.40	74.00	-16.29	100	256 Peak	Vertical

802.11ax HE40



CH 110 (Horizontal)

CH 110 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11100.00	45.07	48.33	-3.26	54.00	-8.93	100	347	Average	Horizontal
2	11100.00	52.35	55.61	-3.26	74.00	-21.65	100	347	Peak	Horizontal

1	11100.00	49.69	52.95	-3.26	54.00	-4.31	100	150	Average	Vertical
2	11100.00 <td>56.47 <td>59.73 <td>-3.26 <td>74.00 <td>-17.53 <td>100 <th>150</th> <th>Peak</th> <th>Vertical</th> </td></td></td></td></td></td>	56.47 <td>59.73 <td>-3.26 <td>74.00 <td>-17.53 <td>100 <th>150</th> <th>Peak</th> <th>Vertical</th> </td></td></td></td></td>	59.73 <td>-3.26 <td>74.00 <td>-17.53 <td>100 <th>150</th> <th>Peak</th> <th>Vertical</th> </td></td></td></td>	-3.26 <td>74.00 <td>-17.53 <td>100 <th>150</th> <th>Peak</th> <th>Vertical</th> </td></td></td>	74.00 <td>-17.53 <td>100 <th>150</th> <th>Peak</th> <th>Vertical</th> </td></td>	-17.53 <td>100 <th>150</th> <th>Peak</th> <th>Vertical</th> </td>	100 <th>150</th> <th>Peak</th> <th>Vertical</th>	150	Peak	Vertical

802.11ax HE40

CH 134 (Horizontal)



CH 134 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
11340.00	45.31	48.30	-2.99	54.00	-8.69	100	274	Average	Horizontal	
11340.00	54.07	57.06	-2.99	74.00	-19.93	100	274	Peak	Horizontal	

1	2	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
11340.00	50.95	53.94	-2.99	54.00	-3.05	100	257	Average	Vertical	
11340.00	63.73	66.73	-2.99	74.00	-13.26	100	257	Peak	Vertical	