


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Level  | Factor | Limit | Over   | Apos   | Tpos | Remark   | Pol/Phase  | Note |
|-------------|--------|--------|-------|--------|--------|------|----------|------------|------|
| Freq        | Level  |        | Line  | Limit  |        |      |          |            |      |
| MHz         | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1 10580.000 | 47.76  | 51.24  | -3.48 | 68.20  | -26.44 | 200  | 279 Peak | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Level  | Factor | Limit | Over   | Apos   | Tpos | Remark   | Pol/Phase | Note |
|-------------|--------|--------|-------|--------|--------|------|----------|-----------|------|
| Freq        | Level  |        | Line  | Limit  |        |      |          |           |      |
| MHz         | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 10580.000 | 53.53  | 57.81  | -3.48 | 68.20  | -14.67 | 112  | 360 Peak | Vertical  |      |


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit  | Over  | APos   | TPos   | Remark | Pol/Phase | Note                |
|-------------|--------|-------|--------|--------|--------|-----------|---------------------|
| Freq        | Level  | Level | Factor | Line   | Limit  |           |                     |
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm        | deg                 |
| 1 10580.000 | 44.46  | 47.99 | -3.53  | 68.20  | -23.74 | 200       | 354 Peak Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit  | Over  | APos   | TPos   | Remark | Pol/Phase | Note              |
|-------------|--------|-------|--------|--------|--------|-----------|-------------------|
| Freq        | Level  | Level | Factor | Line   | Limit  |           |                   |
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm        | deg               |
| 1 10580.000 | 52.26  | 55.79 | -3.53  | 68.20  | -15.94 | 118       | 360 Peak Vertical |

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit    | Over         | APos  | TPos   | Remark | Pol/Phase | Note |             |            |
|------|----------|--------------|-------|--------|--------|-----------|------|-------------|------------|
| Freq | Level    | Level Factor | Line  | Limit  |        |           |      |             |            |
| MHz  | dBuV/m   | dBuV         | dB/m  | dBuV/m | dB     | cm        | deg  |             |            |
| 1    | 11000.00 | 36.71        | 39.34 | -2.63  | 54.00  | -17.29    | 100  | 190 Average | Horizontal |
| 2    | 11000.00 | 51.09        | 53.72 | -2.63  | 74.00  | -22.91    | 100  | 190 Peak    | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit    | Over         | APos  | TPos   | Remark | Pol/Phase | Note |             |          |
|------|----------|--------------|-------|--------|--------|-----------|------|-------------|----------|
| Freq | Level    | Level Factor | Line  | Limit  |        |           |      |             |          |
| MHz  | dBuV/m   | dBuV         | dB/m  | dBuV/m | dB     | cm        | deg  |             |          |
| 1    | 11000.00 | 42.21        | 44.84 | -2.63  | 54.00  | -11.79    | 309  | 357 Average | Vertical |
| 2    | 11000.00 | 57.02        | 59.65 | -2.63  | 74.00  | -16.98    | 309  | 357 Peak    | Vertical |


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|--------|--------|--------|------|------|---------|------------|------|
| Level  | Line   | Limit  |      |      |         |            |      |
| Factor |        |        |      |      |         |            |      |
| dBuV   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 38.45  | 54.00  | -18.00 | 100  | 273  | Average | Horizontal |      |
| 52.98  | 74.00  | -23.55 | 100  | 273  | Peak    | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|--------|--------|--------|------|------|---------|-----------|------|
| Level  | Line   | Limit  |      |      |         |           |      |
| Factor |        |        |      |      |         |           |      |
| dBuV   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 41.81  | 54.00  | -14.72 | 336  | 11   | Average | Vertical  |      |
| 55.34  | 74.00  | -21.19 | 336  | 11   | Peak    | Vertical  |      |


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit  | Over  | APos  | TPos   | Remark | Pol/Phase   | Note       |
|--------|--------|-------|-------|--------|--------|-------------|------------|
| Level  | Line   | Limit |       |        |        |             |            |
| Factor |        |       |       |        |        |             |            |
| dBuV   | dBuV/m | dB    | cm    | deg    |        |             |            |
| 34.97  | 37.23  | -2.26 | 54.00 | -19.03 | 400    | 360 Average | Horizontal |
| 48.16  | 50.42  | -2.26 | 74.00 | -25.84 | 400    | 360 Peak    | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit  | Over  | APos  | TPos   | Remark | Pol/Phase   | Note     |
|--------|--------|-------|-------|--------|--------|-------------|----------|
| Level  | Line   | Limit |       |        |        |             |          |
| Factor |        |       |       |        |        |             |          |
| dBuV   | dBuV/m | dB    | cm    | deg    |        |             |          |
| 41.12  | 43.38  | -2.26 | 54.00 | -12.88 | 334    | 360 Average | Vertical |
| 55.33  | 57.59  | -2.26 | 74.00 | -16.67 | 334    | 360 Peak    | Vertical |


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit    | Over  | APos  | TPos  | Remark | Pol/Phase | Note |             |            |
|--------|----------|-------|-------|-------|--------|-----------|------|-------------|------------|
| Level  | Line     | Limit |       |       |        |           |      |             |            |
| Factor |          |       |       |       |        |           |      |             |            |
| dBuV   | dBuV/m   | dB    | cm    | deg   |        |           |      |             |            |
| 1      | 11000.00 | 43.12 | 45.75 | -2.63 | 54.00  | -10.88    | 100  | 269 Average | Horizontal |
| 2      | 11000.00 | 57.33 | 59.96 | -2.63 | 74.00  | -16.67    | 100  | 269 Peak    | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit    | Over  | APos  | TPos  | Remark | Pol/Phase | Note |             |          |
|--------|----------|-------|-------|-------|--------|-----------|------|-------------|----------|
| Level  | Line     | Limit |       |       |        |           |      |             |          |
| Factor |          |       |       |       |        |           |      |             |          |
| dBuV   | dBuV/m   | dB    | cm    | deg   |        |           |      |             |          |
| 1      | 11000.00 | 51.00 | 53.63 | -2.63 | 54.00  | -3.00     | 375  | 360 Average | Vertical |
| 2      | 11000.00 | 66.91 | 69.54 | -2.63 | 74.00  | -7.00     | 375  | 360 Peak    | Vertical |


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2024-04-02

| Freq | Level    | Read Level | Factor | Limit Line | Over Limit | APos   | TPos | Remark      | Pol/Phase  | Note |
|------|----------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz  | dBuV/m   | dBuV       | dB/m   | dBuV/m     | dB         | cm     | deg  |             |            |      |
| 1    | 11160.00 | 46.85      | 49.38  | -2.53      | 54.00      | -7.15  | 100  | 277 Average | Horizontal |      |
| 2    | 11160.00 | 61.27      | 63.80  | -2.53      | 74.00      | -12.73 | 100  | 277 Peak    | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2024-04-02

| Freq | Level    | Read Level | Factor | Limit Line | Over Limit | APos  | TPos | Remark      | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|-------|------|-------------|-----------|------|
| MHz  | dBuV/m   | dBuV       | dB/m   | dBuV/m     | dB         | cm    | deg  |             |           |      |
| 1    | 11160.00 | 50.54      | 53.07  | -2.53      | 54.00      | -3.46 | 120  | 360 Average | Vertical  |      |
| 2    | 11160.00 | 68.30      | 70.83  | -2.53      | 74.00      | -5.70 | 120  | 360 Peak    | Vertical  |      |


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level    | Level Factor | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|----------|--------------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m   | dBuV         | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 11483.00 | 45.21        | 47.47 | -2.26  | 54.00 | -8.79  | 100    | 265 Average | Horizontal |
| 2    | 11483.00 | 57.61        | 59.87 | -2.26  | 74.00 | -16.39 | 100    | 265 Peak    | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level    | Level Factor | Limit | Over   | APos  | TPos  | Remark | Pol/Phase   | Note     |
|------|----------|--------------|-------|--------|-------|-------|--------|-------------|----------|
| MHz  | dBuV/m   | dBuV         | dB/m  | dBuV/m | dB    | cm    | deg    |             |          |
| 1    | 11480.00 | 51.17        | 53.43 | -2.26  | 54.00 | -2.83 | 392    | 360 Average | Vertical |
| 2    | 11480.00 | 65.70        | 67.96 | -2.26  | 74.00 | -8.30 | 392    | 360 Peak    | Vertical |




802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit    | Over   | APos  | TPos  | Remark | Pol/Phase | Note |     |         |            |  |
|--------|----------|--------|-------|-------|--------|-----------|------|-----|---------|------------|--|
| Level  | Line     | Limit  | cm    | deg   |        |           |      |     |         |            |  |
| Factor | dB/m     | dB     |       |       |        |           |      |     |         |            |  |
| dBuV   | dB/m     | dBuV/m | dB    | cm    | deg    |           |      |     |         |            |  |
| 1      | 11020.00 | 39.38  | 42.00 | -2.62 | 54.00  | -14.62    | 100  | 198 | Average | Horizontal |  |
| 2      | 11020.00 | 47.40  | 50.02 | -2.62 | 74.00  | -26.60    | 100  | 198 | Peak    | Horizontal |  |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit    | Over   | APos  | TPos  | Remark | Pol/Phase | Note |     |         |          |  |
|--------|----------|--------|-------|-------|--------|-----------|------|-----|---------|----------|--|
| Level  | Line     | Limit  | cm    | deg   |        |           |      |     |         |          |  |
| Factor | dB/m     | dB     |       |       |        |           |      |     |         |          |  |
| dBuV   | dB/m     | dBuV/m | dB    | cm    | deg    |           |      |     |         |          |  |
| 1      | 11020.00 | 44.03  | 46.65 | -2.62 | 54.00  | -9.97     | 383  | 253 | Average | Vertical |  |
| 2      | 11020.00 | 53.29  | 55.91 | -2.62 | 74.00  | -20.71    | 383  | 253 | Peak    | Vertical |  |


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level    | Factor | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|----------|--------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 11180.00 | 44.02  | 46.59 | -2.57  | 54.00 | -9.98  | 100    | 271 Average | Horizontal |
| 2    | 11180.00 | 52.16  | 54.73 | -2.57  | 74.00 | -21.84 | 100    | 271 Peak    | Horizontal |
| 3    | 16659.00 | 51.39  | 47.16 | 4.23   | 68.20 | -16.81 | 100    | 210 Peak    | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level    | Factor | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note     |
|------|----------|--------|-------|--------|-------|--------|--------|-------------|----------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |             |          |
| 1    | 11180.00 | 51.56  | 54.13 | -2.57  | 54.00 | -2.44  | 400    | 160 Average | Vertical |
| 2    | 11180.00 | 62.12  | 64.69 | -2.57  | 74.00 | -11.88 | 400    | 160 Peak    | Vertical |
| 3    | 16659.00 | 55.28  | 51.85 | 4.23   | 68.20 | -12.92 | 200    | 33 Peak     | Vertical |


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2024-04-03

| Read | Level    | Level Factor | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|----------|--------------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m   | dBuV         | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 11348.00 | 42.58        | 44.88 | -2.30  | 54.00 | -11.42 | 292    | 297 Average | Horizontal |
| 2    | 11348.00 | 51.40        | 53.70 | -2.30  | 74.00 | -22.60 | 292    | 297 Peak    | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2024-04-03

| Read | Level    | Level Factor | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|----------|--------------|-------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m   | dBuV         | dB/m  | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 11348.00 | 51.66        | 53.96 | -2.30  | 54.00 | -2.34  | 371    | 3 Average | Vertical |
| 2    | 11348.00 | 62.30        | 64.60 | -2.30  | 74.00 | -11.70 | 371    | 3 Peak    | Vertical |


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit | Over   | APos  | TPos  | Remark | Pol/Phase | Note                   |
|-------------|-------|--------|-------|-------|--------|-----------|------------------------|
| Level       | Line  | Limit  | cm    | deg   |        |           |                        |
| Factor      | dB/m  | dB     |       |       |        |           |                        |
| dBuV        | dB/m  | dBuV/m | dB    | cm    | deg    |           |                        |
| 1 11068.000 | 35.48 | 38.07  | -2.59 | 54.00 | -18.52 | 200       | 277 Average Horizontal |
| 2 11068.000 | 43.94 | 46.53  | -2.59 | 74.00 | -30.06 | 200       | 277 Peak Horizontal    |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit | Over   | APos  | TPos  | Remark | Pol/Phase | Note                |
|-------------|-------|--------|-------|-------|--------|-----------|---------------------|
| Level       | Line  | Limit  | cm    | deg   |        |           |                     |
| Factor      | dB/m  | dB     |       |       |        |           |                     |
| dBuV        | dB/m  | dBuV/m | dB    | cm    | deg    |           |                     |
| 1 11068.000 | 39.05 | 41.64  | -2.59 | 54.00 | -14.95 | 187       | 19 Average Vertical |
| 2 11068.000 | 45.53 | 48.12  | -2.59 | 74.00 | -26.47 | 187       | 19 Peak Vertical    |


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit  | Over         | APos  | TPos   | Remark | Pol/Phase | Note                   |
|-------------|--------|--------------|-------|--------|--------|-----------|------------------------|
| Freq        | Level  | Level Factor | Line  | Limit  |        |           |                        |
| MHz         | dBuV/m | dBuV         | dB/m  | dBuV/m | dB     | cm        | deg                    |
| 1 11228.000 | 38.20  | 40.67        | -2.47 | 54.00  | -15.80 | 100       | 308 Average Horizontal |
| 2 11228.000 | 48.70  | 51.17        | -2.47 | 74.00  | -25.30 | 100       | 308 Peak Horizontal    |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit  | Over         | APos  | TPos   | Remark | Pol/Phase | Note               |
|-------------|--------|--------------|-------|--------|--------|-----------|--------------------|
| Freq        | Level  | Level Factor | Line  | Limit  |        |           |                    |
| MHz         | dBuV/m | dBuV         | dB/m  | dBuV/m | dB     | cm        | deg                |
| 1 11228.000 | 44.63  | 47.10        | -2.47 | 54.00  | -9.37  | 397       | 2 Average Vertical |
| 2 11228.000 | 55.36  | 57.83        | -2.47 | 74.00  | -18.64 | 397       | 2 Peak Vertical    |

802.11ax HE160

CH 114 (Horizontal)


CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit     | Over  | APos   | TPos   | Remark | Pol/Phase | Note |             |            |
|------|-----------|-------|--------|--------|--------|-----------|------|-------------|------------|
| Freq | Level     | Level | Factor | Line   | Limit  |           |      |             |            |
| MHz  | dBuV/m    | dBuV  | dB/m   | dBuV/m | dB     | cm        | deg  |             |            |
| 1    | 11140.000 | 34.90 | 37.44  | -2.54  | 54.00  | -19.10    | 100  | 245 Average | Horizontal |
| 2    | 11140.000 | 46.96 | 49.50  | -2.54  | 74.00  | -27.04    | 100  | 245 Peak    | Horizontal |



| Read | Limit     | Over  | APos   | TPos   | Remark | Pol/Phase | Note |             |          |
|------|-----------|-------|--------|--------|--------|-----------|------|-------------|----------|
| Freq | Level     | Level | Factor | Line   | Limit  |           |      |             |          |
| MHz  | dBuV/m    | dBuV  | dB/m   | dBuV/m | dB     | cm        | deg  |             |          |
| 1    | 11140.000 | 35.87 | 38.41  | -2.54  | 54.00  | -18.13    | 100  | 360 Average | Vertical |
| 2    | 11140.000 | 47.11 | 49.65  | -2.54  | 74.00  | -26.89    | 100  | 360 Peak    | Vertical |

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1   | 2        | 3     | Read Level | Level Factor | Limit Line | Over Limit | APos | TPos | Remark  | Pol/Phase  | Note |
|-----|----------|-------|------------|--------------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m   | dBuV  | dB/m       | dBuV/m       | dB         | cm         | deg  |      |         |            |      |
| 1   | 11490.00 | 45.46 | 47.58      | -2.12        | 54.00      | -8.54      | 397  | 230  | Average | Horizontal |      |
| 2   | 11490.00 | 56.51 | 58.63      | -2.12        | 74.00      | -17.49     | 397  | 230  | Peak    | Horizontal |      |
| 3   | 17235.00 | 55.84 | 58.74      | 5.10         | 68.20      | -12.36     | 400  | 244  | Peak    | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1   | 2        | 3     | Read Level | Level Factor | Limit Line | Over Limit | APos | TPos | Remark  | Pol/Phase | Note |
|-----|----------|-------|------------|--------------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m   | dBuV  | dB/m       | dBuV/m       | dB         | cm         | deg  |      |         |           |      |
| 1   | 11490.00 | 51.07 | 53.19      | -2.12        | 54.00      | -2.93      | 400  | 185  | Average | Vertical  |      |
| 2   | 11490.00 | 66.38 | 68.50      | -2.12        | 74.00      | -7.62      | 400  | 185  | Peak    | Vertical  |      |
| 3   | 17235.00 | 63.91 | 58.81      | 5.10         | 68.20      | -4.29      | 100  | 287  | Peak    | Vertical  |      |


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2024-04-01

| Freq | Level    | Read Level | Factor | Limit Line | Over Limit | APos   | TPos | Remark      | Pol/Phase  | Note |
|------|----------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz  | dBuV/m   | dBuV       | dB/m   | dBuV/m     | dB         | cm     | deg  |             |            |      |
| 1    | 11570.00 | 46.12      | 48.11  | -1.99      | 54.00      | -7.88  | 100  | 130 Average | Horizontal |      |
| 2    | 11570.00 | 56.12      | 58.11  | -1.99      | 74.00      | -17.88 | 100  | 130 Peak    | Horizontal |      |
| 3    | 17355.00 | 57.27      | 51.87  | 5.40       | 68.20      | -10.93 | 400  | 99 Peak     | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2024-03-28

| Freq | Level    | Read Level | Factor | Limit Line | Over Limit | APos  | TPos | Remark     | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|-------|------|------------|-----------|------|
| MHz  | dBuV/m   | dBuV       | dB/m   | dBuV/m     | dB         | cm    | deg  |            |           |      |
| 1    | 11570.00 | 51.25      | 53.24  | -1.99      | 54.00      | -2.75 | 392  | 81 Average | Vertical  |      |
| 2    | 11570.00 | 67.63      | 69.62  | -1.99      | 74.00      | -6.37 | 392  | 81 Peak    | Vertical  |      |
| 3    | 17355.00 | 65.45      | 60.85  | 5.40       | 68.20      | -2.75 | 385  | 320 Peak   | Vertical  |      |




802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| Level      | Level      | Level      |
| Factor     | Factor     | Factor     |
| Line       | Line       | Line       |
| Limit      | Limit      | Limit      |
| Over       | Over       | Over       |
| Apos       | Apos       | Apos       |
| TPos       | TPos       | TPos       |
| Remark     | Remark     | Remark     |
| Pol/Phase  | Pol/Phase  | Pol/Phase  |
| Note       | Note       | Note       |
| 11650.00   | 11650.00   | 17475.00   |
| 43.50      | 53.60      | 54.84      |
| 45.22      | 55.40      | 49.28      |
| -1.72      | -1.72      | 5.56       |
| 54.00      | 74.00      | 68.20      |
| -10.50     | -20.32     | -13.36     |
| 100        | 100        | 400        |
| 52         | 52         | 241        |
| Average    | Peak       | Peak       |
| Horizontal | Horizontal | Horizontal |
|            |            |            |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1         | 2         | 3         |
|-----------|-----------|-----------|
| Level     | Level     | Level     |
| Factor    | Factor    | Factor    |
| Line      | Line      | Line      |
| Limit     | Limit     | Limit     |
| Over      | Over      | Over      |
| Apos      | Apos      | Apos      |
| TPos      | TPos      | TPos      |
| Remark    | Remark    | Remark    |
| Pol/Phase | Pol/Phase | Pol/Phase |
| Note      | Note      | Note      |
| 11650.00  | 11650.00  | 17475.00  |
| 48.32     | 64.93     | 63.41     |
| 50.04     | 66.65     | 57.85     |
| -1.72     | -1.72     | 5.56      |
| 54.00     | 74.00     | 68.20     |
| -5.68     | -9.07     | -4.79     |
| 384       | 384       | 100       |
| 395       | 395       | 190       |
| Average   | Peak      | Peak      |
| Vertical  | Vertical  | Vertical  |
|           |           |           |


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level    | Factor | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|----------|--------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 11490.00 | 43.04  | 45.16 | -2.12  | 54.00 | -10.96 | 100    | 268 Average | Horizontal |
| 2    | 11490.00 | 58.64  | 60.76 | -2.12  | 74.00 | -15.36 | 100    | 268 Peak    | Horizontal |
| 3    | 17235.00 | 58.33  | 53.23 | 5.10   | 68.20 | -9.87  | 100    | 147 Peak    | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level    | Factor | Limit | Over   | APos  | TPos  | Remark | Pol/Phase   | Note     |
|------|----------|--------|-------|--------|-------|-------|--------|-------------|----------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm    | deg    |             |          |
| 1    | 11490.00 | 50.30  | 52.51 | -2.12  | 54.00 | -3.61 | 205    | 360 Average | Vertical |
| 2    | 11490.00 | 65.33  | 67.45 | -2.12  | 74.00 | -8.67 | 205    | 360 Peak    | Vertical |
| 3    | 17235.00 | 65.65  | 60.55 | 5.10   | 68.20 | -2.55 | 392    | 206 Peak    | Vertical |


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| 11570.00   | 11570.00   | 17355.00   |
| 43.76      | 62.11      | 59.85      |
| 45.75      | 64.10      | 54.45      |
| -1.99      | -1.99      | 5.40       |
| 54.00      | 74.00      | 68.20      |
| -10.24     | -11.89     | -8.35      |
| 100        | 100        | 185        |
| 55         | 55         | 305        |
| Average    | Peak       | Peak       |
| Horizontal | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2        | 3        |
|----------|----------|----------|
| 11570.00 | 11570.00 | 17355.00 |
| 51.32    | 67.71    | 60.74    |
| 53.31    | 69.70    | 55.34    |
| -1.99    | -1.99    | 5.40     |
| 54.00    | 74.00    | 68.20    |
| -2.68    | -6.29    | -7.46    |
| 213      | 213      | 100      |
| 322      | 322      | 170      |
| Average  | Peak     | Peak     |
| Vertical | Vertical | Vertical |


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| 11650.00   | 11650.00   | 17475.00   |
| 46.67      | 63.53      | 61.98      |
| 48.39      | 65.25      | 56.42      |
| -1.72      | -1.72      | 5.56       |
| 54.00      | 74.00      | 68.20      |
| -7.33      | -10.47     | -6.22      |
| 100        | 100        | 192        |
| 54         | 54         | 303        |
| Average    | Peak       | Peak       |
| Horizontal | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2        | 3        |
|----------|----------|----------|
| 11650.00 | 11650.00 | 17475.00 |
| 50.79    | 66.31    | 62.72    |
| 52.51    | 68.03    | 57.16    |
| -1.72    | -1.72    | 5.56     |
| 54.00    | 74.00    | 68.20    |
| -3.21    | -7.69    | -5.48    |
| 100      | 100      | 100      |
| 130      | 130      | 283      |
| Average  | Peak     | Peak     |
| Vertical | Vertical | Vertical |


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| Level      | Level      | Level      |
| Factor     | Factor     | Factor     |
| Line       | Line       | Line       |
| Limit      | Limit      | Limit      |
| Over       | Over       | Over       |
| Limit      | Limit      | Limit      |
| APos       | APos       | APos       |
| TPos       | TPos       | TPos       |
| Remark     | Remark     | Remark     |
| Pol/Phase  | Pol/Phase  | Pol/Phase  |
| Note       | Note       | Note       |
| 11510.00   | 11510.00   | 17265.00   |
| 42.91      | 53.96      | 52.78      |
| 44.99      | 55.94      | 47.68      |
| -2.08      | -2.08      | 5.10       |
| 54.00      | 74.00      | 68.20      |
| -11.09     | -20.14     | -15.42     |
| 100        | 100        | 400        |
| 150        | 150        | 215        |
| Average    | Peak       | Peak       |
| Horizontal | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1         | 2         | 3         |
|-----------|-----------|-----------|
| Level     | Level     | Level     |
| Factor    | Factor    | Factor    |
| Line      | Line      | Line      |
| Limit     | Limit     | Limit     |
| Over      | Over      | Over      |
| Limit     | Limit     | Limit     |
| APos      | APos      | APos      |
| TPos      | TPos      | TPos      |
| Remark    | Remark    | Remark    |
| Pol/Phase | Pol/Phase | Pol/Phase |
| Note      | Note      | Note      |
| 11510.00  | 11510.00  | 17265.00  |
| 50.63     | 59.29     | 57.31     |
| 52.71     | 61.37     | 52.21     |
| -2.08     | -2.08     | 5.10      |
| 54.00     | 74.00     | 68.20     |
| -3.37     | -14.71    | -10.89    |
| 397       | 397       | 100       |
| 260       | 260       | 233       |
| Average   | Peak      | Peak      |
| Vertical  | Vertical  | Vertical  |


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| 11590.00   | 11590.00   | 17385.00   |
| 47.84      | 54.55      | 51.39      |
| 49.80      | 56.51      | 45.84      |
| -1.96      | -1.96      | 5.55       |
| 54.00      | 74.00      | 68.20      |
| -6.16      | -19.45     | -16.81     |
| 100        | 100        | 400        |
| 54         | 54         | 241        |
| Average    | Peak       | Peak       |
| Horizontal | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2        | 3        |
|----------|----------|----------|
| 11590.00 | 11590.00 | 17385.00 |
| 51.38    | 61.34    | 55.44    |
| 53.34    | 63.30    | 49.89    |
| -1.96    | -1.96    | 5.55     |
| 54.00    | 74.00    | 68.20    |
| -2.62    | -12.66   | -12.76   |
| 100      | 100      | 399      |
| 130      | 130      | 360      |
| Average  | Peak     | Peak     |
| Vertical | Vertical | Vertical |


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit     | Over         | APos  | TPos   | Remark | Pol/Phase | Note |                        |
|------|-----------|--------------|-------|--------|--------|-----------|------|------------------------|
| Freq | Level     | Level Factor | Line  | Limit  |        |           |      |                        |
| MHz  | dBuV/m    | dBuV         | dB/m  | dBuV/m | dB     | cm        | deg  |                        |
| 1    | 11558.000 | 36.24        | 38.26 | -2.02  | 54.00  | -17.76    | 100  | 248 Average Horizontal |
| 2    | 11558.000 | 44.25        | 46.27 | -2.02  | 74.00  | -29.75    | 100  | 248 Peak Horizontal    |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit     | Over         | APos  | TPos   | Remark | Pol/Phase | Note |                      |
|------|-----------|--------------|-------|--------|--------|-----------|------|----------------------|
| Freq | Level     | Level Factor | Line  | Limit  |        |           |      |                      |
| MHz  | dBuV/m    | dBuV         | dB/m  | dBuV/m | dB     | cm        | deg  |                      |
| 1    | 11558.000 | 40.55        | 42.57 | -2.02  | 54.00  | -13.45    | 300  | 360 Average Vertical |
| 2    | 11558.000 | 51.22        | 53.24 | -2.02  | 74.00  | -22.78    | 300  | 360 Peak Vertical    |

Mains Conducted Emission, (150kHz ~ 30MHz)

