

#### MAXIMUM PERMISSIBLE EXPOSURE (MPE) 1

# 1.1 Standard Applicable

According to §1.1307(b)(1) and , systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

According to §1.1310 and §2.1093 RF exposure is calculated.

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

# FCC KDB 680106

.Z LIMITS FOR WIA						
Frequency Range	Electric Field Strength(E) (V/m)	Magnetic Field Strength(H) (A/m)	Power Density (mW/cm2)	Averaging Time (minute)		
(MHz)						
	Limits for Occupational / Controlled Exposure					
0.3-3.0	614	1.63	*(100)	6		
3.0-30	1842/f	4.89/f	*(900/f <sup>2</sup> )	6		
30-300	61.4	0.163	1.0	6		
300-1500	/	/	F/300	6		
1500-15000	/	/	5	6		
Frequency	Electric Field	Magnetic Field	Power Density	Averaging Time		
Range	Strength(E) (V/m)	Strength(H) (A/m)	(mW/cm <sup>2</sup> )	(minute)		
(MHz)			. ,			
	Limits for Genera	al Population/Uncon	trolled Exposure			
0.3-1.34	614	1.63	*(100)	30		
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30		
30-300	27.5	0.073	0.2	30		
300-1500	/	/	F/1500	30		
1500-15000	/	/	1.0	30		

#### Limits for Maximum Permissive Exposure (MPF) 1.2

F = frequency in MHz

\* = Plane-wave equipment power density

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 1.3 Equipment Used in Tested System

ltem	Equipment	Mfr/Brand	Model /Type No.	Series No.	Data Cable	Power Cord
1.	NA					

# 1.4 The Worst Charging Condition:

Ancillary Equipment	<b>Charging Condition</b>	Verdict		
Load	Full Loading	PASS		
Load	99% Loading	PASS		
Load	50% Loading	PASS		
Load	1% Loading	PASS		
Note: For Wireless Power Consortium Qi specification, a lower operating frequency or high duty cycle result in the transfer of a higher amount of power and charging current.				

## 1.5 Measurement Procedure:

For devices designed for typical desktop applications, such a wireless charging pads, RF 1. exposure evaluation should be conducted assuming a user separation distance of 15 cm and 20 cm. E and H field strength measurements or numerical modeling may be used to demonstrate compliance. Measurements should be made from all sides and the top of the primary/client pair, with the 15 cm and 20 cm measured from the center of the probe(s) to the edge of the device. Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63 A/m.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

GS Taiwan Ltd.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 1.6 Measurement Equipment Used:

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EM RADIATION	Wandel&	EMR-30	M-0006	10/14/2017	10/13/2018
METER	Goltermann		101-0000	10/14/2017	10/13/2018

## 1.7 Test Set-up:



## 1.8 Maximum Permissible Exposure (MPE) Evaluation:

**Full Loading** 

Maximum Permissible Exposure					
Probe from EUT Side	H-field				
Front	15 cm	6.75	0.023		
Left	15 cm	6.98	0.029		
Right	15 cm	6.38	0.039		
Тор	15 cm	6.33	0.033		
Bottom	15 cm	6.98	0.031		
Limit		614	1.63		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

になった力が成功でした報告報本に見り向端之体の可見すでからないであった。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



### 99% Loading

Maximum Permissible Exposure					
Probe from EUT Side Test Distance E-field H-field					
Front	15 cm	6.98	0.031		
Left	15 cm	6.55	0.039		
Right	15 cm	6.33	0.032		
Тор	15 cm	6.12	0.033		
Bottom	15 cm	6.09	0.021		
Limit		614	1.63		

#### 50% Loading

Maximum Permissible Exposure					
Probe from EUT Side	Test Distance	E-field	H-field		
Front	15 cm	6.03	0.033		
Left	15 cm	6.34	0.035		
Right	15 cm	6.55	0.039		
Тор	15 cm	6.53	0.031		
Bottom	15 cm	6.43	0.028		
Limit		614	1.63		

### 1% Loading

Maximum Permissible Exposure					
Probe from EUT Side	Test Distance	E-field	H-field		
Front	15 cm	6.33	0.033		
Left	15 cm	6.77	0.04		
Right	15 cm	6.34	0.033		
Тор	15 cm	6.98	0.037		
Bottom	15 cm	6.93	0.034		
Limit		614	1.63		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

になった力が成功でした報告報本に見り向端之体の可見すでからないであった。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



# **Full Loading**

Maximum Permissible Exposure					
Probe from EUT Side	E-field	H-field			
Front	20 cm	6.12	0.03		
Left	20 cm	6.23	0.026		
Right	20 cm	6.32	0.033		
Тор	20 cm	6.44	0.029		
Bottom	20 cm	6.54	0.028		
Limit		614	1.63		

### 99% Loading

Maximum Permissible Exposure					
Probe from EUT Side Test Distance E-field H-field					
Front	20 cm	6.21	0.032		
Left	20 cm	6.24	0.035		
Right	20 cm	6.44	0.04		
Тор	20 cm	6.45	0.027		
Bottom	20 cm	6.21	0.026		
Limit		614	1.63		

### 50% Loading

Maximum Permissible Exposure					
Probe from EUT Side	Test Distance	E-field	H-field		
Front	20 cm	6.32	0.021		
Left	20 cm	6.37	0.032		
Right	20 cm	6.13	0.023		
Тор	20 cm	6.36	0.021		
Bottom	20 cm	6.44	0.021		
Limit		614	1.63		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

になった力が成功でした報告報本に見り向端之体の可見すでからないであった。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



# 1% Loading

Maximum Permissible Exposure					
Probe from EUT Side Test Distance E-field H-field					
Front	20 cm	6.12	0.022		
Left	20 cm	6.03	0.019		
Right	20 cm	6.22	0.021		
Тор	20 cm	6.12	0.019		
Bottom	20 cm	6.17	0.012		
Limit		614	1.63		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

になった力が成功でした報告報本に見り向端之体の可見すでからないであった。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd. 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com