

# ***Important 2100 Information!***

***(For 900 MHz and 2.4 GHz RFID Modules)***

---

## *Contents*

***For Users in the United States and Canada.....2***

# 2100 Manual Supplement

## For Users in the United States and Canada

---

Place this supplement in your manual.

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that can cause undesired operation.

---

### *Federal Communications Commission Compliance*

This equipment is intended for operation in a commercial environment, in compliance with the requirements for a Class A digital device, pursuant to Part 15 of the FCC Rules, and it must not be used in a residential environment; however, it has also been tested and found to comply with the more stringent requirements for a Class B device, pursuant to Part 15 of the FCC Rules. It generates, uses, and can radiate radio frequency energy. If not installed and used in accordance with the instruction manual, it may cause interference to radio communications. If this equipment causes interference, the user will be required to correct the interference at the user's own expense.

**Note:** *In order to maintain compliance with FCC Rules, the input/output (I/O) cables that interconnect between the device and any peripheral must be as specified by Intermec.*

#### **Installation Warning:**

FCC regulations limit exposure to radiofrequency (RF) radiation. To comply with these regulations, this device must be installed in such a way that the operators of this device will not be closer than 7 cm (2.75 inches) for 2.4 GHz version 12 cm (4.75 inches) for 900 MHz version from the cover on the antenna assembly under normal operation conditions. **While the device is operating, the operator's body and parts of the body such as eyes, hands, or head, must be 7 cm (2.75 inches) for the 2.4 GHz version 12 cm (4.75 inches) for the 900 MHz version or farther from the cover of the antenna assembly.**

The installer should also protect him/herself from RF exposure by not operating the device while they are closer than the distance mentioned above.

FCC regulations also require that the antenna assembly of this device be installed in accordance with the installation procedures in this manual to allow the operator to comply with this limit.

#### **Operator Warning:**

FCC regulations limit exposure to radiofrequency (RF) radiation. To comply with these regulations, the operators of this device must maintain a distance of at least 7 cm (2.75 inches) for 2.4 GHz version 12 cm (4.75 inches) for 900 MHz version from the cover on the antenna assembly under normal operation conditions. **While the device is on, the operator's body and parts of the body such as eyes, hands, or head, must be 7 cm (2.75 inches) for the 2.4 GHz version 12 cm (4.75 inches) for the 900 MHz version or farther from the cover of the antenna assembly.**

# ***2100 Manual Supplement For Users in the United States and Canada (cont.)***

---

---

## ***Industry Canada Compliance***

This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations.

This device requires a radio license, unless it is used totally inside a building. (The user must obtain this license.)

Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

Cet appareil exige une licence radio à moins d'être entièrement installé dans un bâtiment. (L'utilisateur doit obtenir cette licence.)

---

## ***Safety Agency Approvals***

This device is UL Listed and CSA Certified.



### **Caution**

***Changes or modifications not expressly approved by Intermec could void the user's authority to operate this equipment.***

