

**TCB****GRANT OF EQUIPMENT  
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the  
Federal Communications Commission****By:****Timco Engineering, Inc.  
849 NW State Road 45  
P.O. Box 370,  
Newberry, FL 32669  
United States****Date of Grant: 11/14/2002****Application Dated: 11/14/2002****Cirronet  
5375 Oakbrook Parkway  
Norcross, GA 30093  
United States****Attention: Mark Tucker , VP of Engineering****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and  
is VALID ONLY for the equipment identified hereon for use under the  
Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** HSW-2410M**Name of Grantee:** Cirronet**Equipment Class:** Part 15 Spread Spectrum Transmitter**Notes:** Wireless LAN

| <u>Grant Notes</u> | <u>FCC Rule Parts</u> | <u>Frequency<br/>Range (MHZ)</u> | <u>Output<br/>Watts</u> | <u>Frequency<br/>Tolerance</u> | <u>Emission<br/>Designator</u> |
|--------------------|-----------------------|----------------------------------|-------------------------|--------------------------------|--------------------------------|
| 36                 | 15C                   | 2401.69 - 2469.89                | 0.05                    |                                |                                |

Output is peak conducted. This permissive change grant covers only the antenna listed in the filing. For Fixed operation, the antenna(s) used for this transmitter must be fixed-mounted on outdoor permanent structures with a separation distance of at least 2 meters from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. For Mobile operation, the antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

36: Certain antennas used with this equipment require a minimum cable length, or have output power limitations as documented in the application.