

Page: 1 of 23

ELECTROMAGNETIC EMISSIONS COMPLIANCE TEST REPORT





FCC Applicant: Murata Electronics North America

2200 Lake Park Dr #7604, Smyrna, GA 30080 USA

FCC Manufacturer: Murata Electronics North America

2200 Lake Park Dr #7604, Smyrna, GA 30080 USA

Product Name: Type 1SC

Brand Name: Murata

Model No.: LBAD0XX1SC-DM

Report Number: TERF2406001813E2

FCC ID HSW-TY1SCDM

Date of EUT Received: June 25, 2024

Date of Test: August 28, 2024

Issue Date: September 13, 2024

Approved By

Arno Hsieh

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 22H & 24E & 27 C & 90S.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 23

Revision History								
Report Number	Revision	Description	Issue Date	Revised By	Remark			
TERF2406001813E2	00	C2PC for adding Satellite Band 23, NTN Band 255, Band 256	September 13, 2024	Yuri Tsai				

Note:

- 1 . The remark "*" indicates modification of the report upon requests from certification body.
- 2 This is an addendum test report reference to the test report E2/2019/A0028.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 23

Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	9
4	DESCRIPTION OF TEST MODES	10
5	MEASUREMENT UNCERTAINTY	11
6	MEASUREMENT EQUIPMENT USED	12
7	MAXIMUM OUTPUT POWER	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 4 of 23

GENERAL PRODUCT INFORMATION

Product Description

Product Name:	Type 1SC
Brand Name:	Murata
Model No.:	LBAD0XX1SC-DM
Hardware Version:	ES2
Firmware Version:	RK_03_02_00_00_41841_001
EUT Series No.:	N/A
Power Supply:	3.6Vdc
Test Software (Name/Version)	default(Link Call Box)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 5 of 23

Frequency Range

NB IoT Band	Subcar- rier Spac- ing (kHz)	Operation Frequency (MHz)			
2	3.75	1850.1		1909.9	
2	15	1000.1	-	1909.9	
4	3.75	1710.1		1754.9	
4	15	17 10.1	-	1704.9	
5	3.75	824.1		848.9	
5	15	024.1	-	040.9	
12	3.75	699.1		715.9	
12	15	033.1	-	1 10.9	
13	3.75	777.1		786.9	
	15	111.1	-	700.9	

NB IoT Band	Subcar- rier Spac- ing (kHz)	Operation Frequency (MHz)			
25	3.75	1850.1		1914.9	
25	15	1000.1	-	1914.9	
17	3.75	704.1		715.9	
17	15	707.1		7 10.0	
26	3.75	824.1		848.9	
20	15	024.1	-	040.9	
00	3.75				
26 Part 90	15	814.1	-	823.9	
i ait 50	15				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 6 of 23

1.3 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22H, 24E, 27C, Part 90
ANSI C63.26-2015
KDB971168 D01 Power Meas license Digital System v03r01
TS 151 010-1 is used to set, and measure the output power.

1.4 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 2		
		SAC 3		
	No 124 Wu Kung Dood New Toingi	Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1	T\\/0027	
	Industrial Park, Wuku District, New	Conducted 2	TW0027	TW3702
	Taipei City, Taiwan.	Conducted 3		
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C		
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
	No O Koji dot Dd. Oviobov District	Conducted A]	
	No.2, Keji 1st Rd., Guishan District,	Conducted B	TW0028	
	Taoyuan City, Taiwan 333	Conducted C		
		Conducted D]	
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.5 Special Accessories

No special accessories were used during testing.

1.6 Equipment Modifications

There was no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 7 of 23

SYSTEM TEST CONFIGURATION

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 **Test Procedure**

2.3.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

Measurement Results Explanation Example 2.4

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 8 of 23

2.5 Test Configuration

2.5.1 Conducted Emission at the Antenna Port



2.5.2 Equipment used for test

Conducted Emission Test Site: Conducted E						
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.						
Notebook HP HSN-Q35C-4 P0003858 N/A N/A						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 9 of 23

3 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§22.913(a)(5) §24.232(c) §27.50(b)(c)(10) §27.50(d)(4) §90.635	ERP/ EIRP meas- urement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 10 of 23

DESCRIPTION OF TEST MODES

4.1 The Worst Test Modes and Configuration

1. The EUT has been tested under operating condition

<u>. U i iias b</u>	een tested under operati	±UT has been tested under operating condition.						
NB IoT	Test Items	Subo	arrier	Modu	lation		Test	
Modes	i est ileilis	3.75	15	BPSK	QPSK	L	M	Н
B2	EIRP	V	V	V	V	٧	٧	٧
NB IoT	Test Items	Subo	arrier	Modu	lation	Test		
Modes	rest items	3.75	15	BPSK	QPSK	L	M	Н
B4	EIRP	V	V	V	V	V	V	٧
NB IoT	Test Items	Subo	arrier	Modu	lation		Test	
Modes	i est ileilis	3.75	15	BPSK	QPSK	L	M	Н
B5	EIRP	V	V	V	V	V	٧	٧
NB IoT	Test Items	Sub	carrier	Mod	ulation		Tes	t
Modes	ו כאנ ונכוווא	3.75	15	BPSK	QPSK	L	M	Н
B12	EIRP	V	V	V	V	V	V	٧
NB IoT	Test Items	Sub	carrier	Mod	ulation		Tes	t
Modes	rest items	3.75	15	BPSK	QPSK	L	M	Н
B13	EIRP	V	V	V	V	V	V	V
NB IoT	Test Items	Subcarrier		Modu	lation	Test		
Modes	i est items	3.75	15	BPSK	QPSK	L	M	Н
B17	EIRP	V	V	V	٧	٧	٧	V
NB IoT	Test Items	Subc	Subcarrier Modulation		lation	Test		
Modes	rest items	3.75	15	BPSK	QPSK	L	M	Н
B25	EIRP	٧	V	٧	٧	>	٧	٧
NB IoT	Test Items	Subcarrier		Subcarrier Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	L	M	Н
B26	EIRP	V	V	V	V	٧	٧	٧
NB IoT	Toot Home	Subc	arrier	Modu	lation		Test	
Modes	Test Items	3.75	15	BPSK	QPSK	L	M	Н
B26&P90	EIRP	٧	V	V	V	٧	٧	٧
	EIRP		_		,	V	٧	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 11 of 23

MEASUREMENT UNCERTAINTY

Test Items	Und	certair	nty
RF Power Output	+/-	0.97	dB
ERP/ EIRP measurement		2.15	dB
		2.15	dB
Emission Bandwidth	+/-	1.38	Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/-	0.77	dB
Peak to Average Ratio	+/-	0.97	dB
Frequency Stability vs. Temperature	+/-	1.48	Hz
Frequency Stability vs. Voltage	+/-	1.48	Hz
Temperature	+/-	0.6	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty					
	+/-	1.89	dB	9kHz~30MHz	
Polorization, Vortical	+/-	4.15	dB	30MHz - 1000MHz	
Polarization: Vertical	+/-	3.43	dB	1GHz - 18GHz	
	+/-	3.86	dB	18GHz - 40GHz	
	+/-	1.89	dB	9kHz~30MHz	
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz	
Polarization. Horizontal	+/-	3.43	dB	1GHz - 18GHz	
	+/-	3.86	dB	18GHz - 40GHz	
	+/-	2	dB	33GHz-50GHz	
	+/-	1.59	dB	50GHz-60GHz	
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz	
	+/-	1.64	dB	90GHz-140GHz	
	+/-	3.83	dB	140GHz-220GHz	

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 12 of 23

MEASUREMENT EQUIPMENT USED

6.1 **Conducted Measurement**

Conducted Emission Test Site: Conducted E							
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.							
Radio Communication Analyzer	R&S	CMW500	7723	04/01/2024	03/31/2025		
Coaxial Cables	Woken	00100A1F1A185C	RF54	11/15/2023	11/14/2024		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 23

7 MAXIMUM OUTPUT POWER

7.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

7.2 FCC ERP/EIRP LIMIT

According to FCC §2.1046

FCC 22.913(a)

(5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50 (b)

- (9) Control stations and mobile stations transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 30 watts ERP.
- (10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

FCC 27.50(c)

- (9) Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.
- (10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

- (4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.
- (7) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band are limited to 2 watts EIRP.

FCC 90.635(b)

Mobile station is limited to 100W ERP

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,此起此结用陈彤测过了薛里看来,同时此锋里陈尼河的手,未起生土便大八司事而变可,无可如心阵制。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 14 of 23

7.3 Test Set-up



Note: Measurement setup for testing on Antenna connector

7.4 Output Power Measurement Applicable Guideance

The transmitter output was connected to a communication tester. Transmitter output was read off the communication tester in dBm. The power output at the transmitter antenna port was determined by the communication tester reading.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.WAll bands conducted average power is obtained from the simulator telecommunication test set.

7.5 Determining ERP and/or EIRP from conducted RF output power measurements

ERP/EIRP = PMeas + GT-LC

Where:

ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the

same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW; GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

LC = signal attenuation in the connecting cable between the transmitter

and antenna, in dB.2

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 23

Measurement Result

LTE NB-IoT Band 2									
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)		
		BPSK	3.75	1@0	22.48		10.52		
		DF 3N	3.73	1@47	22.42		10.58		
18601	1850.1	BPSK	15	1@11	22.35		10.65		
10001	1030.1			1@0	22.56		10.44		
		QPSK	15	1@11	22.61		10.39		
				12@0	22.52		10.48		
		BPSK	PSK 3.75	1@0	22.51	33.00	10.49		
		DESK	3.73	1@47	22.45		10.55		
18900	1880	BPSK	15	1@11	22.55		10.45		
10900	1000			1@0	22.56	33.00	10.44		
		QPSK	15	1@11	22.63		10.37		
				12@0	20.49		12.51		
		DDCK	3.75	1@0	22.15		10.85		
		BPSK	ა.70	1@47	22.21		10.79		
19199	1000.0	BPSK	15	1@11	22.17		10.83		
13133	1909.9	1909.9 QPSK		1@0	22.24		10.76		
			15	1@11	22.50		10.50		
				12@0	20.13		12.87		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 16 of 23

LTE NB-IoT Band 4									
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)		
		BPSK	3.75	1@0	22.29		7.71		
		DI SIX	3.73	1@47	22.25		7.75		
19951	1710.1	BPSK	15	1@11	22.67		7.33		
19951	17 10.1			1@0	22.80		7.20		
		QPSK	15	1@11	22.59		7.41		
				12@0	20.26		9.74		
		DDCK	BPSK 3.75	1@0	21.56		8.44		
		DFSK	5.75	1@47	21.49		8.51		
20175	1732.5	BPSK	15	1@11	21.69	30.00	8.31		
20173	1732.3			1@0	22.14	30.00	7.86		
		QPSK	15	1@11	22.31		7.69		
				12@0	20.37		9.63		
		BPSK	3.75	1@0	22.18		7.82		
		BFSK	3.75	1@47	22.51		7.49		
20399	1754.9	BPSK	15	1@11	22.61		7.39		
20055	1154.9	1754.9 QPSK		1@0	22.20		7.80		
			15	1@11	22.30		7.70		
				12@0	21.78		8.22		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 17 of 23

LTE NB-IoT Band 5									
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)		
		BPSK	3.75	1@0	22.13		18.47		
		DI OIX	5.75	1@47	22.20		18.40		
20401	824.1	BPSK	15	1@11	22.18		18.42		
20401	024.1			1@0	22.12		18.48		
		QPSK	15	1@11	22.40		18.20		
				12@0	21.61		18.99		
		DDCK	BPSK 3.75	1@0	22.07	38.45	18.53		
		DESK	3.73	1@47	21.98		18.62		
20525	836.5	BPSK	15	1@11	22.13	30 15	18.47		
20020	030.3			1@0	22.29	30.43	18.31		
		QPSK	15	1@11	22.13		18.47		
				12@0	21.40	(dBm)	19.20		
		DDCK	2.75	1@0	22.18		18.42		
		BPSK	3.75	1@47	22.19		18.41		
20649	848.9	BPSK	15	1@11	22.13		18.47		
ZU049	040.9	348.9 QPSK		1@0	22.12		18.48		
			15	1@11	22.33		18.27		
			_	12@0	21.17		19.43		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 18 of 23

LTE NB-IoT Band 12										
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)			
		BPSK	3.75	1@0	23.33		13.59			
		DI SIX	3.73	1@47	23.26		13.66			
23011	699.1	BPSK	15	1@11	23.34		13.58			
25011	033.1			1@0	23.07		13.85			
		QPSK	15	1@11	23.11		13.81			
				12@0	21.64		15.28			
		DDCK	BPSK 3.75	1@0	23.27	34.77	13.65			
		BFSK	3.73	1@47	23.09		13.83			
23095	707.5	BPSK	15	1@11	23.12		13.80			
23033	101.5			1@0	23.19	34.77	13.73			
		QPSK	15	1@11	23.10		13.82			
				12@0	21.63	(dBm)	15.29			
		BPSK	3.75	1@0	23.22		13.70			
		DFSN	3.73	1@47	23.29		13.63			
23179	715.9	BPSK	15	1@11	23.20		13.72			
23119	1 10.9			1@0	23.22		13.70			
		QPSK	15	1@11	23.15	1	13.77			
				12@0	21.68		15.24			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 19 of 23

LTE NB-IoT Band 13 Subcarrier Power Limit Margin									
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)		
		BPSK	3.75	1@0	23.35		13.57		
		DI SIX	3.73	1@47	23.01		13.91		
23181	777.1	BPSK	15	1@11	23.12		13.80		
20101	111.1			1@0	23.08		13.84		
		QPSK	15	1@11	23.26		13.66		
				12@0	21.56		15.36		
		DDCK	BPSK 3.75	1@0	23.18		13.74		
		BFSK	3.75	1@47	23.26		13.66		
23230	782	BPSK	15	1@11	23.07	24 77	13.85		
23230	702			1@0	23.33	34.77	13.59		
		QPSK	15	1@11	23.20		13.72		
				12@0	21.51	(dBm)	15.41		
		BPSK	3.75	1@0	23.22		13.70		
		DFSK	3.75	1@47	23.15		13.77		
23279	786.9	BPSK	15	1@11	23.23		13.69		
23213	700.9	QPSK		1@0	23.05		13.87		
			15	1@11	23.24		13.68		
				12@0	21.44		15.48		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 23

LTE NB-IoT Band 17 Subcarrier										
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)			
		BPSK	3.75	1@0	23.35		13.57			
		DI SIX	3.73	1@47	23.05		13.87			
23731	704.1	BPSK	15	1@11	23.22		13.70			
23/31	704.1			1@0	23.33		13.59			
		QPSK	15	1@11	23.42		13.50			
				12@0	21.57		15.35			
	В	BPSK	3.75	1@0	23.31	34.77	13.61			
		DI OIX	BF 5R 5.75	1@47	23.34		13.58			
23790	710	BPSK	15	1@11	23.09		13.83			
23790	710			1@0	23.36		13.56			
		QPSK	15	1@11	22.97		13.95			
				12@0	21.13	(dBm)	15.79			
		DDCK	3.75	1@0	23.24		13.68			
		BPSK	3.73	1@47	23.07		13.85			
23849	715.9	BPSK	15	1@11	23.00		13.92			
230 4 9	1 10.9			1@0	23.22		13.70			
		QPSK	15	1@11	23.33		13.59			
				12@0	21.65		15.27			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 21 of 23

LTE NB-IoT Band 25									
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)		
		BPSK	3.75	1@0	20.59		12.41		
		ы ж	3.73	1@47	20.53		12.47		
26041	1850.1	BPSK	15	1@11	20.76		12.24		
20041	1030.1			1@0	20.61		12.39		
		QPSK	15	1@11	20.41		12.59		
				12@0	18.55		14.45		
		DDCK	BPSK 3.75	1@0	20.48	33.00	12.52		
		DFSK	3.75	1@47	20.47		12.53		
26365	1882.5	BPSK	15	1@11	20.48	33 00	12.52		
20303	1002.5	002.0	15	1@0	20.62	33.00	12.38		
		QPSK		1@11	20.57		12.43		
				12@0	18.69	(dBm)	14.31		
		BPSK	3.75	1@0	20.39		12.61		
		DESK	3.75	1@47	20.63		12.37		
26689	1014.0	BPSK	15	1@11	20.55		12.45		
20009	1914.9	1914.9 QPSK		1@0	20.58	<u> </u> 	12.42		
			15	1@11	20.42		12.58		
				12@0	19.46		13.54		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 22 of 23

LTE NB-IoT Band 26										
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)			
		BPSK	3.75	1@0	22.99		17.61			
		DI SIX	3.73	1@47	23.13		17.47			
26791	824.1	BPSK	15	1@11	23.10		17.50			
20131	024.1			1@0	22.96		17.64			
		QPSK	15	1@11	23.24		17.36			
				12@0	21.60		19.00			
		DDCK	BPSK 3.75	1@0	23.19	- 38.45	17.41			
		BFSK	3.73	1@47	23.16		17.44			
26915	836.5	BPSK	15	1@11	22.92	30 15	17.68			
20313	030.3			1@0	23.05	30.43	17.55			
		QPSK	15	1@11	22.92		17.68			
				12@0	21.45	(dBm)	19.15			
		BPSK	3.75	1@0	22.95		17.65			
		DFSN	3.73	1@47	23.03		17.57			
27039	949.0	BPSK	15	1@11	23.26		17.34			
21039	040.9	848.9 QPSK		1@0	23.15		17.45			
			15	1@11	23.18		17.42			
				12@0	21.39		19.21			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 23 of 23

LTE NB-IoT Band 26_Part90										
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	Limit (dBm)	Margin (dBm)			
		BPSK	3.75	1@0	22.99		29.16			
		BI OIX	0.70	1@47	23.18		28.97			
26691	814.1	BPSK	15	1@11	23.18		28.97			
20031	017.1			1@0	23.11		29.04			
		QPSK	15	1@11	23.26	(dBm)	28.89			
				12@0	21.66		30.49			
		BPSK	3.75	1@0	22.92		29.23			
		DESK	3.73	1@47	23.09		29.06			
26740	819	BPSK	15	1@11	23.03		29.12			
20740	019			1@0	23.14		29.01			
		QPSK	15	1@11	23.07		29.08			
				12@0	21.52		30.63			
		DDCK	3.75	1@0	23.25		28.90			
		BPSK	3.75	1@47	23.19	†	28.96			
06700	000.0	BPSK	15	1@11	23.28		28.87			
26789	823.9			1@0	22.88		29.27			
		QPSK	15	1@11	23.08]	29.07			
				12@0	21.49		30.66			

~ End of Report ~

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.