


Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5745 MHz
Test Mode :Bandedge RU 53/40
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Horizontal
Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5635.495	Peak	52.99	2.89	55.88	68.20	-12.32
5650.000	Peak	51.40	3.21	54.61	68.20	-13.59
5700.000	Peak	57.19	3.50	60.69	105.20	-44.51
5720.000	Peak	67.02	3.46	70.48	110.80	-40.32
5725.000	Peak	76.69	3.46	80.15	122.20	-42.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5745 MHz
Test Mode :Bandedge RU 106/53
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Vertical
Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5642.005	Peak	52.18	3.03	55.22	68.20	-12.98
5650.000	Peak	50.82	3.21	54.03	68.20	-14.17
5700.000	Peak	51.05	3.50	54.55	105.20	-50.65
5720.000	Peak	56.66	3.46	60.12	110.80	-50.68
5725.000	Peak	64.69	3.46	68.14	122.20	-54.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5745 MHz
Test Mode :Bandedge RU 106/53
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Horizontal
Engineer :Sam Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5621.545	Peak	53.16	2.58	55.75	68.20	-12.45
5650.000	Peak	51.24	3.21	54.45	68.20	-13.75
5700.000	Peak	54.84	3.50	58.34	105.20	-46.86
5720.000	Peak	63.88	3.46	67.34	110.80	-43.46
5725.000	Peak	74.29	3.46	77.75	122.20	-44.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5745 MHz
Test Mode :Bandedge RU 106/54
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Vertical
Engineer :Sam Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5647.430	Peak	52.02	3.15	55.17	68.20	-13.03
5650.000	Peak	50.46	3.21	53.67	68.20	-14.53
5700.000	Peak	51.81	3.50	55.31	105.20	-49.89
5720.000	Peak	58.66	3.46	62.13	110.80	-48.67
5725.000	Peak	67.78	3.46	71.23	122.20	-50.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
 Operation Mode :802.11ax20
 Test Frequency :5745 MHz
 Test Mode :Bandedge RU 106/54
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2024-03-18
 Temp./Humi. :23.3°C/51%
 Antenna Pol. :Horizontal
 Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5622.320	Peak	53.39	2.60	55.99	68.20	-12.21
5650.000	Peak	51.32	3.21	54.53	68.20	-13.67
5700.000	Peak	55.96	3.50	59.46	105.20	-45.74
5720.000	Peak	65.46	3.46	68.92	110.80	-41.88
5725.000	Peak	76.07	3.46	79.53	122.20	-42.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-14

Test Frequency :5825 MHz


Temp./Humi. :22.5°C/47%

Test Mode :Bandedge SU

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	67.45	3.42	70.86	122.20	-51.34
5855.000	Peak	60.53	3.39	63.92	110.80	-46.88
5875.000	Peak	53.91	3.29	57.20	105.20	-48.00
5925.000	Peak	51.29	3.52	54.81	68.20	-13.39
5942.530	Peak	52.30	3.76	56.06	68.20	-12.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-14

Test Frequency :5825 MHz


Temp./Humi. :22.5°C/47%

Test Mode :Bandedge SU

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5850.000	Peak	76.16	3.42	79.58	122.20	-42.62
5855.000	Peak	67.20	3.39	70.59	110.80	-40.21
5875.000	Peak	57.42	3.29	60.71	105.20	-44.49
5925.000	Peak	52.56	3.52	56.08	68.20	-12.12
5962.590	Peak	52.49	3.96	56.45	68.20	-11.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-14

Test Frequency :5825 MHz


Temp./Humi. :22.5°C/47%

Test Mode :Bandedge RU

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	63.54	3.42	66.95	122.20	-55.25
5855.000	Peak	56.15	3.39	59.54	110.80	-51.26
5875.000	Peak	50.72	3.29	54.02	105.20	-51.18
5925.000	Peak	51.36	3.52	54.88	68.20	-13.32
5953.750	Peak	52.30	3.89	56.19	68.20	-12.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-14

Test Frequency :5825 MHz


Temp./Humi. :22.5°C/47%

Test Mode :Bandedge RU

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	74.94	3.42	78.35	122.20	-43.85
5855.000	Peak	64.88	3.39	68.27	110.80	-42.53
5875.000	Peak	54.51	3.29	57.80	105.20	-47.40
5925.000	Peak	50.68	3.52	54.20	68.20	-14.00
5957.320	Peak	52.49	3.92	56.41	68.20	-11.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 26/8

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	65.03	3.42	68.45	122.20	-53.75
5855.000	Peak	58.69	3.39	62.08	110.80	-48.72
5875.000	Peak	50.90	3.29	54.20	105.20	-51.00
5925.000	Peak	50.46	3.52	53.98	68.20	-14.22
5937.940	Peak	52.65	3.69	56.34	68.20	-11.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 26/8

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	75.24	3.42	78.65	122.20	-43.55
5855.000	Peak	68.46	3.39	71.85	110.80	-38.95
5875.000	Peak	54.65	3.29	57.94	105.20	-47.26
5925.000	Peak	50.99	3.52	54.50	68.20	-13.70
5974.320	Peak	52.83	4.05	56.88	68.20	-11.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 26/0

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	59.60	3.42	63.02	122.20	-59.18
5855.000	Peak	57.44	3.39	60.83	110.80	-49.97
5875.000	Peak	50.52	3.29	53.82	105.20	-51.38
5925.000	Peak	51.70	3.52	55.21	68.20	-12.99
5926.210	Peak	52.41	3.53	55.94	68.20	-12.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 26/0

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	67.50	3.42	70.92	122.20	-51.28
5855.000	Peak	64.91	3.39	68.30	110.80	-42.50
5875.000	Peak	53.64	3.29	56.94	105.20	-48.26
5925.000	Peak	51.49	3.52	55.01	68.20	-13.19
5926.040	Peak	53.01	3.53	56.54	68.20	-11.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 52/40

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	57.62	3.42	61.04	122.20	-61.16
5855.000	Peak	56.17	3.39	59.56	110.80	-51.24
5875.000	Peak	50.57	3.29	53.86	105.20	-51.34
5925.000	Peak	50.21	3.52	53.72	68.20	-14.48
5957.490	Peak	52.49	3.92	56.41	68.20	-11.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
 Operation Mode :802.11ax20
 Test Frequency :5825 MHz
 Test Mode :Bandedge RU 52/40
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2024-03-18
 Temp./Humi. :23.3°C/51%
 Antenna Pol. :Horizontal
 Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	66.64	3.42	70.06	122.20	-52.14
5855.000	Peak	65.52	3.39	68.91	110.80	-41.89
5875.000	Peak	54.14	3.29	57.43	105.20	-47.77
5925.000	Peak	51.46	3.52	54.98	68.20	-13.22
5970.410	Peak	52.93	4.02	56.95	68.20	-11.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 52/37

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	58.00	3.42	61.42	122.20	-60.78
5855.000	Peak	58.03	3.39	61.42	110.80	-49.38
5875.000	Peak	51.39	3.29	54.68	105.20	-50.52
5925.000	Peak	50.70	3.52	54.22	68.20	-13.98
5971.600	Peak	52.20	4.03	56.23	68.20	-11.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 52/37

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	64.41	3.42	67.83	122.20	-54.37
5855.000	Peak	65.81	3.39	69.20	110.80	-41.60
5875.000	Peak	53.56	3.29	56.85	105.20	-48.35
5925.000	Peak	51.29	3.52	54.81	68.20	-13.39
5952.050	Peak	52.10	3.88	55.97	68.20	-12.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5825 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 106/54

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5850.000	Peak	58.60	3.42	62.02	122.20	-60.18
5855.000	Peak	55.68	3.39	59.07	110.80	-51.73
5875.000	Peak	51.34	3.29	54.63	105.20	-50.57
5925.000	Peak	52.02	3.52	55.53	68.20	-12.67
5974.150	Peak	51.98	4.05	56.03	68.20	-12.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5825 MHz
Test Mode :Bandedge RU 106/54
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Horizontal
Engineer :Sam Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	67.46	3.42	70.87	122.20	-51.33
5855.000	Peak	65.66	3.39	69.05	110.80	-41.75
5875.000	Peak	55.71	3.29	59.00	105.20	-46.20
5925.000	Peak	51.03	3.52	54.54	68.20	-13.66
5928.590	Peak	52.76	3.56	56.32	68.20	-11.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5825 MHz
Test Mode :Bandedge RU 106/53
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Vertical
Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	56.32	3.42	59.74	122.20	-62.46
5855.000	Peak	57.17	3.39	60.56	110.80	-50.24
5875.000	Peak	50.36	3.29	53.65	105.20	-51.55
5925.000	Peak	51.12	3.52	54.63	68.20	-13.57
5970.410	Peak	52.23	4.02	56.25	68.20	-11.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5825 MHz
Test Mode :Bandedge RU 106/53
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Horizontal
Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	62.68	3.42	66.09	122.20	-56.11
5855.000	Peak	66.36	3.39	69.76	110.80	-41.04
5875.000	Peak	53.78	3.29	57.08	105.20	-48.12
5925.000	Peak	51.15	3.52	54.67	68.20	-13.53
5971.430	Peak	52.82	4.03	56.85	68.20	-11.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-04-22

Test Frequency :5885 MHz


Temp./Humi. :22.0°C/69%

Test Mode :Bandedge SU

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	74.80	3.19	78.00	90.20	-12.20
5895.000	Peak	82.05	3.19	85.25	110.20	-24.95
5925.000	Average	41.70	3.52	45.21	68.20	-22.99
5925.000	Peak	51.76	3.52	55.27	88.20	-32.93
5963.340	Average	41.45	3.97	45.41	68.20	-22.79
5963.340	Peak	53.19	3.97	57.16	88.20	-31.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-04-22

Test Frequency :5885 MHz


Temp./Humi. :22.0°C/69%

Test Mode :Bandedge SU

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	83.71	3.19	86.91	90.20	-3.29
5895.000	Peak	90.94	3.19	94.14	110.20	-16.06
5925.000	Average	42.71	3.52	46.22	68.20	-21.98
5925.000	Peak	53.11	3.52	56.62	88.20	-31.58
5988.430	Average	41.58	4.17	45.74	68.20	-22.46
5988.430	Peak	54.02	4.17	58.19	88.20	-30.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-14

Test Frequency :5885 MHz


Temp./Humi. :22.5°C/47%

Test Mode :Bandedge RU

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5895.000	Average	77.84	3.19	81.03	90.20	-9.17
5895.000	Peak	85.42	3.19	88.62	110.20	-21.58
5925.000	Average	41.15	3.52	44.67	68.20	-23.53
5925.000	Peak	51.04	3.52	54.55	88.20	-33.65
5926.810	Average	41.16	3.54	44.70	68.20	-23.50
5926.810	Peak	52.90	3.54	56.44	88.20	-31.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-14

Test Frequency :5885 MHz


Temp./Humi. :22.5°C/47%

Test Mode :Bandedge RU

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	83.95	3.19	87.14	90.20	-3.06
5895.000	Peak	94.19	3.19	97.38	110.20	-12.82
5925.000	Average	42.60	3.52	46.12	68.20	-22.08
5925.000	Peak	54.03	3.52	57.55	88.20	-30.65
5926.810	Average	42.30	3.54	45.84	68.20	-22.36
5926.810	Peak	56.38	3.54	59.92	88.20	-28.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-04-22

Test Frequency :5885 MHz


Temp./Humi. :22.0°C/69%

Test Mode :Bandedge RU 26/8

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5895.000	Average	75.02	3.19	78.22	90.20	-11.98
5895.000	Peak	83.20	3.19	86.39	110.20	-23.81
5925.000	Average	41.40	3.52	44.92	68.20	-23.28
5925.000	Peak	51.68	3.52	55.19	88.20	-33.01
5993.630	Average	41.36	4.21	45.57	68.20	-22.63
5993.630	Peak	52.86	4.21	57.07	88.20	-31.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-04-22

Test Frequency :5885 MHz


Temp./Humi. :22.0°C/69%

Test Mode :Bandedge RU 26/8

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	83.77	3.19	86.97	90.20	-3.23
5895.000	Peak	91.90	3.19	95.10	110.20	-15.10
5925.000	Average	41.43	3.52	44.95	68.20	-23.25
5925.000	Peak	51.99	3.52	55.51	88.20	-32.70
5985.180	Average	41.52	4.14	45.66	68.20	-22.54
5985.180	Peak	53.35	4.14	57.49	88.20	-30.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5885 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 26/0

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	65.82	3.19	69.01	90.20	-21.19
5895.000	Peak	80.95	3.19	84.15	110.20	-26.05
5925.000	Average	41.87	3.52	45.39	68.20	-22.81
5925.000	Peak	53.80	3.52	57.31	88.20	-30.89
5927.460	Average	42.09	3.55	45.64	68.20	-22.56
5927.460	Peak	56.56	3.55	60.11	88.20	-28.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5885 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 26/0

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	73.94	3.19	77.14	90.20	-13.06
5895.000	Peak	88.91	3.19	92.10	110.20	-18.10
5925.000	Average	44.79	3.52	48.30	68.20	-19.90
5925.000	Peak	59.43	3.52	62.94	88.20	-25.26
5928.240	Average	45.62	3.56	49.18	68.20	-19.02
5928.240	Peak	62.51	3.56	66.07	88.20	-22.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-04-22

Test Frequency :5885 MHz


Temp./Humi. :22.0°C/69%

Test Mode :Bandedge RU 52/40

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	74.89	3.19	78.08	90.20	-12.12
5895.000	Peak	83.33	3.19	86.52	110.20	-23.68
5925.000	Average	41.43	3.52	44.95	68.20	-23.25
5925.000	Peak	52.12	3.52	55.64	88.20	-32.56
5980.240	Average	41.62	4.10	45.72	68.20	-22.48
5980.240	Peak	53.39	4.10	57.49	88.20	-30.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5885 MHz
Test Mode :Bandedge RU 52/40
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-04-22
Temp./Humi. :22.0°C/69%
Antenna Pol. :Horizontal
Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	84.01	3.19	87.20	90.20	-3.00
5895.000	Peak	92.19	3.19	95.39	110.20	-14.81
5925.000	Average	41.54	3.52	45.06	68.20	-23.14
5925.000	Peak	51.92	3.52	55.43	88.20	-32.77
5932.140	Average	41.55	3.61	45.17	68.20	-23.03
5932.140	Peak	53.94	3.61	57.56	88.20	-30.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5885 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 52/37

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5895.000	Average	65.66	3.19	68.86	90.20	-21.34
5895.000	Peak	80.48	3.19	83.67	110.20	-26.53
5925.000	Average	41.76	3.52	45.28	68.20	-22.92
5925.000	Peak	52.92	3.52	56.43	88.20	-31.77
5926.160	Average	41.84	3.53	45.37	68.20	-22.83
5926.160	Peak	54.12	3.53	57.65	88.20	-30.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
 Operation Mode :802.11ax20
 Test Frequency :5885 MHz
 Test Mode :Bandedge RU 52/37
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2024-03-18
 Temp./Humi. :23.3°C/51%
 Antenna Pol. :Horizontal
 Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	73.09	3.19	76.29	90.20	-13.91
5895.000	Peak	88.01	3.19	91.20	110.20	-19.00
5925.000	Average	44.05	3.52	47.56	68.20	-20.64
5925.000	Peak	58.04	3.52	61.55	88.20	-26.65
5926.420	Average	44.60	3.53	48.14	68.20	-20.06
5926.420	Peak	60.39	3.53	63.92	88.20	-24.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-04-22

Test Frequency :5885 MHz


Temp./Humi. :22.0°C/69%

Test Mode :Bandedge RU 106/54

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5895.000	Average	74.84	3.19	78.04	90.20	-12.16
5895.000	Peak	81.59	3.19	84.79	110.20	-25.41
5925.000	Average	41.40	3.52	44.91	68.20	-23.29
5925.000	Peak	51.02	3.52	54.53	88.20	-33.67
5997.660	Average	41.35	4.24	45.59	68.20	-22.61
5997.660	Peak	53.08	4.24	57.32	88.20	-30.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
 Operation Mode :802.11ax20
 Test Frequency :5885 MHz
 Test Mode :Bandedge RU 106/54
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2024-04-22
 Temp./Humi. :22.0°C/69%
 Antenna Pol. :Horizontal
 Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	83.90	3.19	87.10	90.20	-3.10
5895.000	Peak	90.66	3.19	93.85	110.20	-16.35
5925.000	Average	41.69	3.52	45.21	68.20	-22.99
5925.000	Peak	51.23	3.52	54.74	88.20	-33.46
5968.020	Average	41.77	4.00	45.77	68.20	-22.43
5968.020	Peak	53.70	4.00	57.70	88.20	-30.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2

Test Site :SAC D

Operation Mode :802.11ax20

Test Date :2024-03-18

Test Frequency :5885 MHz


Temp./Humi. :23.3°C/51%

Test Mode :Bandedge RU 106/53

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Sam Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	64.51	3.19	67.70	90.20	-22.50
5895.000	Peak	79.77	3.19	82.97	110.20	-27.23
5925.000	Average	42.03	3.52	45.54	68.20	-22.66
5925.000	Peak	52.83	3.52	56.34	88.20	-31.86
5928.760	Average	41.93	3.57	45.50	68.20	-22.70
5928.760	Peak	53.88	3.57	57.45	88.20	-30.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2312003244E2
Operation Mode :802.11ax20
Test Frequency :5885 MHz
Test Mode :Bandedge RU 106/53
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2024-03-18
Temp./Humi. :23.3°C/51%
Antenna Pol. :Horizontal
Engineer :Sam Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5895.000	Average	72.61	3.19	75.80	90.20	-14.40
5895.000	Peak	87.99	3.19	91.19	110.20	-19.01
5925.000	Average	45.10	3.52	48.62	68.20	-19.58
5925.000	Peak	57.24	3.52	60.76	88.20	-27.44
5926.550	Average	45.85	3.54	49.39	68.20	-18.81
5926.550	Peak	59.60	3.54	63.13	88.20	-25.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c) & RSS-247 §6.4

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

13.2 Antenna Connected Construction:

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group