


EMI PARTS

GD-0405-R

98/03/06


PARTS NUMBER	NAME	CIRCUIT SIGN	QUANTITY	MAKER
BLM11A102S	COIL	F 1, 2, 3, 4, 5	5	MURATA MANUFACTURING Co., Ltd.
HF70 BB 5.2X10X3.0	FERRITE CORE		1	TDK CORPORATION
ALUMINIUM PET	SHIELD FOIL		1	FUKUDA METAL FOIL&POWER CO., LTD.
TERAOKA NO.8321	COPPER TAPE		1	TERAOKA MANUFACTUR Co., Ltd.

To Host Computer






ACI INPUT
 120V/60Hz(U. S. A)
 230V/50Hz(Germany)
 240V/50Hz(England)
 100V/60Hz(Japan)
 100v/60Hz(Japan)

DC OUTPUT
 12V DC/200mA




CONNECTOR

SENSOR BOARD




To Supply of every parts



SENSOR ALL
SCAN FREQUENCY
 460.8kHz
 384.0kHz

SENSOR SECTOR
SCAN FREQUENCY
 (=RESONANCE
 FREQUENCY)



STYLUSES & OTHER DEVICES
 (NO BATTERY)
 460.8KHz
 384.0KHz

PWB PartNo. PWB-A390

WACOM CO.,LTD.

SHT

NAME GD-0405-R***

NOTE Circuit Block Diagram

APP

CHK

DES&DRW

DRAWING NO.

REV


WAVE CORPORATION

9.1 RADIATED TEST CONFIGURATION

FRONT VIEW




BACK VIEW



WAVE CORPORATION

9.2 LINE CONDUCTED TEST CONFIGURATION

POWER LINE



WAVE CORPORATION

10.0 DIGITIZER (GD-0405-R)

