

DENSO

Manufacturer's Letter

February 18, 2005

Federal Communication Commission
Equipment Authorization Division
Application Processing Branch
7435 Oakland Mills Road
Columbia, Maryland 21046

RE: Certification Application
FCC ID: HYQBT0501A

To Whom It May Concern:

Please be advised that the manufacturer will ensure that the above-referenced model will be manufactured in accordance with the FCC Rules and Regulations.

Thank you for your attention to this matter.

Sincerely,



Toshiharu Kamiya
General Manager
ITS Engineering Department 3

DENSO

FCC Labeling Requirements and Information

February 18, 2005


Federal Communication Commission
Equipment Authorization Division
Application Processing Branch
7435 Oakland Mills Road
Columbia, Maryland 21046

RE: FCC Labeling Requirements
FCC ID: HYQBT0501A

The following label information is required by the FCC Rules and Regulations for certified devices. Also attached, please find marketing information required by the FCC Rules and Regulations.

Thank you for your attention to these matters.

Sincerely,



Toshiharu Kamiya
General Manager
ITS Engineering Department 3


FCC ID : HYQBT0501A
IC Number : 1551A-BT0501A
Model : BT0501A
Applicant : DENSO CORPORATION

Request for Modular Approval


The modular transmitter (Model: BT0501A) is designed by DENSO CORPORATION.
The modular transmitter complies the module basic requirement (Item 1 to 8) in FCC Public Notice: Part 15 Unlicensed Modular Transmitter Approval as indicated below:

[Module basic requirement]

(1) Have its own RF shielding.: This modular transmitter has it own RF shielding. Please refer to the assembly drawing and an external photograph.



- (2) The modular transmitter must have buffered modulation/data inputs.: Data input to Modular transmitter is controlled as not generating excessive data speed and abnormal modulation.
- (3) The modular transmitter must have its own power supply regulation.: The module can regulate Power Supply by itself. (See Schematic)
- (4) The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204 (c).: The antenna of this equipment is installed into the chassis. So, it is impossible for users to disconnect it. Accordingly, it is complied.
- (5) The modular transmitter must be tested in a stand alone.: The modular transmitter has been performed the testing as a stand alone and then confirmed the compliance. Please refer to the Test report. (No.25GE0132-HO-1, 2)
- (6) The modular transmitter must be labeled with its own FCC ID/IC Number, and, if the FCC ID/IC Number are not visible when The module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.: This modular transmitter is complied with this requirement. Please refer to the file of Label drawing and location.
- (7) The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements.: The necessary explanation to be complied with this requirement is contained in the manual.
- (8) The modular transmitter must comply with any applicable RF exposure requirements.: Please refer to RF Exposure Statement (No.25GE0132-HO-1,2)


Toshiharu Kamiya
General manager