

## Processing Gain Test for HZB-US58-S60

### Test Setup:

The processing gain was measured using the CW jamming margin method as described in 15.247(e)(2). The specific test diagram is illustrated below.

All test equipment and the EUT were allowed to warm up for four hours prior to start of test to minimize drift over time. All test equipment had valid calibration. Calibration of carrier and interferer levels was performed several times during testing with no observed changes.

**The measurements were performed on the frequency channel centered at 5744 MHz, over a range of  $\pm 20$  MHz. The measurements made across the center  $\pm 13$  MHz should be used for calculation of  $G_p$  since that bandwidth represents the receiver passband.**

For the carrier signal, a level of 20dB above threshold was chosen so that thermal noise would not effect the processing gain measurements. The measured threshold of the receive radio was -94 dBm at  $BER = 1 \times 10^{-6}$ . The attenuator was tuned up 20dB from the level the receiver reaches threshold to allow the signal level of the transmit radio reach  $-74$ dBm at the input of the receive radio.

For the jammer signal, -20 dBm at the generator ( $P_g$ ) corresponds to  $-42$ dBm ( $P_j$ ) at the receiver input.

BER testing is done via Smart Bit tester by running the frame loss test. Equipment was set up to send frames with length of 1250 bytes (8bits/byte), totaling 10,000 bits. Since path fading induced error would cause evenly distributed errors rather than error bursts, assumption is made that one packet loss is caused by one bit error. Therefore, 1% packet error rate equates to  $10^{-6}$  BER.

### Test Equipment:

Signal Generator	Hewlett Packard 8673B
Power Meter	HP EPM-441A with 8481D H39
Error Rate Tester	SMART BIT 200 OR 6000 LEVEL 3

### Explanation of Results:

The following notations are used on the spreadsheet data:

**P<sub>g</sub>**: Power at Generator in dBm (as indicated by generator display).

**P<sub>j</sub>**: Power of interferer at the receiver input.(calculated in spreadsheet)

**P<sub>s</sub>**: Power of carrier at receiver input

**J/S**: Jammer to Signal ratio,  $P_j - P_s$  (dB) (calculated in spreadsheet)

**G<sub>p</sub>**: Processing Gain:  $(S/N)_o + J/S + L_{sys}$  where:

$$L_{sys} = 2 \text{ dB}$$

$$(S/N)_o = 13.5 \text{ dB for QPSK and } BER = 10^{-6} \text{ (see curve provided)}$$

therefore:  $G_p = 13.5 + 2 + J/S = 15.5 + J/S$  (calculated in spreadsheet)

**100% of measurements meet the minimum processing gain of 10 dB**





Fig. 3.21.  $P(e)$  performance of  $M$ -ary PSK, QAM, QPR, and  $M$ -ary APK coherent systems. The rms  $C/N$  is specified in the double-sided Nyquist bandwidth.

Figure showing offset for QPSK (4-PSK) modulation  $C/N$  offset (14 dB).  
 (Obtained from DIGITAL COMMUNICATIONS: Microwave Applications, by  
 Kamilo Feher, Prentice-Hall Inc., 1981)

# Test Setup Block Diagram



## Test Data

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
1	5725	-17.8	-39.8	-74	34.2	49.7
2	5725.05	-18.5	-40.5	-74	33.5	49
3	5725.1	-17.9	-39.9	-74	34.1	49.6
4	5725.15	-17.9	-39.9	-74	34.1	49.6
5	5725.2	-17.9	-39.9	-74	34.1	49.6
6	5725.25	-17.9	-39.9	-74	34.1	49.6
7	5725.3	-17.9	-39.9	-74	34.1	49.6
8	5725.35	-17.9	-39.9	-74	34.1	49.6
9	5725.4	-17.9	-39.9	-74	34.1	49.6
10	5725.45	-17.9	-39.9	-74	34.1	49.6
11	5725.5	-17.9	-39.9	-74	34.1	49.6
12	5725.55	-17.9	-39.9	-74	34.1	49.6
13	5725.6	-17.9	-39.9	-74	34.1	49.6
14	5725.65	-17.9	-39.9	-74	34.1	49.6
15	5725.7	-17.9	-39.9	-74	34.1	49.6
16	5725.75	-17.9	-39.9	-74	34.1	49.6
17	5725.8	-17.9	-39.9	-74	34.1	49.6
18	5725.85	-17.9	-39.9	-74	34.1	49.6
19	5725.9	-17.9	-39.9	-74	34.1	49.6
20	5725.95	-17.9	-39.9	-74	34.1	49.6
21	5726	-18.5	-40.5	-74	33.5	49
22	5726.05	-18.5	-40.5	-74	33.5	49
23	5726.1	-18.5	-40.5	-74	33.5	49
24	5726.15	-18.5	-40.5	-74	33.5	49
25	5726.2	-18.5	-40.5	-74	33.5	49
26	5726.25	-18.5	-40.5	-74	33.5	49
27	5726.3	-18.5	-40.5	-74	33.5	49
28	5726.35	-18.5	-40.5	-74	33.5	49
29	5726.4	-18.5	-40.5	-74	33.5	49
30	5726.45	-18.5	-40.5	-74	33.5	49
31	5726.5	-18.5	-40.5	-74	33.5	49
32	5726.55	-18.5	-40.5	-74	33.5	49
33	5726.6	-18.5	-40.5	-74	33.5	49
34	5726.65	-18.5	-40.5	-74	33.5	49
35	5726.7	-18.5	-40.5	-74	33.5	49
36	5726.75	-18.5	-40.5	-74	33.5	49
37	5726.8	-18.5	-40.5	-74	33.5	49
38	5726.85	-18.5	-40.5	-74	33.5	49
39	5726.9	-18.5	-40.5	-74	33.5	49
40	5726.95	-18.5	-40.5	-74	33.5	49
41	5727	-18.5	-40.5	-74	33.5	49
42	5727.05	-18.5	-40.5	-74	33.5	49
43	5727.1	-18.5	-40.5	-74	33.5	49
44	5727.15	-18.5	-40.5	-74	33.5	49
45	5727.2	-18.5	-40.5	-74	33.5	49
46	5727.25	-18.5	-40.5	-74	33.5	49
47	5727.3	-18.5	-40.5	-74	33.5	49
48	5727.35	-18.5	-40.5	-74	33.5	49
49	5727.4	-18.5	-40.5	-74	33.5	49
50	5727.45	-18.5	-40.5	-74	33.5	49
51	5727.5	-18.5	-40.5	-74	33.5	49

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
52	5727.55	-18.5	-40.5	-74	33.5	49
53	5727.6	-18.5	-40.5	-74	33.5	49
54	5727.65	-18.5	-40.5	-74	33.5	49
55	5727.7	-18.5	-40.5	-74	33.5	49
56	5727.75	-18.5	-40.5	-74	33.5	49
57	5727.8	-18.5	-40.5	-74	33.5	49
58	5727.85	-18.5	-40.5	-74	33.5	49
59	5727.9	-18.5	-40.5	-74	33.5	49
60	5727.95	-18.5	-40.5	-74	33.5	49
61	5728	-19	-41	-74	33	48.5
62	5728.05	-19	-41	-74	33	48.5
63	5728.1	-19	-41	-74	33	48.5
64	5728.15	-19	-41	-74	33	48.5
65	5728.2	-19	-41	-74	33	48.5
66	5728.25	-19	-41	-74	33	48.5
67	5728.3	-19	-41	-74	33	48.5
68	5728.35	-19	-41	-74	33	48.5
69	5728.4	-19.5	-41.5	-74	32.5	48
70	5728.45	-19.5	-41.5	-74	32.5	48
71	5728.5	-19.5	-41.5	-74	32.5	48
72	5728.55	-19.5	-41.5	-74	32.5	48
73	5728.6	-19.5	-41.5	-74	32.5	48
74	5728.65	-19.5	-41.5	-74	32.5	48
75	5728.7	-19.5	-41.5	-74	32.5	48
76	5728.75	-19.5	-41.5	-74	32.5	48
77	5728.8	-19.5	-41.5	-74	32.5	48
78	5728.85	-19.5	-41.5	-74	32.5	48
79	5728.9	-20	-42	-74	32	47.5
80	5728.95	-20	-42	-74	32	47.5
81	5729	-20	-42	-74	32	47.5
82	5729.05	-20	-42	-74	32	47.5
83	5729.1	-20	-42	-74	32	47.5
84	5729.15	-20.5	-42.5	-74	31.5	47
85	5729.2	-20.5	-42.5	-74	31.5	47
86	5729.25	-20.5	-42.5	-74	31.5	47
87	5729.3	-20.5	-42.5	-74	31.5	47
88	5729.35	-21	-43	-74	31	46.5
89	5729.4	-21	-43	-74	31	46.5
90	5729.45	-21	-43	-74	31	46.5
91	5729.5	-21	-43	-74	31	46.5
92	5729.55	-21	-43	-74	31	46.5
93	5729.6	-21	-43	-74	31	46.5
94	5729.65	-21	-43	-74	31	46.5
95	5729.7	-21	-43	-74	31	46.5
96	5729.75	-21.5	-43.5	-74	30.5	46
97	5729.8	-21.5	-43.5	-74	30.5	46
98	5729.85	-21.5	-43.5	-74	30.5	46
99	5729.9	-21.5	-43.5	-74	30.5	46
100	5729.95	-21.5	-43.5	-74	30.5	46
101	5730	-21.5	-43.5	-74	30.5	46
102	5730.05	-21.5	-43.5	-74	30.5	46

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
103	5730.1	-21.5	-43.5	-74	30.5	46
104	5730.15	-21.5	-43.5	-74	30.5	46
105	5730.2	-21.5	-43.5	-74	30.5	46
106	5730.25	-21.5	-43.5	-74	30.5	46
107	5730.3	-21.5	-43.5	-74	30.5	46
108	5730.35	-21.5	-43.5	-74	30.5	46
109	5730.4	-21.5	-43.5	-74	30.5	46
110	5730.45	-21.5	-43.5	-74	30.5	46
111	5730.5	-21.5	-43.5	-74	30.5	46
112	5730.55	-21.5	-43.5	-74	30.5	46
113	5730.6	-21.5	-43.5	-74	30.5	46
114	5730.65	-21.5	-43.5	-74	30.5	46
115	5730.7	-21.5	-43.5	-74	30.5	46
116	5730.75	-21.5	-43.5	-74	30.5	46
117	5730.8	-21.5	-43.5	-74	30.5	46
118	5730.85	-21.5	-43.5	-74	30.5	46
119	5730.9	-21.5	-43.5	-74	30.5	46
120	5730.95	-21.5	-43.5	-74	30.5	46
121	5731	-22	-44	-74	30	45.5
122	5731.05	-22	-44	-74	30	45.5
123	5731.1	-22	-44	-74	30	45.5
124	5731.15	-22	-44	-74	30	45.5
125	5731.2	-22	-44	-74	30	45.5
126	5731.25	-23	-45	-74	29	44.5
127	5731.3	-23	-45	-74	29	44.5
128	5731.35	-23	-45	-74	29	44.5
129	5731.4	-23	-45	-74	29	44.5
130	5731.45	-23	-45	-74	29	44.5
131	5731.5	-24	-46	-74	28	43.5
132	5731.55	-24	-46	-74	28	43.5
133	5731.6	-24	-46	-74	28	43.5
134	5731.65	-24	-46	-74	28	43.5
135	5731.7	-25	-47	-74	27	42.5
136	5731.75	-25	-47	-74	27	42.5
137	5731.8	-25	-47	-74	27	42.5
138	5731.85	-25	-47	-74	27	42.5
139	5731.9	-25	-47	-74	27	42.5
140	5731.95	-25	-47	-74	27	42.5
141	5732	-26	-48	-74	26	41.5
142	5732.05	-26	-48	-74	26	41.5
143	5732.1	-27	-49	-74	25	40.5
144	5732.15	-27	-49	-74	25	40.5
145	5732.2	-27	-49	-74	25	40.5
146	5732.25	-28	-50	-74	24	39.5
147	5732.3	-28	-50	-74	24	39.5
148	5732.35	-28	-50	-74	24	39.5
149	5732.4	-29	-51	-74	23	38.5
150	5732.45	-29	-51	-74	23	38.5
151	5732.5	-30	-52	-74	22	37.5
152	5732.55	-30	-52	-74	22	37.5
153	5732.6	-30	-52	-74	22	37.5

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
154	5732.65	-30	-52	-74	22	37.5
155	5732.7	-30	-52	-74	22	37.5
156	5732.75	-31	-53	-74	21	36.5
157	5732.8	-31	-53	-74	21	36.5
158	5732.85	-31	-53	-74	21	36.5
159	5732.9	-31	-53	-74	21	36.5
160	5732.95	-32	-54	-74	20	35.5
161	5733	-32	-54	-74	20	35.5
162	5733.05	-32	-54	-74	20	35.5
163	5733.1	-32	-54	-74	20	35.5
164	5733.15	-32	-54	-74	20	35.5
165	5733.2	-33	-55	-74	19	34.5
166	5733.25	-33	-55	-74	19	34.5
167	5733.3	-33	-55	-74	19	34.5
168	5733.35	-33	-55	-74	19	34.5
169	5733.4	-33	-55	-74	19	34.5
170	5733.45	-33	-55	-74	19	34.5
171	5733.5	-33	-55	-74	19	34.5
172	5733.55	-34	-56	-74	18	33.5
173	5733.6	-34	-56	-74	18	33.5
174	5733.65	-34	-56	-74	18	33.5
175	5733.7	-34	-56	-74	18	33.5
176	5733.75	-34	-56	-74	18	33.5
177	5733.8	-34	-56	-74	18	33.5
178	5733.85	-34	-56	-74	18	33.5
179	5733.9	-35	-57	-74	17	32.5
180	5733.95	-35	-57	-74	17	32.5
181	5734	-35	-57	-74	17	32.5
182	5734.05	-35	-57	-74	17	32.5
183	5734.1	-35	-57	-74	17	32.5
184	5734.15	-35	-57	-74	17	32.5
185	5734.2	-35	-57	-74	17	32.5
186	5734.25	-35	-57	-74	17	32.5
187	5734.3	-35	-57	-74	17	32.5
188	5734.35	-35	-57	-74	17	32.5
189	5734.4	-35	-57	-74	17	32.5
190	5734.45	-35	-57	-74	17	32.5
191	5734.5	-36	-58	-74	16	31.5
192	5734.55	-36	-58	-74	16	31.5
193	5734.6	-36	-58	-74	16	31.5
194	5734.65	-36	-58	-74	16	31.5
195	5734.7	-36	-58	-74	16	31.5
196	5734.75	-36	-58	-74	16	31.5
197	5734.8	-36	-58	-74	16	31.5
198	5734.85	-36	-58	-74	16	31.5
199	5734.9	-36	-58	-74	16	31.5
200	5734.95	-36	-58	-74	16	31.5
201	5735	-37	-59	-74	15	30.5
202	5735.05	-37	-59	-74	15	30.5
203	5735.1	-37	-59	-74	15	30.5
204	5735.15	-36	-58	-74	16	31.5

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
205	5735.2	-36	-58	-74	16	31.5
206	5735.25	-36	-58	-74	16	31.5
207	5735.3	-36	-58	-74	16	31.5
208	5735.35	-35	-57	-74	17	32.5
209	5735.4	-35	-57	-74	17	32.5
210	5735.45	-35	-57	-74	17	32.5
211	5735.5	-35	-57	-74	17	32.5
212	5735.55	-34	-56	-74	18	33.5
213	5735.6	-34	-56	-74	18	33.5
214	5735.65	-34	-56	-74	18	33.5
215	5735.7	-34	-56	-74	18	33.5
216	5735.75	-34	-56	-74	18	33.5
217	5735.8	-34	-56	-74	18	33.5
218	5735.85	-34	-56	-74	18	33.5
219	5735.9	-34	-56	-74	18	33.5
220	5735.95	-34	-56	-74	18	33.5
221	5736	-34	-56	-74	18	33.5
222	5736.05	-34	-56	-74	18	33.5
223	5736.1	-34	-56	-74	18	33.5
224	5736.15	-34	-56	-74	18	33.5
225	5736.2	-34	-56	-74	18	33.5
226	5736.25	-34	-56	-74	18	33.5
227	5736.3	-34	-56	-74	18	33.5
228	5736.35	-34	-56	-74	18	33.5
229	5736.4	-34	-56	-74	18	33.5
230	5736.45	-34	-56	-74	18	33.5
231	5736.5	-34	-56	-74	18	33.5
232	5736.55	-34	-56	-74	18	33.5
233	5736.6	-34	-56	-74	18	33.5
234	5736.65	-34	-56	-74	18	33.5
235	5736.7	-34	-56	-74	18	33.5
236	5736.75	-34	-56	-74	18	33.5
237	5736.8	-34	-56	-74	18	33.5
238	5736.85	-34	-56	-74	18	33.5
239	5736.9	-34	-56	-74	18	33.5
240	5736.95	-34	-56	-74	18	33.5
241	5737	-33.5	-55.5	-74	18.5	34
242	5737.05	-33.5	-55.5	-74	18.5	34
243	5737.1	-33.5	-55.5	-74	18.5	34
244	5737.15	-33.5	-55.5	-74	18.5	34
245	5737.2	-33.5	-55.5	-74	18.5	34
246	5737.25	-33.5	-55.5	-74	18.5	34
247	5737.3	-33.5	-55.5	-74	18.5	34
248	5737.35	-33.5	-55.5	-74	18.5	34
249	5737.4	-33.5	-55.5	-74	18.5	34
250	5737.45	-33.5	-55.5	-74	18.5	34
251	5737.5	-33.5	-55.5	-74	18.5	34
252	5737.55	-33.5	-55.5	-74	18.5	34
253	5737.6	-33.5	-55.5	-74	18.5	34
254	5737.65	-33.5	-55.5	-74	18.5	34
255	5737.7	-33.5	-55.5	-74	18.5	34



Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
256	5737.75	-33.5	-55.5	-74	18.5	34
257	5737.8	-33.5	-55.5	-74	18.5	34
258	5737.85	-33.5	-55.5	-74	18.5	34
259	5737.9	-33.5	-55.5	-74	18.5	34
260	5737.95	-33.5	-55.5	-74	18.5	34
261	5738	-33.5	-55.5	-74	18.5	34
262	5738.05	-33.5	-55.5	-74	18.5	34
263	5738.1	-33.5	-55.5	-74	18.5	34
264	5738.15	-33.5	-55.5	-74	18.5	34
265	5738.2	-33.5	-55.5	-74	18.5	34
266	5738.25	-33.5	-55.5	-74	18.5	34
267	5738.3	-33.5	-55.5	-74	18.5	34
268	5738.35	-33.5	-55.5	-74	18.5	34
269	5738.4	-33.5	-55.5	-74	18.5	34
270	5738.45	-33.5	-55.5	-74	18.5	34
271	5738.5	-34	-56	-74	18	33.5
272	5738.55	-34	-56	-74	18	33.5
273	5738.6	-34	-56	-74	18	33.5
274	5738.65	-34	-56	-74	18	33.5
275	5738.7	-34	-56	-74	18	33.5
276	5738.75	-34	-56	-74	18	33.5
277	5738.8	-34	-56	-74	18	33.5
278	5738.85	-34	-56	-74	18	33.5
279	5738.9	-34	-56	-74	18	33.5
280	5738.95	-34	-56	-74	18	33.5
281	5739	-33	-55	-74	19	34.5
282	5739.05	-33	-55	-74	19	34.5
283	5739.1	-33	-55	-74	19	34.5
284	5739.15	-33	-55	-74	19	34.5
285	5739.2	-33	-55	-74	19	34.5
286	5739.25	-33	-55	-74	19	34.5
287	5739.3	-33	-55	-74	19	34.5
288	5739.35	-33	-55	-74	19	34.5
289	5739.4	-33	-55	-74	19	34.5
290	5739.45	-33	-55	-74	19	34.5
291	5739.5	-33	-55	-74	19	34.5
292	5739.55	-33	-55	-74	19	34.5
293	5739.6	-33	-55	-74	19	34.5
294	5739.65	-33	-55	-74	19	34.5
295	5739.7	-33	-55	-74	19	34.5
296	5739.75	-33	-55	-74	19	34.5
297	5739.8	-33	-55	-74	19	34.5
298	5739.85	-33	-55	-74	19	34.5
299	5739.9	-33	-55	-74	19	34.5
300	5739.95	-33	-55	-74	19	34.5
301	5740	-33	-55	-74	19	34.5
302	5740.05	-33	-55	-74	19	34.5
303	5740.1	-33	-55	-74	19	34.5
304	5740.15	-33	-55	-74	19	34.5
305	5740.2	-33	-55	-74	19	34.5
306	5740.25	-33	-55	-74	19	34.5

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
307	5740.3	-33	-55	-74	19	34.5
308	5740.35	-33	-55	-74	19	34.5
309	5740.4	-33	-55	-74	19	34.5
310	5740.45	-32.5	-54.5	-74	19.5	35
311	5740.5	-32.5	-54.5	-74	19.5	35
312	5740.55	-32.5	-54.5	-74	19.5	35
313	5740.6	-32.5	-54.5	-74	19.5	35
314	5740.65	-32.5	-54.5	-74	19.5	35
315	5740.7	-32.5	-54.5	-74	19.5	35
316	5740.75	-32.5	-54.5	-74	19.5	35
317	5740.8	-32.5	-54.5	-74	19.5	35
318	5740.85	-32.5	-54.5	-74	19.5	35
319	5740.9	-32.5	-54.5	-74	19.5	35
320	5740.95	-32.5	-54.5	-74	19.5	35
321	5741	-32.1	-54.1	-74	19.9	35.4
322	5741.05	-32.1	-54.1	-74	19.9	35.4
323	5741.1	-32.1	-54.1	-74	19.9	35.4
324	5741.15	-32.1	-54.1	-74	19.9	35.4
325	5741.2	-32.1	-54.1	-74	19.9	35.4
326	5741.25	-32.1	-54.1	-74	19.9	35.4
327	5741.3	-32.1	-54.1	-74	19.9	35.4
328	5741.35	-32.1	-54.1	-74	19.9	35.4
329	5741.4	-32.1	-54.1	-74	19.9	35.4
330	5741.45	-32.1	-54.1	-74	19.9	35.4
331	5741.5	-32.1	-54.1	-74	19.9	35.4
332	5741.55	-32.1	-54.1	-74	19.9	35.4
333	5741.6	-32.1	-54.1	-74	19.9	35.4
334	5741.65	-32.1	-54.1	-74	19.9	35.4
335	5741.7	-32.1	-54.1	-74	19.9	35.4
336	5741.75	-32.1	-54.1	-74	19.9	35.4
337	5741.8	-32.1	-54.1	-74	19.9	35.4
338	5741.85	-32.1	-54.1	-74	19.9	35.4
339	5741.9	-32.1	-54.1	-74	19.9	35.4
340	5741.95	-32.1	-54.1	-74	19.9	35.4
341	5742	-32.1	-54.1	-74	19.9	35.4
342	5742.05	-32.1	-54.1	-74	19.9	35.4
343	5742.1	-32.1	-54.1	-74	19.9	35.4
344	5742.15	-32.1	-54.1	-74	19.9	35.4
345	5742.2	-32.1	-54.1	-74	19.9	35.4
346	5742.25	-32.1	-54.1	-74	19.9	35.4
347	5742.3	-32.1	-54.1	-74	19.9	35.4
348	5742.35	-32.1	-54.1	-74	19.9	35.4
349	5742.4	-32.1	-54.1	-74	19.9	35.4
350	5742.45	-32.1	-54.1	-74	19.9	35.4
351	5742.5	-32.1	-54.1	-74	19.9	35.4
352	5742.55	-32.1	-54.1	-74	19.9	35.4
353	5742.6	-32.1	-54.1	-74	19.9	35.4
354	5742.65	-32.1	-54.1	-74	19.9	35.4
355	5742.7	-32.1	-54.1	-74	19.9	35.4
356	5742.75	-32.1	-54.1	-74	19.9	35.4
357	5742.8	-32.1	-54.1	-74	19.9	35.4

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
358	5742.85	-32.1	-54.1	-74	19.9	35.4
359	5742.9	-32.1	-54.1	-74	19.9	35.4
360	5742.95	-32.1	-54.1	-74	19.9	35.4
361	5743	-32.1	-54.1	-74	19.9	35.4
362	5743.05	-32.1	-54.1	-74	19.9	35.4
363	5743.1	-32.1	-54.1	-74	19.9	35.4
364	5743.15	-32.1	-54.1	-74	19.9	35.4
365	5743.2	-32.1	-54.1	-74	19.9	35.4
366	5743.25	-32.1	-54.1	-74	19.9	35.4
367	5743.3	-32.1	-54.1	-74	19.9	35.4
368	5743.35	-32.1	-54.1	-74	19.9	35.4
369	5743.4	-32.1	-54.1	-74	19.9	35.4
370	5743.45	-32.1	-54.1	-74	19.9	35.4
371	5743.5	-32.1	-54.1	-74	19.9	35.4
372	5743.55	-32.1	-54.1	-74	19.9	35.4
373	5743.6	-32.1	-54.1	-74	19.9	35.4
374	5743.65	-32.1	-54.1	-74	19.9	35.4
375	5743.7	-32.1	-54.1	-74	19.9	35.4
376	5743.75	-32.1	-54.1	-74	19.9	35.4
377	5743.8	-32.1	-54.1	-74	19.9	35.4
378	5743.85	-32.1	-54.1	-74	19.9	35.4
379	5743.9	-32.1	-54.1	-74	19.9	35.4
380	5743.95	-32.1	-54.1	-74	19.9	35.4
381	5744	-32.1	-54.1	-74	19.9	35.4
382	5744.05	-32.1	-54.1	-74	19.9	35.4
383	5744.1	-32.1	-54.1	-74	19.9	35.4
384	5744.15	-32.1	-54.1	-74	19.9	35.4
385	5744.2	-32.1	-54.1	-74	19.9	35.4
386	5744.25	-32.2	-54.2	-74	19.8	35.3
387	5744.3	-32.2	-54.2	-74	19.8	35.3
388	5744.35	-32.1	-54.1	-74	19.9	35.4
389	5744.4	-32.1	-54.1	-74	19.9	35.4
390	5744.45	-32.1	-54.1	-74	19.9	35.4
391	5744.5	-32.1	-54.1	-74	19.9	35.4
392	5744.55	-32.1	-54.1	-74	19.9	35.4
393	5744.6	-32.1	-54.1	-74	19.9	35.4
394	5744.65	-32.1	-54.1	-74	19.9	35.4
395	5744.7	-32.1	-54.1	-74	19.9	35.4
396	5744.75	-32.1	-54.1	-74	19.9	35.4
397	5744.8	-32.1	-54.1	-74	19.9	35.4
398	5744.85	-32.1	-54.1	-74	19.9	35.4
399	5744.9	-32.2	-54.2	-74	19.8	35.3
400	5744.95	-32.1	-54.1	-74	19.9	35.4
401	5745	-32.1	-54.1	-74	19.9	35.4
402	5745.05	-32.1	-54.1	-74	19.9	35.4
403	5745.1	-32.1	-54.1	-74	19.9	35.4
404	5745.15	-32.2	-54.2	-74	19.8	35.3
405	5745.2	-32.2	-54.2	-74	19.8	35.3
406	5745.25	-32.2	-54.2	-74	19.8	35.3
407	5745.3	-32.2	-54.2	-74	19.8	35.3
408	5745.35	-32.3	-54.3	-74	19.7	35.2

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
409	5745.4	-32.2	-54.2	-74	19.8	35.3
410	5745.45	-32.2	-54.2	-74	19.8	35.3
411	5745.5	-32.2	-54.2	-74	19.8	35.3
412	5745.55	-32.2	-54.2	-74	19.8	35.3
413	5745.6	-32.1	-54.1	-74	19.9	35.4
414	5745.65	-32.1	-54.1	-74	19.9	35.4
415	5745.7	-32.1	-54.1	-74	19.9	35.4
416	5745.75	-32.1	-54.1	-74	19.9	35.4
417	5745.8	-32.1	-54.1	-74	19.9	35.4
418	5745.85	-32	-54	-74	20	35.5
419	5745.9	-32	-54	-74	20	35.5
420	5745.95	-32	-54	-74	20	35.5
421	5746	-32	-54	-74	20	35.5
422	5746.05	-32	-54	-74	20	35.5
423	5746.1	-32	-54	-74	20	35.5
424	5746.15	-32	-54	-74	20	35.5
425	5746.2	-32	-54	-74	20	35.5
426	5746.25	-32	-54	-74	20	35.5
427	5746.3	-32	-54	-74	20	35.5
428	5746.35	-32	-54	-74	20	35.5
429	5746.4	-32	-54	-74	20	35.5
430	5746.45	-32.1	-54.1	-74	19.9	35.4
431	5746.5	-32.2	-54.2	-74	19.8	35.3
432	5746.55	-32.1	-54.1	-74	19.9	35.4
433	5746.6	-32.1	-54.1	-74	19.9	35.4
434	5746.65	-32.1	-54.1	-74	19.9	35.4
435	5746.7	-32.1	-54.1	-74	19.9	35.4
436	5746.75	-32.1	-54.1	-74	19.9	35.4
437	5746.8	-32.1	-54.1	-74	19.9	35.4
438	5746.85	-32.1	-54.1	-74	19.9	35.4
439	5746.9	-32.1	-54.1	-74	19.9	35.4
440	5746.95	-32.1	-54.1	-74	19.9	35.4
441	5747	-32.1	-54.1	-74	19.9	35.4
442	5747.05	-32.1	-54.1	-74	19.9	35.4
443	5747.1	-32.1	-54.1	-74	19.9	35.4
444	5747.15	-32.1	-54.1	-74	19.9	35.4
445	5747.2	-32.1	-54.1	-74	19.9	35.4
446	5747.25	-32.1	-54.1	-74	19.9	35.4
447	5747.3	-32.1	-54.1	-74	19.9	35.4
448	5747.35	-32.1	-54.1	-74	19.9	35.4
449	5747.4	-32.1	-54.1	-74	19.9	35.4
450	5747.45	-32.1	-54.1	-74	19.9	35.4
451	5747.5	-32.1	-54.1	-74	19.9	35.4
452	5747.55	-32.2	-54.2	-74	19.8	35.3
453	5747.6	-32.2	-54.2	-74	19.8	35.3
454	5747.65	-32.2	-54.2	-74	19.8	35.3
455	5747.7	-32.5	-54.5	-74	19.5	35
456	5747.75	-33	-55	-74	19	34.5
457	5747.8	-33	-55	-74	19	34.5
458	5747.85	-33	-55	-74	19	34.5
459	5747.9	-33	-55	-74	19	34.5

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
460	5747.95	-33	-55	-74	19	34.5
461	5748	-33	-55	-74	19	34.5
462	5748.05	-33	-55	-74	19	34.5
463	5748.1	-33	-55	-74	19	34.5
464	5748.15	-33	-55	-74	19	34.5
465	5748.2	-33	-55	-74	19	34.5
466	5748.25	-33	-55	-74	19	34.5
467	5748.3	-33	-55	-74	19	34.5
468	5748.35	-33	-55	-74	19	34.5
469	5748.4	-33	-55	-74	19	34.5
470	5748.45	-33	-55	-74	19	34.5
471	5748.5	-33	-55	-74	19	34.5
472	5748.55	-33	-55	-74	19	34.5
473	5748.6	-33	-55	-74	19	34.5
474	5748.65	-33	-55	-74	19	34.5
475	5748.7	-33	-55	-74	19	34.5
476	5748.75	-33	-55	-74	19	34.5
477	5748.8	-33	-55	-74	19	34.5
478	5748.85	-33	-55	-74	19	34.5
479	5748.9	-33	-55	-74	19	34.5
480	5748.95	-33	-55	-74	19	34.5
481	5749	-33	-55	-74	19	34.5
482	5749.05	-33	-55	-74	19	34.5
483	5749.1	-33	-55	-74	19	34.5
484	5749.15	-33	-55	-74	19	34.5
485	5749.2	-33	-55	-74	19	34.5
486	5749.25	-33	-55	-74	19	34.5
487	5749.3	-33	-55	-74	19	34.5
488	5749.35	-33	-55	-74	19	34.5
489	5749.4	-33	-55	-74	19	34.5
490	5749.45	-33	-55	-74	19	34.5
491	5749.5	-33	-55	-74	19	34.5
492	5749.55	-34	-56	-74	18	33.5
493	5749.6	-33.5	-55.5	-74	18.5	34
494	5749.65	-33.5	-55.5	-74	18.5	34
495	5749.7	-33.5	-55.5	-74	18.5	34
496	5749.75	-33.5	-55.5	-74	18.5	34
497	5749.8	-33.5	-55.5	-74	18.5	34
498	5749.85	-33.5	-55.5	-74	18.5	34
499	5749.9	-33.5	-55.5	-74	18.5	34
500	5749.95	-33.5	-55.5	-74	18.5	34
501	5750	-33.5	-55.5	-74	18.5	34
502	5750.05	-33.5	-55.5	-74	18.5	34
503	5750.1	-33.5	-55.5	-74	18.5	34
504	5750.15	-33.5	-55.5	-74	18.5	34
505	5750.2	-33.5	-55.5	-74	18.5	34
506	5750.25	-33.5	-55.5	-74	18.5	34
507	5750.3	-33.5	-55.5	-74	18.5	34
508	5750.35	-33.5	-55.5	-74	18.5	34
509	5750.4	-33.5	-55.5	-74	18.5	34
510	5750.45	-33.5	-55.5	-74	18.5	34

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
511	5750.5	-33.5	-55.5	-74	18.5	34
512	5750.55	-33.5	-55.5	-74	18.5	34
513	5750.6	-33.5	-55.5	-74	18.5	34
514	5750.65	-33.5	-55.5	-74	18.5	34
515	5750.7	-33.5	-55.5	-74	18.5	34
516	5750.75	-33.5	-55.5	-74	18.5	34
517	5750.8	-33.5	-55.5	-74	18.5	34
518	5750.85	-33.5	-55.5	-74	18.5	34
519	5750.9	-33.5	-55.5	-74	18.5	34
520	5750.95	-33.5	-55.5	-74	18.5	34
521	5751	-33.5	-55.5	-74	18.5	34
522	5751.05	-33.5	-55.5	-74	18.5	34
523	5751.1	-33.5	-55.5	-74	18.5	34
524	5751.15	-33.5	-55.5	-74	18.5	34
525	5751.2	-33.5	-55.5	-74	18.5	34
526	5751.25	-33.5	-55.5	-74	18.5	34
527	5751.3	-33.5	-55.5	-74	18.5	34
528	5751.35	-33.5	-55.5	-74	18.5	34
529	5751.4	-33.5	-55.5	-74	18.5	34
530	5751.45	-33.5	-55.5	-74	18.5	34
531	5751.5	-33.5	-55.5	-74	18.5	34
532	5751.55	-33.5	-55.5	-74	18.5	34
533	5751.6	-33.5	-55.5	-74	18.5	34
534	5751.65	-33.5	-55.5	-74	18.5	34
535	5751.7	-33.5	-55.5	-74	18.5	34
536	5751.75	-33.5	-55.5	-74	18.5	34
537	5751.8	-33.5	-55.5	-74	18.5	34
538	5751.85	-33.5	-55.5	-74	18.5	34
539	5751.9	-33.5	-55.5	-74	18.5	34
540	5751.95	-33.5	-55.5	-74	18.5	34
541	5752	-33.5	-55.5	-74	18.5	34
542	5752.05	-33.5	-55.5	-74	18.5	34
543	5752.1	-33.5	-55.5	-74	18.5	34
544	5752.15	-33.5	-55.5	-74	18.5	34
545	5752.2	-33.5	-55.5	-74	18.5	34
546	5752.25	-33.5	-55.5	-74	18.5	34
547	5752.3	-33.5	-55.5	-74	18.5	34
548	5752.35	-33.5	-55.5	-74	18.5	34
549	5752.4	-33.5	-55.5	-74	18.5	34
550	5752.45	-33.5	-55.5	-74	18.5	34
551	5752.5	-33.5	-55.5	-74	18.5	34
552	5752.55	-33.5	-55.5	-74	18.5	34
553	5752.6	-33.5	-55.5	-74	18.5	34
554	5752.65	-33.5	-55.5	-74	18.5	34
555	5752.7	-33.5	-55.5	-74	18.5	34
556	5752.75	-33.5	-55.5	-74	18.5	34
557	5752.8	-33.5	-55.5	-74	18.5	34
558	5752.85	-33.5	-55.5	-74	18.5	34
559	5752.9	-33.5	-55.5	-74	18.5	34
560	5752.95	-33.5	-55.5	-74	18.5	34
561	5753	-33.5	-55.5	-74	18.5	34

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
562	5753.05	-33.5	-55.5	-74	18.5	34
563	5753.1	-33.5	-55.5	-74	18.5	34
564	5753.15	-33	-55	-74	19	34.5
565	5753.2	-33	-55	-74	19	34.5
566	5753.25	-33	-55	-74	19	34.5
567	5753.3	-32.5	-54.5	-74	19.5	35
568	5753.35	-32.5	-54.5	-74	19.5	35
569	5753.4	-32.5	-54.5	-74	19.5	35
570	5753.45	-32.5	-54.5	-74	19.5	35
571	5753.5	-32.5	-54.5	-74	19.5	35
572	5753.55	-32	-54	-74	20	35.5
573	5753.6	-31	-53	-74	21	36.5
574	5753.65	-31	-53	-74	21	36.5
575	5753.7	-30	-52	-74	22	37.5
576	5753.75	-30	-52	-74	22	37.5
577	5753.8	-30	-52	-74	22	37.5
578	5753.85	-29	-51	-74	23	38.5
579	5753.9	-29	-51	-74	23	38.5
580	5753.95	-29	-51	-74	23	38.5
581	5754	-29	-51	-74	23	38.5
582	5754.05	-29	-51	-74	23	38.5
583	5754.1	-29	-51	-74	23	38.5
584	5754.15	-29	-51	-74	23	38.5
585	5754.2	-28	-50	-74	24	39.5
586	5754.25	-27.5	-49.5	-74	24.5	40
587	5754.3	-27	-49	-74	25	40.5
588	5754.35	-26	-48	-74	26	41.5
589	5754.4	-26	-48	-74	26	41.5
590	5754.45	-26	-48	-74	26	41.5
591	5754.5	-26	-48	-74	26	41.5
592	5754.55	-26	-48	-74	26	41.5
593	5754.6	-26	-48	-74	26	41.5
594	5754.65	-26	-48	-74	26	41.5
595	5754.7	-26	-48	-74	26	41.5
596	5754.75	-26	-48	-74	26	41.5
597	5754.8	-26	-48	-74	26	41.5
598	5754.85	-25.5	-47.5	-74	26.5	42
599	5754.9	-25.5	-47.5	-74	26.5	42
600	5754.95	-25.5	-47.5	-74	26.5	42
601	5755	-25.5	-47.5	-74	26.5	42
602	5755.05	-25.5	-47.5	-74	26.5	42
603	5755.1	-25.5	-47.5	-74	26.5	42
604	5755.15	-24	-46	-74	28	43.5
605	5755.2	-24.5	-46.5	-74	27.5	43
606	5755.25	-24.5	-46.5	-74	27.5	43
607	5755.3	-24	-46	-74	28	43.5
608	5755.35	-24	-46	-74	28	43.5
609	5755.4	-24	-46	-74	28	43.5
610	5755.45	-24	-46	-74	28	43.5
611	5755.5	-24	-46	-74	28	43.5
612	5755.55	-24	-46	-74	28	43.5

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
613	5755.6	-23	-45	-74	29	44.5
614	5755.65	-23	-45	-74	29	44.5
615	5755.7	-23	-45	-74	29	44.5
616	5755.75	-23	-45	-74	29	44.5
617	5755.8	-22	-44	-74	30	45.5
618	5755.85	-22	-44	-74	30	45.5
619	5755.9	-22	-44	-74	30	45.5
620	5755.95	-22	-44	-74	30	45.5
621	5756	-22	-44	-74	30	45.5
622	5756.05	-21	-43	-74	31	46.5
623	5756.1	-21	-43	-74	31	46.5
624	5756.15	-21	-43	-74	31	46.5
625	5756.2	-21	-43	-74	31	46.5
626	5756.25	-21	-43	-74	31	46.5
627	5756.3	-21	-43	-74	31	46.5
628	5756.35	-20	-42	-74	32	47.5
629	5756.4	-20	-42	-74	32	47.5
630	5756.45	-20	-42	-74	32	47.5
631	5756.5	-20	-42	-74	32	47.5
632	5756.55	-20	-42	-74	32	47.5
633	5756.6	-20	-42	-74	32	47.5
634	5756.65	-19.5	-41.5	-74	32.5	48
635	5756.7	-19.5	-41.5	-74	32.5	48
636	5756.75	-19.5	-41.5	-74	32.5	48
637	5756.8	-19.5	-41.5	-74	32.5	48
638	5756.85	-19	-41	-74	33	48.5
639	5756.9	-19	-41	-74	33	48.5
640	5756.95	-19	-41	-74	33	48.5
641	5757	-19	-41	-74	33	48.5
642	5757.05	-19	-41	-74	33	48.5
643	5757.1	-19	-41	-74	33	48.5
644	5757.15	-19	-41	-74	33	48.5
645	5757.2	-19	-41	-74	33	48.5
646	5757.25	-19	-41	-74	33	48.5
647	5757.3	-19	-41	-74	33	48.5
648	5757.35	-19	-41	-74	33	48.5
649	5757.4	-19	-41	-74	33	48.5
650	5757.45	-19	-41	-74	33	48.5
651	5757.5	-19	-41	-74	33	48.5
652	5757.55	-19	-41	-74	33	48.5
653	5757.6	-19	-41	-74	33	48.5
654	5757.65	-19	-41	-74	33	48.5
655	5757.7	-19	-41	-74	33	48.5
656	5757.75	-19	-41	-74	33	48.5
657	5757.8	-19	-41	-74	33	48.5
658	5757.85	-19	-41	-74	33	48.5
659	5757.9	-19	-41	-74	33	48.5
660	5757.95	-19	-41	-74	33	48.5
661	5758	-19	-41	-74	33	48.5
662	5758.05	-18.5	-40.5	-74	33.5	49
663	5758.1	-18.5	-40.5	-74	33.5	49



Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
664	5758.15	-18.5	-40.5	-74	33.5	49
665	5758.2	-18.5	-40.5	-74	33.5	49
666	5758.25	-18.5	-40.5	-74	33.5	49
667	5758.3	-18.5	-40.5	-74	33.5	49
668	5758.35	-18.5	-40.5	-74	33.5	49
669	5758.4	-18.5	-40.5	-74	33.5	49
670	5758.45	-18.5	-40.5	-74	33.5	49
671	5758.5	-18.5	-40.5	-74	33.5	49
672	5758.55	-18.5	-40.5	-74	33.5	49
673	5758.6	-18.5	-40.5	-74	33.5	49
674	5758.65	-18.5	-40.5	-74	33.5	49
675	5758.7	-18.5	-40.5	-74	33.5	49
676	5758.75	-18	-40	-74	34	49.5
677	5758.8	-18	-40	-74	34	49.5
678	5758.85	-18	-40	-74	34	49.5
679	5758.9	-18	-40	-74	34	49.5
680	5758.95	-18	-40	-74	34	49.5
681	5759	-18	-40	-74	34	49.5
682	5759.05	-18	-40	-74	34	49.5
683	5759.1	-18	-40	-74	34	49.5
684	5759.15	-18	-40	-74	34	49.5
685	5759.2	-18	-40	-74	34	49.5
686	5759.25	-18	-40	-74	34	49.5
687	5759.3	-18	-40	-74	34	49.5
688	5759.35	-18	-40	-74	34	49.5
689	5759.4	-18	-40	-74	34	49.5
690	5759.45	-18	-40	-74	34	49.5
691	5759.5	-18	-40	-74	34	49.5
692	5759.55	-18	-40	-74	34	49.5
693	5759.6	-17.5	-39.5	-74	34.5	50
694	5759.65	-17.5	-39.5	-74	34.5	50
695	5759.7	-17.5	-39.5	-74	34.5	50
696	5759.75	-17.5	-39.5	-74	34.5	50
697	5759.8	-17.5	-39.5	-74	34.5	50
698	5759.85	-17.5	-39.5	-74	34.5	50
699	5759.9	-17.5	-39.5	-74	34.5	50
700	5759.95	-17.5	-39.5	-74	34.5	50
701	5760	-17.5	-39.5	-74	34.5	50
702	5760.05	-17.5	-39.5	-74	34.5	50
703	5760.1	-17.5	-39.5	-74	34.5	50
704	5760.15	-17.5	-39.5	-74	34.5	50
705	5760.2	-17.5	-39.5	-74	34.5	50
706	5760.25	-17.5	-39.5	-74	34.5	50
707	5760.3	-17.5	-39.5	-74	34.5	50
708	5760.35	-17.5	-39.5	-74	34.5	50
709	5760.4	-17.5	-39.5	-74	34.5	50
710	5760.45	-17	-39	-74	35	50.5
711	5760.5	-17	-39	-74	35	50.5
712	5760.55	-17	-39	-74	35	50.5
713	5760.6	-17	-39	-74	35	50.5
714	5760.65	-17	-39	-74	35	50.5

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
715	5760.7	-17	-39	-74	35	50.5
716	5760.75	-17	-39	-74	35	50.5
717	5760.8	-17	-39	-74	35	50.5
718	5760.85	-17	-39	-74	35	50.5
719	5760.9	-17	-39	-74	35	50.5
720	5760.95	-17	-39	-74	35	50.5
721	5761	-16.5	-38.5	-74	35.5	51
722	5761.05	-16.5	-38.5	-74	35.5	51
723	5761.1	-16.5	-38.5	-74	35.5	51
724	5761.15	-16.5	-38.5	-74	35.5	51
725	5761.2	-16.5	-38.5	-74	35.5	51
726	5761.25	-16.5	-38.5	-74	35.5	51
727	5761.3	-16.5	-38.5	-74	35.5	51
728	5761.35	-16.5	-38.5	-74	35.5	51
729	5761.4	-16.5	-38.5	-74	35.5	51
730	5761.45	-16.4	-38.4	-74	35.6	51.1
731	5761.5	-16.4	-38.4	-74	35.6	51.1
732	5761.55	-16.4	-38.4	-74	35.6	51.1
733	5761.6	-16.4	-38.4	-74	35.6	51.1
734	5761.65	-16.4	-38.4	-74	35.6	51.1
735	5761.7	-16.4	-38.4	-74	35.6	51.1
736	5761.75	-16.4	-38.4	-74	35.6	51.1
737	5761.8	-16.4	-38.4	-74	35.6	51.1
738	5761.85	-16.4	-38.4	-74	35.6	51.1
739	5761.9	-16.4	-38.4	-74	35.6	51.1
740	5761.95	-16.4	-38.4	-74	35.6	51.1
741	5762	-16.3	-38.3	-74	35.7	51.2
742	5762.05	-16.3	-38.3	-74	35.7	51.2
743	5762.1	-16.3	-38.3	-74	35.7	51.2
744	5762.15	-16.3	-38.3	-74	35.7	51.2
745	5762.2	-16.3	-38.3	-74	35.7	51.2
746	5762.25	-16.3	-38.3	-74	35.7	51.2
747	5762.3	-16.3	-38.3	-74	35.7	51.2
748	5762.35	-16.3	-38.3	-74	35.7	51.2
749	5762.4	-16.3	-38.3	-74	35.7	51.2
750	5762.45	-16.3	-38.3	-74	35.7	51.2
751	5762.5	-16.3	-38.3	-74	35.7	51.2
752	5762.55	-16.3	-38.3	-74	35.7	51.2
753	5762.6	-16.3	-38.3	-74	35.7	51.2
754	5762.65	-16.3	-38.3	-74	35.7	51.2
755	5762.7	-16.3	-38.3	-74	35.7	51.2
756	5762.75	-16.3	-38.3	-74	35.7	51.2
757	5762.8	-16.3	-38.3	-74	35.7	51.2
758	5762.85	-16.3	-38.3	-74	35.7	51.2
759	5762.9	-16.3	-38.3	-74	35.7	51.2
760	5762.95	-16.3	-38.3	-74	35.7	51.2
761	5763	-16.3	-38.3	-74	35.7	51.2
762	5763.05	-16.3	-38.3	-74	35.7	51.2
763	5763.1	-16.3	-38.3	-74	35.7	51.2
764	5763.15	-16.3	-38.3	-74	35.7	51.2
765	5763.2	-16.3	-38.3	-74	35.7	51.2

Mesur#	Fg Mhz	Pg dBm	Pj dBm	Ps dBm	Pj-Ps	Gp
766	5763.25	-16.3	-38.3	-74	35.7	51.2
767	5763.3	-16.3	-38.3	-74	35.7	51.2
768	5763.35	-16.3	-38.3	-74	35.7	51.2
769	5763.4	-16.3	-38.3	-74	35.7	51.2
770	5763.45	-16.3	-38.3	-74	35.7	51.2
771	5763.5	-16.3	-38.3	-74	35.7	51.2
772	5763.55	-16.3	-38.3	-74	35.7	51.2
773	5763.6	-16.3	-38.3	-74	35.7	51.2
774	5763.65	-16.3	-38.3	-74	35.7	51.2
775	5763.7	-16.3	-38.3	-74	35.7	51.2
776	5763.75	-16.3	-38.3	-74	35.7	51.2
777	5763.8	-16.3	-38.3	-74	35.7	51.2
778	5763.85	-16.3	-38.3	-74	35.7	51.2
779	5763.9	-16.3	-38.3	-74	35.7	51.2
780	5763.95	-16.3	-38.3	-74	35.7	51.2
781	5764	-16.3	-38.3	-74	35.7	51.2
782	5764.05	-16.3	-38.3	-74	35.7	51.2
783	5764.1	-16.3	-38.3	-74	35.7	51.2
784	5764.15	-16.3	-38.3	-74	35.7	51.2
785	5764.2	-16.3	-38.3	-74	35.7	51.2
786	5764.25	-16.3	-38.3	-74	35.7	51.2
787	5764.3	-16.3	-38.3	-74	35.7	51.2
788	5764.35	-16.3	-38.3	-74	35.7	51.2
789	5764.4	-16.3	-38.3	-74	35.7	51.2
790	5764.45	-16.3	-38.3	-74	35.7	51.2
791	5764.5	-16.3	-38.3	-74	35.7	51.2
792	5764.55	-16.3	-38.3	-74	35.7	51.2
793	5764.6	-16.3	-38.3	-74	35.7	51.2
794	5764.65	-16.3	-38.3	-74	35.7	51.2
795	5764.7	-16.3	-38.3	-74	35.7	51.2
796	5764.75	-16.3	-38.3	-74	35.7	51.2
797	5764.8	-16.3	-38.3	-74	35.7	51.2
798	5764.85	-16.3	-38.3	-74	35.7	51.2
799	5764.9	-16.3	-38.3	-74	35.7	51.2
800	5764.95	-16.3	-38.3	-74	35.7	51.2
801	5765	-16.3	-38.3	-74	35.7	51.2

# Processing Gain

