
TEST REPORT COMMAND TECNOLOGIES Inc. HF-2500 MAGNUM Linear Power Amplifier

Equipment

- 1. TenTec Paragon HF transceiver
- 2. Coaxial Dynamics Model 81000-A, S/N 1166 & 1167 wattmeter
- 3. Bird Tenuline Model 8329. S/N 695, 50 ohm power attenuator
- 4. Telonic Model TG950, S/N 2426A, step attenuator
- **5**. Harris Model 992-4548-00, S/N 3473-11, fixed attenuator
- **6**. Hewlett Packard Model 8591E, spectrum analyzer Calibration Date: 04-10-95
- 7. Bird Termaline Model 8251, S/N 695, 50 ohm "dummy load"



Test Results

Two prototype units were tested using the listed test equipment and configured according to the test equipment interconnection block diagram. Both units displayed nearly identical performance. Tests were performed on all amateur radio bands at 1500 watts output level. All spurious and harmonic radiation measured at least -45 db down from fundamental output. IMD products were at -35 db using a two-tone test. The frequency spectrum was investigated up to 1,000 MHz. No harmonic radiation exceeded the 50 milliwatt limitation. Spectrum analyzer plots have been furnished to verify this.

Tests were also performed from 24.00 MHz to 26.00 MHz and 28.00 MHz to 35.00 MHz. The output did not exceed the 6 db gain limitation. Also, tests were conducted from 26.00 MHz to 28.00 MHz. No amplification <0 db gain> was detected.

160 Meter Band


	100 101	cici Dallu		
Frequency:	1.80 MHz	1.90 MHz	2.00 MHz	
Input Power:	50 watts to 60 watts nominal			
Plate Voltage:	3,200 v	3,200 v	3,200 v	
Plate Current:	750 mA	750 mA	750 mA	
Grid Current:	40 mA	50 mA	35 mA	
Grid Bias:	8.2 v	8.2 v	8.2 v	
Power Output:	1,500 watts	1,500 watts	1,500 watts	
2 nd Harmonic:	-45 db	-45 db	-45 db	
3 rd thru 10 th Harmonic:	Greater than -60 db down			
	90 Makan	D 1		
.	80 Meter		4.00.3.577	
Frequency:	3.60 MHz	3.80 MHz	4.00 MHz	
Input Power:	50 watts to 60 watts nominal			
Plate Voltage:	3,200 v	3,200 v	3,200 v	
Plate Current:	750 mA	750 mA	750 mA	
Grid Current:	35 mA	35 mA	35 mA	
Grid Bias:	8.2 v	8.2 v	8.2 v	
Power Output:	1,500 watts	1,500 watts	1,500 watts	
2 nd Harmonic:	-48 db	-48 db	-48 db	
3 rd thru 10 th Harmonic:	Greate	er than -60 db down		
o unu io iiumome.	010411	or than oo do do win		
	40 Meter	Band		
Frequency:	7.00 MHz	7.15 MHz	7.30 MHz	
Input Power:		ts to 60 watts nominal	7.00 1.1112	
Plate Voltage:	3,200 v	3,200 v	3,200 v	
Plate Current:	750 mA	750 mA	750 mA	
Grid Current:	40 mA	50 mA	35 mA	
Grid Bias:	8.2 v	8.2 v	8.2 v	
Power Output:	1,500 watts	1,500 watts	1,500 watts	
2 nd Harmonic:	-50 db	-50 db	-50 db	
3 rd thru 10 th Harmonic:	Greate	er than -60 db down		
	20 Meter	Band		
Frequency:	14.00 MHz	14.20 MHz	14.35 MHz	
Input Power:	50 wat	ts to 60 watts nominal		
Plate Voltage:	3,200 v 3,200 v 3,200 v			
Plate Current:	750 mA	750 mA	750 mA	
Grid Current:	30 mA	30 mA	30 mA	
Grid Bias:	8.2 v	8.2 v	8.2 v	
Power Output:	1,500 watts	1,500 watts	1,500 watts	
2 nd Harmonic:	-48 db	-48 db		
3 rd thru 10 th Harmonic:			-48 db	
5 (Dril III Harmonic)	Greater than -60 db down			

17 Meter Band


Frequency:	18.068 MHz	18.11 MHz	18.168 MHz	
Input Power:	50 watts to 60 watts nominal			
Plate Voltage:	3,200 v	3,200 v	3,200 v	
Plate Current:	750 mA	750 mA	750 mA	
Grid Current:	30 mA	30 mA	30 mA	
Grid Bias:	8.2 v	8.2 v	8.2 v	
Power Output:	1,500 watts	1,500 watts	1,500 watts	
2 nd Harmonic:	-56 db	-56 db	-56 db	
3 rd thru 10 th Harmonic:	Greater than -60 db down			
_	15 Meter			
Frequency:	21.00 MHz	21.20 MHz	21.45 MHz	
Input Power:	50 watts to 60 watts nominal			
Plate Voltage:	3,200 v	3,200 v	3,200 v	
Plate Current:	750 mA	750 mA	750 mA	
Grid Current:	30 mA	30 mA	30 mA	
Grid Bias:	8.2 v	8.2 v	8.2 v	
Power Output:	1,500 watts	1,500 watts	1,500 watts	
2 nd Harmonic:	-56 db	-56 db	-56 db	
3 rd thru 10 th Harmonic:	Greate	er than -60 db down		
24.00 MHz to 26.00 MHz				
Frequency:	24.00 MHz	25.20 MHz	26.00 MHz	
Input Power:	110 watts	110 watts	110 watts	
Power Output:	450 watts	150 watts	25 watts	
db Gain:	6 db	< 1 db	< 1 db	
26.00 MH + 20.00 MH				
E	26.00 MHz to			
Frequency:	26.50 MHz	28.00 MHz		
Input Power:	110 watts	110 watts		
Power Output:	10 watts	5 watts		
db Gain:	0 db	0 db		
28.00 MHz to 35.00 MHz				
Frequency:	28.50 MHz	29.00 MHz		
Input Power:	110 watts	110 watts		
Power Output:	0 watts	0 watts		
db Gain:	0 db	0 db		

Spectrum Analyzer


160 Meters




80 Meters




40 Meters



20 Meters



17 Meters



15 Meters

