


Appendix B

RF power output conducted

FCC Part 22 H
Output power conducted

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128




Date: 24.OCT.2007 12:17:07

Measurement diagram

FCC Part 22 H
Output power conducted

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251




Date: 24.OCT.2007 12:15:36

Measurement diagram

FCC Part 22 H
Output power conducted

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 188




Date: 24.OCT.2007 12:16:30

Measurement diagram

FCC Part 24 E
Output power conducted

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512





Date: 24.OCT.2007 12:31:30

Measurement diagram

FCC Part 24 E
Output power conducted

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 661

	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
	Ref Lvl	22.93 dBm	VBW	3 MHz	
	36 dBm	1.87990982 GHz	SWT	5 ms	Unit dBm




Date: 24.OCT.2007 12:30:21

Measurement diagram

FCC Part 24 E
Output power conducted

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810



Date: 24.OCT.2007 12:29:47


Measurement diagram

Appendix C

RF power output radiated


**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.224MHz, Pmax: 8.70dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.275MHz, Pmax: 13.32dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.216MHz, Pmax: 9.48dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.313MHz, Pmax: 15.31dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.928MHz, Pmax: 8.39dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 849.024MHz, Pmax: 17.65dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 13.33dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 22.33dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 16.71dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 24.36dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 16.23dBm, RBW: 3MHz



**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 23.98dBm, RBW: 3MHz




Appendix D

Occupied bandwidth, emission bandwidth

**FCC Part 22 H
Occupied Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 128




Date: 24.OCT.2007 12:24:46

Measurement diagram

**FCC Part 22 H
Occupied Bandwidth**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 188




Date: 24.OCT.2007 12:23:58

Measurement diagram

**FCC Part 22 H
Occupied Bandwidth**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251



Date: 24.OCT.2007 12:22:34


Measurement diagram

**FCC Part 22 H
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 128
 Comment 2 -26 dB Emission Bandwidth



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 308.61723447 kHz SWT 280 ms Unit dBm




Date: 24.OCT.2007 12:18:19

Measurement diagram

**FCC Part 22 H
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 188
 Comment 2 -26 dB Emission Bandwidth

Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 312.62525050 kHz SWT 280 ms Unit dBm




Date: 24.OCT.2007 12:19:35

Measurement diagram

**FCC Part 22 H
Emission Bandwidth**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251
Comment 2	-26 dB Emission Bandwidth




Date: 24.OCT.2007 12:20:37

Measurement diagram

**FCC Part 24 E
Occupied Bandwidth**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512




Date: 24.OCT.2007 12:40:10

Measurement diagram

**FCC Part 24 E
Occupied Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 661




Date: 24.OCT.2007 12:39:27

Measurement diagram

**FCC Part 24 E
Occupied Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 810



Date: 24.OCT.2007 12:38:31


Measurement diagram

**FCC Part 24 E
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 512
 Comment 2 -26 dB Emission Bandwidth



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 314.62925852 kHz SWT 280 ms Unit dBm



Date: 24.OCT.2007 12:34:27


Measurement diagram

**FCC Part 24 E
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 661
 Comment 2 -26 dB Emission Bandwidth



Marker 1 [T1 ndB]	RBW	3 kHz	RF Att	50 dB
Ref Lvl	ndB	26.00 dB	VBW	3 kHz
36 dBm	BW	312.62525050 kHz	SWT	280 ms
			Unit	dBm



Date: 24.OCT.2007 12:35:15

Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

**FCC Part 24 E
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 810
 Comment 2 -26 dB Emission Bandwidth



Marker 1 [T1 ndB]	RBW	3 kHz	RF Att	50 dB
Ref Lvl	ndB	26.00 dB	VBW	3 kHz
36 dBm	BW	306.61322645 kHz	SWT	280 ms
			Unit	dBm



Date: 24.OCT.2007 12:36:25

Measurement diagram

Appendix E

Frequency stability

Appendix F


Spurious emission conducted (antenna terminal)

Appendix G

Spurious emission radiated


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 173.768MHz, Pmax: -46.02dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 176.493MHz, Pmax: -64.23dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 854.000MHz, Pmax: -31.86dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 823.980MHz, Pmax: -39.35dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 1.649GHz, Pmax: -42.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.297GHz, Pmax: -43.19dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.966GHz, Pmax: -37.81dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 4.120GHz, Pmax: -41.45dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.856GHz, Pmax: -35.22dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.671GHz, Pmax: -37.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 185.351MHz, Pmax: -46.57dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 181.944MHz, Pmax: -62.37dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 861.022MHz, Pmax: -31.41dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 875.944MHz, Pmax: -48.26dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.916GHz, Pmax: -45.03dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.525GHz, Pmax: -45.40dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.749GHz, Pmax: -39.42dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.583GHz, Pmax: -43.04dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.679GHz, Pmax: -35.71dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.679GHz, Pmax: -37.92dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 185.351MHz, Pmax: -46.74dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 51.804MHz, Pmax: -63.65dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.020MHz, Pmax: -30.03dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.010MHz, Pmax: -38.63dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.916GHz, Pmax: -45.61dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.892GHz, Pmax: -44.54dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.990GHz, Pmax: -39.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.663GHz, Pmax: -42.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.671GHz, Pmax: -35.37dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.102GHz, Pmax: -38.09dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 175.130MHz, Pmax: -62.99dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 175.130MHz, Pmax: -63.37dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 855.711MHz, Pmax: -50.41dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 979.158MHz, Pmax: -51.38dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -27.08dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.841GHz, Pmax: -26.99dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.607GHz, Pmax: -42.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.888GHz, Pmax: -42.46dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.158GHz, Pmax: -37.99dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.647GHz, Pmax: -37.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.471GHz, Pmax: -31.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.904GHz, Pmax: -30.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.972GHz, Pmax: -36.95dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.040GHz, Pmax: -34.22dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 156.052MHz, Pmax: -62.89dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 175.130MHz, Pmax: -63.19dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 862.124MHz, Pmax: -50.53dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 987.174MHz, Pmax: -51.61dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -24.66dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.946GHz, Pmax: -27.58dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.607GHz, Pmax: -42.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.575GHz, Pmax: -42.91dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.182GHz, Pmax: -37.58dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.800GHz, Pmax: -37.77dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.904GHz, Pmax: -31.15dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.603GHz, Pmax: -31.97dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.006GHz, Pmax: -36.98dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.023GHz, Pmax: -33.61dBm, RBW: 1MHz




Appendix H

Block edge compliance

**FCC Part 22 H
Lower Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128




Date: 24.OCT.2007 12:13:54

Measurement diagram

**FCC Part 22 H
Higher Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251




Date: 24.OCT.2007 12:14:41

Measurement diagram

ETS Product Service AG
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

**FCC Part 24 E
Lower Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512



Date: 24.OCT.2007 12:27:44


Measurement diagram

**FCC Part 24 E
Higher Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810



Ref Lvl	36 dBm	Marker 1 [T1]	23.64 dBm	RBW	3 kHz	RF Att	50 dB
			1.90980561 GHz	VBW	3 kHz	SWT	560 ms
				Unit			dBm



Date: 24.OCT.2007 12:28:57

Measurement diagram


ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Appendix I

AC power line conducted emissions


EMI voltage test in the ac-mains according to FCC part 15

EUT: Real-time tracking device with GPRS 850/1900 or WLAN
Manufacturer: proveo AG
Operating Condition: Unom: 120 VAC (AC/DC adaptor), Thom: 23°C
Test Site: ETS
Operator: Mr. Meng
Test Specification: V-Network: ESH2-Z5 (L1)
Comment: model: Infoman
mode: GPRS adaptor: SMP-1000A



EMI voltage test in the ac-mains according to FCC part 15

EUT: Real-time tracking device with GPRS 850/1900 or WLAN
Manufacturer: proveo AG
Operating Condition: Unom: 120 VAC (AC/DC adaptor), Tnom: 23°C
Test Site: ETS
Operator: Mr. Meng
Test Specification: V-Network: ESH2-Z5 (N)
Comment: model: Infoman adaptor: SMP-1000A
mode: GPRS




Appendix J

Receiver radiated emission


**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:156.052MHz Emax:35.21dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:125.050MHz Emax:38.77dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:754.709MHz Emax:38.71dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:935.872MHz Emax:36.84dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.820GHz Emax:50.92dBµV/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.826GHz Emax:50.06dBµV/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.952GHz Emax:49.05dBµV/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.832GHz Emax:47.80dBµV/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:125.050MHz Emax:33.89dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:125.050MHz Emax:38.72dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:754.709MHz Emax:38.65dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:935.872MHz Emax:36.59dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.892GHz Emax:50.12dBµV/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.946GHz Emax:49.96dBµV/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.928GHz Emax:47.84dBµV/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.920GHz Emax:47.98dB μ V/m RBW: 1 MHz



**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.727GHz Emax:47.92dB μ V/m RBW: 1 MHz



**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.952GHz Emax:47.24dB μ V/m RBW: 1 MHz

