


Appendix B

RF power output conducted

FCC Part 24 E
Output power conducted

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810

	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
	Ref Lvl	23.51 dBm	VBW	3 MHz	
	36 dBm	1.90964970 GHz	SWT	5 ms	Unit dBm



Date: 24.OCT.2007 12:44:24


Measurement diagram

Appendix C

RF power output radiated


**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.224MHz, Pmax: 12.16dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.275MHz, Pmax: 8.31dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.072MHz, Pmax: 14.38dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.120MHz, Pmax: 9.88dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.880MHz, Pmax: 17.30dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.976MHz, Pmax: 8.08dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 22.48dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 11.53dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 24.50dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 15.60dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 24.25dBm, RBW: 3MHz



**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 14.91dBm, RBW: 3MHz




Appendix D

Occupied bandwidth, emission bandwidth

**FCC Part 22 H
Occupied Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 128




Date: 24.OCT.2007 12:10:08

Measurement diagram

**FCC Part 22 H
Occupied Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 188



Date: 24.OCT.2007 12:11:37


Measurement diagram

**FCC Part 22 H
Occupied Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 251



Marker 1 [T1] RBW 3 kHz RF Att 50 dB
 Ref Lvl 22.39 dBm VBW 3 kHz
 36 dBm 848.86713427 MHz SWT 280 ms Unit dBm




Date: 24.OCT.2007 12:09:12

Measurement diagram

**FCC Part 22 H
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 128
 Comment 2 -26 dB Emission Bandwidth

Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 314.62925852 kHz SWT 280 ms Unit dBm



Date: 24.OCT.2007 11:22:44

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 188
 Comment 2 -26 dB Emission Bandwidth




Date: 24.OCT.2007 11:24:37

Measurement diagram

**FCC Part 22 H
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 22 Subpart H
 Comment 1 Channel: 251
 Comment 2 -26 dB Emission Bandwidth

Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 312.62525050 kHz SWT 280 ms Unit dBm




Date: 24.OCT.2007 11:20:35

Measurement diagram

**FCC Part 24 E
Occupied Bandwidth**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512



Date: 24.OCT.2007 12:52:14


Measurement diagram

**FCC Part 24 E
Occupied Bandwidth**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 661



Marker 1 [T1]	RBW	3 kHz	RF Att	50 dB
Ref Lvl	14.02 dBm	VBW	3 kHz	
36 dBm	1.87998096 GHz	SWT	280 ms	Unit dBm




Date: 24.OCT.2007 12:51:29

Measurement diagram

**FCC Part 24 E
Occupied Bandwidth**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810



Date: 24.OCT.2007 12:49:52


Measurement diagram

**FCC Part 24 E
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 512
 Comment 2 -26 dB Emission Bandwidth



Marker 1 [T1 ndB]	RBW	3 kHz	RF Att	50 dB
Ref Lvl	ndB	26.00 dB	VBW	3 kHz
36 dBm	BW	316.63326653 kHz	SWT	280 ms
			Unit	dBm





Date: 24.OCT.2007 12:46:46

Measurement diagram

**FCC Part 24 E
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 661
 Comment 2 -26 dB Emission Bandwidth


 Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 316.63326653 kHz SWT 280 ms Unit dBm



Date: 24.OCT.2007 12:47:28

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E
Emission Bandwidth**

EUT REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
 Model INFOMAN / EGPRS
 Approval Holder PROVEO AG
 Temperature / Voltage 23°C / 13.50 V DC
 Test Site / Operator ETS Product Service AG / Mr.Schlaps
 Test Specification FCC Part 24 Subpart E
 Comment 1 Channel: 810
 Comment 2 -26 dB Emission Bandwidth



Date: 24.OCT.2007 12:53:13

Measurement diagram

Appendix E

Frequency stability

Appendix F


Spurious emission conducted (antenna terminal)

Appendix G

Spurious emission radiated


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 178.196MHz, Pmax: -46.83dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 125.050MHz, Pmax: -60.87dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 867.459MHz, Pmax: -33.23dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 869.214MHz, Pmax: -40.19dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.760GHz, Pmax: -46.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.297GHz, Pmax: -44.60dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.607GHz, Pmax: -40.12dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.952GHz, Pmax: -43.16dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.062GHz, Pmax: -36.15dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.695GHz, Pmax: -37.75dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 189.780MHz, Pmax: -46.05dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 125.050MHz, Pmax: -63.37dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 861.315MHz, Pmax: -33.26dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 881.210MHz, Pmax: -40.93dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.447GHz, Pmax: -45.62dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.483GHz, Pmax: -44.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.990GHz, Pmax: -39.88dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 4.176GHz, Pmax: -41.34dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.639GHz, Pmax: -35.23dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.784GHz, Pmax: -38.33dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 173.086MHz, Pmax: -46.15dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 125.050MHz, Pmax: -61.25dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 861.315MHz, Pmax: -32.81dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.010MHz, Pmax: -40.98dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.453GHz, Pmax: -45.91dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.363GHz, Pmax: -45.83dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.990GHz, Pmax: -39.62dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 4.240GHz, Pmax: -42.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.623GHz, Pmax: -36.18dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.086GHz, Pmax: -38.42dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 41.583MHz, Pmax: -64.07dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 125.050MHz, Pmax: -62.04dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 850.902MHz, Pmax: -50.94dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 990.381MHz, Pmax: -52.21dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -25.43dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.944GHz, Pmax: -25.18dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.591GHz, Pmax: -43.36dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.631GHz, Pmax: -43.31dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.287GHz, Pmax: -38.50dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.671GHz, Pmax: -38.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.916GHz, Pmax: -31.51dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.916GHz, Pmax: -31.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.006GHz, Pmax: -34.59dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.006GHz, Pmax: -33.80dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 88.257MHz, Pmax: -64.29dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 173.086MHz, Pmax: -64.35dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 855.711MHz, Pmax: -50.93dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 982.365MHz, Pmax: -51.51dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.925GHz, Pmax: -28.38dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.957GHz, Pmax: -25.01dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.591GHz, Pmax: -42.93dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.599GHz, Pmax: -43.51dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.655GHz, Pmax: -38.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.808GHz, Pmax: -38.35dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.880GHz, Pmax: -31.74dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.760GHz, Pmax: -32.17dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.057GHz, Pmax: -35.27dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.074GHz, Pmax: -34.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 156.052MHz, Pmax: -63.43dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 125.050MHz, Pmax: -63.19dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 855.711MHz, Pmax: -50.56dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 985.571MHz, Pmax: -52.02dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -21.85dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.986GHz, Pmax: -24.53dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.591GHz, Pmax: -42.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.615GHz, Pmax: -42.20dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.687GHz, Pmax: -37.21dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.198GHz, Pmax: -37.78dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.904GHz, Pmax: -31.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.315GHz, Pmax: -32.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.006GHz, Pmax: -34.96dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / EGPRS / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.023GHz, Pmax: -34.57dBm, RBW: 1MHz




Appendix H

Block edge compliance

**FCC Part 22 H
Lower Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128



Date: 24.OCT.2007 10:59:21


Measurement diagram

**FCC Part 22 H
Higher Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251



Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	50 dB
36 dBm	29.70 dBm	VBW	3 kHz		
	848.90180361 MHz	SWT	560 ms	Unit	dBm




Date: 24.OCT.2007 11:00:29

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

**FCC Part 24 E
Lower Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512




Date: 24.OCT.2007 12:42:46

Measurement diagram

**FCC Part 24 E
Higher Block edge**

EUT	REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model	INFOMAN / EGPRS
Approval Holder	PROVEO AG
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810



Date: 24.OCT.2007 12:43:35


Measurement diagram

Appendix I

AC power line conducted emissions


EMI voltage test in the ac-mains according to FCC part 15

EUT: Real-time tracking device with GPRS 850/1900 or WLAN
 Manufacturer: proveo AG
 Operating Condition: Unom: 120 VAC (AC/DC adaptor), Tnom: 23°C
 Test Site: ETS
 Operator: Mr. Meng
 Test Specification: V-Network: ESH2-Z5 (L1)
 Comment: model: Infoman
 mode: GPRS adaptor: SMP-1000A



EMI voltage test in the ac-mains according to FCC part 15

EUT: Real-time tracking device with GPRS 850/1900 or WLAN
 Manufacturer: proveo AG
 Operating Condition: Unom: 120 VAC (AC/DC adaptor), Tnom: 23°C
 Test Site: ETS
 Operator: Mr. Meng
 Test Specification: V-Network: ESH2-Z5 (N)
 Comment: model: Infoman
 mode: GPRS adaptor: SMP-1000A




Appendix J

Receiver radiated emission


**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:156.052MHz Emax:35.21dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:125.050MHz Emax:38.77dB μ V/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:754.709MHz Emax:38.71dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:935.872MHz Emax:36.84dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.820GHz Emax:50.92dB μ V/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.826GHz Emax:50.06dB μ V/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.952GHz Emax:49.05dB μ V/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq: 7.832GHz Emax: 47.80dB μ V/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:125.050MHz Emax:33.89dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:125.050MHz Emax:38.72dB μ V/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:754.709MHz Emax:38.65dB μ V/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:935.872MHz Emax:36.59dBµV/m RBW: 100 kHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.892GHz Emax:50.12dB μ V/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.946GHz Emax:49.96dB μ V/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.928GHz Emax:47.84dB μ V/m RBW: 1 MHz




**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.920GHz Emax:47.98dB μ V/m RBW: 1 MHz



**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.727GHz Emax:47.92dB μ V/m RBW: 1 MHz



**Field Strength under normal conditions
Standards Industry Canada, RSS-GEN**

Approval Holder: PROVEO AG
EUT: REAL-TIME TRACKING DEVICE WITH GPRS 850/1900 OR WLAN
Model: INFOMAN / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.952GHz Emax:47.24dBμV/m RBW: 1 MHz

