

American Telecommunications Certification Body Inc. 6731 Whittier Ave, McLean, VA 22101

June 16, 2003

RE: REMEC Inc.

FCC ID: I2ODPA4040G

After a review of the submitted information, I have a few comments on the above referenced Application.

- 1) For permissive change applications, the conducted power is expected to be within 0.5 dB of the original conducted power. It appears that the conducted power in this application is 46.5 dBm, while the original application output power was 49.5 dBm. Note that since this is a delta of 3 dB, this would not be considered acceptable as a permissive change application. Please recheck the power measurements, settings, etc. to ensure proper output levels.
- 2) The FCC has begun requiring devices that operate on Part 22H/24E to provide bandedge testing for each block edge. This requires that Part 22H devices be tested at bandedges occuring at bands A, B, A', & B'. Part 24E require bandedge testing at edges of bands A, B, C, D, E, & F. Please provide additional bandedge data for this device as necessary. Note that additional data for other tests such as spurious emissions, power, or other antenna conducted tests are not required.

Timothy R. Johnson Examining Engineer

mailto: tjohnson@AmericanTCB.com

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information may result in application termination. Correspondence should be considered part of the permanent submission and may be viewed from the Internet after a Grant of Equipment Authorization is issued.

Please do not respond to this correspondence using the email reply button. In order for your response to be processed expeditiously, you must submit your documents through the AmericanTCB.com website. Also, please note that partial responses increase processing time and should not be submitted.

Any questions about the content of this correspondence should be directed to the sender.