



Band2-9538-1000~3000MHz



Band2-9538-3000~10000MHz



Band2-9538-10000~20000MHz

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	1.08	0.000583	±2.5	PASS
Band2	9262	VN	NT	0.44	0.000238	±2.5	PASS
Band2	9262	VH	NT	1.35	0.000729	±2.5	PASS
Band2	9400	VL	NT	-2.37	-0.001261	±2.5	PASS
Band2	9400	VN	NT	-2.50	-0.001330	±2.5	PASS
Band2	9400	VH	NT	-2.25	-0.001197	±2.5	PASS
Band2	9538	VL	NT	-6.40	-0.003355	±2.5	PASS
Band2	9538	VN	NT	-6.47	-0.003392	±2.5	PASS
Band2	9538	VH	NT	-6.95	-0.003643	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	1.44	0.000777	±2.5	PASS
Band2	9262	NV	-20	1.60	0.000864	±2.5	PASS
Band2	9262	NV	-10	1.31	0.000707	±2.5	PASS
Band2	9262	NV	0	1.98	0.001069	±2.5	PASS
Band2	9262	NV	10	2.62	0.001414	±2.5	PASS
Band2	9262	NV	20	2.39	0.001290	±2.5	PASS
Band2	9262	NV	30	2.23	0.001204	±2.5	PASS
Band2	9262	NV	40	1.54	0.000831	±2.5	PASS
Band2	9262	NV	50	2.35	0.001269	±2.5	PASS
Band2	9400	NV	-30	-2.65	-0.001410	±2.5	PASS
Band2	9400	NV	-20	-2.10	-0.001117	±2.5	PASS
Band2	9400	NV	-10	-2.51	-0.001335	±2.5	PASS
Band2	9400	NV	0	-2.25	-0.001197	±2.5	PASS
Band2	9400	NV	10	-2.23	-0.001186	±2.5	PASS
Band2	9400	NV	20	-3.05	-0.001622	±2.5	PASS
Band2	9400	NV	30	-2.05	-0.001090	±2.5	PASS
Band2	9400	NV	40	-2.60	-0.001383	±2.5	PASS
Band2	9400	NV	50	-2.53	-0.001346	±2.5	PASS

Band2	9538	NV	-30	-6.59	-0.003455	±2.5	PASS
Band2	9538	NV	-20	-6.52	-0.003418	±2.5	PASS
Band2	9538	NV	-10	-6.22	-0.003261	±2.5	PASS
Band2	9538	NV	0	-5.97	-0.003130	±2.5	PASS
Band2	9538	NV	10	-5.80	-0.003040	±2.5	PASS
Band2	9538	NV	20	-6.43	-0.003371	±2.5	PASS
Band2	9538	NV	30	-6.72	-0.003523	±2.5	PASS
Band2	9538	NV	40	-5.96	-0.003124	±2.5	PASS
Band2	9538	NV	50	-6.14	-0.003219	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-6.13	-0.003309	±2.5	PASS
Band2	9262	1	VN	NT	-5.99	-0.003234	±2.5	PASS
Band2	9262	1	VH	NT	-5.66	-0.003055	±2.5	PASS
Band2	9262	2	VL	NT	-5.16	-0.002786	±2.5	PASS
Band2	9262	2	VN	NT	-6.24	-0.003369	±2.5	PASS
Band2	9262	2	VH	NT	-6.35	-0.003428	±2.5	PASS
Band2	9262	3	VL	NT	-6.66	-0.003595	±2.5	PASS
Band2	9262	3	VN	NT	-6.54	-0.003531	±2.5	PASS
Band2	9262	3	VH	NT	-7.10	-0.003833	±2.5	PASS
Band2	9262	4	VL	NT	-5.85	-0.003158	±2.5	PASS
Band2	9262	4	VN	NT	-5.29	-0.002856	±2.5	PASS
Band2	9262	4	VH	NT	-5.83	-0.003147	±2.5	PASS
Band2	9400	1	VL	NT	-6.69	-0.003559	±2.5	PASS
Band2	9400	1	VN	NT	-6.31	-0.003356	±2.5	PASS
Band2	9400	1	VH	NT	-6.44	-0.003426	±2.5	PASS
Band2	9400	2	VL	NT	-6.37	-0.003388	±2.5	PASS
Band2	9400	2	VN	NT	-4.58	-0.002436	±2.5	PASS
Band2	9400	2	VH	NT	-5.74	-0.003053	±2.5	PASS
Band2	9400	3	VL	NT	-6.69	-0.003559	±2.5	PASS
Band2	9400	3	VN	NT	-5.87	-0.003122	±2.5	PASS
Band2	9400	3	VH	NT	-6.13	-0.003261	±2.5	PASS
Band2	9400	4	VL	NT	-5.89	-0.003133	±2.5	PASS
Band2	9400	4	VN	NT	-5.74	-0.003053	±2.5	PASS
Band2	9400	4	VH	NT	-5.73	-0.003048	±2.5	PASS
Band2	9538	1	VL	NT	-7.15	-0.003748	±2.5	PASS
Band2	9538	1	VN	NT	-6.29	-0.003297	±2.5	PASS
Band2	9538	1	VH	NT	-6.73	-0.003528	±2.5	PASS
Band2	9538	2	VL	NT	-6.56	-0.003439	±2.5	PASS
Band2	9538	2	VN	NT	-5.78	-0.003030	±2.5	PASS
Band2	9538	2	VH	NT	-6.30	-0.003303	±2.5	PASS
Band2	9538	3	VL	NT	-5.49	-0.002878	±2.5	PASS
Band2	9538	3	VN	NT	-5.85	-0.003067	±2.5	PASS
Band2	9538	3	VH	NT	-5.97	-0.003130	±2.5	PASS

Band2	9538	4	VL	NT	-6.35	-0.003329	±2.5	PASS
Band2	9538	4	VN	NT	-5.89	-0.003088	±2.5	PASS
Band2	9538	4	VH	NT	-6.54	-0.003428	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-6.77	-0.003655	±2.5	PASS
Band2	9262	1	NV	-20	-6.17	-0.003331	±2.5	PASS
Band2	9262	1	NV	-10	-6.67	-0.003601	±2.5	PASS
Band2	9262	1	NV	0	-6.30	-0.003401	±2.5	PASS
Band2	9262	1	NV	10	-6.98	-0.003768	±2.5	PASS
Band2	9262	1	NV	20	-5.88	-0.003174	±2.5	PASS
Band2	9262	1	NV	30	-5.58	-0.003012	±2.5	PASS
Band2	9262	1	NV	40	-6.66	-0.003595	±2.5	PASS
Band2	9262	1	NV	50	-5.69	-0.003072	±2.5	PASS
Band2	9262	2	NV	-30	-6.43	-0.003471	±2.5	PASS
Band2	9262	2	NV	-20	-6.37	-0.003439	±2.5	PASS
Band2	9262	2	NV	-10	-7.00	-0.003779	±2.5	PASS
Band2	9262	2	NV	0	-6.21	-0.003352	±2.5	PASS
Band2	9262	2	NV	10	-6.18	-0.003336	±2.5	PASS
Band2	9262	2	NV	20	-6.31	-0.003406	±2.5	PASS
Band2	9262	2	NV	30	-5.97	-0.003223	±2.5	PASS
Band2	9262	2	NV	40	-5.52	-0.002980	±2.5	PASS
Band2	9262	2	NV	50	-5.53	-0.002985	±2.5	PASS
Band2	9262	3	NV	-30	-6.88	-0.003714	±2.5	PASS
Band2	9262	3	NV	-20	-6.32	-0.003412	±2.5	PASS
Band2	9262	3	NV	-10	-6.50	-0.003509	±2.5	PASS
Band2	9262	3	NV	0	-5.41	-0.002921	±2.5	PASS
Band2	9262	3	NV	10	-5.64	-0.003045	±2.5	PASS
Band2	9262	3	NV	20	-5.82	-0.003142	±2.5	PASS
Band2	9262	3	NV	30	-6.49	-0.003504	±2.5	PASS
Band2	9262	3	NV	40	-6.84	-0.003693	±2.5	PASS
Band2	9262	3	NV	50	-5.59	-0.003018	±2.5	PASS
Band2	9262	4	NV	-30	-5.82	-0.003142	±2.5	PASS
Band2	9262	4	NV	-20	-6.27	-0.003385	±2.5	PASS

Band2	9262	4	NV	-10	-5.41	-0.002921	±2.5	PASS
Band2	9262	4	NV	0	-7.17	-0.003871	±2.5	PASS
Band2	9262	4	NV	10	-5.71	-0.003082	±2.5	PASS
Band2	9262	4	NV	20	-6.65	-0.003590	±2.5	PASS
Band2	9262	4	NV	30	-5.69	-0.003072	±2.5	PASS
Band2	9262	4	NV	40	-5.97	-0.003223	±2.5	PASS
Band2	9262	4	NV	50	-7.66	-0.004135	±2.5	PASS
Band2	9400	1	NV	-30	-5.80	-0.003085	±2.5	PASS
Band2	9400	1	NV	-20	-5.19	-0.002761	±2.5	PASS
Band2	9400	1	NV	-10	-6.01	-0.003197	±2.5	PASS
Band2	9400	1	NV	0	-6.77	-0.003601	±2.5	PASS
Band2	9400	1	NV	10	-5.50	-0.002926	±2.5	PASS
Band2	9400	1	NV	20	-5.76	-0.003064	±2.5	PASS
Band2	9400	1	NV	30	-6.06	-0.003223	±2.5	PASS
Band2	9400	1	NV	40	-6.10	-0.003245	±2.5	PASS
Band2	9400	1	NV	50	-6.55	-0.003484	±2.5	PASS
Band2	9400	2	NV	-30	-6.25	-0.003324	±2.5	PASS
Band2	9400	2	NV	-20	-5.33	-0.002835	±2.5	PASS
Band2	9400	2	NV	-10	-5.52	-0.002936	±2.5	PASS
Band2	9400	2	NV	0	-6.24	-0.003319	±2.5	PASS
Band2	9400	2	NV	10	-6.12	-0.003255	±2.5	PASS
Band2	9400	2	NV	20	-6.31	-0.003356	±2.5	PASS
Band2	9400	2	NV	30	-6.60	-0.003511	±2.5	PASS
Band2	9400	2	NV	40	-6.86	-0.003649	±2.5	PASS
Band2	9400	2	NV	50	-7.56	-0.004021	±2.5	PASS
Band2	9400	3	NV	-30	-5.77	-0.003069	±2.5	PASS
Band2	9400	3	NV	-20	-5.85	-0.003112	±2.5	PASS
Band2	9400	3	NV	-10	-6.04	-0.003213	±2.5	PASS
Band2	9400	3	NV	0	-4.75	-0.002527	±2.5	PASS
Band2	9400	3	NV	10	-6.01	-0.003197	±2.5	PASS
Band2	9400	3	NV	20	-6.19	-0.003293	±2.5	PASS
Band2	9400	3	NV	30	-6.27	-0.003335	±2.5	PASS
Band2	9400	3	NV	40	-5.90	-0.003138	±2.5	PASS
Band2	9400	3	NV	50	-6.21	-0.003303	±2.5	PASS
Band2	9400	4	NV	-30	-6.19	-0.003293	±2.5	PASS
Band2	9400	4	NV	-20	-6.36	-0.003383	±2.5	PASS

Band2	9400	4	NV	-10	-6.36	-0.003383	±2.5	PASS
Band2	9400	4	NV	0	-7.25	-0.003856	±2.5	PASS
Band2	9400	4	NV	10	-6.11	-0.003250	±2.5	PASS
Band2	9400	4	NV	20	-5.82	-0.003096	±2.5	PASS
Band2	9400	4	NV	30	-7.12	-0.003787	±2.5	PASS
Band2	9400	4	NV	40	-5.59	-0.002973	±2.5	PASS
Band2	9400	4	NV	50	-5.60	-0.002979	±2.5	PASS
Band2	9538	1	NV	-30	-1.74	-0.000912	±2.5	PASS
Band2	9538	1	NV	-20	-5.36	-0.002810	±2.5	PASS
Band2	9538	1	NV	-10	-5.88	-0.003082	±2.5	PASS
Band2	9538	1	NV	0	-5.29	-0.002773	±2.5	PASS
Band2	9538	1	NV	10	-6.05	-0.003172	±2.5	PASS
Band2	9538	1	NV	20	-6.52	-0.003418	±2.5	PASS
Band2	9538	1	NV	30	-5.71	-0.002993	±2.5	PASS
Band2	9538	1	NV	40	-3.54	-0.001856	±2.5	PASS
Band2	9538	1	NV	50	-5.04	-0.002642	±2.5	PASS
Band2	9538	2	NV	-30	-7.07	-0.003706	±2.5	PASS
Band2	9538	2	NV	-20	-6.34	-0.003324	±2.5	PASS
Band2	9538	2	NV	-10	-5.97	-0.003130	±2.5	PASS
Band2	9538	2	NV	0	-6.59	-0.003455	±2.5	PASS
Band2	9538	2	NV	10	-5.00	-0.002621	±2.5	PASS
Band2	9538	2	NV	20	-6.21	-0.003255	±2.5	PASS
Band2	9538	2	NV	30	-6.17	-0.003234	±2.5	PASS
Band2	9538	2	NV	40	-7.22	-0.003785	±2.5	PASS
Band2	9538	2	NV	50	-5.37	-0.002815	±2.5	PASS
Band2	9538	3	NV	-30	-5.93	-0.003109	±2.5	PASS
Band2	9538	3	NV	-20	-6.10	-0.003198	±2.5	PASS
Band2	9538	3	NV	-10	-6.22	-0.003261	±2.5	PASS
Band2	9538	3	NV	0	-6.87	-0.003601	±2.5	PASS
Band2	9538	3	NV	10	-4.63	-0.002427	±2.5	PASS
Band2	9538	3	NV	20	-4.66	-0.002443	±2.5	PASS
Band2	9538	3	NV	30	-5.62	-0.002946	±2.5	PASS
Band2	9538	3	NV	40	-5.93	-0.003109	±2.5	PASS
Band2	9538	3	NV	50	-5.72	-0.002999	±2.5	PASS
Band2	9538	4	NV	-30	-6.01	-0.003151	±2.5	PASS
Band2	9538	4	NV	-20	-5.25	-0.002752	±2.5	PASS

Band2	9538	4	NV	-10	-6.54	-0.003428	±2.5	PASS
Band2	9538	4	NV	0	-5.45	-0.002857	±2.5	PASS
Band2	9538	4	NV	10	-6.73	-0.003528	±2.5	PASS
Band2	9538	4	NV	20	-6.47	-0.003392	±2.5	PASS
Band2	9538	4	NV	30	-6.55	-0.003434	±2.5	PASS
Band2	9538	4	NV	40	-6.40	-0.003355	±2.5	PASS
Band2	9538	4	NV	50	-5.72	-0.002999	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-3.42	-0.001846	±2.5	PASS
Band2	9262	1	VN	NT	-3.53	-0.001906	±2.5	PASS
Band2	9262	1	VH	NT	-3.13	-0.001690	±2.5	PASS
Band2	9262	2	VL	NT	-3.31	-0.001787	±2.5	PASS
Band2	9262	2	VN	NT	-3.42	-0.001846	±2.5	PASS
Band2	9262	2	VH	NT	-3.55	-0.001916	±2.5	PASS
Band2	9262	3	VL	NT	-1.94	-0.001047	±2.5	PASS
Band2	9262	3	VN	NT	-2.00	-0.001080	±2.5	PASS
Band2	9262	3	VH	NT	-2.08	-0.001123	±2.5	PASS
Band2	9262	4	VL	NT	-1.52	-0.000821	±2.5	PASS
Band2	9262	4	VN	NT	-2.02	-0.001090	±2.5	PASS
Band2	9262	4	VH	NT	-1.47	-0.000794	±2.5	PASS
Band2	9262	5	VL	NT	-1.07	-0.000578	±2.5	PASS
Band2	9262	5	VN	NT	-0.96	-0.000518	±2.5	PASS
Band2	9262	5	VH	NT	-0.92	-0.000497	±2.5	PASS
Band2	9400	1	VL	NT	-1.16	-0.000617	±2.5	PASS
Band2	9400	1	VN	NT	-0.94	-0.000500	±2.5	PASS
Band2	9400	1	VH	NT	-0.90	-0.000479	±2.5	PASS
Band2	9400	2	VL	NT	-0.76	-0.000404	±2.5	PASS
Band2	9400	2	VN	NT	-0.79	-0.000420	±2.5	PASS
Band2	9400	2	VH	NT	-0.97	-0.000516	±2.5	PASS
Band2	9400	3	VL	NT	-0.54	-0.000287	±2.5	PASS
Band2	9400	3	VN	NT	-1.07	-0.000569	±2.5	PASS
Band2	9400	3	VH	NT	-1.22	-0.000649	±2.5	PASS
Band2	9400	4	VL	NT	-0.74	-0.000394	±2.5	PASS
Band2	9400	4	VN	NT	-0.29	-0.000154	±2.5	PASS
Band2	9400	4	VH	NT	-0.79	-0.000420	±2.5	PASS
Band2	9400	5	VL	NT	-0.32	-0.000170	±2.5	PASS
Band2	9400	5	VN	NT	-0.04	-0.000021	±2.5	PASS
Band2	9400	5	VH	NT	-0.56	-0.000298	±2.5	PASS
Band2	9538	1	VL	NT	-0.59	-0.000309	±2.5	PASS
Band2	9538	1	VN	NT	-0.62	-0.000325	±2.5	PASS
Band2	9538	1	VH	NT	-0.76	-0.000398	±2.5	PASS

Band2	9538	2	VL	NT	-0.67	-0.000351	±2.5	PASS
Band2	9538	2	VN	NT	-0.72	-0.000377	±2.5	PASS
Band2	9538	2	VH	NT	-0.53	-0.000278	±2.5	PASS
Band2	9538	3	VL	NT	-0.18	-0.000094	±2.5	PASS
Band2	9538	3	VN	NT	-0.77	-0.000404	±2.5	PASS
Band2	9538	3	VH	NT	-0.74	-0.000388	±2.5	PASS
Band2	9538	4	VL	NT	-0.52	-0.000273	±2.5	PASS
Band2	9538	4	VN	NT	-0.44	-0.000231	±2.5	PASS
Band2	9538	4	VH	NT	-0.23	-0.000121	±2.5	PASS
Band2	9538	5	VL	NT	-0.09	-0.000047	±2.5	PASS
Band2	9538	5	VN	NT	-0.56	-0.000294	±2.5	PASS
Band2	9538	5	VH	NT	-0.19	-0.000100	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-3.36	-0.001814	±2.5	PASS
Band2	9262	1	NV	-20	-3.55	-0.001916	±2.5	PASS
Band2	9262	1	NV	-10	-3.76	-0.002030	±2.5	PASS
Band2	9262	1	NV	0	-3.52	-0.001900	±2.5	PASS
Band2	9262	1	NV	10	-3.46	-0.001868	±2.5	PASS
Band2	9262	1	NV	20	-3.60	-0.001943	±2.5	PASS
Band2	9262	1	NV	30	-3.58	-0.001933	±2.5	PASS
Band2	9262	1	NV	40	-3.45	-0.001862	±2.5	PASS
Band2	9262	1	NV	50	-3.45	-0.001862	±2.5	PASS
Band2	9262	2	NV	-30	-3.34	-0.001803	±2.5	PASS
Band2	9262	2	NV	-20	-3.00	-0.001620	±2.5	PASS
Band2	9262	2	NV	-10	-2.78	-0.001501	±2.5	PASS
Band2	9262	2	NV	0	-2.62	-0.001414	±2.5	PASS
Band2	9262	2	NV	10	-2.28	-0.001231	±2.5	PASS
Band2	9262	2	NV	20	-2.83	-0.001528	±2.5	PASS
Band2	9262	2	NV	30	-2.20	-0.001188	±2.5	PASS
Band2	9262	2	NV	40	-2.19	-0.001182	±2.5	PASS
Band2	9262	2	NV	50	-2.27	-0.001225	±2.5	PASS
Band2	9262	3	NV	-30	-2.40	-0.001296	±2.5	PASS
Band2	9262	3	NV	-20	-2.00	-0.001080	±2.5	PASS

Band2	9262	3	NV	-10	-2.15	-0.001161	±2.5	PASS
Band2	9262	3	NV	0	-1.58	-0.000853	±2.5	PASS
Band2	9262	3	NV	10	-1.82	-0.000983	±2.5	PASS
Band2	9262	3	NV	20	-1.87	-0.001010	±2.5	PASS
Band2	9262	3	NV	30	-1.50	-0.000810	±2.5	PASS
Band2	9262	3	NV	40	-1.63	-0.000880	±2.5	PASS
Band2	9262	3	NV	50	-1.49	-0.000804	±2.5	PASS
Band2	9262	4	NV	-30	-1.34	-0.000723	±2.5	PASS
Band2	9262	4	NV	-20	-1.62	-0.000875	±2.5	PASS
Band2	9262	4	NV	-10	-1.44	-0.000777	±2.5	PASS
Band2	9262	4	NV	0	-1.29	-0.000696	±2.5	PASS
Band2	9262	4	NV	10	-1.36	-0.000734	±2.5	PASS
Band2	9262	4	NV	20	-1.33	-0.000718	±2.5	PASS
Band2	9262	4	NV	30	-1.36	-0.000734	±2.5	PASS
Band2	9262	4	NV	40	-1.28	-0.000691	±2.5	PASS
Band2	9262	4	NV	50	-1.27	-0.000686	±2.5	PASS
Band2	9262	5	NV	-30	-1.22	-0.000659	±2.5	PASS
Band2	9262	5	NV	-20	-1.08	-0.000583	±2.5	PASS
Band2	9262	5	NV	-10	-1.51	-0.000815	±2.5	PASS
Band2	9262	5	NV	0	-1.33	-0.000718	±2.5	PASS
Band2	9262	5	NV	10	-1.12	-0.000605	±2.5	PASS
Band2	9262	5	NV	20	-1.20	-0.000648	±2.5	PASS
Band2	9262	5	NV	30	-1.01	-0.000545	±2.5	PASS
Band2	9262	5	NV	40	-1.09	-0.000588	±2.5	PASS
Band2	9262	5	NV	50	-0.93	-0.000502	±2.5	PASS
Band2	9400	1	NV	-30	-0.85	-0.000452	±2.5	PASS
Band2	9400	1	NV	-20	-1.02	-0.000543	±2.5	PASS
Band2	9400	1	NV	-10	-0.99	-0.000527	±2.5	PASS
Band2	9400	1	NV	0	-0.90	-0.000479	±2.5	PASS
Band2	9400	1	NV	10	-1.22	-0.000649	±2.5	PASS
Band2	9400	1	NV	20	-1.02	-0.000543	±2.5	PASS
Band2	9400	1	NV	30	-1.09	-0.000580	±2.5	PASS
Band2	9400	1	NV	40	-0.75	-0.000399	±2.5	PASS
Band2	9400	1	NV	50	-0.50	-0.000266	±2.5	PASS
Band2	9400	2	NV	-30	-0.29	-0.000154	±2.5	PASS
Band2	9400	2	NV	-20	-1.09	-0.000580	±2.5	PASS

Band2	9400	2	NV	-10	-0.84	-0.000447	±2.5	PASS
Band2	9400	2	NV	0	-1.07	-0.000569	±2.5	PASS
Band2	9400	2	NV	10	-0.66	-0.000351	±2.5	PASS
Band2	9400	2	NV	20	-0.56	-0.000298	±2.5	PASS
Band2	9400	2	NV	30	-1.09	-0.000580	±2.5	PASS
Band2	9400	2	NV	40	-0.91	-0.000484	±2.5	PASS
Band2	9400	2	NV	50	-0.76	-0.000404	±2.5	PASS
Band2	9400	3	NV	-30	-0.60	-0.000319	±2.5	PASS
Band2	9400	3	NV	-20	-0.74	-0.000394	±2.5	PASS
Band2	9400	3	NV	-10	-0.82	-0.000436	±2.5	PASS
Band2	9400	3	NV	0	-1.09	-0.000580	±2.5	PASS
Band2	9400	3	NV	10	-0.69	-0.000367	±2.5	PASS
Band2	9400	3	NV	20	-0.58	-0.000309	±2.5	PASS
Band2	9400	3	NV	30	-0.62	-0.000330	±2.5	PASS
Band2	9400	3	NV	40	-0.84	-0.000447	±2.5	PASS
Band2	9400	3	NV	50	-0.92	-0.000489	±2.5	PASS
Band2	9400	4	NV	-30	-0.79	-0.000420	±2.5	PASS
Band2	9400	4	NV	-20	-0.81	-0.000431	±2.5	PASS
Band2	9400	4	NV	-10	-0.99	-0.000527	±2.5	PASS
Band2	9400	4	NV	0	-0.31	-0.000165	±2.5	PASS
Band2	9400	4	NV	10	-0.68	-0.000362	±2.5	PASS
Band2	9400	4	NV	20	-0.58	-0.000309	±2.5	PASS
Band2	9400	4	NV	30	-0.75	-0.000399	±2.5	PASS
Band2	9400	4	NV	40	-0.56	-0.000298	±2.5	PASS
Band2	9400	4	NV	50	-0.87	-0.000463	±2.5	PASS
Band2	9400	5	NV	-30	-0.36	-0.000191	±2.5	PASS
Band2	9400	5	NV	-20	-0.73	-0.000388	±2.5	PASS
Band2	9400	5	NV	-10	-0.73	-0.000388	±2.5	PASS
Band2	9400	5	NV	0	-0.52	-0.000277	±2.5	PASS
Band2	9400	5	NV	10	-0.39	-0.000207	±2.5	PASS
Band2	9400	5	NV	20	-0.67	-0.000356	±2.5	PASS
Band2	9400	5	NV	30	-0.90	-0.000479	±2.5	PASS
Band2	9400	5	NV	40	-0.42	-0.000223	±2.5	PASS
Band2	9400	5	NV	50	-0.62	-0.000330	±2.5	PASS
Band2	9538	1	NV	-30	-0.70	-0.000367	±2.5	PASS
Band2	9538	1	NV	-20	-0.76	-0.000398	±2.5	PASS

Band2	9538	1	NV	-10	-1.15	-0.000603	±2.5	PASS
Band2	9538	1	NV	0	-0.64	-0.000336	±2.5	PASS
Band2	9538	1	NV	10	-0.56	-0.000294	±2.5	PASS
Band2	9538	1	NV	20	-0.72	-0.000377	±2.5	PASS
Band2	9538	1	NV	30	-0.09	-0.000047	±2.5	PASS
Band2	9538	1	NV	40	-0.57	-0.000299	±2.5	PASS
Band2	9538	1	NV	50	-0.09	-0.000047	±2.5	PASS
Band2	9538	2	NV	-30	-0.63	-0.000330	±2.5	PASS
Band2	9538	2	NV	-20	-0.72	-0.000377	±2.5	PASS
Band2	9538	2	NV	-10	-0.78	-0.000409	±2.5	PASS
Band2	9538	2	NV	0	-0.67	-0.000351	±2.5	PASS
Band2	9538	2	NV	10	-0.69	-0.000362	±2.5	PASS
Band2	9538	2	NV	20	-0.24	-0.000126	±2.5	PASS
Band2	9538	2	NV	30	-0.32	-0.000168	±2.5	PASS
Band2	9538	2	NV	40	-0.68	-0.000356	±2.5	PASS
Band2	9538	2	NV	50	-0.50	-0.000262	±2.5	PASS
Band2	9538	3	NV	-30	-0.39	-0.000204	±2.5	PASS
Band2	9538	3	NV	-20	-0.40	-0.000210	±2.5	PASS
Band2	9538	3	NV	-10	-0.59	-0.000309	±2.5	PASS
Band2	9538	3	NV	0	-0.61	-0.000320	±2.5	PASS
Band2	9538	3	NV	10	-0.41	-0.000215	±2.5	PASS
Band2	9538	3	NV	20	-0.44	-0.000231	±2.5	PASS
Band2	9538	3	NV	30	-0.51	-0.000267	±2.5	PASS
Band2	9538	3	NV	40	-0.69	-0.000362	±2.5	PASS
Band2	9538	3	NV	50	-0.71	-0.000372	±2.5	PASS
Band2	9538	4	NV	-30	-0.31	-0.000163	±2.5	PASS
Band2	9538	4	NV	-20	-0.70	-0.000367	±2.5	PASS
Band2	9538	4	NV	-10	-0.49	-0.000257	±2.5	PASS
Band2	9538	4	NV	0	-0.57	-0.000299	±2.5	PASS
Band2	9538	4	NV	10	-0.46	-0.000241	±2.5	PASS
Band2	9538	4	NV	20	-0.31	-0.000163	±2.5	PASS
Band2	9538	4	NV	30	-0.40	-0.000210	±2.5	PASS
Band2	9538	4	NV	40	-0.80	-0.000419	±2.5	PASS
Band2	9538	4	NV	50	-0.28	-0.000147	±2.5	PASS
Band2	9538	5	NV	-30	-0.61	-0.000320	±2.5	PASS
Band2	9538	5	NV	-20	-0.46	-0.000241	±2.5	PASS

Band2	9538	5	NV	-10	-0.44	-0.000231	±2.5	PASS
Band2	9538	5	NV	0	-0.27	-0.000142	±2.5	PASS
Band2	9538	5	NV	10	-0.18	-0.000094	±2.5	PASS
Band2	9538	5	NV	20	-0.41	-0.000215	±2.5	PASS
Band2	9538	5	NV	30	-0.72	-0.000377	±2.5	PASS
Band2	9538	5	NV	40	-0.29	-0.000152	±2.5	PASS
Band2	9538	5	NV	50	-0.59	-0.000309	±2.5	PASS

