




11A_Ant2_5825




11N20MIMO Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO Ant2_5785




11AC20MIMO Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775



8.2 MAXIMUM CONDUCTED OUTPUT POWER

8.2.1 Applicable Standard

According to FCC Part 15.407(a)(1) for UNII Band I
According to FCC Part 15.407(a)(2) for UNII Band II-A and UNII Band II-C
According to FCC Part 15.407(a)(3) for UNII Band III
According to 789033 D02 Section II(E)

8.2.2 Conformance Limit

■ For the band 5.15-5.25 GHz,

(a) (1) (i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(a) (1) (ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(a) (1) (iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(a) (1) (iv) For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the 5.25-5.35 GHz and 5.47-5.725 GHz bands

(a) (2) the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the band 5.725-5.85 GHz

(a) (3) For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

8.2.3 Test Configuration

Test according to clause 6.1 radio frequency test setup 1.

8.2.4 Test Procedure

The maximum average conducted output power can be measured using Method PM-G (Measurement using a gated RF average power meter):


Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

- a. The Transmitter output (antenna port) was connected to the power meter.
- b. Turn on the EUT and power meter and then record the power value.
- c. Repeat above procedures on all channels needed to be tested.

8.2.5 Test Results

Temperature : 25°C
Humidity : 60 %

ATM Pressure:: 1011 mbar
Test Engineer: XXH




Test Mode	Antenna	Frequency [MHz]	Set Power	TPC Mode	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict	
11A	Ant1	5180	NA	---	13.65	98.54	0.06	13.71	≤23.98	2.86	16.57	---	PASS	
	Ant2	5180	NA	---	13.80	98.54	0.06	13.86	≤23.98	2.65	16.51	---	PASS	
	Ant1	5200	NA	---	13.70	98.54	0.06	13.76	≤23.98	2.86	16.62	---	PASS	
	Ant2	5200	NA	---	13.78	98.54	0.06	13.84	≤23.98	2.65	16.49	---	PASS	
	Ant1	5240	NA	---	14.03	98.54	0.06	14.09	≤23.98	2.86	16.95	---	PASS	
	Ant2	5240	NA	---	14.03	98.54	0.06	14.09	≤23.98	2.65	16.74	---	PASS	
	Ant1	5260	NA	---	14.80	98.54	0.06	14.86	≤23.69	2.86	17.72	---	PASS	
	Ant2	5260	NA	---	13.57	98.54	0.06	13.63	≤23.70	2.65	16.28	---	PASS	
	Ant1	5280	NA	---	14.86	98.54	0.06	14.92	≤23.70	2.86	17.78	---	PASS	
	Ant2	5280	NA	---	13.71	98.54	0.06	13.77	≤23.71	2.65	16.42	---	PASS	
	Ant1	5320	NA	---	15.40	98.54	0.06	15.46	≤23.70	2.86	18.32	---	PASS	
	Ant2	5320	NA	---	14.26	98.54	0.06	14.32	≤23.69	2.65	16.97	---	PASS	
	Ant1	5500	NA	---	15.57	98.54	0.06	15.63	≤23.69	3.21	18.84	---	PASS	
	Ant2	5500	NA	---	14.45	98.54	0.06	14.51	≤23.71	2.98	17.49	---	PASS	
	Ant1	5580	NA	---	14.90	98.54	0.06	14.96	≤23.70	3.21	18.17	---	PASS	
	Ant2	5580	NA	---	14.05	98.54	0.06	14.11	≤23.70	2.98	17.09	---	PASS	
	Ant1	5700	NA	---	14.67	98.54	0.06	14.73	≤23.72	3.21	17.94	---	PASS	
	Ant2	5700	NA	---	13.43	98.54	0.06	13.49	≤23.72	2.98	16.47	---	PASS	
	Ant1	5745	NA	---	15.56	98.54	0.06	15.62	≤30.00	3.34	18.96	---	PASS	
	Ant2	5745	NA	---	13.78	98.54	0.06	13.84	≤30.00	3.12	16.96	---	PASS	
Ant1	5785	NA	---	16.27	99.02	0.04	16.31	≤30.00	3.34	19.65	---	PASS		
Ant2	5785	NA	---	14.56	98.54	0.06	14.62	≤30.00	3.12	17.74	---	PASS		
Ant1	5825	NA	---	16.66	98.54	0.06	16.72	≤30.00	3.34	20.06	---	PASS		
Ant2	5825	NA	---	14.99	98.54	0.06	15.05	≤30.00	3.12	18.17	---	PASS		
11N20MI MO	Ant1	5180	NA	---	13.52	98.95	0.05	13.57	≤23.98	2.86	16.43	---	PASS	
	Ant2	5180	NA	---	13.33	98.44	0.07	13.40	≤23.98	2.65	16.05	---	PASS	
	total	5180	NA	---	---	---	---	16.50	≤23.98	2.86	19.36	---	PASS	
	Ant1	5200	NA	---	13.32	98.44	0.07	13.39	≤23.98	2.86	16.25	---	PASS	
	Ant2	5200	NA	---	13.24	98.44	0.07	13.31	≤23.98	2.65	15.96	---	PASS	
	total	5200	NA	---	---	---	---	16.36	≤23.98	2.86	19.22	---	PASS	
	Ant1	5240	NA	---	13.88	98.44	0.07	13.95	≤23.98	2.86	16.81	---	PASS	
	Ant2	5240	NA	---	13.75	98.44	0.07	13.82	≤23.98	2.65	16.47	---	PASS	
	total	5240	NA	---	---	---	---	16.90	≤23.98	2.86	19.76	---	PASS	
	Ant1	5260	NA	---	15.47	98.44	0.07	15.54	≤23.93	2.86	18.40	---	PASS	
	Ant2	5260	NA	---	14.17	98.44	0.07	14.24	≤23.90	2.65	16.89	---	PASS	
	total	5260	NA	---	---	---	---	17.95	≤23.98	2.86	20.81	---	PASS	
	Ant1	5280	NA	---	15.51	98.44	0.07	15.58	≤23.91	2.86	18.44	---	PASS	
	Ant2	5280	NA	---	13.77	98.95	0.05	13.82	≤23.92	2.65	16.47	---	PASS	
	total	5280	NA	---	---	---	---	17.80	≤23.98	2.86	20.66	---	PASS	
	Ant1	5320	NA	---	15.63	98.44	0.07	15.70	≤23.94	2.86	18.56	---	PASS	
	Ant2	5320	NA	---	14.31	98.95	0.05	14.36	≤23.91	2.65	17.01	---	PASS	
	total	5320	NA	---	---	---	---	18.09	≤23.98	2.86	20.95	---	PASS	
	Ant1	5500	NA	---	15.11	98.44	0.07	15.18	≤23.94	3.21	18.39	---	PASS	
	Ant2	5500	NA	---	14.08	98.44	0.07	14.15	≤23.95	2.98	17.13	---	PASS	
	total	5500	NA	---	---	---	---	17.71	≤23.98	3.21	20.92	---	PASS	
	Ant1	5580	NA	---	14.11	98.95	0.05	14.16	≤23.95	3.21	17.37	---	PASS	
	Ant2	5580	NA	---	13.56	98.95	0.05	13.61	≤23.97	2.98	16.59	---	PASS	
	total	5580	NA	---	---	---	---	16.90	≤23.98	3.21	20.11	---	PASS	
	Ant1	5700	NA	---	14.29	98.95	0.05	14.34	≤23.98	3.21	17.55	---	PASS	
	Ant2	5700	NA	---	12.97	98.44	0.07	13.04	≤23.97	2.98	16.02	---	PASS	
	total	5700	NA	---	---	---	---	16.75	≤23.98	3.21	19.96	---	PASS	
	Ant1	5745	NA	---	15.77	98.44	0.07	15.84	≤30.00	3.34	19.18	---	PASS	
	Ant2	5745	NA	---	13.83	98.95	0.05	13.88	≤30.00	3.12	17.00	---	PASS	
	total	5745	NA	---	---	---	---	17.98	≤30.00	3.34	21.32	---	PASS	
	Ant1	5785	NA	---	16.33	98.44	0.07	16.40	≤30.00	3.34	19.74	---	PASS	
	Ant2	5785	NA	---	14.45	98.95	0.05	14.50	≤30.00	3.12	17.62	---	PASS	
	total	5785	NA	---	---	---	---	18.56	≤30.00	3.34	21.90	---	PASS	
	Ant1	5825	NA	---	16.64	98.44	0.07	16.71	≤30.00	3.34	20.05	---	PASS	
	Ant2	5825	NA	---	14.91	98.44	0.07	14.98	≤30.00	3.12	18.10	---	PASS	
	total	5825	NA	---	---	---	---	18.94	≤30.00	3.34	22.28	---	PASS	
	11N40MI MO	Ant1	5190	NA	---	13.49	96.88	0.14	13.63	≤23.98	2.86	16.49	---	PASS
		Ant2	5190	NA	---	13.51	96.84	0.14	13.65	≤23.98	2.65	16.30	---	PASS
		total	5190	NA	---	---	---	---	16.65	≤23.98	2.86	19.51	---	PASS
		Ant1	5230	NA	---	13.53	96.88	0.14	13.67	≤23.98	2.86	16.53	---	PASS
Ant2		5230	NA	---	13.56	96.84	0.14	13.70	≤23.98	2.65	16.35	---	PASS	
total		5230	NA	---	---	---	---	16.70	≤23.98	2.86	19.56	---	PASS	
Ant1		5270	NA	---	14.54	96.88	0.14	14.68	≤23.98	2.86	17.54	---	PASS	
Ant2		5270	NA	---	13.24	97.89	0.09	13.33	≤23.98	2.65	15.98	---	PASS	
total		5270	NA	---	---	---	---	17.07	≤23.98	2.86	19.93	---	PASS	
Ant1		5310	NA	---	14.81	97.89	0.09	14.90	≤23.98	2.86	17.76	---	PASS	
Ant2		5310	NA	---	13.40	96.84	0.14	13.54	≤23.98	2.65	16.19	---	PASS	
total		5310	NA	---	---	---	---	17.28	≤23.98	2.86	20.14	---	PASS	
Ant1		5510	NA	---	14.94	97.89	0.09	15.03	≤23.98	3.21	18.24	---	PASS	
Ant2		5510	NA	---	13.62	96.84	0.14	13.76	≤23.98	2.98	16.74	---	PASS	
total		5510	NA	---	---	---	---	17.45	≤23.98	3.21	20.66	---	PASS	
Ant1		5550	NA	---	14.35	97.89	0.09	14.44	≤23.98	3.21	17.65	---	PASS	
Ant2		5550	NA	---	13.25	97.89	0.09	13.34	≤23.98	2.98	16.32	---	PASS	
total		5550	NA	---	---	---	---	16.94	≤23.98	3.21	20.15	---	PASS	

	Ant1	5670	NA	---	14.48	96.88	0.14	14.62	≤23.98	3.21	17.83	---	PASS	
	Ant2	5670	NA	---	12.46	96.84	0.14	12.60	≤23.98	2.98	15.58	---	PASS	
	total	5670	NA	---	---	---	---	16.74	≤23.98	3.21	19.95	---	PASS	
	Ant1	5755	NA	---	15.35	97.89	0.09	15.44	≤30.00	3.34	18.78	---	PASS	
	Ant2	5755	NA	---	13.45	97.89	0.09	13.54	≤30.00	3.12	16.66	---	PASS	
	total	5755	NA	---	---	---	---	17.60	≤30.00	3.34	20.94	---	PASS	
	Ant1	5795	NA	---	15.87	96.84	0.14	16.01	≤30.00	3.34	19.35	---	PASS	
	Ant2	5795	NA	---	14.06	96.84	0.14	14.20	≤30.00	3.12	17.32	---	PASS	
	total	5795	NA	---	---	---	---	18.21	≤30.00	3.34	21.55	---	PASS	
	Ant1	5180	NA	---	13.63	98.44	0.07	13.70	≤23.98	2.86	16.56	---	PASS	
	Ant2	5180	NA	---	13.54	98.96	0.05	13.59	≤23.98	2.65	16.24	---	PASS	
	total	5180	NA	---	---	---	---	16.66	≤23.98	2.86	19.52	---	PASS	
11AC20 MIMO	Ant1	5200	NA	---	13.50	98.44	0.07	13.57	≤23.98	2.86	16.43	---	PASS	
	Ant2	5200	NA	---	13.51	98.95	0.05	13.56	≤23.98	2.65	16.21	---	PASS	
	total	5200	NA	---	---	---	---	16.58	≤23.98	2.86	19.44	---	PASS	
	Ant1	5240	NA	---	13.79	98.95	0.05	13.84	≤23.98	2.86	16.70	---	PASS	
	Ant2	5240	NA	---	13.78	98.44	0.07	13.85	≤23.98	2.65	16.50	---	PASS	
	total	5240	NA	---	---	---	---	16.86	≤23.98	2.86	19.72	---	PASS	
	Ant1	5260	NA	---	14.54	98.96	0.05	14.59	≤23.91	2.86	17.45	---	PASS	
	Ant2	5260	NA	---	13.46	98.44	0.07	13.53	≤23.91	2.65	16.18	---	PASS	
	total	5260	NA	---	---	---	---	17.10	≤23.98	2.86	19.96	---	PASS	
	Ant1	5280	NA	---	14.59	98.96	0.05	14.64	≤23.94	2.86	17.50	---	PASS	
	Ant2	5280	NA	---	13.44	98.95	0.05	13.49	≤23.94	2.65	16.14	---	PASS	
	total	5280	NA	---	---	---	---	17.11	≤23.98	2.86	19.97	---	PASS	
	Ant1	5320	NA	---	15.12	98.95	0.05	15.17	≤23.95	2.86	18.03	---	PASS	
	Ant2	5320	NA	---	13.92	98.44	0.07	13.99	≤23.91	2.65	16.64	---	PASS	
	total	5320	NA	---	---	---	---	17.63	≤23.98	2.86	20.49	---	PASS	
	Ant1	5500	NA	---	15.31	98.44	0.07	15.38	≤23.93	3.21	18.59	---	PASS	
	Ant2	5500	NA	---	13.81	98.44	0.07	13.88	≤23.93	2.98	16.86	---	PASS	
	total	5500	NA	---	---	---	---	17.70	≤23.98	3.21	20.91	---	PASS	
	Ant1	5580	NA	---	15.01	98.44	0.07	15.08	≤23.92	3.21	18.29	---	PASS	
	Ant2	5580	NA	---	13.31	98.44	0.07	13.38	≤23.95	2.98	16.36	---	PASS	
	total	5580	NA	---	---	---	---	17.32	≤23.98	3.21	20.53	---	PASS	
	Ant1	5700	NA	---	14.47	98.45	0.07	14.54	≤23.94	3.21	17.75	---	PASS	
	Ant2	5700	NA	---	13.12	98.44	0.07	13.19	≤23.94	2.98	16.17	---	PASS	
	total	5700	NA	---	---	---	---	16.93	≤23.98	3.21	20.14	---	PASS	
	Ant1	5745	NA	---	15.53	98.44	0.07	15.60	≤30.00	3.34	18.94	---	PASS	
	Ant2	5745	NA	---	13.55	98.44	0.07	13.62	≤30.00	3.12	16.74	---	PASS	
	total	5745	NA	---	---	---	---	17.73	≤30.00	3.34	21.07	---	PASS	
	Ant1	5785	NA	---	16.17	98.44	0.07	16.24	≤30.00	3.34	19.58	---	PASS	
	Ant2	5785	NA	---	14.33	98.44	0.07	14.40	≤30.00	3.12	17.52	---	PASS	
	total	5785	NA	---	---	---	---	18.43	≤30.00	3.34	21.77	---	PASS	
	Ant1	5825	NA	---	16.52	98.95	0.05	16.57	≤30.00	3.34	19.91	---	PASS	
	Ant2	5825	NA	---	14.62	98.95	0.05	14.67	≤30.00	3.12	17.79	---	PASS	
	total	5825	NA	---	---	---	---	18.73	≤30.00	3.34	22.07	---	PASS	
	11AC40 MIMO	Ant1	5190	NA	---	13.07	96.88	0.14	13.21	≤23.98	2.86	16.07	---	PASS
		Ant2	5190	NA	---	13.04	96.88	0.14	13.18	≤23.98	2.65	15.83	---	PASS
		total	5190	NA	---	---	---	---	16.21	≤23.98	2.86	19.07	---	PASS
		Ant1	5230	NA	---	13.28	96.88	0.14	13.42	≤23.98	2.86	16.28	---	PASS
		Ant2	5230	NA	---	13.25	96.88	0.14	13.39	≤23.98	2.65	16.04	---	PASS
		total	5230	NA	---	---	---	---	16.42	≤23.98	2.86	19.28	---	PASS
		Ant1	5270	NA	---	14.19	96.88	0.14	14.33	≤23.98	2.86	17.19	---	PASS
		Ant2	5270	NA	---	13.11	96.88	0.14	13.25	≤23.98	2.65	15.90	---	PASS
		total	5270	NA	---	---	---	---	16.83	≤23.98	2.86	19.69	---	PASS
		Ant1	5310	NA	---	14.60	97.92	0.09	14.69	≤23.98	2.86	17.55	---	PASS
		Ant2	5310	NA	---	13.45	96.88	0.14	13.59	≤23.98	2.65	16.24	---	PASS
		total	5310	NA	---	---	---	---	17.19	≤23.98	2.86	20.05	---	PASS
		Ant1	5510	NA	---	14.83	97.89	0.09	14.92	≤23.98	3.21	18.13	---	PASS
		Ant2	5510	NA	---	13.78	96.88	0.14	13.92	≤23.98	2.98	16.90	---	PASS
		total	5510	NA	---	---	---	---	17.46	≤23.98	3.21	20.67	---	PASS
Ant1		5550	NA	---	14.40	96.88	0.14	14.54	≤23.98	3.21	17.75	---	PASS	
Ant2		5550	NA	---	13.25	96.88	0.14	13.39	≤23.98	2.98	16.37	---	PASS	
total		5550	NA	---	---	---	---	17.01	≤23.98	3.21	20.22	---	PASS	
Ant1		5670	NA	---	14.04	96.88	0.14	14.18	≤23.98	3.21	17.39	---	PASS	
Ant2		5670	NA	---	12.43	96.88	0.14	12.57	≤23.98	2.98	15.55	---	PASS	
total		5670	NA	---	---	---	---	16.46	≤23.98	3.21	19.67	---	PASS	
Ant1		5755	NA	---	15.30	97.92	0.09	15.39	≤30.00	3.34	18.73	---	PASS	
Ant2		5755	NA	---	13.37	96.88	0.14	13.51	≤30.00	3.12	16.63	---	PASS	
total		5755	NA	---	---	---	---	17.56	≤30.00	3.34	20.90	---	PASS	
Ant1		5795	NA	---	15.83	96.88	0.14	15.97	≤30.00	3.34	19.31	---	PASS	
Ant2		5795	NA	---	14.01	96.88	0.14	14.15	≤30.00	3.12	17.27	---	PASS	
total		5795	NA	---	---	---	---	18.16	≤30.00	3.34	21.50	---	PASS	
11AC80 MIMO		Ant1	5210	NA	---	12.84	93.75	0.28	13.12	≤23.98	2.86	15.98	---	PASS
		Ant2	5210	NA	---	12.84	93.62	0.29	13.13	≤23.98	2.65	15.78	---	PASS
		total	5210	NA	---	---	---	---	16.14	≤23.98	2.86	19.00	---	PASS
		Ant1	5290	NA	---	13.81	93.62	0.29	14.10	≤23.98	2.86	16.96	---	PASS
		Ant2	5290	NA	---	12.72	93.75	0.28	13.00	≤23.98	2.65	15.65	---	PASS
		total	5290	NA	---	---	---	---	16.60	≤23.98	2.86	19.46	---	PASS
		Ant1	5530	NA	---	14.37	93.75	0.28	14.65	≤23.98	3.21	17.86	---	PASS
		Ant2	5530	NA	---	13.25	93.75	0.28	13.53	≤23.98	2.98	16.51	---	PASS
		total	5530	NA	---	---	---	---	17.14	≤23.98	3.21	20.35	---	PASS
		Ant1	5610	NA	---	14.02	93.62	0.29	14.31	≤23.98	3.21	17.52	---	PASS
		Ant2	5610	NA	---	12.45	93.75	0.28	12.73	≤23.98	2.98	15.71	---	PASS


	total	5610	NA	---	---	---	---	16.60	≤23.98	3.21	19.81	---	PASS
	Ant1	5775	NA	---	15.39	93.62	0.29	15.68	≤30.00	3.34	19.02	---	PASS
	Ant2	5775	NA	---	13.51	93.75	0.28	13.79	≤30.00	3.12	16.91	---	PASS
	total	5775	NA	---	---	---	---	17.85	≤30.00	3.34	21.19	---	PASS




11A_Ant1_5180




11A_Ant2_5180




11A_Ant1_5200




11A_Ant2_5200




11A_Ant1_5240




11A_Ant2_5240




11A_Ant1_5260




11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280




11A_Ant1_5320




11A_Ant2_5320




11A_Ant1_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5580




11A_Ant1_5700




11A_Ant2_5700




11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825




11N20MIMO Ant1_5180




11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




11N20MIMO_Ant2_5260




11N20MIMO_Ant1_5280




11N20MIMO_Ant2_5280




11N20MIMO_Ant1_5320




11N20MIMO_Ant2_5320




11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500




11N20MIMO_Ant1_5580




11N20MIMO_Ant2_5580




11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190




11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5270




11N40MIMO_Ant2_5270




11N40MIMO_Ant1_5310




11N40MIMO_Ant2_5310




11N40MIMO_Ant1_5510




11N40MIMO_Ant2_5510




11N40MIMO_Ant1_5550




11N40MIMO_Ant2_5550




11N40MIMO_Ant1_5670




11N40MIMO_Ant2_5670




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5180




11AC20MIMO Ant2_5180




11AC20MIMO Ant1_5200




11AC20MIMO_Ant2_5200




11AC20MIMO_Ant1_5240




11AC20MIMO Ant2 5240




11AC20MIMO Ant1 5260




11AC20MIMO_Ant2_5260




11AC20MIMO_Ant1_5280




11AC20MIMO_Ant2_5280




11AC20MIMO_Ant1_5320




11AC20MIMO_Ant2_5320




11AC20MIMO_Ant1_5500




11AC20MIMO_Ant2_5500




11AC20MIMO_Ant1_5580




11AC20MIMO_Ant2_5580




11AC20MIMO_Ant1_5700




11AC20MIMO_Ant2_5700




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5190




11AC40MIMO Ant2_5190




11AC40MIMO Ant1_5230




11AC40MIMO_Ant2_5230




11AC40MIMO_Ant1_5270




11AC40MIMO_Ant2_5270




11AC40MIMO_Ant1_5310




11AC40MIMO_Ant2_5310




11AC40MIMO_Ant1_5510




11AC40MIMO_Ant2_5510




11AC40MIMO_Ant1_5550




11AC40MIMO_Ant2_5550



11AC40MIMO_Ant1_5670



11AC40MIMO_Ant2_5670



11AC40MIMO_Ant1_5755