


## Label location





**Bluetooth Pairing**

1. Press mode button to enter the BT pairing mode.
2. Connect your Bluetooth device to P1 BT.

**Stereo Linking Two Speakers**

1. Pair your Bluetooth device to first speaker.
2. Press Pairing on the second speaker to turn BT on.
3. Press Stereo Link on both speakers under BT Mode.
4. To disconnect ,press the Stereo Link button again on either speaker.

While Pairing or Linking LEDs will flash.  
When Paired or Linked LEDs will be solid.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION.

CAN-ICES-3(B)/NMB-3(B)

- Apparatets stikprop skal tilsluttes en stikkontakt med jord, som giver forbindelse til stikproppens jord. (For Denmark only)
- Laite on liitettävä suojamaadoituskoskettimilla varustettuun pistorasiaan. (For Finland only)
- Apparatet må tilkoples jordet stikkontakt. (For Norway only)
- Apparaten skall anslutas till jordat uttag. (For Sweden only)

Peavey®  
Electronics Corp.  
P1 BT

FCC ID: I4S-PBT  
IC: 3642A-PBT

**CAUTION**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN

AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIE

**WARNING:** TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, THIS APPARATUS SHOULD NOT BE EXPOSED TO RAIN OR MOISTURE AND OBJECTS FILLED WITH LIQUIDS, SUCH AS VASES, SHOULD NOT BE PLACED ON THIS APPARATUS. TO PREVENT THE RISK OF FIRE HAZARD, REPLACE WITH SAME TYPE 250 VOLT FUSE

**AVIS:** DANS LE BUT DE REDUIRE LES RISQUES D'INCENDIE OU DE DECHARGE ELECTRIQUE, CET APPAREIL NE DOIT PAS ETRE EXPOSE A LA PLUIE OU A L'HUMIDITE ET AUCUN OBJET REMPLI DE LIQUIDE, TEL QU'UN VAS, NE DOIT ETRE POSE SUR CELUI-CI. REMPLACER PAR UN FUSIBLE DE MEME TYPE ET DE 250 VOLTS.


**WARNING:** This speaker system can permanently damage hearing!  
Use extreme care setting maximum loudness!  
**AVERTISSEMENT:** Ce système de haut-parleurs peut définitivement endommager l'ouïe!  
Soyez extrêmement prudent en réglant le volume maximum!

AC 100-240Vac 50-60Hz  
Consumo de energia 180Wh



100-240V~  
F2.5AL/250V

POWER




CE



PANTONE 877C

P1900026 P2 BT Back Panel Text



### Bluetooth Pairing

1. Press mode button to enter the BT pairing mode.
2. Connect your Bluetooth device to P2 BT.

### Stereo Linking Two Speakers

1. Pair your Bluetooth device to first speaker.
2. Press Pairing on the second speaker to turn BT on.
3. Press Stereo Link on both speakers under BT Mode.
4. To disconnect ,press the Stereo Link button again on either speaker.

While Pairing or Linking LEDs will flash.  
When Paired or Linked LEDs will be solid.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS  
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND  
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION.

CAN-ICES-3(B)/NMB-3(B)

- Apparatets stikprop skal tilsluttes en stikkontakt med jord, som giver forbindelse til stikproppens jord. (For Denmark only)
- Laite on liitettävä suojamaadoituskoskettimilla varustettuun pistorasiaan. (For Finland only)
- Apparatet må tilkoples jordet stikkontakt. (For Norway only)
- Apparatet skall anslutas till jordat uttag. (For Sweden only)

Peavey  
Electronics Corp.  
P2 BT

FCC ID: I45-PBT  
IC: 3642A-PBT

**CAUTION**  
**RISK OF ELECTRIC SHOCK**  
**DO NOT OPEN**

AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

**WARNING:** TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, THIS APPARATUS SHOULD NOT BE EXPOSED TO RAIN OR MOISTURE AND OBJECTS FILLED WITH LIQUIDS, SUCH AS VASES, SHOULD NOT BE PLACED ON THIS APPARATUS. TO PREVENT THE RISK OF FIRE HAZARD, REPLACE WITH SAME TYPE 250 VOLT FUSE

**AVIS:** DANS LE BUT DE REDUIRE LES RISQUES D'INCENDIE OU DE DECHARGE ELECTRIQUE, CET APPAREIL NE DOIT PAS ETRE EXPOSE A LA PLUIE OU A L'HUMIDITE ET AUCUN OBJET REMPLI DE LIQUIDE, TEL QU'UN VAS, NE DOIT ETRE POSE SUR CELUI-CI. REMPLACER PAR UN FUSIBLE DE MEME TYPE ET DE 250 VOLTS.

**WARNING:** This speaker system can permanently damage hearing!  
Use extreme care setting maximum loudness!


**AVERTISSEMENT:** Ce système de haut-parleurs peut définitivement endommager l'ouïe!  
Soyez extrêmement prudent en réglant le volume maximum!

AC 100-240Vac 50-60Hz  
Consumo de energia 180Wh



100-240V~  
F2.5AL/250V

POWER




CE



Artwork Number 69601847

PANTONE 877C

P1900025 P3 BT Back Panel Text



### Bluetooth Pairing

1. Press mode button to enter the BT pairing mode.
2. Connect your Bluetooth device to P3 BT.

### Stereo Linking Two Speakers

1. Pair your Bluetooth device to first speaker.
2. Press Pairing on the second speaker to turn BT on.
3. Press Stereo Link on both speakers under BT Mode.
4. To disconnect ,press the Stereo Link button again on either speaker.

While Pairing or Linking LEDs will flash.  
When Paired or Linked LEDs will be solid.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.  
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS  
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND  
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,  
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION.

CAN-ICES-3(B)/NMB-3(B)

- Apparatets stikprop skal tilsluttes en stikkontakt med jord, som giver forbindelse til stikproppens jord. (For Denmark only)
- Laite on liitettävä suojamaadoituskoskettimilla varustettuun pistorasiaan. (For Finland only)
- Apparatet må tilkoples jordet stikkontakt. (For Norway only)
- Apparaten skall anslutas till jordat uttag. (For Sweden only)

Peavey®  
Electronics Corp.  
P3 BT

FCC ID: I45-PBT  
IC: 3642A-PBT

**CAUTION**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN

AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

**WARNING:** TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, THIS APPARATUS SHOULD NOT BE EXPOSED TO RAIN OR MOISTURE AND OBJECTS FILLED WITH LIQUIDS, SUCH AS VASES, SHOULD NOT BE PLACED ON THIS APPARATUS. TO PREVENT THE RISK OF FIRE HAZARD, REPLACE WITH SAME TYPE 250 VOLT FUSE

**AVIS:** DANS LE BUT DE REDUIRE LES RISQUES D'INCENDIE OU DE DECHARGE ELECTRIQUE, CET APPAREIL NE DOIT PAS ETRE EXPOSE A LA PLUIE OU A L'HUMIDITE ET AUCUN OBJET REMPLI DE LIQUIDE, TEL QU'UN VAS, NE DOIT ETRE POSE SUR CELUI-CI. REMPLACER PAR UN FUSIBLE DE MEME TYPE ET DE 250 VOLTS.


**WARNING:** This speaker system can permanently damage hearing!  
Use extreme care setting maximum loudness!  
**AVERTISSEMENT:** Ce système de haut-parleurs peut définitivement endommager l'ouïe!  
Soyez extrêmement prudent en réglant le volume maximum!

AC 100-240Vac 50-60Hz  
Consumo de energia 180Wh



100-240V~  
F2.5AL/250V

POWER



CE



Artwork Number 69601848