AIR802 LLC PART NUMBER ANRD245X05-RSP

		REV	BY		DESCRIPTION	DATE
~IMT	111 LE:	DWN K /	ΔM	DATE 04/27/11	931-0006-000-R	REV
		CHK	Duel-	DATE 04/27/11		

QA

SCALE:

FSCM NO.

0NG51

SIZE



ANT DUAL 2/5GH; 5dBI W/SMA-M; SWIVEL, VERT

USA: (630) 428-3108

Air802 LLC :: Antennas :: Dual-Band / Multi-Band :: Dipole (Rubber Duck) :: Dual-Band WiFi Dipole (Rubber Duck) Antenna, 2.4 GHz and 5.1 to 5.8 GHz, 5 dBi Gain, Reverse Polarity SMA (RP-SMA) Plug Male Connector

Dual-Band WiFi Dipole (Rubber Duck) Antenna, 2.4 GHz and 5.1 to 5.8 GHz, 5 dBi Gain, Reverse Polarity SMA (RP-SMA) Plug Male Connector #ANRD245X05-RSP



AIR802® model ANRD245X05-RSP is a dual-band dipole (rubber duck) antenna for the 2.4 and 5.1 to 5.8 GHz band with 5 dBi gain on both bands. This antenna has a reverse polarity SMA (RP-SMA) plug (male) connector.

Designed, engineered and manufactured by AIR802, this indoor antenna provides high gain and provides tilt and swivel functions for full flexibility.

Applications

- 802.11a/b/g/n Wi-Fi Networks
- Bluetooth
- Streaming Wireless Video
- RFID
- Public Hot Spots
- Schools or Universities
- Hotel Lobby and Hallways
- Medical Buildings
- Any Commerical Office, Retail Store

Specifications

Frequency 2400 - 2485 MHz and 5.1 to 5.8 GHz

Gain 5 dBi @ 2.4 GHz 5 dBi @ 5.1 to 5.8 GHz

VSWR < 1.5 at 2.4 GHz

< 2.0 at 5.1 to 5.8 GHz

 $\begin{array}{lll} \mbox{Polarization} & \mbox{Vertical} \\ \mbox{Vertical Beam Width} & 47^{\circ} \\ \mbox{Horizontal Beam Width} & 360^{\circ} \\ \mbox{Impedance} & 50\Omega \\ \mbox{Max. Input Power} & 5 \mbox{ watts} \\ \end{array}$

Weight 0.022 lbs (10 grams)

Length 4.27 inches (108.5 mm)

Connector Reverse Polarity SMA (RP-SMA) Plug (Male)

Finish Matte Black
Flame Rating UL 94HB
RoHS Compliant Yes

Product Warranty

This antenna is of absolute quality and is fully covered under by the AIR802 LLC Limited Warranty.

Terminology Note: Due to various use of terminology, this antenna maybe referred to as: wlan omni antenna, wireless omni antenna, wireless LAN omni, 2.4GHz omni antenna, 2400MHz omni antenna, ISM omni antenna, wireless LAN omni antenna, 2.4 omni antenna, 802.11 omni antenna, 802.11b omni antenna, 802.11g omni antenna, 802.11b/g omni antenna, 802.11n omni antenna, 802.1a/b/g omni antenna, wifi omni antenna, 2.4GHz wifi omni antenna, wi-fi omni antenna, RF omni antenna, hotspot omni antenna, 2.4GHz antena, wifi antena, 802.11 antena, inalámbrico 2.4 GHz WiFi antena, dual band antenna, dual band dipole, dual band rubber duck, 2.4 5 ghz antenna, 2.4 5.8 antenna, wifi dual band antenna

Price: USD \$11.95

Quantity

Add to cart Tell A Friend

Detail Images Other Products Customer Reviews



Dual-Band Dipole (Rubber Duck) Antenna, 2.4 GHz and 5.1 to 5.8 GHz...in, Reverse Polarity SMA (RP-SMA) Plug Male Connector - Air802 LLC



E-Plane (Vertical Plane)
E-Plane (Vertical Plane)

H-Plane (Horizontal Plane)
H-Plane (Horizontal Plane)



424 Fort Hill Drive, #105, Naperville, Illinois 60540 Tel: (630) 428.3108 Fax: (630) 637.8662

April 25, 2011

Ernest Carnicelli Integrated Microwave Technologies 200 International Drive Mt. Olive, NJ 07828

Dear Mr. Carnicelli:

This letter is to confirm that our antenna, model ANRD245X05-RSP is RoHS compliant. AIR802 is always working to insure RoHS compliance in our products which have worldwide demand.

Regards,

Mike Bryant