


5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.431G	56.43	74.00	-17.57	41.28	3	Horizontal	12	1.44	-	38.80	8.87	32.52
AV	11.4265G	44.12	54.00	-9.88	28.97	3	Horizontal	12	1.44	-	38.80	8.87	32.52
PK	17.14575G	64.35	68.20	-3.85	42.69	3	Horizontal	170	1.83	-	41.85	11.16	31.35

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.70	68.20	-3.50	57.06	3	Vertical	286	1.72	-	34.30	6.22	32.88
PK	5.742G	122.85	Inf	-Inf	114.99	3	Vertical	286	1.72	-	34.50	6.27	32.91
AV	5.747G	114.00	Inf	-Inf	106.14	3	Vertical	286	1.72	-	34.50	6.27	32.91
PK	5.9535G	64.96	68.20	-3.24	56.06	3	Vertical	286	1.72	-	35.50	6.38	32.98

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT Y\_2TX  
 Setting 24  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.12	68.20	-2.08	58.48	3	Horizontal	37	1.78	-	34.30	6.22	32.88
PK	5.744G	123.78	Inf	-Inf	115.92	3	Horizontal	37	1.78	-	34.50	6.27	32.91
AV	5.7435G	114.85	Inf	-Inf	106.99	3	Horizontal	37	1.78	-	34.50	6.27	32.91
PK	5.983G	64.40	68.20	-3.80	55.50	3	Horizontal	37	1.78	-	35.50	6.39	32.99

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48976G	58.14	74.00	-15.86	42.96	3	Vertical	68	1.76	-	38.80	8.90	32.52
AV	11.4888G	46.17	54.00	-7.83	30.99	3	Vertical	68	1.76	-	38.80	8.90	32.52
PK	17.2347G	64.60	68.20	-3.60	42.66	3	Vertical	240	1.69	-	42.04	11.19	31.29

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48505G	57.78	74.00	-16.22	42.61	3	Horizontal	27	1.80	-	38.80	8.89	32.52
AV	11.48946G	45.40	54.00	-8.60	30.22	3	Horizontal	27	1.80	-	38.80	8.90	32.52
PK	17.22159G	63.99	68.20	-4.21	42.11	3	Horizontal	211	1.43	-	41.99	11.19	31.30

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT Y\_2TX  
 Setting 24  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	64.40	68.20	-3.80	56.76	3	Vertical	294	1.78	-	34.30	6.22	32.88
PK	5.7815G	122.32	Inf	-Inf	114.40	3	Vertical	294	1.78	-	34.56	6.29	32.93
AV	5.787G	113.50	Inf	-Inf	105.57	3	Vertical	294	1.78	-	34.57	6.29	32.93
PK	5.9715G	64.63	68.20	-3.57	55.73	3	Vertical	294	1.78	-	35.50	6.39	32.99

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	63.12	68.20	-5.08	55.48	3	Horizontal	36	1.80	-	34.30	6.21	32.87
PK	5.7835G	123.41	Inf	-Inf	115.48	3	Horizontal	36	1.80	-	34.57	6.29	32.93
AV	5.7835G	114.25	Inf	-Inf	106.32	3	Horizontal	36	1.80	-	34.57	6.29	32.93
PK	5.946G	64.59	68.20	-3.61	55.72	3	Horizontal	36	1.80	-	35.48	6.37	32.98

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56919G	60.18	74.00	-13.82	44.96	3	Vertical	4	2.65	-	38.80	8.93	32.51
AV	11.56871G	48.14	54.00	-5.86	32.92	3	Vertical	4	2.65	-	38.80	8.93	32.51
PK	17.34096G	64.75	68.20	-3.45	42.32	3	Vertical	289	1.92	-	42.42	11.24	31.23



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56076G	56.57	74.00	-17.43	41.36	3	Horizontal	284	1.77	-	38.80	8.92	32.51
AV	11.57048G	45.10	54.00	-8.90	29.88	3	Horizontal	284	1.77	-	38.80	8.93	32.51
PK	17.35032G	64.39	68.20	-3.81	41.93	3	Horizontal	305	1.45	-	42.45	11.24	31.23

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 23  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	62.77	68.20	-5.43	55.19	3	Vertical	303	1.78	-	34.25	6.19	32.86
PK	5.821G	120.18	Inf	-Inf	112.08	3	Vertical	303	1.78	-	34.73	6.31	32.94
AV	5.826G	111.53	Inf	-Inf	103.40	3	Vertical	303	1.78	-	34.76	6.31	32.94
PK	6G	64.59	68.20	-3.61	55.69	3	Vertical	303	1.78	-	35.50	6.40	33.00

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT Y\_2TX  
 Setting 23  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6215G	63.03	68.20	-5.17	55.39	3	Horizontal	36	1.80	-	34.30	6.21	32.87
PK	5.824G	120.88	Inf	-Inf	112.77	3	Horizontal	36	1.80	-	34.74	6.31	32.94
AV	5.8235G	112.04	Inf	-Inf	103.93	3	Horizontal	36	1.80	-	34.74	6.31	32.94
PK	6.0705G	65.13	68.20	-3.07	56.10	3	Horizontal	36	1.80	-	35.60	6.44	33.01

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 23  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65438G	60.14	74.00	-13.86	44.83	3	Vertical	360	2.40	-	38.85	8.96	32.50
AV	11.6488G	48.10	54.00	-5.90	32.79	3	Vertical	360	2.40	-	38.85	8.96	32.50
PK	17.47419G	65.42	68.20	-2.78	42.75	3	Vertical	14	1.32	-	42.53	11.29	31.15

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT Y\_2TX  
Setting 23  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64409G	57.99	74.00	-16.01	42.69	3	Horizontal	328	1.80	-	38.84	8.96	32.50
AV	11.64982G	46.69	54.00	-7.31	31.38	3	Horizontal	328	1.80	-	38.85	8.96	32.50
PK	17.4876G	65.94	68.20	-2.26	43.28	3	Horizontal	33	1.61	-	42.51	11.30	31.15

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT Y\_2TX  
 Setting 19.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	66.09	74.00	-7.91	59.92	3	Vertical	344	1.80	-	33.10	5.97	32.90
AV	5.1496G	51.50	54.00	-2.50	45.33	3	Vertical	344	1.80	-	33.10	5.97	32.90
PK	5.1822G	118.11	Inf	-Inf	111.85	3	Vertical	344	1.80	-	33.16	5.99	32.89
AV	5.1826G	107.45	Inf	-Inf	101.18	3	Vertical	344	1.80	-	33.17	5.99	32.89

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT Y\_2TX  
 Setting 19.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	65.13	74.00	-8.87	58.96	3	Horizontal	33	1.80	-	33.10	5.97	32.90
AV	5.1496G	50.92	54.00	-3.08	44.75	3	Horizontal	33	1.80	-	33.10	5.97	32.90
PK	5.1822G	117.93	Inf	-Inf	111.67	3	Horizontal	33	1.80	-	33.16	5.99	32.89
AV	5.1823G	106.81	Inf	-Inf	100.55	3	Horizontal	33	1.80	-	33.16	5.99	32.89

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Y\_2TX  
 Setting 19.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35709G	56.87	68.20	-11.33	42.43	3	Vertical	23	1.80	-	38.71	8.44	32.71
PK	15.52995G	59.43	74.00	-14.57	42.46	3	Vertical	340	1.98	-	38.54	10.51	32.08
AV	15.53277G	47.31	54.00	-6.69	30.35	3	Vertical	340	1.98	-	38.53	10.51	32.08



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Y\_2TX  
 Setting 19.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35013G	56.78	68.20	-11.42	42.36	3	Horizontal	203	1.52	-	38.70	8.44	32.72
PK	15.52599G	59.95	74.00	-14.05	42.97	3	Horizontal	293	1.48	-	38.55	10.51	32.08
AV	15.52506G	47.40	54.00	-6.60	30.42	3	Horizontal	293	1.48	-	38.55	10.51	32.08

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Y\_2TX  
Setting 21  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	69.00	74.00	-5.00	62.83	3	Vertical	350	1.80	-	33.10	5.97	32.90
AV	5.15G	53.71	54.00	-0.29	47.54	3	Vertical	350	1.80	-	33.10	5.97	32.90
PK	5.1976G	120.63	Inf	-Inf	114.32	3	Vertical	350	1.80	-	33.20	6.00	32.89
AV	5.1974G	108.84	Inf	-Inf	102.54	3	Vertical	350	1.80	-	33.19	6.00	32.89

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Y\_2TX  
Setting 21  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.92	74.00	-5.08	62.75	3	Horizontal	35	1.80	-	33.10	5.97	32.90
AV	5.15G	53.04	54.00	-0.96	46.87	3	Horizontal	35	1.80	-	33.10	5.97	32.90
PK	5.2024G	119.43	Inf	-Inf	113.12	3	Horizontal	35	1.80	-	33.20	6.00	32.89
AV	5.2022G	108.37	Inf	-Inf	102.06	3	Horizontal	35	1.80	-	33.20	6.00	32.89

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Y\_2TX  
Setting 21  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38758G	56.93	68.20	-11.27	42.37	3	Vertical	24	1.78	-	38.78	8.46	32.68
PK	15.60267G	59.94	74.00	-14.06	43.13	3	Vertical	0	1.80	-	38.40	10.54	32.13
AV	15.61404G	47.44	54.00	-6.56	30.63	3	Vertical	0	1.80	-	38.39	10.55	32.13

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Y\_2TX  
Setting 21  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39613G	57.05	68.20	-11.15	42.47	3	Horizontal	154	1.04	-	38.79	8.46	32.67
PK	15.59625G	59.00	74.00	-15.00	42.17	3	Horizontal	219	1.45	-	38.41	10.54	32.12
AV	15.60639G	47.19	54.00	-6.81	30.39	3	Horizontal	219	1.45	-	38.39	10.54	32.13

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Y\_2TX  
 Setting 23.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	69.33	74.00	-4.67	63.16	3	Vertical	348	1.78	-	33.10	5.97	32.90
AV	5.1491G	52.79	54.00	-1.21	46.62	3	Vertical	348	1.78	-	33.10	5.97	32.90
PK	5.2427G	122.74	Inf	-Inf	116.31	3	Vertical	348	1.78	-	33.29	6.02	32.88
AV	5.2424G	112.14	Inf	-Inf	105.72	3	Vertical	348	1.78	-	33.28	6.02	32.88
PK	5.3522G	68.37	74.00	-5.63	61.64	3	Vertical	348	1.78	-	33.51	6.08	32.86
AV	5.3543G	52.51	54.00	-1.49	45.77	3	Vertical	348	1.78	-	33.52	6.08	32.86

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Y\_2TX  
 Setting 23.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	67.95	74.00	-6.05	61.78	3	Horizontal	34	1.80	-	33.10	5.97	32.90
AV	5.1491G	51.90	54.00	-2.10	45.73	3	Horizontal	34	1.80	-	33.10	5.97	32.90
PK	5.2373G	121.67	Inf	-Inf	115.26	3	Horizontal	34	1.80	-	33.27	6.02	32.88
AV	5.2421G	111.43	Inf	-Inf	105.01	3	Horizontal	34	1.80	-	33.28	6.02	32.88
PK	5.354G	68.65	74.00	-5.35	61.91	3	Horizontal	34	1.80	-	33.52	6.08	32.86
AV	5.3513G	52.34	54.00	-1.66	45.61	3	Horizontal	34	1.80	-	33.51	6.08	32.86

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT Y\_2TX  
 Setting 23.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47787G	57.95	68.20	-10.25	43.23	3	Vertical	23	1.80	-	38.80	8.49	32.57
PK	15.72699G	59.13	74.00	-14.87	42.37	3	Vertical	63	1.41	-	38.38	10.59	32.21
AV	15.72093G	47.74	54.00	-6.26	30.99	3	Vertical	63	1.41	-	38.36	10.59	32.20



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT Y\_2TX  
 Setting 23.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4728G	56.14	68.20	-12.06	41.42	3	Horizontal	106	1.54	-	38.80	8.49	32.57
PK	15.72657G	59.62	74.00	-14.38	42.86	3	Horizontal	279	1.88	-	38.38	10.59	32.21
AV	15.71796G	47.79	54.00	-6.21	31.05	3	Horizontal	279	1.88	-	38.35	10.59	32.20

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Y\_2TX  
 Setting 22.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.19	74.00	-10.81	57.02	3	Vertical	350	1.66	-	33.10	5.97	32.90
AV	5.1397G	49.87	54.00	-4.13	43.70	3	Vertical	350	1.66	-	33.10	5.97	32.90
PK	5.2576G	120.74	Inf	-Inf	114.27	3	Vertical	350	1.66	-	33.32	6.03	32.88
AV	5.2573G	110.04	Inf	-Inf	103.58	3	Vertical	350	1.66	-	33.31	6.03	32.88
PK	5.35G	68.08	74.00	-5.92	61.36	3	Vertical	350	1.66	-	33.50	6.08	32.86
AV	5.35G	53.49	54.00	-0.51	46.77	3	Vertical	350	1.66	-	33.50	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT Y\_2TX  
Setting 22.5  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	61.05	74.00	-12.95	54.88	3	Horizontal	35	1.80	-	33.10	5.97	32.90
AV	5.14G	49.54	54.00	-4.46	43.37	3	Horizontal	35	1.80	-	33.10	5.97	32.90
PK	5.2627G	121.38	Inf	-Inf	114.90	3	Horizontal	35	1.80	-	33.33	6.03	32.88
AV	5.2624G	109.87	Inf	-Inf	103.40	3	Horizontal	35	1.80	-	33.32	6.03	32.88
PK	5.35G	65.79	74.00	-8.21	59.07	3	Horizontal	35	1.80	-	33.50	6.08	32.86
AV	5.3521G	52.49	54.00	-1.51	45.76	3	Horizontal	35	1.80	-	33.51	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Y\_2TX  
Setting 22.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5152G	56.85	68.20	-11.35	42.08	3	Vertical	34	2.47	-	38.80	8.51	32.54
PK	15.78303G	59.96	74.00	-14.04	43.04	3	Vertical	349	1.73	-	38.55	10.61	32.24
AV	15.78219G	48.11	54.00	-5.89	31.19	3	Vertical	349	1.73	-	38.55	10.61	32.24

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Y\_2TX  
Setting 22.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51544G	55.70	68.20	-12.50	40.93	3	Horizontal	348	1.54	-	38.80	8.51	32.54
PK	15.77283G	59.81	74.00	-14.19	42.91	3	Horizontal	160	1.81	-	38.52	10.61	32.23
AV	15.77295G	48.22	54.00	-5.78	31.32	3	Horizontal	160	1.81	-	38.52	10.61	32.23

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT Y\_2TX  
Setting 20  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	119.78	Inf	-Inf	113.20	3	Vertical	31	1.75	-	33.40	6.05	32.87
AV	5.302G	108.34	Inf	-Inf	101.76	3	Vertical	31	1.75	-	33.40	6.05	32.87
PK	5.3524G	67.50	74.00	-6.50	60.77	3	Vertical	31	1.75	-	33.51	6.08	32.86
AV	5.35G	52.60	54.00	-1.40	45.88	3	Vertical	31	1.75	-	33.50	6.08	32.86

5.25-5.35GHz 802.11ax HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT Y\_2TX  
Setting 20  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3022G	119.66	Inf	-Inf	113.08	3	Horizontal	35	1.76	-	33.40	6.05	32.87
AV	5.3022G	108.12	Inf	-Inf	101.54	3	Horizontal	35	1.76	-	33.40	6.05	32.87
PK	5.352G	68.41	74.00	-5.59	61.68	3	Horizontal	35	1.76	-	33.51	6.08	32.86
AV	5.35G	52.60	54.00	-1.40	45.88	3	Horizontal	35	1.76	-	33.50	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Y\_2TX  
Setting 20  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59711G	56.21	68.20	-11.99	41.41	3	Vertical	200	1.40	-	38.80	8.54	32.54
PK	15.90291G	59.58	74.00	-14.42	42.43	3	Vertical	109	1.63	-	38.81	10.66	32.32
AV	15.88797G	47.88	54.00	-6.12	30.75	3	Vertical	109	1.63	-	38.78	10.66	32.31



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Y\_2TX  
Setting 20  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59254G	55.92	68.20	-12.28	41.12	3	Horizontal	275	1.71	-	38.80	8.54	32.54
PK	15.89193G	59.64	74.00	-14.36	42.51	3	Horizontal	129	1.76	-	38.78	10.66	32.31
AV	15.91308G	47.93	54.00	-6.07	30.75	3	Horizontal	129	1.76	-	38.83	10.67	32.32

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_V\_2TX  
 Setting 18.5  
 01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3175G	116.76	Inf	-Inf	110.14	3	Vertical	351	1.80	-	33.43	6.06	32.87
AV	5.3224G	105.81	Inf	-Inf	99.18	3	Vertical	351	1.80	-	33.44	6.06	32.87
PK	5.3505G	63.62	74.00	-10.38	56.90	3	Vertical	351	1.80	-	33.50	6.08	32.86
AV	5.35G	51.30	54.00	-2.70	44.58	3	Vertical	351	1.80	-	33.50	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT Y\_2TX  
Setting 18.5  
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3169G	117.24	Inf	-Inf	110.62	3	Horizontal	28	1.80	-	33.43	6.06	32.87
AV	5.322G	105.86	Inf	-Inf	99.23	3	Horizontal	28	1.80	-	33.44	6.06	32.87
PK	5.3524G	66.62	74.00	-7.38	59.89	3	Horizontal	28	1.80	-	33.51	6.08	32.86
AV	5.3518G	51.63	54.00	-2.37	44.90	3	Horizontal	28	1.80	-	33.51	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT Y\_2TX  
 Setting 18.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63154G	55.75	74.00	-18.25	40.94	3	Vertical	36	1.57	-	38.80	8.55	32.54
AV	10.65194G	43.88	54.00	-10.12	29.06	3	Vertical	36	1.57	-	38.80	8.56	32.54
PK	15.95922G	60.17	74.00	-13.83	42.92	3	Vertical	18	1.58	-	38.92	10.68	32.35
AV	15.96237G	48.37	54.00	-5.63	31.13	3	Vertical	18	1.58	-	38.92	10.68	32.36

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Y\_2TX  
 Setting 18.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63775G	56.17	74.00	-17.83	41.35	3	Horizontal	217	1.80	-	38.80	8.56	32.54
AV	10.62671G	43.80	54.00	-10.20	28.99	3	Horizontal	217	1.80	-	38.80	8.55	32.54
PK	15.95532G	60.33	74.00	-13.67	43.09	3	Horizontal	355	1.32	-	38.91	10.68	32.35
AV	15.96753G	48.37	54.00	-5.63	31.10	3	Horizontal	355	1.32	-	38.94	10.69	32.36

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT Y\_2TX  
 Setting 18.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	62.37	74.00	-11.63	55.16	3	Vertical	358	1.80	-	33.92	6.13	32.84
AV	5.4597G	50.95	54.00	-3.05	43.72	3	Vertical	358	1.80	-	33.94	6.13	32.84
PK	5.4664G	66.04	68.20	-2.16	58.78	3	Vertical	358	1.80	-	33.97	6.13	32.84
PK	5.5022G	116.57	Inf	-Inf	109.15	3	Vertical	358	1.80	-	34.10	6.15	32.83
AV	5.5022G	104.83	Inf	-Inf	97.41	3	Vertical	358	1.80	-	34.10	6.15	32.83

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_V\_2TX  
 Setting 18.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4571G	62.51	74.00	-11.49	55.29	3	Horizontal	28	1.80	-	33.93	6.13	32.84
AV	5.4596G	51.28	54.00	-2.72	44.05	3	Horizontal	28	1.80	-	33.94	6.13	32.84
PK	5.4695G	66.73	68.20	-1.47	59.46	3	Horizontal	28	1.80	-	33.98	6.13	32.84
PK	5.4946G	118.25	Inf	-Inf	110.85	3	Horizontal	28	1.80	-	34.08	6.15	32.83
AV	5.4995G	107.35	Inf	-Inf	99.93	3	Horizontal	28	1.80	-	34.10	6.15	32.83

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT Y\_2TX  
Setting 18.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99769G	57.09	74.00	-16.91	42.23	3	Vertical	209	1.33	-	38.70	8.70	32.54
AV	10.99967G	45.69	54.00	-8.31	30.83	3	Vertical	209	1.33	-	38.70	8.70	32.54
PK	16.49025G	60.93	68.20	-7.27	41.61	3	Vertical	117	1.71	-	40.45	10.90	32.03



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9973G	56.97	74.00	-17.03	42.11	3	Horizontal	24	2.47	-	38.70	8.70	32.54
AV	10.99736G	45.18	54.00	-8.82	30.32	3	Horizontal	24	2.47	-	38.70	8.70	32.54
PK	16.51146G	61.58	68.20	-6.62	42.24	3	Horizontal	192	1.61	-	40.45	10.90	32.01

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Y\_2TX  
 Setting 23.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4276G	61.98	74.00	-12.02	54.90	3	Vertical	278	1.80	-	33.81	6.11	32.84
PK	5.4696G	62.05	68.20	-6.15	54.78	3	Vertical	278	1.80	-	33.98	6.13	32.84
AV	5.4568G	50.05	54.00	-3.95	42.83	3	Vertical	278	1.80	-	33.93	6.13	32.84
PK	5.576G	121.14	Inf	-Inf	113.61	3	Vertical	278	1.80	-	34.20	6.19	32.86
AV	5.5812G	110.30	Inf	-Inf	102.75	3	Vertical	278	1.80	-	34.22	6.19	32.86
PK	5.7288G	63.19	68.20	-5.01	55.34	3	Vertical	278	1.80	-	34.50	6.26	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Y\_2TX  
Setting 23.5  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	62.08	74.00	-11.92	54.89	3	Horizontal	31	1.80	-	33.90	6.13	32.84
PK	5.468G	62.93	68.20	-5.27	55.67	3	Horizontal	31	1.80	-	33.97	6.13	32.84
AV	5.46G	50.42	54.00	-3.58	43.19	3	Horizontal	31	1.80	-	33.94	6.13	32.84
PK	5.5772G	122.84	Inf	-Inf	115.30	3	Horizontal	31	1.80	-	34.21	6.19	32.86
AV	5.5796G	112.55	Inf	-Inf	105.00	3	Horizontal	31	1.80	-	34.22	6.19	32.86
PK	5.7356G	63.49	68.20	-4.71	55.63	3	Horizontal	31	1.80	-	34.50	6.27	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT Y\_2TX  
Setting 23.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16723G	59.32	74.00	-14.68	44.45	3	Vertical	0	3.00	-	38.63	8.77	32.53
AV	11.16219G	47.24	54.00	-6.76	32.37	3	Vertical	0	3.00	-	38.64	8.76	32.53
PK	16.72584G	62.56	68.20	-5.64	42.62	3	Vertical	273	1.48	-	40.70	10.99	31.75

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT Y\_2TX  
 Setting 23.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16258G	58.02	74.00	-15.98	43.14	3	Horizontal	56	1.44	-	38.64	8.77	32.53
AV	11.15982G	46.06	54.00	-7.94	31.19	3	Horizontal	56	1.44	-	38.64	8.76	32.53
PK	16.72944G	62.53	68.20	-5.67	42.57	3	Horizontal	281	1.83	-	40.72	10.99	31.75

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT Y\_2TX  
Setting 18  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6987G	117.75	Inf	-Inf	109.91	3	Vertical	280	1.65	-	34.49	6.25	32.90
AV	5.6986G	106.37	Inf	-Inf	98.53	3	Vertical	280	1.65	-	34.49	6.25	32.90
PK	5.7264G	67.72	68.20	-0.48	59.87	3	Vertical	280	1.65	-	34.50	6.26	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT Y\_2TX  
Setting 18  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7018G	118.26	Inf	-Inf	110.41	3	Horizontal	35	1.80	-	34.50	6.25	32.90
AV	5.6993G	107.17	Inf	-Inf	99.32	3	Horizontal	35	1.80	-	34.50	6.25	32.90
PK	5.725G	66.44	68.20	-1.76	58.59	3	Horizontal	35	1.80	-	34.50	6.26	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40447G	58.65	74.00	-15.35	43.51	3	Vertical	11	1.79	-	38.80	8.86	32.52
AV	11.40696G	45.54	54.00	-8.46	30.40	3	Vertical	11	1.79	-	38.80	8.86	32.52
PK	17.08605G	64.55	68.20	-3.65	43.07	3	Vertical	55	1.71	-	41.73	11.13	31.38



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39064G	56.44	74.00	-17.56	41.31	3	Horizontal	33	1.35	-	38.79	8.86	32.52
AV	11.40042G	44.51	54.00	-9.49	29.37	3	Horizontal	33	1.35	-	38.80	8.86	32.52
PK	17.10225G	64.80	68.20	-3.40	43.23	3	Horizontal	179	1.84	-	41.80	11.14	31.37

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	122.36	Inf	-Inf	114.51	3	Vertical	283	1.74	-	34.50	6.26	32.91
AV	5.7208G	112.15	Inf	-Inf	104.30	3	Vertical	283	1.74	-	34.50	6.26	32.91
PK	5.8508G	64.39	68.20	-3.81	56.10	3	Vertical	283	1.74	-	34.91	6.33	32.95

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	123.62	Inf	-Inf	115.76	3	Horizontal	34	1.80	-	34.50	6.26	32.90
AV	5.7192G	112.78	Inf	-Inf	104.92	3	Horizontal	34	1.80	-	34.50	6.26	32.90
PK	5.8516G	64.81	68.20	-3.39	56.52	3	Horizontal	34	1.80	-	34.91	6.33	32.95

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43472G	56.37	74.00	-17.63	41.22	3	Vertical	143	1.37	-	38.80	8.87	32.52
AV	11.43691G	45.30	54.00	-8.70	30.15	3	Vertical	143	1.37	-	38.80	8.87	32.52
PK	17.16969G	64.07	68.20	-4.13	42.36	3	Vertical	194	1.30	-	41.87	11.17	31.33

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43961G	56.40	74.00	-17.60	41.24	3	Horizontal	27	1.80	-	38.80	8.88	32.52
AV	11.43502G	44.53	54.00	-9.47	29.38	3	Horizontal	27	1.80	-	38.80	8.87	32.52
PK	17.16663G	64.86	68.20	-3.34	43.15	3	Horizontal	19	1.62	-	41.87	11.17	31.33

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
 Setting 24  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	64.91	68.57	-3.66	57.26	3	Vertical	280	1.72	-	34.30	6.23	32.88
PK	5.7435G	122.71	Inf	-Inf	114.85	3	Vertical	280	1.72	-	34.50	6.27	32.91
AV	5.7435G	111.63	Inf	-Inf	103.77	3	Vertical	280	1.72	-	34.50	6.27	32.91
PK	5.991G	64.35	68.20	-3.85	55.45	3	Vertical	280	1.72	-	35.50	6.40	33.00

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	64.87	68.57	-3.70	57.22	3	Horizontal	36	1.80	-	34.30	6.23	32.88
PK	5.7465G	122.54	Inf	-Inf	114.68	3	Horizontal	36	1.80	-	34.50	6.27	32.91
AV	5.7445G	112.04	Inf	-Inf	104.18	3	Horizontal	36	1.80	-	34.50	6.27	32.91
PK	5.932G	64.76	68.20	-3.44	55.94	3	Horizontal	36	1.80	-	35.43	6.37	32.98

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49951G	56.81	74.00	-17.19	41.63	3	Vertical	310	1.41	-	38.80	8.90	32.52
AV	11.48931G	45.65	54.00	-8.35	30.47	3	Vertical	310	1.41	-	38.80	8.90	32.52
PK	17.22492G	63.64	68.20	-4.56	41.75	3	Vertical	296	1.48	-	42.00	11.19	31.30



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50188G	56.62	74.00	-17.38	41.44	3	Horizontal	32	1.80	-	38.80	8.90	32.52
AV	11.49201G	44.64	54.00	-9.36	29.46	3	Horizontal	32	1.80	-	38.80	8.90	32.52
PK	17.23368G	63.80	68.20	-4.40	41.87	3	Horizontal	166	1.73	-	42.03	11.19	31.29

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT Y\_2TX  
 Setting 24  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6305G	62.55	68.20	-5.65	54.90	3	Vertical	296	1.80	-	34.30	6.22	32.87
PK	5.786G	121.13	Inf	-Inf	113.20	3	Vertical	296	1.80	-	34.57	6.29	32.93
AV	5.786G	111.05	Inf	-Inf	103.12	3	Vertical	296	1.80	-	34.57	6.29	32.93
PK	6.029G	64.28	68.20	-3.92	55.31	3	Vertical	296	1.80	-	35.56	6.41	33.00

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


06/06/2023

EUT Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	63.10	68.20	-5.10	55.46	3	Horizontal	37	1.80	-	34.30	6.22	32.88
PK	5.7815G	122.44	Inf	-Inf	114.52	3	Horizontal	37	1.80	-	34.56	6.29	32.93
AV	5.787G	111.83	Inf	-Inf	103.90	3	Horizontal	37	1.80	-	34.57	6.29	32.93
PK	5.9385G	64.26	68.20	-3.94	55.42	3	Horizontal	37	1.80	-	35.45	6.37	32.98

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56877G	59.16	74.00	-14.84	43.94	3	Vertical	4	3.00	-	38.80	8.93	32.51
AV	11.57198G	46.71	54.00	-7.29	31.49	3	Vertical	4	3.00	-	38.80	8.93	32.51
PK	17.35704G	64.55	68.20	-3.65	42.06	3	Vertical	75	2.00	-	42.47	11.24	31.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55719G	56.29	74.00	-17.71	41.08	3	Horizontal	227	1.98	-	38.80	8.92	32.51
AV	11.56784G	44.98	54.00	-9.02	29.76	3	Horizontal	227	1.98	-	38.80	8.93	32.51
PK	17.34999G	65.00	68.20	-3.20	42.54	3	Horizontal	144	2.00	-	42.45	11.24	31.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	62.13	68.20	-6.07	54.48	3	Vertical	293	1.79	-	34.30	6.22	32.87
PK	5.8235G	120.62	Inf	-Inf	112.51	3	Vertical	293	1.79	-	34.74	6.31	32.94
AV	5.826G	110.75	Inf	-Inf	102.62	3	Vertical	293	1.79	-	34.76	6.31	32.94
PK	5.927G	67.69	68.20	-0.51	58.90	3	Vertical	293	1.79	-	35.41	6.36	32.98

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 24  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	62.72	68.20	-5.48	55.08	3	Horizontal	39	1.80	-	34.30	6.22	32.88
PK	5.8245G	122.08	Inf	-Inf	113.96	3	Horizontal	39	1.80	-	34.75	6.31	32.94
AV	5.8245G	111.76	Inf	-Inf	103.64	3	Horizontal	39	1.80	-	34.75	6.31	32.94
PK	5.9265G	66.51	68.20	-1.69	57.72	3	Horizontal	39	1.80	-	35.41	6.36	32.98

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64991G	59.40	74.00	-14.60	44.09	3	Vertical	360	2.41	-	38.85	8.96	32.50
AV	11.6521G	47.89	54.00	-6.11	32.58	3	Vertical	360	2.41	-	38.85	8.96	32.50
PK	17.47413G	64.58	68.20	-3.62	41.92	3	Vertical	38	1.39	-	42.53	11.29	31.16



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT Y\_2TX  
Setting 24  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65045G	57.64	74.00	-16.36	42.33	3	Horizontal	288	1.35	-	38.85	8.96	32.50
AV	11.64808G	45.30	54.00	-8.70	29.99	3	Horizontal	288	1.35	-	38.85	8.96	32.50
PK	17.46021G	65.54	68.20	-2.66	42.88	3	Horizontal	335	2.00	-	42.54	11.28	31.16

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
Setting 17  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.14	74.00	-9.86	57.97	3	Vertical	341	1.80	-	33.10	5.97	32.90
AV	5.1494G	53.15	54.00	-0.85	46.98	3	Vertical	341	1.80	-	33.10	5.97	32.90
PK	5.1914G	114.99	Inf	-Inf	108.70	3	Vertical	341	1.80	-	33.18	6.00	32.89
AV	5.1914G	103.16	Inf	-Inf	96.87	3	Vertical	341	1.80	-	33.18	6.00	32.89

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_V\_2TX  
Setting 17  
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	62.51	74.00	-11.49	56.34	3	Horizontal	33	1.80	-	33.10	5.97	32.90
AV	5.1492G	52.29	54.00	-1.71	46.12	3	Horizontal	33	1.80	-	33.10	5.97	32.90
PK	5.1888G	114.78	Inf	-Inf	108.50	3	Horizontal	33	1.80	-	33.18	5.99	32.89
AV	5.1912G	103.51	Inf	-Inf	97.22	3	Horizontal	33	1.80	-	33.18	6.00	32.89

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
Setting 17  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37607G	57.01	68.20	-11.19	42.50	3	Vertical	54	1.80	-	38.75	8.45	32.69
PK	15.56385G	59.12	74.00	-14.88	42.22	3	Vertical	320	1.62	-	38.47	10.53	32.10
AV	15.57339G	47.88	54.00	-6.12	31.01	3	Vertical	320	1.62	-	38.45	10.53	32.11

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
Setting 17  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38753G	55.92	68.20	-12.28	41.36	3	Horizontal	60	1.38	-	38.78	8.46	32.68
PK	15.5607G	59.77	74.00	-14.23	42.87	3	Horizontal	88	1.62	-	38.48	10.52	32.10
AV	15.55545G	47.80	54.00	-6.20	30.89	3	Horizontal	88	1.62	-	38.49	10.52	32.10

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
Setting 19  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	69.05	74.00	-4.95	62.88	3	Vertical	348	1.80	-	33.10	5.97	32.90
AV	5.1484G	53.81	54.00	-0.19	47.64	3	Vertical	348	1.80	-	33.10	5.97	32.90
PK	5.2285G	116.81	Inf	-Inf	110.42	3	Vertical	348	1.80	-	33.26	6.01	32.88
AV	5.2288G	105.27	Inf	-Inf	98.88	3	Vertical	348	1.80	-	33.26	6.01	32.88
PK	5.3629G	63.09	74.00	-10.91	56.32	3	Vertical	348	1.80	-	33.55	6.08	32.86
AV	5.3518G	50.68	54.00	-3.32	43.95	3	Vertical	348	1.80	-	33.51	6.08	32.86

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
Setting 19  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	68.52	74.00	-5.48	62.35	3	Horizontal	32	1.80	-	33.10	5.97	32.90
AV	5.1487G	53.14	54.00	-0.86	46.97	3	Horizontal	32	1.80	-	33.10	5.97	32.90
PK	5.2285G	116.26	Inf	-Inf	109.87	3	Horizontal	32	1.80	-	33.26	6.01	32.88
AV	5.2309G	105.17	Inf	-Inf	98.77	3	Horizontal	32	1.80	-	33.26	6.02	32.88
PK	5.3551G	63.21	74.00	-10.79	56.47	3	Horizontal	32	1.80	-	33.52	6.08	32.86
AV	5.3584G	51.08	54.00	-2.92	44.33	3	Horizontal	32	1.80	-	33.53	6.08	32.86

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
Setting 19  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45652G	56.70	68.20	-11.50	42.01	3	Vertical	348	1.80	-	38.80	8.48	32.59
PK	15.6822G	59.86	74.00	-14.14	43.15	3	Vertical	335	1.61	-	38.32	10.57	32.18
AV	15.70482G	48.44	54.00	-5.56	31.74	3	Vertical	335	1.61	-	38.31	10.58	32.19



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
Setting 19  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44941G	56.14	68.20	-12.06	41.46	3	Horizontal	101	1.31	-	38.80	8.48	32.60
PK	15.68127G	58.98	74.00	-15.02	42.27	3	Horizontal	303	1.53	-	38.32	10.57	32.18
AV	15.70173G	48.16	54.00	-5.84	31.46	3	Horizontal	303	1.53	-	38.31	10.58	32.19

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


06/06/2023

EUT\_Y\_2TX  
Setting 18  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1287G	60.90	74.00	-13.10	54.74	3	Vertical	347	1.75	-	33.10	5.96	32.90
AV	5.1323G	49.97	54.00	-4.03	43.80	3	Vertical	347	1.75	-	33.10	5.97	32.90
PK	5.2715G	115.85	Inf	-Inf	109.35	3	Vertical	347	1.75	-	33.34	6.04	32.88
AV	5.2712G	104.93	Inf	-Inf	98.43	3	Vertical	347	1.75	-	33.34	6.04	32.88
PK	5.363G	68.59	74.00	-5.41	61.82	3	Vertical	347	1.75	-	33.55	6.08	32.86
AV	5.3513G	53.86	54.00	-0.14	47.13	3	Vertical	347	1.75	-	33.51	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Y\_2TX  
Setting 18  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1371G	61.42	74.00	-12.58	55.25	3	Horizontal	30	1.80	-	33.10	5.97	32.90
AV	5.1497G	49.97	54.00	-4.03	43.80	3	Horizontal	30	1.80	-	33.10	5.97	32.90
PK	5.2682G	115.21	Inf	-Inf	108.72	3	Horizontal	30	1.80	-	33.34	6.03	32.88
AV	5.2709G	104.74	Inf	-Inf	98.24	3	Horizontal	30	1.80	-	33.34	6.04	32.88
PK	5.3624G	68.63	74.00	-5.37	61.86	3	Horizontal	30	1.80	-	33.55	6.08	32.86
AV	5.3507G	53.73	54.00	-0.27	47.01	3	Horizontal	30	1.80	-	33.50	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5349G	56.12	68.20	-12.08	41.35	3	Vertical	345	1.27	-	38.80	8.51	32.54
PK	15.81585G	60.11	74.00	-13.89	43.11	3	Vertical	186	1.67	-	38.63	10.63	32.26
AV	15.81744G	48.78	54.00	-5.22	31.78	3	Vertical	186	1.67	-	38.63	10.63	32.26

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53295G	55.27	68.20	-12.93	40.50	3	Horizontal	350	1.95	-	38.80	8.51	32.54
PK	15.8088G	59.75	74.00	-14.25	42.77	3	Horizontal	53	1.45	-	38.62	10.62	32.26
AV	15.81771G	48.66	54.00	-5.34	31.65	3	Horizontal	53	1.45	-	38.64	10.63	32.26

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_V\_2TX  
 Setting 18.5  
 01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3086G	115.95	Inf	-Inf	109.35	3	Vertical	352	1.80	-	33.42	6.05	32.87
AV	5.3112G	104.63	Inf	-Inf	98.02	3	Vertical	352	1.80	-	33.42	6.06	32.87
PK	5.3536G	65.99	74.00	-8.01	59.26	3	Vertical	352	1.80	-	33.51	6.08	32.86
AV	5.3534G	53.27	54.00	-0.73	46.54	3	Vertical	352	1.80	-	33.51	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
 Setting 18.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3106G	116.08	Inf	-Inf	109.47	3	Horizontal	31	1.76	-	33.42	6.06	32.87
AV	5.3108G	105.12	Inf	-Inf	98.51	3	Horizontal	31	1.76	-	33.42	6.06	32.87
PK	5.351G	66.25	74.00	-7.75	59.53	3	Horizontal	31	1.76	-	33.50	6.08	32.86
AV	5.3506G	53.61	54.00	-0.39	46.89	3	Horizontal	31	1.76	-	33.50	6.08	32.86

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
 Setting 18.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61496G	55.81	74.00	-18.19	41.00	3	Vertical	171	1.73	-	38.80	8.55	32.54
AV	10.62228G	44.42	54.00	-9.58	29.61	3	Vertical	171	1.73	-	38.80	8.55	32.54
PK	15.92889G	59.75	74.00	-14.25	42.55	3	Vertical	289	2.00	-	38.86	10.67	32.33
AV	15.91944G	48.75	54.00	-5.25	31.57	3	Vertical	289	2.00	-	38.84	10.67	32.33



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
Setting 18.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60902G	55.82	74.00	-18.18	41.02	3	Horizontal	190	3.00	-	38.80	8.54	32.54
AV	10.62474G	44.52	54.00	-9.48	29.71	3	Horizontal	190	3.00	-	38.80	8.55	32.54
PK	15.93372G	59.93	74.00	-14.07	42.73	3	Horizontal	14	1.88	-	38.87	10.67	32.34
AV	15.94218G	48.73	54.00	-5.27	31.51	3	Horizontal	14	1.88	-	38.88	10.68	32.34

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT Y\_2TX  
Setting 18  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.77	74.00	-10.23	56.54	3	Vertical	356	1.66	-	33.94	6.13	32.84
AV	5.4584G	52.35	54.00	-1.65	45.13	3	Vertical	356	1.66	-	33.93	6.13	32.84
PK	5.4682G	67.91	68.20	-0.29	60.65	3	Vertical	356	1.66	-	33.97	6.13	32.84
PK	5.5112G	114.12	Inf	-Inf	106.69	3	Vertical	356	1.66	-	34.10	6.16	32.83
AV	5.511G	103.51	Inf	-Inf	96.08	3	Vertical	356	1.66	-	34.10	6.16	32.83

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_V\_2TX  
Setting 18  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	63.71	74.00	-10.29	56.51	3	Horizontal	29	1.80	-	33.91	6.13	32.84
AV	5.4582G	52.35	54.00	-1.65	45.13	3	Horizontal	29	1.80	-	33.93	6.13	32.84
PK	5.4678G	67.68	68.20	-0.52	60.42	3	Horizontal	29	1.80	-	33.97	6.13	32.84
PK	5.5106G	116.33	Inf	-Inf	108.90	3	Horizontal	29	1.80	-	34.10	6.16	32.83
AV	5.5108G	105.59	Inf	-Inf	98.16	3	Horizontal	29	1.80	-	34.10	6.16	32.83

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0269G	57.25	74.00	-16.75	42.38	3	Vertical	360	1.80	-	38.70	8.71	32.54
AV	11.01942G	45.94	54.00	-8.06	31.07	3	Vertical	360	1.80	-	38.70	8.71	32.54
PK	16.53074G	61.45	68.20	-6.75	42.14	3	Vertical	289	1.51	-	40.38	10.91	31.98

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02214G	56.02	74.00	-17.98	41.15	3	Horizontal	15	1.72	-	38.70	8.71	32.54
AV	11.02882G	44.90	54.00	-9.10	30.03	3	Horizontal	15	1.72	-	38.70	8.71	32.54
PK	16.53456G	61.80	68.20	-6.40	42.51	3	Horizontal	317	1.35	-	40.36	10.91	31.98

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Y\_2TX  
 Setting 18.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.83	74.00	-11.17	55.60	3	Vertical	274	1.74	-	33.94	6.13	32.84
AV	5.46G	51.45	54.00	-2.55	44.22	3	Vertical	274	1.74	-	33.94	6.13	32.84
PK	5.466G	66.06	68.20	-2.14	58.81	3	Vertical	274	1.74	-	33.96	6.13	32.84
PK	5.5552G	115.23	Inf	-Inf	107.78	3	Vertical	274	1.74	-	34.12	6.18	32.85
AV	5.5524G	104.32	Inf	-Inf	96.88	3	Vertical	274	1.74	-	34.11	6.18	32.85
PK	5.7336G	62.74	68.20	-5.46	54.88	3	Vertical	274	1.74	-	34.50	6.27	32.91

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Y\_2TX  
 Setting 18.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	64.78	74.00	-9.22	57.56	3	Horizontal	30	1.80	-	33.93	6.13	32.84
AV	5.4592G	52.07	54.00	-1.93	44.84	3	Horizontal	30	1.80	-	33.94	6.13	32.84
PK	5.4668G	68.00	68.20	-0.20	60.74	3	Horizontal	30	1.80	-	33.97	6.13	32.84
PK	5.5484G	117.85	Inf	-Inf	110.43	3	Horizontal	30	1.80	-	34.10	6.17	32.85
AV	5.5508G	106.39	Inf	-Inf	98.96	3	Horizontal	30	1.80	-	34.10	6.18	32.85
PK	5.7464G	63.20	68.20	-5.00	55.34	3	Horizontal	30	1.80	-	34.50	6.27	32.91

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT Y\_2TX  
 Setting 18.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1074G	56.96	74.00	-17.04	42.07	3	Vertical	54	1.95	-	38.69	8.74	32.54
AV	11.09964G	46.09	54.00	-7.91	31.19	3	Vertical	54	1.95	-	38.70	8.74	32.54
PK	16.65874G	61.99	68.20	-6.21	42.47	3	Vertical	141	1.64	-	40.39	10.96	31.83



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT Y\_2TX  
 Setting 18.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10858G	57.19	74.00	-16.81	42.30	3	Horizontal	55	1.80	-	38.69	8.74	32.54
AV	11.09974G	46.09	54.00	-7.91	31.19	3	Horizontal	55	1.80	-	38.70	8.74	32.54
PK	16.64862G	61.97	68.20	-6.23	42.51	3	Horizontal	10	1.57	-	40.34	10.96	31.84

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT Y\_2TX  
Setting 19  
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6718G	115.99	Inf	-Inf	108.25	3	Vertical	286	1.80	-	34.39	6.24	32.89
AV	5.672G	104.59	Inf	-Inf	96.85	3	Vertical	286	1.80	-	34.39	6.24	32.89
PK	5.7344G	66.57	68.20	-1.63	58.71	3	Vertical	286	1.80	-	34.50	6.27	32.91

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT Y\_2TX  
 Setting 19  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6708G	117.41	Inf	-Inf	109.68	3	Horizontal	34	1.80	-	34.38	6.24	32.89
AV	5.6706G	106.04	Inf	-Inf	98.31	3	Horizontal	34	1.80	-	34.38	6.24	32.89
PK	5.7256G	67.11	68.20	-1.09	59.26	3	Horizontal	34	1.80	-	34.50	6.26	32.91

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT Y\_2TX  
Setting 19  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3345G	56.81	74.00	-17.19	41.78	3	Vertical	41	1.37	-	38.73	8.83	32.53
AV	11.33866G	45.66	54.00	-8.34	30.61	3	Vertical	41	1.37	-	38.74	8.84	32.53
PK	17.01878G	62.79	68.20	-5.41	41.71	3	Vertical	23	1.50	-	41.39	11.11	31.42

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Y\_2TX  
Setting 19  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3394G	56.81	74.00	-17.19	41.76	3	Horizontal	27	1.79	-	38.74	8.84	32.53
AV	11.33964G	45.33	54.00	-8.67	30.28	3	Horizontal	27	1.79	-	38.74	8.84	32.53
PK	17.00408G	63.80	68.20	-4.40	42.81	3	Horizontal	124	1.51	-	41.32	11.10	31.43

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
 Setting 21.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	118.47	Inf	-Inf	110.61	3	Vertical	283	1.61	-	34.50	6.26	32.90
AV	5.712G	107.87	Inf	-Inf	100.01	3	Vertical	283	1.61	-	34.50	6.26	32.90
PK	5.8548G	67.18	68.20	-1.02	58.86	3	Vertical	283	1.61	-	34.94	6.33	32.95

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
 Setting 21.5  
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7108G	119.34	Inf	-Inf	111.48	3	Horizontal	33	1.80	-	34.50	6.26	32.90
AV	5.7108G	108.91	Inf	-Inf	101.05	3	Horizontal	33	1.80	-	34.50	6.26	32.90
PK	5.8552G	67.37	68.20	-0.83	59.05	3	Horizontal	33	1.80	-	34.94	6.33	32.95

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 21.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41254G	57.16	74.00	-16.84	42.01	3	Vertical	6	1.80	-	38.80	8.87	32.52
AV	11.4171G	46.07	54.00	-7.93	30.92	3	Vertical	6	1.80	-	38.80	8.87	32.52
PK	17.13068G	63.74	68.20	-4.46	42.11	3	Vertical	113	1.52	-	41.83	11.15	31.35



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
 Setting 21.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4225G	57.32	74.00	-16.68	42.17	3	Horizontal	2	1.80	-	38.80	8.87	32.52
AV	11.41474G	45.50	54.00	-8.50	30.35	3	Horizontal	2	1.80	-	38.80	8.87	32.52
PK	17.13334G	63.55	68.20	-4.65	41.92	3	Horizontal	40	1.72	-	41.83	11.15	31.35

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


06/06/2023

EUT\_Y\_2TX  
Setting 23  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6385G	67.44	68.20	-0.76	59.80	3	Vertical	282	1.69	-	34.30	6.22	32.88
PK	5.7575G	119.29	Inf	-Inf	111.41	3	Vertical	282	1.69	-	34.52	6.28	32.92
AV	5.7575G	108.95	Inf	-Inf	101.07	3	Vertical	282	1.69	-	34.52	6.28	32.92
PK	5.929G	63.90	68.20	-4.30	55.10	3	Vertical	282	1.69	-	35.42	6.36	32.98

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Y\_2TX  
Setting 23  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.46	68.20	-0.74	59.82	3	Horizontal	39	1.80	-	34.30	6.22	32.88
PK	5.753G	120.41	Inf	-Inf	112.54	3	Horizontal	39	1.80	-	34.51	6.28	32.92
AV	5.7555G	109.95	Inf	-Inf	102.08	3	Horizontal	39	1.80	-	34.51	6.28	32.92
PK	5.9305G	64.16	68.20	-4.04	55.35	3	Horizontal	39	1.80	-	35.42	6.37	32.98

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT Y\_2TX  
Setting 23  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50724G	57.41	74.00	-16.59	42.23	3	Vertical	10	1.62	-	38.80	8.90	32.52
AV	11.51177G	45.86	54.00	-8.14	30.68	3	Vertical	10	1.62	-	38.80	8.90	32.52
PK	17.27361G	63.80	68.20	-4.40	41.67	3	Vertical	86	1.60	-	42.19	11.21	31.27

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT Y\_2TX  
Setting 23  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.504G	56.57	74.00	-17.43	41.39	3	Horizontal	20	1.80	-	38.80	8.90	32.52
AV	11.50961G	45.65	54.00	-8.35	30.47	3	Horizontal	20	1.80	-	38.80	8.90	32.52
PK	17.26593G	65.08	68.20	-3.12	42.99	3	Horizontal	304	1.80	-	42.16	11.21	31.28

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_V\_2TX  
 Setting 22.5  
 01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.93	68.20	-5.27	55.29	3	Vertical	295	1.80	-	34.30	6.22	32.88
PK	5.797G	118.83	Inf	-Inf	110.87	3	Vertical	295	1.80	-	34.59	6.30	32.93
AV	5.797G	108.08	Inf	-Inf	100.12	3	Vertical	295	1.80	-	34.59	6.30	32.93
PK	5.929G	67.64	68.20	-0.56	58.84	3	Vertical	295	1.80	-	35.42	6.36	32.98

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_V\_2TX  
 Setting 22.5  
 01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	63.82	68.20	-4.38	56.18	3	Horizontal	39	1.80	-	34.30	6.22	32.88
PK	5.7905G	119.32	Inf	-Inf	111.37	3	Horizontal	39	1.80	-	34.58	6.30	32.93
AV	5.793G	108.87	Inf	-Inf	100.91	3	Horizontal	39	1.80	-	34.59	6.30	32.93
PK	5.9405G	67.90	68.20	-0.30	59.05	3	Horizontal	39	1.80	-	35.46	6.37	32.98

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT Y\_2TX  
Setting 22.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59753G	56.80	74.00	-17.20	41.57	3	Vertical	182	1.66	-	38.80	8.94	32.51
AV	11.58967G	45.13	54.00	-8.87	29.90	3	Vertical	182	1.66	-	38.80	8.94	32.51
PK	17.38698G	64.58	68.20	-3.62	41.98	3	Vertical	185	1.53	-	42.56	11.25	31.21



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT Y\_2TX  
Setting 22.5  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57662G	56.79	74.00	-17.21	41.57	3	Horizontal	142	2.99	-	38.80	8.93	32.51
AV	11.58466G	45.53	54.00	-8.47	30.31	3	Horizontal	142	2.99	-	38.80	8.93	32.51
PK	17.39103G	65.39	68.20	-2.81	42.76	3	Horizontal	278	2.30	-	42.57	11.26	31.20

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT Y\_2TX  
Setting 15  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	63.50	74.00	-10.50	57.33	3	Vertical	348	1.79	-	33.10	5.97	32.90
AV	5.1375G	53.78	54.00	-0.22	47.61	3	Vertical	348	1.79	-	33.10	5.97	32.90
PK	5.214G	107.75	Inf	-Inf	101.40	3	Vertical	348	1.79	-	33.23	6.01	32.89
AV	5.2115G	98.28	Inf	-Inf	91.94	3	Vertical	348	1.79	-	33.22	6.01	32.89
PK	5.4095G	61.40	74.00	-12.60	54.41	3	Vertical	348	1.79	-	33.74	6.10	32.85
AV	5.444G	51.80	54.00	-2.20	44.64	3	Vertical	348	1.79	-	33.88	6.12	32.84

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Y\_2TX  
Setting 15  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.52	74.00	-12.48	55.35	3	Horizontal	34	1.80	-	33.10	5.97	32.90
AV	5.1375G	53.58	54.00	-0.42	47.41	3	Horizontal	34	1.80	-	33.10	5.97	32.90
PK	5.211G	107.79	Inf	-Inf	101.45	3	Horizontal	34	1.80	-	33.22	6.01	32.89
AV	5.211G	98.64	Inf	-Inf	92.30	3	Horizontal	34	1.80	-	33.22	6.01	32.89
PK	5.3855G	61.30	74.00	-12.70	54.42	3	Horizontal	34	1.80	-	33.64	6.09	32.85
AV	5.426G	51.50	54.00	-2.50	44.43	3	Horizontal	34	1.80	-	33.80	6.11	32.84

5.15-5.25GHz 802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT Y\_2TX  
Setting 15  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40608G	56.75	68.20	-11.45	42.14	3	Vertical	154	1.80	-	38.80	8.46	32.65
PK	15.61581G	59.26	74.00	-14.74	42.46	3	Vertical	292	2.78	-	38.38	10.55	32.13
AV	15.62712G	50.23	54.00	-3.77	33.45	3	Vertical	292	2.78	-	38.37	10.55	32.14

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT Y\_2TX  
Setting 15  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42606G	56.07	68.20	-12.13	41.43	3	Horizontal	282	1.36	-	38.80	8.47	32.63
PK	15.62991G	59.28	74.00	-14.72	42.50	3	Horizontal	253	1.98	-	38.37	10.55	32.14
AV	15.63534G	49.57	54.00	-4.43	32.81	3	Horizontal	253	1.98	-	38.36	10.55	32.15

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_V\_2TX  
Setting 13  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0645G	60.79	74.00	-13.21	54.61	3	Vertical	352	1.73	-	33.17	5.93	32.92
AV	5.114G	50.81	54.00	-3.19	44.66	3	Vertical	352	1.73	-	33.10	5.96	32.91
PK	5.286G	106.99	Inf	-Inf	100.45	3	Vertical	352	1.73	-	33.37	6.04	32.87
AV	5.2885G	96.55	Inf	-Inf	90.00	3	Vertical	352	1.73	-	33.38	6.04	32.87
PK	5.374G	62.26	74.00	-11.74	55.43	3	Vertical	352	1.73	-	33.60	6.09	32.86
AV	5.354G	53.42	54.00	-0.58	46.68	3	Vertical	352	1.73	-	33.52	6.08	32.86
PK	5.509G	61.71	68.20	-6.49	54.29	3	Vertical	352	1.73	-	34.10	6.15	32.83

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_V\_2TX  
Setting 13  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	60.14	74.00	-13.86	54.00	3	Horizontal	30	1.79	-	33.10	5.95	32.91
AV	5.0525G	51.00	54.00	-3.00	44.79	3	Horizontal	30	1.79	-	33.20	5.93	32.92
PK	5.296G	106.23	Inf	-Inf	99.66	3	Horizontal	30	1.79	-	33.39	6.05	32.87
AV	5.2935G	96.83	Inf	-Inf	90.26	3	Horizontal	30	1.79	-	33.39	6.05	32.87
PK	5.3615G	63.36	74.00	-10.64	56.59	3	Horizontal	30	1.79	-	33.55	6.08	32.86
AV	5.351G	53.96	54.00	-0.04	47.24	3	Horizontal	30	1.79	-	33.50	6.08	32.86
PK	5.474G	61.37	68.20	-6.83	54.07	3	Horizontal	30	1.79	-	34.00	6.14	32.84

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Y\_2TX  
Setting 13  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56566G	55.57	68.20	-12.63	40.78	3	Vertical	344	1.31	-	38.80	8.53	32.54
PK	15.88272G	59.21	74.00	-14.79	42.09	3	Vertical	321	1.84	-	38.77	10.65	32.30
AV	15.87621G	50.04	54.00	-3.96	32.94	3	Vertical	321	1.84	-	38.75	10.65	32.30



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Y\_2TX  
Setting 13  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5746G	56.08	68.20	-12.12	41.29	3	Horizontal	360	2.41	-	38.80	8.53	32.54
PK	15.8724G	60.64	74.00	-13.36	43.55	3	Horizontal	39	1.83	-	38.74	10.65	32.30
AV	15.85893G	50.47	54.00	-3.53	33.40	3	Horizontal	39	1.83	-	38.72	10.64	32.29

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT Y\_2TX  
Setting 14  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	60.37	68.20	-7.83	53.77	3	Vertical	355	1.76	-	33.42	6.05	32.87
PK	5.453G	63.40	74.00	-10.60	56.20	3	Vertical	355	1.76	-	33.91	6.13	32.84
AV	5.4575G	53.21	54.00	-0.79	45.99	3	Vertical	355	1.76	-	33.93	6.13	32.84
PK	5.4685G	62.22	68.20	-5.98	54.96	3	Vertical	355	1.76	-	33.97	6.13	32.84
PK	5.5285G	105.95	Inf	-Inf	98.53	3	Vertical	355	1.76	-	34.10	6.16	32.84
AV	5.5285G	96.66	Inf	-Inf	89.24	3	Vertical	355	1.76	-	34.10	6.16	32.84
PK	5.777G	62.46	68.20	-5.74	54.54	3	Vertical	355	1.76	-	34.55	6.29	32.92

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_V\_2TX  
Setting 14  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	60.78	68.20	-7.42	54.12	3	Horizontal	30	1.79	-	33.46	6.06	32.86
PK	5.457G	62.19	74.00	-11.81	54.97	3	Horizontal	30	1.79	-	33.93	6.13	32.84
AV	5.4585G	53.58	54.00	-0.42	46.36	3	Horizontal	30	1.79	-	33.93	6.13	32.84
PK	5.466G	63.73	68.20	-4.47	56.48	3	Horizontal	30	1.79	-	33.96	6.13	32.84
PK	5.5285G	108.07	Inf	-Inf	100.65	3	Horizontal	30	1.79	-	34.10	6.16	32.84
AV	5.531G	98.77	Inf	-Inf	91.34	3	Horizontal	30	1.79	-	34.10	6.17	32.84
PK	5.737G	62.29	68.20	-5.91	54.43	3	Horizontal	30	1.79	-	34.50	6.27	32.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT Y\_2TX  
Setting 14  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05199G	56.19	74.00	-17.81	41.31	3	Vertical	35	1.38	-	38.70	8.72	32.54
AV	11.05232G	46.80	54.00	-7.20	31.92	3	Vertical	35	1.38	-	38.70	8.72	32.54
PK	16.58463G	61.66	68.20	-6.54	42.49	3	Vertical	339	1.84	-	40.16	10.93	31.92

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT Y\_2TX  
Setting 14  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0678G	56.72	74.00	-17.28	41.83	3	Horizontal	293	1.80	-	38.70	8.73	32.54
AV	11.07368G	47.10	54.00	-6.90	32.21	3	Horizontal	293	1.80	-	38.70	8.73	32.54
PK	16.57854G	61.97	68.20	-6.23	42.78	3	Horizontal	318	1.80	-	40.19	10.93	31.93

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Y\_2TX  
Setting 18  
01-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.86	74.00	-12.14	54.64	3	Vertical	285	1.79	-	33.93	6.13	32.84
AV	5.4575G	52.55	54.00	-1.45	45.33	3	Vertical	285	1.79	-	33.93	6.13	32.84
PK	5.469G	62.05	68.20	-6.15	54.78	3	Vertical	285	1.79	-	33.98	6.13	32.84
PK	5.6225G	110.55	Inf	-Inf	102.91	3	Vertical	285	1.79	-	34.30	6.21	32.87
AV	5.612G	100.84	Inf	-Inf	93.20	3	Vertical	285	1.79	-	34.30	6.21	32.87
PK	5.7315G	66.33	68.20	-1.87	58.47	3	Vertical	285	1.79	-	34.50	6.27	32.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT Y\_2TX  
Setting 18  
01-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4505G	62.17	74.00	-11.83	54.98	3	Horizontal	31	1.80	-	33.90	6.13	32.84
AV	5.46G	53.09	54.00	-0.91	45.86	3	Horizontal	31	1.80	-	33.94	6.13	32.84
PK	5.4695G	62.23	68.20	-5.97	54.96	3	Horizontal	31	1.80	-	33.98	6.13	32.84
PK	5.6035G	112.68	Inf	-Inf	105.05	3	Horizontal	31	1.80	-	34.30	6.20	32.87
AV	5.608G	103.13	Inf	-Inf	95.50	3	Horizontal	31	1.80	-	34.30	6.20	32.87
PK	5.7255G	67.59	68.20	-0.61	59.74	3	Horizontal	31	1.80	-	34.50	6.26	32.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2347G	58.05	74.00	-15.95	43.16	3	Vertical	0	2.97	-	38.63	8.79	32.53
AV	11.23431G	47.54	54.00	-6.46	32.65	3	Vertical	0	2.97	-	38.63	8.79	32.53
PK	16.82424G	62.34	68.20	-5.86	41.88	3	Vertical	322	1.47	-	41.07	11.03	31.64



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT Y\_2TX  
Setting 18  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22888G	57.03	74.00	-16.97	42.14	3	Horizontal	40	1.80	-	38.63	8.79	32.53
AV	11.22939G	47.01	54.00	-6.99	32.12	3	Horizontal	40	1.80	-	38.63	8.79	32.53
PK	16.82154G	63.28	68.20	-4.92	42.83	3	Horizontal	16	1.80	-	41.06	11.03	31.64

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_2TX  
Setting 20  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4535G	61.52	74.00	-12.48	54.32	3	Vertical	284	1.76	-	33.91	6.13	32.84
AV	5.454G	51.67	54.00	-2.33	44.46	3	Vertical	284	1.76	-	33.92	6.13	32.84
PK	5.463G	60.69	68.20	-7.51	53.45	3	Vertical	284	1.76	-	33.95	6.13	32.84
PK	5.685G	112.77	Inf	-Inf	104.98	3	Vertical	284	1.76	-	34.44	6.24	32.89
AV	5.6925G	103.22	Inf	-Inf	95.40	3	Vertical	284	1.76	-	34.47	6.25	32.90
PK	5.8525G	66.89	68.20	-1.31	58.59	3	Vertical	284	1.76	-	34.92	6.33	32.95

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_2TX  
Setting 20  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	61.60	74.00	-12.40	54.45	3	Horizontal	34	1.80	-	33.87	6.12	32.84
PK	5.4635G	61.52	68.20	-6.68	54.28	3	Horizontal	34	1.80	-	33.95	6.13	32.84
AV	5.459G	51.98	54.00	-2.02	44.75	3	Horizontal	34	1.80	-	33.94	6.13	32.84
PK	5.688G	113.99	Inf	-Inf	106.19	3	Horizontal	34	1.80	-	34.45	6.24	32.89
AV	5.696G	104.23	Inf	-Inf	96.40	3	Horizontal	34	1.80	-	34.48	6.25	32.90
PK	5.8505G	67.56	68.20	-0.64	59.28	3	Horizontal	34	1.80	-	34.90	6.33	32.95

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 20  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37061G	56.64	74.00	-17.36	41.55	3	Vertical	63	1.89	-	38.77	8.85	32.53
AV	11.39488G	46.98	54.00	-7.02	31.85	3	Vertical	63	1.89	-	38.79	8.86	32.52
PK	17.06217G	64.54	68.20	-3.66	43.20	3	Vertical	3	1.84	-	41.61	11.12	31.39

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 20  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36701G	56.86	74.00	-17.14	41.77	3	Horizontal	6	1.29	-	38.77	8.85	32.53
AV	11.38417G	46.93	54.00	-7.07	31.82	3	Horizontal	6	1.29	-	38.78	8.85	32.52
PK	17.06979G	64.49	68.20	-3.71	43.10	3	Horizontal	0	1.80	-	41.65	11.13	31.39

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


06/06/2023

EUT\_Y\_2TX  
Setting 19.5  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	65.46	68.20	-2.74	57.82	3	Vertical	283	1.78	-	34.30	6.22	32.88
PK	5.7775G	112.20	Inf	-Inf	104.28	3	Vertical	283	1.78	-	34.55	6.29	32.92
AV	5.777G	102.68	Inf	-Inf	94.76	3	Vertical	283	1.78	-	34.55	6.29	32.92
PK	5.9325G	66.08	68.20	-2.12	57.26	3	Vertical	283	1.78	-	35.43	6.37	32.98

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Y\_2TX  
 Setting 19.5  
 01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	67.32	68.20	-0.88	59.68	3	Horizontal	41	1.80	-	34.30	6.22	32.88
PK	5.781G	113.30	Inf	-Inf	105.38	3	Horizontal	41	1.80	-	34.56	6.29	32.93
AV	5.7755G	103.70	Inf	-Inf	95.78	3	Horizontal	41	1.80	-	34.55	6.29	32.92
PK	5.928G	67.64	68.20	-0.56	58.85	3	Horizontal	41	1.80	-	35.41	6.36	32.98

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT Y\_2TX  
 Setting 19.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55423G	56.58	74.00	-17.42	41.37	3	Vertical	345	1.42	-	38.80	8.92	32.51
AV	11.5521G	46.92	54.00	-7.08	31.71	3	Vertical	345	1.42	-	38.80	8.92	32.51
PK	17.33439G	63.87	68.20	-4.33	41.48	3	Vertical	83	1.58	-	42.40	11.23	31.24



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT Y\_2TX  
 Setting 19.5  
 01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53974G	57.74	74.00	-16.26	42.53	3	Horizontal	334	1.80	-	38.80	8.92	32.51
AV	11.55654G	47.12	54.00	-6.88	31.91	3	Horizontal	334	1.80	-	38.80	8.92	32.51
PK	17.32929G	64.44	68.20	-3.76	42.06	3	Horizontal	279	1.44	-	42.39	11.23	31.24

5.15-5.25GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_Y\_2TX  
Setting 13  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	61.19	74.00	-12.81	55.02	3	Vertical	348	1.78	-	33.10	5.97	32.90
AV	5.1132G	51.62	54.00	-2.38	45.47	3	Vertical	348	1.78	-	33.10	5.96	32.91
PK	5.2484G	102.31	Inf	-Inf	95.87	3	Vertical	348	1.78	-	33.30	6.02	32.88
AV	5.246G	93.43	Inf	-Inf	87.00	3	Vertical	348	1.78	-	33.29	6.02	32.88
PK	5.354G	62.14	74.00	-11.86	55.40	3	Vertical	348	1.78	-	33.52	6.08	32.86
AV	5.402G	53.33	54.00	-0.67	46.37	3	Vertical	348	1.78	-	33.71	6.10	32.85
PK	5.5924G	62.47	68.20	-5.73	54.86	3	Vertical	348	1.78	-	34.27	6.20	32.86

5.15-5.25GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_V\_2TX  
Setting 13  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	60.83	74.00	-13.17	54.67	3	Horizontal	35	1.80	-	33.10	5.96	32.90
AV	5.138G	51.56	54.00	-2.44	45.39	3	Horizontal	35	1.80	-	33.10	5.97	32.90
PK	5.2436G	102.87	Inf	-Inf	96.44	3	Horizontal	35	1.80	-	33.29	6.02	32.88
AV	5.2532G	93.04	Inf	-Inf	86.58	3	Horizontal	35	1.80	-	33.31	6.03	32.88
PK	5.3724G	62.42	74.00	-11.58	55.60	3	Horizontal	35	1.80	-	33.59	6.09	32.86
AV	5.3724G	53.62	54.00	-0.38	46.80	3	Horizontal	35	1.80	-	33.59	6.09	32.86
PK	5.6276G	62.30	68.20	-5.90	54.66	3	Horizontal	35	1.80	-	34.30	6.21	32.87

5.15-5.25GHz 802.11ax HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT Y\_2TX  
Setting 13  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49244G	56.46	68.20	-11.74	41.71	3	Vertical	246	1.87	-	38.80	8.50	32.55
PK	15.73854G	59.03	74.00	-14.97	42.22	3	Vertical	8	1.59	-	38.42	10.60	32.21
AV	15.76299G	49.92	54.00	-4.08	33.05	3	Vertical	8	1.59	-	38.49	10.61	32.23

5.15-5.25GHz 802.11ax HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_Y\_2TX  
Setting 13  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50249G	56.44	68.20	-11.76	41.68	3	Horizontal	62	1.80	-	38.80	8.50	32.54
PK	15.76104G	60.54	74.00	-13.46	43.69	3	Horizontal	18	1.02	-	38.48	10.60	32.23
AV	15.74049G	50.46	54.00	-3.54	33.65	3	Horizontal	18	1.02	-	38.42	10.60	32.21

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUT\_V\_2TX  
Setting 14  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.238G	60.81	68.20	-7.39	54.39	3	Vertical	280	1.78	-	33.28	6.02	32.88
PK	5.454G	61.95	74.00	-12.05	54.74	3	Vertical	280	1.78	-	33.92	6.13	32.84
AV	5.35G	50.42	54.00	-3.58	43.71	3	Vertical	280	1.78	-	33.50	6.07	32.86
AV	5.442G	52.52	54.00	-1.48	45.37	3	Vertical	280	1.78	-	33.87	6.12	32.84
PK	5.4636G	63.90	68.20	-4.30	56.66	3	Vertical	280	1.78	-	33.95	6.13	32.84
PK	5.5796G	102.77	Inf	-Inf	95.22	3	Vertical	280	1.78	-	34.22	6.19	32.86
AV	5.5644G	92.52	Inf	-Inf	85.03	3	Vertical	280	1.78	-	34.16	6.18	32.85
PK	5.9116G	63.60	68.20	-4.60	54.86	3	Vertical	280	1.78	-	35.35	6.36	32.97

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




06/06/2023

EUT\_V\_2TX  
Setting 14  
01-1-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	61.21	68.20	-6.99	54.64	3	Horizontal	24	1.78	-	33.39	6.05	32.87
AV	5.35G	50.42	54.00	-3.58	43.71	3	Horizontal	24	1.78	-	33.50	6.07	32.86
PK	5.4516G	63.86	74.00	-10.14	56.66	3	Horizontal	24	1.78	-	33.91	6.13	32.84
AV	5.4516G	53.82	54.00	-0.18	46.62	3	Horizontal	24	1.78	-	33.91	6.13	32.84
PK	5.4668G	62.57	68.20	-5.63	55.31	3	Horizontal	24	1.78	-	33.97	6.13	32.84
PK	5.5636G	104.87	Inf	-Inf	97.39	3	Horizontal	24	1.78	-	34.15	6.18	32.85
AV	5.5756G	95.19	Inf	-Inf	87.66	3	Horizontal	24	1.78	-	34.20	6.19	32.86
PK	5.9068G	63.56	68.20	-4.64	54.85	3	Horizontal	24	1.78	-	35.33	6.35	32.97

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUT Y\_2TX  
Setting 14  
01-1-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14798G	56.07	74.00	-17.93	41.19	3	Vertical	226	1.38	-	38.65	8.76	32.53
AV	11.13271G	46.35	54.00	-7.65	31.46	3	Vertical	226	1.38	-	38.67	8.75	32.53
PK	16.7028G	61.65	68.20	-6.55	41.84	3	Vertical	75	2.00	-	40.61	10.98	31.78



5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX



EUT Y\_2TX  
Setting 14  
01-1-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1493G	56.57	74.00	-17.43	41.69	3	Horizontal	105	2.78	-	38.65	8.76	32.53
AV	11.14447G	46.83	54.00	-7.17	31.94	3	Horizontal	105	2.78	-	38.66	8.76	32.53
PK	16.71402G	62.89	68.20	-5.31	43.01	3	Horizontal	247	1.47	-	40.66	10.99	31.77



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87391G	42.57	54.00	-11.43	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	4.8744G	43.29	74.00	-30.71	4.78	3	Vertical	306	1.76	-	38.51	32.65	5.97	33.84
AV	4.87391G	39.13	54.00	-14.87	4.78	3	Vertical	306	1.76	"Worst"	34.35	32.65	5.97	33.84

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	4.87407G	48.93	74.00	-25.07	4.78	3	Horizontal	206	1.81	-	44.15	32.65	5.97	33.84
AV	4.87391G	42.57	54.00	-11.43	4.78	3	Horizontal	206	1.81	"Worst"	37.79	32.65	5.97	33.84