



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	31.944M	19.234M	19M2D1D	22.242M	19.148M
802.11be EHT40_Nss1,(MCS0)_4TX	50.16M	37.921M	37M9D1D	42.372M	37.838M
802.11be EHT80_Nss1,(MCS0)_4TX	87.384M	77.505M	77M5D1D	82.632M	77.243M
802.11be EHT160_Nss1,(MCS0)_4TX	164.736M	156.381M	156MD1D	163.152M	155.988M
802.11be EHT320_Nss1,(MCS0)_4TX	357.984M	316.837M	317MD1D	329.472M	315.052M
6.425-6.525GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	29.304M	19.251M	19M3D1D	24.09M	19.192M
802.11be EHT40_Nss1,(MCS0)_4TX	45.936M	37.94M	37M9D1D	41.58M	37.822M
802.11be EHT80_Nss1,(MCS0)_4TX	111.144M	77.525M	77M5D1D	82.632M	77.344M
802.11be EHT160_Nss1,(MCS0)_4TX	165.12M	156.435M	156MD1D	164.4M	156.38M
802.11be EHT320_Nss1,(MCS0)_4TX	367.488M	317.138M	317MD1D	347.424M	316.623M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	29.106M	19.248M	19M2D1D	22.77M	19.171M
802.11be EHT40_Nss1,(MCS0)_4TX	43.956M	37.9M	37M9D1D	41.316M	37.844M
802.11be EHT80_Nss1,(MCS0)_4TX	91.344M	77.522M	77M5D1D	82.104M	77.315M
802.11be EHT160_Nss1,(MCS0)_4TX	165.792M	156.516M	157MD1D	164.208M	156.279M
6.875-7.125GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	30.3M	19.259M	19M3D1D	22.308M	19.186M
802.11be EHT40_Nss1,(MCS0)_4TX	48.444M	37.916M	37M9D1D	42.108M	37.856M
802.11be EHT80_Nss1,(MCS0)_4TX	86.88M	77.526M	77M5D1D	82.632M	77.356M
802.11be EHT160_Nss1,(MCS0)_4TX	165.12M	156.515M	157MD1D	164.208M	156.212M
802.11be EHT320_Nss1,(MCS0)_4TX	330.528M	316.433M	316MD1D	329.472M	315.238M

Max-N dB = Maximum 26dB down bandwidth
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 26dB down bandwidth
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	Inf	25.674M	19.189M	28.776M	19.234M	29.04M	19.189M	31.944M	19.213M
6175MHz	Pass	Inf	22.242M	19.148M	24.882M	19.186M	26.07M	19.184M	29.304M	19.184M
6415MHz	Pass	Inf	24.222M	19.2M	25.938M	19.231M	28.512M	19.183M	26.73M	19.195M
6435MHz	Pass	Inf	26.73M	19.22M	25.542M	19.221M	28.908M	19.227M	25.476M	19.206M
6475MHz	Pass	Inf	26.466M	19.222M	24.882M	19.206M	24.09M	19.192M	26.4M	19.251M
6515MHz	Pass	Inf	25.608M	19.214M	29.304M	19.228M	27.258M	19.237M	28.248M	19.246M
6535MHz	Pass	Inf	26.4M	19.208M	27.06M	19.242M	26.664M	19.213M	29.106M	19.227M
6715MHz	Pass	Inf	25.212M	19.248M	27.918M	19.171M	25.41M	19.197M	25.872M	19.207M
6855MHz	Pass	Inf	25.872M	19.18M	23.562M	19.245M	23.694M	19.212M	22.77M	19.217M
6875MHz Straddle 6.875-7.125GHz	Pass	Inf	28.68M	19.203M	23.4M	19.23M	29.46M	19.235M	30.3M	19.246M
6895MHz	Pass	Inf	22.308M	19.236M	27.588M	19.225M	27.192M	19.224M	28.71M	19.239M
7015MHz	Pass	Inf	27.984M	19.186M	26.73M	19.259M	27.786M	19.22M	26.664M	19.242M
7095MHz	Pass	Inf	28.974M	19.214M	29.106M	19.251M	26.07M	19.239M	26.466M	19.245M
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	Inf	44.088M	37.874M	46.068M	37.858M	47.784M	37.881M	46.86M	37.909M
6165MHz	Pass	Inf	42.372M	37.872M	43.164M	37.877M	42.9M	37.838M	43.56M	37.89M
6405MHz	Pass	Inf	42.372M	37.918M	42.504M	37.868M	50.16M	37.921M	43.296M	37.856M
6445MHz	Pass	Inf	45.936M	37.891M	42.768M	37.883M	42.24M	37.899M	42.108M	37.863M
6485MHz	Pass	Inf	42.372M	37.856M	42.372M	37.866M	42.768M	37.92M	41.58M	37.94M
6525MHz Straddle 6.425-6.525GHz	Pass	Inf	42.78M	37.906M	42.36M	37.918M	43.32M	37.905M	42.18M	37.822M
6565MHz	Pass	Inf	42.636M	37.877M	42.636M	37.859M	42.504M	37.9M	42.636M	37.899M
6725MHz	Pass	Inf	42.504M	37.844M	42.24M	37.855M	43.956M	37.867M	41.316M	37.865M
6845MHz	Pass	Inf	42.768M	37.877M	41.844M	37.897M	42.24M	37.892M	42.768M	37.867M
6885MHz Straddle 6.875-7.125GHz	Pass	Inf	43.68M	37.891M	46.98M	37.899M	42.12M	37.902M	42.3M	37.916M
6925MHz	Pass	Inf	47.388M	37.889M	42.504M	37.906M	46.2M	37.898M	45.144M	37.892M
7005MHz	Pass	Inf	42.108M	37.869M	42.636M	37.9M	42.372M	37.861M	42.504M	37.856M
7085MHz	Pass	Inf	48.444M	37.889M	48.444M	37.914M	44.352M	37.912M	43.296M	37.871M
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	Inf	84.48M	77.339M	86.328M	77.243M	87.384M	77.252M	84.48M	77.363M
6145MHz	Pass	Inf	82.896M	77.505M	84.48M	77.392M	84.216M	77.425M	83.688M	77.374M
6385MHz	Pass	Inf	83.688M	77.437M	83.952M	77.377M	85.272M	77.502M	82.632M	77.406M
6465MHz	Pass	Inf	93.456M	77.525M	111.144M	77.357M	82.632M	77.39M	83.424M	77.454M
6545MHz Straddle 6.425-6.525GHz	Pass	Inf	82.8M	77.429M	84.36M	77.39M	88.44M	77.46M	82.8M	77.344M
6625MHz	Pass	Inf	82.104M	77.411M	83.688M	77.466M	86.856M	77.475M	85.272M	77.408M
6705MHz	Pass	Inf	86.592M	77.487M	83.688M	77.315M	82.632M	77.349M	82.896M	77.442M



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
6785MHz	Pass	Inf	82.896M	77.522M	83.952M	77.437M	91.344M	77.462M	86.064M	77.437M
6865MHz Straddle 6.875-7.125GHz	Pass	Inf	83.04M	77.367M	86.88M	77.426M	84.36M	77.397M	84.36M	77.405M
6945MHz	Pass	Inf	85.272M	77.526M	82.632M	77.439M	84.48M	77.412M	84.216M	77.461M
7025MHz	Pass	Inf	84.48M	77.463M	84.744M	77.387M	84.216M	77.417M	83.952M	77.356M
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	Inf	164.736M	156.263M	163.152M	156.055M	163.68M	155.988M	163.68M	156.1M
6185MHz	Pass	Inf	164.736M	156.224M	164.208M	156.245M	164.736M	156.336M	164.736M	156.145M
6345MHz	Pass	Inf	164.736M	156.307M	163.68M	156.239M	164.736M	156.194M	164.208M	156.381M
6505MHz Straddle 6.425-6.525GHz	Pass	Inf	164.88M	156.435M	164.4M	156.42M	164.64M	156.38M	165.12M	156.415M
6665MHz	Pass	Inf	165.792M	156.279M	164.208M	156.497M	164.736M	156.516M	164.736M	156.458M
6825MHz Straddle 6.875-7.125GHz	Pass	Inf	164.4M	156.416M	164.64M	156.258M	165.12M	156.365M	164.64M	156.32M
6985MHz	Pass	Inf	164.208M	156.291M	164.736M	156.515M	164.736M	156.212M	164.208M	156.332M
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	Inf	330.528M	315.1M	329.472M	315.075M	330.528M	315.661M	331.584M	315.052M
6265MHz	Pass	Inf	330.528M	315.441M	331.584M	315.555M	330.528M	315.818M	330.528M	315.625M
6425MHz Straddle 5.925-6.425GHz	Pass	Inf	332.64M	315.524M	352.704M	316.837M	357.984M	316.556M	357.984M	316.172M
6585MHz Straddle 6.425-6.525GHz	Pass	Inf	359.04M	316.834M	347.424M	316.623M	365.376M	317.138M	367.488M	316.855M
6745MHz Straddle 6.875-7.125GHz	Pass	Inf	330.528M	315.788M	330.528M	315.722M	330.528M	316.384M	330.528M	316.433M
6905MHz Straddle 6.875-7.125GHz	Pass	Inf	329.472M	315.244M	330.528M	315.238M	330.528M	315.691M	330.528M	315.511M

Port X-N dB = 26dB down bandwidth
 Port X-OBW = Port X 99% occupied bandwidth




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5955MHz

CF
5.955GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.955GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.674M	5.943384G	5.969058G	19.189M	5.94536G	5.964548G	Inf	1
28.776M	5.943054G	5.97183G	19.234M	5.945336G	5.964569G	Inf	2
29.04M	5.93982G	5.96886G	19.189M	5.945342G	5.964531G	Inf	3
31.944M	5.939226G	5.97117G	19.213M	5.94535G	5.964563G	Inf	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6175MHz

CF
6.175GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.175GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.242M	6.163978G	6.18622G	19.148M	6.165362G	6.184509G	Inf	1
24.882M	6.16114G	6.186022G	19.186M	6.165337G	6.184523G	Inf	2
26.07M	6.159886G	6.185956G	19.184M	6.165311G	6.184495G	Inf	3
29.304M	6.15982G	6.189124G	19.184M	6.165316G	6.184499G	Inf	4




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6415MHz

CF
6.415GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.415GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
24.222M	6.402988G	6.42721G	19.2M	6.405292G	6.424492G	Inf	1
25.938M	6.401866G	6.427804G	19.231M	6.405306G	6.424537G	Inf	2
28.512M	6.401272G	6.429784G	19.183M	6.405338G	6.424521G	Inf	3
26.73M	6.4018G	6.42853G	19.195M	6.405325G	6.424521G	Inf	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6435MHz

CF
6.435GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.435GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.73M	6.422394G	6.449124G	19.22M	6.425291G	6.444511G	Inf	1
25.542M	6.423516G	6.449058G	19.221M	6.425305G	6.444525G	Inf	2
28.908M	6.421074G	6.449982G	19.227M	6.425302G	6.444529G	Inf	3
25.476M	6.421668G	6.447144G	19.206M	6.425311G	6.444517G	Inf	4




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6475MHz

CF
6.475GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.475GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.466M	6.462064G	6.48853G	19.222M	6.465303G	6.484525G	Inf	1
24.882M	6.463054G	6.487936G	19.206M	6.465319G	6.484525G	Inf	2
24.09M	6.463582G	6.487672G	19.192M	6.465315G	6.484508G	Inf	3
26.4M	6.462526G	6.488926G	19.251M	6.465276G	6.484527G	Inf	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6515MHz

CF
6.515GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.515GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.608M	6.502658G	6.528266G	19.214M	6.505306G	6.52452G	Inf	1
29.304M	6.50048G	6.529784G	19.228M	6.505314G	6.524542G	Inf	2
27.258M	6.5018G	6.529058G	19.237M	6.505303G	6.52454G	Inf	3
28.248M	6.501008G	6.529256G	19.246M	6.505295G	6.524541G	Inf	4




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6535MHz

CF
6.535GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.535GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.4M	6.521536G	6.547936G	19.208M	6.52532G	6.544528G	Inf	1
27.06M	6.521272G	6.548332G	19.242M	6.525302G	6.544544G	Inf	2
26.664M	6.522988G	6.549652G	19.213M	6.525319G	6.544533G	Inf	3
29.106M	6.518698G	6.547804G	19.227M	6.525316G	6.544543G	Inf	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6715MHz

CF
6.715GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.715GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.212M	6.701998G	6.72721G	19.248M	6.705258G	6.724506G	Inf	1
27.918M	6.701206G	6.729124G	19.171M	6.705322G	6.724493G	Inf	2
25.41M	6.701008G	6.726418G	19.197M	6.705303G	6.7245G	Inf	3
25.872M	6.700414G	6.726286G	19.207M	6.705298G	6.724505G	Inf	4




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6855MHz

CF
6.855GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.855GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.872M	6.840678G	6.86655G	19.18M	6.845307G	6.864488G	Inf	1
23.562M	6.84246G	6.866022G	19.245M	6.845273G	6.864519G	Inf	2
23.694M	6.842922G	6.866616G	19.212M	6.8453G	6.864512G	Inf	3
22.77M	6.84312G	6.86589G	19.217M	6.845299G	6.864516G	Inf	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6875MHz Straddle 6.875-7.125GHz

CF
6.875GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.875GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
28.68M	6.85988G	6.88856G	19.203M	6.865295G	6.884498G	Inf	1
23.4M	6.86306G	6.88646G	19.23M	6.865302G	6.884533G	Inf	2
29.46M	6.85962G	6.88808G	19.235M	6.865303G	6.884538G	Inf	3
30.3M	6.85874G	6.88904G	19.246M	6.865266G	6.884512G	Inf	4




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6895MHz

CF
6.895GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.895GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.308M	6.884044G	6.906352G	19.236M	6.88528G	6.904516G	Inf	1
27.588M	6.880414G	6.908002G	19.225M	6.885291G	6.904516G	Inf	2
27.192M	6.882262G	6.909454G	19.224M	6.885301G	6.904525G	Inf	3
28.71M	6.879886G	6.908596G	19.239M	6.885288G	6.904527G	Inf	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

7015MHz

CF
7.015GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.015GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
27.984M	7.000876G	7.02886G	19.186M	7.005299G	7.024485G	Inf	1
26.73M	7.001206G	7.027936G	19.259M	7.005273G	7.024532G	Inf	2
27.786M	6.999094G	7.02688G	19.22M	7.005288G	7.024508G	Inf	3
26.664M	7.001008G	7.027672G	19.242M	7.005263G	7.024504G	Inf	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

7095MHz

CF: 7.095GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 7.095GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
28.974M	7.080942G	7.109916G	19.214M	7.08528G	7.104494G	Inf	1
29.106M	7.080546G	7.109652G	19.251M	7.085291G	7.104543G	Inf	2
26.07M	7.081866G	7.107936G	19.239M	7.085268G	7.104507G	Inf	3
26.466M	7.080414G	7.10688G	19.245M	7.085285G	7.10453G	Inf	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5965MHz

CF: 5.965GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.965GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
44.088M	5.942956G	5.987044G	37.874M	5.946025G	5.983899G	Inf	1
46.068M	5.943484G	5.989552G	37.858M	5.946034G	5.983892G	Inf	2
47.784M	5.942164G	5.989948G	37.881M	5.946037G	5.983917G	Inf	3
46.86M	5.943352G	5.990212G	37.909M	5.94602G	5.983929G	Inf	4




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6165MHz

CF
6.165GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.165GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.372M	6.144144G	6.186516G	37.872M	6.146005G	6.183878G	Inf	1
43.164M	6.143388G	6.187044G	37.877M	6.145978G	6.183856G	Inf	2
42.9M	6.14388G	6.18678G	37.838M	6.146001G	6.18384G	Inf	3
43.56M	6.143088G	6.186648G	37.89M	6.14598G	6.18387G	Inf	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6405MHz

CF
6.405GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.405GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.372M	6.383748G	6.42612G	37.918M	6.385934G	6.423853G	Inf	1
42.504M	6.383616G	6.42612G	37.868M	6.385989G	6.423857G	Inf	2
50.16M	6.380976G	6.431136G	37.921M	6.385938G	6.42386G	Inf	3
43.296M	6.38322G	6.426516G	37.856M	6.385988G	6.423844G	Inf	4




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6445MHz

CF: 6.445GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.445GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
45.936M	6.421108G	6.467044G	37.891M	6.425961G	6.463852G	Inf	1
42.768M	6.423352G	6.46612G	37.883M	6.425962G	6.463845G	Inf	2
42.24M	6.42388G	6.46612G	37.899M	6.425938G	6.463837G	Inf	3
42.108M	6.424012G	6.46612G	37.863M	6.425968G	6.463831G	Inf	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6485MHz

CF: 6.485GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.485GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.372M	6.46388G	6.506252G	37.856M	6.465973G	6.503828G	Inf	1
42.372M	6.46388G	6.506252G	37.866M	6.46598G	6.503846G	Inf	2
42.768M	6.463616G	6.506384G	37.92M	6.465932G	6.503853G	Inf	3
41.58M	6.464144G	6.505724G	37.94M	6.465939G	6.503879G	Inf	4



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW


6525MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

6565MHz






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6725MHz

CF
6.725GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.725GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.504M	6.70388G	6.746384G	37.844M	6.70598G	6.743824G	Inf	1
42.24M	6.704012G	6.746252G	37.855M	6.705965G	6.74382G	Inf	2
43.956M	6.703352G	6.747308G	37.867M	6.705968G	6.743835G	Inf	3
41.316M	6.704276G	6.745592G	37.865M	6.705977G	6.743842G	Inf	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6845MHz

CF
6.845GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.845GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.768M	6.823484G	6.866252G	37.877M	6.825976G	6.863853G	Inf	1
41.844M	6.824144G	6.865988G	37.897M	6.825977G	6.863874G	Inf	2
42.24M	6.82388G	6.86612G	37.892M	6.825986G	6.863878G	Inf	3
42.768M	6.823484G	6.866252G	37.867M	6.82599G	6.863857G	Inf	4



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW


6885MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

6925MHz






6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW


7005MHz



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

7085MHz






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5985MHz

CF: 5.985GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.985GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
84.48M	5.943024G	6.027504G	77.339M	5.946381G	6.023719G	Inf	1
86.328M	5.942232G	6.02856G	77.243M	5.946378G	6.023621G	Inf	2
87.384M	5.941968G	6.029352G	77.252M	5.946419G	6.02367G	Inf	3
84.48M	5.94276G	6.02724G	77.363M	5.946365G	6.023729G	Inf	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6145MHz

CF: 6.145GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.145GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.896M	6.103552G	6.186448G	77.505M	6.106222G	6.183727G	Inf	1
84.48M	6.101968G	6.186448G	77.392M	6.106232G	6.183624G	Inf	2
84.216M	6.101968G	6.186184G	77.425M	6.106263G	6.183688G	Inf	3
83.688M	6.10276G	6.186448G	77.374M	6.106212G	6.183586G	Inf	4




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6385MHz

CF
6.385GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.385GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
83.688M	6.342496G	6.426184G	77.437M	6.346199G	6.423637G	Inf	1
83.952M	6.341968G	6.42592G	77.377M	6.346217G	6.423594G	Inf	2
85.272M	6.341704G	6.426976G	77.502M	6.346092G	6.423594G	Inf	3
82.632M	6.343552G	6.426184G	77.406M	6.346226G	6.423632G	Inf	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6465MHz

CF
6.465GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.465GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
93.456M	6.421968G	6.515424G	77.525M	6.426107G	6.503633G	Inf	1
111.144M	6.422232G	6.533376G	77.357M	6.426181G	6.503538G	Inf	2
82.632M	6.423552G	6.506184G	77.39M	6.426144G	6.503534G	Inf	3
83.424M	6.423816G	6.50724G	77.454M	6.426201G	6.503655G	Inf	4



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

6625MHz






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6705MHz

CF: 6.705GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.705GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
86.592M	6.661704G	6.748296G	77.487M	6.66614G	6.743627G	Inf	1
83.688M	6.662232G	6.74592G	77.315M	6.66626G	6.743575G	Inf	2
82.632M	6.663552G	6.746184G	77.349M	6.666189G	6.743538G	Inf	3
82.896M	6.663552G	6.746448G	77.442M	6.666115G	6.743557G	Inf	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6785MHz

CF: 6.785GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.785GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.896M	6.743288G	6.826184G	77.522M	6.746139G	6.82366G	Inf	1
83.952M	6.742496G	6.826448G	77.437M	6.746122G	6.82359G	Inf	2
91.344M	6.742232G	6.833576G	77.462M	6.746103G	6.823565G	Inf	3
86.064M	6.742496G	6.82856G	77.437M	6.746119G	6.823556G	Inf	4



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW


6865MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

6945MHz






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

7025MHz

CF: 7.025GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 7.025GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform icon]
 Port 2: [Waveform icon]
 Port 3: [Waveform icon]
 Port 4: [Waveform icon]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
84.48M	6.981704G	7.066184G	77.463M	6.986039G	7.063502G	Inf	1
84.744M	6.981704G	7.066448G	77.387M	6.986146G	7.063533G	Inf	2
84.216M	6.981704G	7.06592G	77.417M	6.986132G	7.063549G	Inf	3
83.952M	6.981968G	7.06592G	77.356M	6.986172G	7.063528G	Inf	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6025MHz

CF: 6.025GHz
 Span: 1.056GHz
 RBW: 2MHz
 VBW: 10MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.025GHz
 Span: 480MHz
 RBW: 2MHz
 VBW: 10MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform icon]
 Port 2: [Waveform icon]
 Port 3: [Waveform icon]
 Port 4: [Waveform icon]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
164.736M	5.942632G	6.107368G	156.263M	5.946988G	6.10325G	Inf	1
163.152M	5.943688G	6.10684G	156.055M	5.947096G	6.103151G	Inf	2
163.68M	5.94316G	6.10684G	155.988M	5.947133G	6.103121G	Inf	3
163.68M	5.94316G	6.10684G	156.1M	5.947154G	6.103254G	Inf	4




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6185MHz

CF
6.185GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.185GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
164.736M	6.102632G	6.267368G	156.224M	6.106992G	6.263215G	Inf	1
164.208M	6.102632G	6.26684G	156.245M	6.106903G	6.263148G	Inf	2
164.736M	6.102632G	6.267368G	156.336M	6.10689G	6.263226G	Inf	3
164.736M	6.102632G	6.267368G	156.145M	6.107062G	6.263207G	Inf	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6345MHz

CF
6.345GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.345GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
164.736M	6.262632G	6.427368G	156.307M	6.266848G	6.423156G	Inf	1
163.68M	6.26316G	6.42684G	156.239M	6.266835G	6.423074G	Inf	2
164.736M	6.262632G	6.427368G	156.194M	6.266825G	6.423018G	Inf	3
164.208M	6.262632G	6.42684G	156.381M	6.266782G	6.423163G	Inf	4



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW


6505MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

6665MHz






6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW


6825MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

6985MHz






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


EBW

6105MHz

CF
6.105GHz
Span
2.112GHz
RBW
5MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.105GHz
Span
960MHz
RBW
5MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
330.528M	5.940264G	6.270792G	315.11M	5.948536G	6.263636G	Inf	1
329.472M	5.940264G	6.269736G	315.075M	5.948107G	6.263182G	Inf	2
330.528M	5.940264G	6.270792G	315.661M	5.947763G	6.263425G	Inf	3
331.584M	5.940264G	6.271848G	315.052M	5.94853G	6.263581G	Inf	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


EBW

6265MHz

CF
6.265GHz
Span
2.112GHz
RBW
5MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.265GHz
Span
960MHz
RBW
5MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
330.528M	6.099208G	6.429736G	315.441M	6.107357G	6.422797G	Inf	1
331.584M	6.099208G	6.430792G	315.535M	6.107025G	6.422579G	Inf	2
330.528M	6.099208G	6.429736G	315.818M	6.10706G	6.422878G	Inf	3
330.528M	6.099208G	6.429736G	315.625M	6.107507G	6.423132G	Inf	4



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW


6425MHz Straddle 5.925-6.425GHz



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW

6585MHz Straddle 6.425-6.525GHz






6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW


6745MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW

6905MHz Straddle 6.875-7.125GHz





Mode	Freq MHz	CH	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP (dBm)	Limit (dBm)	Verdict
be EHT20	5955	1	106.63	1.18	0.04	107.85	12.65	30.00	Pass
be EHT20	6175	45	106.56	1.52	0.04	108.12	12.92	30.00	Pass
be EHT20	6415	93	105.03	2.53	0.04	107.6	12.40	30.00	Pass
be EHT20	6435	97	105.09	2.62	0.04	107.75	12.55	30.00	Pass
be EHT20	6475	105	104.86	2.79	0.04	107.69	12.49	30.00	Pass
be EHT20	6515	113	105.22	2.98	0.04	108.24	13.04	30.00	Pass
be EHT20	6535	117	104.95	3.1	0.04	108.09	12.89	30.00	Pass
be EHT20	6715	153	104.75	3.08	0.04	107.87	12.67	30.00	Pass
be EHT20	6855	181	104.64	3.38	0.04	108.06	12.86	30.00	Pass
be EHT20	6875	185	104.48	3.52	0.04	108.04	12.84	30.00	Pass
be EHT20	6895	189	104.6	3.66	0.04	108.3	13.10	30.00	Pass
be EHT20	7015	213	103.34	4.31	0.04	107.69	12.49	30.00	Pass
be EHT20	7095	229	103.37	4.75	0.04	108.16	12.96	30.00	Pass

Mode	Freq MHz	CH	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP (dBm)	Limit (dBm)	Verdict
be EHT40	5965	3	109.58	1.16	0.02	110.76	15.56	30.00	Pass
be EHT40	6165	43	109.44	1.43	0.02	110.89	15.69	30.00	Pass
be EHT40	6405	91	108.61	2.49	0.02	111.12	15.92	30.00	Pass
be EHT40	6445	99	108.12	2.66	0.02	110.8	15.60	30.00	Pass
be EHT40	6485	107	108.12	2.84	0.02	110.98	15.78	30.00	Pass
be EHT40	6525	115	107.8	3.04	0.02	110.86	15.66	30.00	Pass
be EHT40	6565	123	107.84	3.17	0.02	111.03	15.83	30.00	Pass
be EHT40	6725	155	107.67	3.09	0.02	110.78	15.58	30.00	Pass
be EHT40	6845	179	107.45	3.33	0.02	110.8	15.60	30.00	Pass
be EHT40	6885	187	107.48	3.59	0.02	111.09	15.89	30.00	Pass
be EHT40	6925	195	106.91	3.82	0.02	110.75	15.55	30.00	Pass
be EHT40	7005	211	106.49	4.22	0.02	110.73	15.53	30.00	Pass
be EHT40	7085	227	105.79	4.71	0.02	110.52	15.32	30.00	Pass

Note:

$EIRP(dBm) = Final\ Level(dBuV/m) - 95.2$

$Final\ Level(dBuV/m) = Read\ Level\ (dBuV) + Path\ Loss(dB/m) + DT\ Factor(dB)$

$Path\ Loss = Antenna\ Factor(dBuV/m) + Cable\ Loss(dB) - Preamp\ Factor(dB)$



Mode	Freq MHz	CH	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP (dBm)	Limit (dBm)	Verdict
be EHT80	5985	7	112.06	1.13	0.02	113.21	18.01	30.00	Pass
be EHT80	6145	39	112.02	1.29	0.02	113.33	18.13	30.00	Pass
be EHT80	6385	87	111.23	2.37	0.02	113.62	18.42	30.00	Pass
be EHT80	6465	103	110.59	2.75	0.02	113.36	18.16	30.00	Pass
be EHT80	6545	119	110.21	3.16	0.02	113.39	18.19	30.00	Pass
be EHT80	6625	135	110.19	3.17	0.02	113.38	18.18	30.00	Pass
be EHT80	6705	151	110.26	3.08	0.02	113.36	18.16	30.00	Pass
be EHT80	6785	167	110.12	3.17	0.02	113.31	18.11	30.00	Pass
be EHT80	6865	183	109.61	3.45	0.02	113.08	17.88	30.00	Pass
be EHT80	6945	199	109.28	3.92	0.02	113.22	18.02	30.00	Pass
be EHT80	7025	215	108.48	4.38	0.02	112.88	17.68	30.00	Pass

Mode	Freq MHz	CH	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP (dBm)	Limit (dBm)	Verdict
be EHT160	6025	15	115.04	1.06	0.08	116.18	20.98	30.00	Pass
be EHT160	6185	47	114.63	1.6	0.08	116.31	21.11	30.00	Pass
be EHT160	6345	79	113.84	2.11	0.08	116.03	20.83	30.00	Pass
be EHT160	6505	111	113.59	2.93	0.08	116.6	21.40	30.00	Pass
be EHT160	6665	143	113.31	3.15	0.08	116.54	21.34	30.00	Pass
be EHT160	6825	175	112.77	3.27	0.08	116.12	20.92	30.00	Pass
be EHT160	6985	207	111.91	4.12	0.08	116.11	20.91	30.00	Pass


Mode	Freq MHz	CH	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP (dBm)	Limit (dBm)	Verdict
be EHT320	6105	31	117.24	1.18	0.08	118.5	23.30	30.00	Pass
be EHT320	6265	63	116.79	1.88	0.08	118.75	23.55	30.00	Pass
be EHT320	6425	95	116.04	2.57	0.08	118.69	23.49	30.00	Pass
be EHT320	6585	127	115.48	3.17	0.08	118.73	23.53	30.00	Pass
be EHT320	6745	159	115.49	3.09	0.08	118.66	23.46	30.00	Pass
be EHT320	6905	191	113.12	3.72	0.08	116.92	21.72	30.00	Pass


Note:


EIRP(dBm) = Final Level(dBuV/m) - 95.2


Final Level(dBuV/m) = Read Level (dBuV) + Path Loss(dB/m) + DT Factor(dB)


Path Loss = Antenna Factor(dBuV/m) + Cable Loss(dB) - Preamp Factor(dB)













Mode	Freq MHz	Channel	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
be EHT20	5955	1	98.56	1.18	0.04	99.78	4.58	5.00	Pass
be EHT20	6175	45	98.52	1.52	0.04	100.08	4.88	5.00	Pass
be EHT20	6415	93	97.26	2.53	0.04	99.83	4.63	5.00	Pass
be EHT20	6435	97	97.05	2.62	0.04	99.71	4.51	5.00	Pass
be EHT20	6475	105	97.06	2.79	0.04	99.89	4.69	5.00	Pass
be EHT20	6515	113	96.86	2.98	0.04	99.88	4.68	5.00	Pass
be EHT20	6535	117	96.81	3.1	0.04	99.95	4.75	5.00	Pass
be EHT20	6715	153	96.84	3.08	0.04	99.96	4.76	5.00	Pass
be EHT20	6855	181	96.49	3.38	0.04	99.91	4.71	5.00	Pass
be EHT20	6875	185	96.49	3.52	0.04	100.05	4.85	5.00	Pass
be EHT20	6895	189	96.31	3.66	0.04	100.01	4.81	5.00	Pass
be EHT20	7015	213	95.43	4.31	0.04	99.78	4.58	5.00	Pass
be EHT20	7095	229	95.3	4.75	0.04	100.09	4.89	5.00	Pass

Mode	Freq MHz	Channel	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
be EHT40	5965	3	98.69	1.16	0.02	99.87	4.67	5.00	Pass
be EHT40	6165	43	98.54	1.43	0.02	99.99	4.79	5.00	Pass
be EHT40	6405	91	97.39	2.49	0.02	99.90	4.70	5.00	Pass
be EHT40	6445	99	97.34	2.66	0.02	100.02	4.82	5.00	Pass
be EHT40	6485	107	96.94	2.84	0.02	99.80	4.60	5.00	Pass
be EHT40	6525	115	96.92	3.04	0.02	99.98	4.78	5.00	Pass
be EHT40	6565	123	96.61	3.17	0.02	99.80	4.60	5.00	Pass
be EHT40	6725	155	96.88	3.09	0.02	99.99	4.79	5.00	Pass
be EHT40	6845	179	96.59	3.33	0.02	99.94	4.74	5.00	Pass
be EHT40	6885	187	96.28	3.59	0.02	99.89	4.69	5.00	Pass
be EHT40	6925	195	95.99	3.82	0.02	99.83	4.63	5.00	Pass
be EHT40	7005	211	95.65	4.22	0.02	99.89	4.69	5.00	Pass
be EHT40	7085	227	95.23	4.71	0.02	99.96	4.76	5.00	Pass

Note:
EIRP(dBm) = Final Level(dBuV/m) - 95.2
Final Level(dBuV/m) = Read Level (dBuV) + Path Loss(dB/m) + DT Factor(dB)
Path Loss = Antenna Factor(dBuV/m) + Cable Loss(dB) - Preamp Factor(dB)





Mode	Freq MHz	Channel	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
be EHT80	5985	7	98.77	1.13	0.02	99.92	4.72	5.00	Pass
be EHT80	6145	39	98.51	1.29	0.02	99.82	4.62	5.00	Pass
be EHT80	6385	87	97.38	2.37	0.02	99.77	4.57	5.00	Pass
be EHT80	6465	103	97.03	2.75	0.02	99.80	4.60	5.00	Pass
be EHT80	6545	119	96.73	3.16	0.02	99.91	4.71	5.00	Pass
be EHT80	6625	135	96.54	3.17	0.02	99.73	4.53	5.00	Pass
be EHT80	6705	151	96.67	3.08	0.02	99.77	4.57	5.00	Pass
be EHT80	6785	167	96.64	3.17	0.02	99.83	4.63	5.00	Pass
be EHT80	6865	183	96.42	3.45	0.02	99.89	4.69	5.00	Pass
be EHT80	6945	199	95.96	3.92	0.02	99.90	4.70	5.00	Pass
be EHT80	7025	215	95.43	4.38	0.02	99.83	4.63	5.00	Pass


Mode	Freq MHz	Channel	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
be EHT160	6025	15	98.64	1.06	0.08	99.78	4.58	5.00	Pass
be EHT160	6185	47	98.27	1.6	0.08	99.95	4.75	5.00	Pass
be EHT160	6345	79	97.62	2.11	0.08	99.81	4.61	5.00	Pass
be EHT160	6505	111	96.96	2.93	0.08	99.97	4.77	5.00	Pass
be EHT160	6665	143	96.69	3.15	0.08	99.92	4.72	5.00	Pass
be EHT160	6825	175	96.45	3.27	0.08	99.80	4.60	5.00	Pass
be EHT160	6985	207	95.87	4.12	0.08	100.07	4.87	5.00	Pass


Mode	Freq MHz	Channel	Read Level (dBuV)	Path loss (dB/m)	DT Factor (dB)	Final Level (dBuV/m)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
be EHT320	6105	31	98.62	1.18	0.08	99.88	4.68	5.00	Pass
be EHT320	6265	63	97.78	1.88	0.08	99.74	4.54	5.00	Pass
be EHT320	6425	95	97.35	2.57	0.08	100.00	4.80	5.00	Pass
be EHT320	6585	127	96.63	3.17	0.08	99.88	4.68	5.00	Pass
be EHT320	6745	159	96.54	3.09	0.08	99.71	4.51	5.00	Pass
be EHT320	6905	191	94.62	3.72	0.08	98.42	3.22	5.00	Pass


Note:
EIRP(dBm) = Final Level(dBuV/m) - 95.2
Final Level(dBuV/m) = Read Level (dBuV) + Path Loss(dB/m) + DT Factor(dB)
Path Loss = Antenna Factor(dBuV/m) + Cable Loss(dB) - Preamp Factor(dB)














Unwanted Emissions (Below 1GHz)

Modulation	be EHT320	Test Freq. (MHz)	6265
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):23 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	49.40	24.30	40.00	-15.70	32.18	-7.88	Peak	---	---
2	99.84	28.16	43.50	-15.34	41.42	-13.26	Peak	---	---
3	134.76	24.26	43.50	-19.24	33.87	-9.61	Peak	---	---
4	171.62	25.65	43.50	-17.85	35.00	-9.35	Peak	---	---
5	250.19	26.82	46.00	-19.18	36.77	-9.95	Peak	---	---
6	339.43	28.91	46.00	-17.09	35.97	-7.06	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Modulation	be EHT320	Test Freq. (MHz)	6265
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):23 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	31.94	33.97	40.00	-6.03	43.64	-9.67	Peak	---	---
2	44.55	35.96	40.00	-4.04	44.25	-8.29	Peak	---	---
3	46.49	36.27	40.00	-3.73	44.27	-8.00	Peak	---	---
4	92.08	31.69	43.50	-11.81	46.00	-14.31	Peak	---	---
5	101.78	28.25	43.50	-15.25	41.19	-12.94	Peak	---	---
6	154.16	28.56	43.50	-14.94	37.19	-8.63	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).


Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Unwanted Emissions (Above 1GHz) for be EHT20

Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7940.00	38.35	68.20	-29.85	32.89	5.46	Average	100	123
2	7940.00	52.42	88.20	-35.78	46.96	5.46	Peak	100	123
3	9925.00	41.95	68.20	-26.25	34.70	7.25	Average	100	124
4	9925.00	55.10	88.20	-33.10	47.85	7.25	Peak	100	124
5	11910.00	42.20	54.00	-11.80	36.11	6.09	Average	100	25
6	11910.00	55.15	74.00	-18.85	49.06	6.09	Peak	100	25

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7940.00	38.21	68.20	-29.99	32.75	5.46	Average	100	130
2	7940.00	51.68	88.20	-36.52	46.22	5.46	Peak	100	130
3	9925.00	41.83	68.20	-26.37	34.58	7.25	Average	100	227
4	9925.00	55.09	88.20	-33.11	47.84	7.25	Peak	100	227
5	11910.00	42.23	54.00	-11.77	36.14	6.09	Average	100	22
6	11910.00	54.45	74.00	-19.55	48.36	6.09	Peak	100	22

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6175
Polarization	Horizontal		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8233.30	38.46	54.00	-15.54	33.00	5.46	Average	100	109
2	8233.30	52.06	74.00	-21.94	46.60	5.46	Peak	100	109
3	10291.60	41.79	68.20	-26.41	34.62	7.17	Average	100	225
4	10291.60	55.24	88.20	-32.96	48.07	7.17	Peak	100	225
5	12350.00	42.25	54.00	-11.75	36.42	5.83	Average	100	15
6	12350.00	55.16	74.00	-18.84	49.33	5.83	Peak	100	15

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6175
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8233.30	38.56	54.00	-15.44	33.10	5.46	Average	100	241
2	8233.30	52.30	74.00	-21.70	46.84	5.46	Peak	100	241
3	10291.60	41.80	68.20	-26.40	34.63	7.17	Average	100	184
4	10291.60	55.29	88.20	-32.91	48.12	7.17	Peak	100	184
5	12350.00	42.28	54.00	-11.72	36.45	5.83	Average	100	17
6	12350.00	54.52	74.00	-19.48	48.69	5.83	Peak	100	17

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6415
Polarization	Horizontal		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8553.30	38.99	68.20	-29.21	33.42	5.57	Average	100	121
2	8553.30	52.40	88.20	-35.80	46.83	5.57	Peak	100	121
3	10691.60	42.32	54.00	-11.68	34.89	7.43	Average	100	223
4	10691.60	56.27	74.00	-17.73	48.84	7.43	Peak	100	223
5	12830.00	42.29	68.20	-25.91	36.14	6.15	Average	100	34
6	12830.00	55.24	88.20	-32.96	49.09	6.15	Peak	100	34

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6415
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8553.30	38.81	68.20	-29.39	33.24	5.57	Average	100	264
2	8553.30	52.37	88.20	-35.83	46.80	5.57	Peak	100	264
3	10691.60	42.44	54.00	-11.56	35.01	7.43	Average	100	177
4	10691.60	55.98	74.00	-18.02	48.55	7.43	Peak	100	177
5	12830.00	42.65	68.20	-25.55	36.50	6.15	Average	100	101
6	12830.00	56.21	88.20	-31.99	50.06	6.15	Peak	100	101

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6435
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8580.00	38.91	68.20	-29.29	33.25	5.66	Average	100	120
2	8580.00	52.34	88.20	-35.86	46.68	5.66	Peak	100	120
3	10725.00	42.40	54.00	-11.60	35.02	7.38	Average	100	233
4	10725.00	55.22	74.00	-18.78	47.84	7.38	Peak	100	233
5	12870.00	42.25	68.20	-25.95	36.18	6.07	Average	100	16
6	12870.00	54.81	88.20	-33.39	48.74	6.07	Peak	100	16

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6435
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8580.00	39.07	68.20	-29.13	33.41	5.66	Average	100	268
2	8580.00	52.46	88.20	-35.74	46.80	5.66	Peak	100	268
3	10725.00	42.26	54.00	-11.74	34.88	7.38	Average	100	164
4	10725.00	55.29	74.00	-18.71	47.91	7.38	Peak	100	164
5	12870.00	42.62	68.20	-25.58	36.55	6.07	Average	100	205
6	12870.00	55.97	88.20	-32.23	49.90	6.07	Peak	100	205

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6475
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8633.30	39.42	68.20	-28.78	33.60	5.82	Average	100	129
2	8633.30	52.40	88.20	-35.80	46.58	5.82	Peak	100	129
3	10791.60	42.41	54.00	-11.59	34.98	7.43	Average	100	234
4	10791.60	56.66	74.00	-17.34	49.23	7.43	Peak	100	234
5	12950.00	42.32	68.20	-25.88	36.22	6.10	Average	100	14
6	12950.00	54.84	88.20	-33.36	48.74	6.10	Peak	100	14

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6475
Polarization	Vertical		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8633.30	39.35	68.20	-28.85	33.53	5.82	Average	100	268
2	8633.30	52.55	88.20	-35.65	46.73	5.82	Peak	100	268
3	10791.60	42.54	54.00	-11.46	35.11	7.43	Average	100	311
4	10791.60	56.69	74.00	-17.31	49.26	7.43	Peak	100	311
5	12950.00	42.24	68.20	-25.96	36.14	6.10	Average	100	33
6	12950.00	55.86	88.20	-32.34	49.76	6.10	Peak	100	33

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6515
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8686.60	39.56	68.20	-28.64	33.54	6.02	Average	100	126
2	8686.60	52.91	88.20	-35.29	46.89	6.02	Peak	100	126
3	10858.30	42.64	54.00	-11.36	35.10	7.54	Average	100	241
4	10858.30	56.76	74.00	-17.24	49.22	7.54	Peak	100	241
5	13030.00	42.36	68.20	-25.84	36.35	6.01	Average	100	21
6	13030.00	54.91	88.20	-33.29	48.90	6.01	Peak	100	21

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6515
Polarization	Vertical		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8686.60	39.61	68.20	-28.59	33.59	6.02	Average	100	334
2	8686.60	52.84	88.20	-35.36	46.82	6.02	Peak	100	334
3	10858.30	42.66	54.00	-11.34	35.12	7.54	Average	100	226
4	10858.30	56.76	74.00	-17.24	49.22	7.54	Peak	100	226
5	13030.00	43.06	68.20	-25.14	37.05	6.01	Average	100	159
6	13030.00	56.23	88.20	-31.97	50.22	6.01	Peak	100	159

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6535
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8713.30	39.71	68.20	-28.49	33.57	6.14	Average	100	116
2	8713.30	52.95	88.20	-35.25	46.81	6.14	Peak	100	116
3	10891.60	42.65	54.00	-11.35	35.07	7.58	Average	100	240
4	10891.60	56.80	74.00	-17.20	49.22	7.58	Peak	100	240
5	13070.00	42.41	68.20	-25.79	36.61	5.80	Average	100	22
6	13070.00	54.96	88.20	-33.24	49.16	5.80	Peak	100	22

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6535
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8713.30	39.54	68.20	-28.66	33.40	6.14	Average	100	226
2	8713.30	52.82	88.20	-35.38	46.68	6.14	Peak	100	226
3	10891.60	42.66	54.00	-11.34	35.08	7.58	Average	100	117
4	10891.60	56.89	74.00	-17.11	49.31	7.58	Peak	100	117
5	13070.00	42.92	68.20	-25.28	37.12	5.80	Average	100	305
6	13070.00	56.18	88.20	-32.02	50.38	5.80	Peak	100	305

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6715
Polarization	Horizontal		

Test By : Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8953.30	39.79	68.20	-28.41	33.83	5.96	Average	100	128
2	8953.30	52.74	88.20	-35.46	46.78	5.96	Peak	100	128
3	11191.60	42.31	54.00	-11.69	35.59	6.72	Average	100	242
4	11191.60	57.01	74.00	-16.99	50.29	6.72	Peak	100	242
5	13430.00	43.65	68.20	-24.55	37.70	5.95	Average	100	45
6	13430.00	56.91	88.20	-31.29	50.96	5.95	Peak	100	45

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6715
Polarization	Vertical		

Test By : Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8953.30	39.81	68.20	-28.39	33.85	5.96	Average	100	233
2	8953.30	52.62	88.20	-35.58	46.66	5.96	Peak	100	233
3	11191.60	42.32	54.00	-11.68	35.60	6.72	Average	100	130
4	11191.60	56.90	74.00	-17.10	50.18	6.72	Peak	100	130
5	13430.00	43.32	68.20	-24.88	37.37	5.95	Average	100	38
6	13430.00	56.94	88.20	-31.26	50.99	5.95	Peak	100	38

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6855
Polarization	Horizontal		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9140.00	40.65	54.00	-13.35	34.05	6.60	Average	100	137
2	9140.00	54.19	74.00	-19.81	47.59	6.60	Peak	100	137
3	11425.00	43.01	54.00	-10.99	35.83	7.18	Average	100	240
4	11425.00	56.81	74.00	-17.19	49.63	7.18	Peak	100	240
5	13710.00	43.72	68.20	-24.48	37.69	6.03	Average	100	11
6	13710.00	56.95	88.20	-31.25	50.92	6.03	Peak	100	11

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6855
Polarization	Vertical		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9140.00	40.73	54.00	-13.27	34.13	6.60	Average	100	268
2	9140.00	54.29	74.00	-19.71	47.69	6.60	Peak	100	268
3	11425.00	42.91	54.00	-11.09	35.73	7.18	Average	100	184
4	11425.00	57.41	74.00	-16.59	50.23	7.18	Peak	100	184
5	13710.00	43.77	68.20	-24.43	37.74	6.03	Average	100	49
6	13710.00	56.74	88.20	-31.46	50.71	6.03	Peak	100	49

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6875
Polarization	Horizontal		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9166.60	40.82	54.00	-13.18	34.13	6.69	Average	100	132
2	9166.60	54.11	74.00	-19.89	47.42	6.69	Peak	100	132
3	11458.30	43.03	54.00	-10.97	35.83	7.20	Average	100	50
4	11458.30	57.42	74.00	-16.58	50.22	7.20	Peak	100	50
5	13750.00	43.76	68.20	-24.44	37.76	6.00	Average	100	17
6	13750.00	57.02	88.20	-31.18	51.02	6.00	Peak	100	17

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6875
Polarization	Vertical		

Test By : Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9166.60	40.64	54.00	-13.36	33.95	6.69	Average	100	266
2	9166.60	54.21	74.00	-19.79	47.52	6.69	Peak	100	266
3	11458.30	43.02	54.00	-10.98	35.82	7.20	Average	100	155
4	11458.30	57.56	74.00	-16.44	50.36	7.20	Peak	100	155
5	13750.00	43.81	68.20	-24.39	37.81	6.00	Average	100	77
6	13750.00	56.80	88.20	-31.40	50.80	6.00	Peak	100	77

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6895
Polarization	Horizontal		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9193.30	40.76	54.00	-13.24	33.98	6.78	Average	100	125
2	9193.30	54.33	74.00	-19.67	47.55	6.78	Peak	100	125
3	11491.60	43.15	54.00	-10.85	35.83	7.32	Average	100	235
4	11491.60	57.93	74.00	-16.07	50.61	7.32	Peak	100	235
5	13790.00	44.92	68.20	-23.28	38.70	6.22	Average	100	13
6	13790.00	57.51	88.20	-30.69	51.29	6.22	Peak	100	13

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	6895
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9193.30	40.77	54.00	-13.23	33.99	6.78	Average	100	47
2	9193.30	54.47	74.00	-19.53	47.69	6.78	Peak	100	47
3	11491.60	42.83	54.00	-11.17	35.51	7.32	Average	100	226
4	11491.60	57.54	74.00	-16.46	50.22	7.32	Peak	100	226
5	13790.00	44.04	68.20	-24.16	37.82	6.22	Average	100	304
6	13790.00	57.08	88.20	-31.12	50.86	6.22	Peak	100	304

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	7015
Polarization	Horizontal		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9353.30	40.46	54.00	-13.54	33.42	7.04	Average	100	127
2	9353.30	54.69	74.00	-19.31	47.65	7.04	Peak	100	127
3	11691.60	42.23	54.00	-11.77	35.77	6.46	Average	100	238
4	11691.60	55.66	74.00	-18.34	49.20	6.46	Peak	100	238
5	14030.00	45.06	68.20	-23.14	38.32	6.74	Average	100	21
6	14030.00	57.58	88.20	-30.62	50.84	6.74	Peak	100	21

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	7015
Polarization	Vertical		

Test By : Roger Lu Temperature(°C): 24 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9353.30	41.33	54.00	-12.67	34.29	7.04	Average	100	241
2	9353.30	54.73	74.00	-19.27	47.69	7.04	Peak	100	241
3	11691.60	42.28	54.00	-11.72	35.82	6.46	Average	100	119
4	11691.60	55.72	74.00	-18.28	49.26	6.46	Peak	100	119
5	14030.00	45.03	68.20	-23.17	38.29	6.74	Average	100	44
6	14030.00	58.09	88.20	-30.11	51.35	6.74	Peak	100	44

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9460.00	41.46	54.00	-12.54	34.29	7.17	Average	100	114
2	9460.00	54.86	74.00	-19.14	47.69	7.17	Peak	100	114
3	11825.00	42.10	54.00	-11.90	35.89	6.21	Average	100	233
4	11825.00	56.28	74.00	-17.72	50.07	6.21	Peak	100	233
5	14190.00	45.11	68.20	-23.09	38.21	6.90	Average	100	33
6	14190.00	57.64	88.20	-30.56	50.74	6.90	Peak	100	33

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	9460.00	40.69	54.00	-13.31	33.52	7.17	Average	100	257
2	9460.00	54.81	74.00	-19.19	47.64	7.17	Peak	100	257
3	11825.00	42.06	54.00	-11.94	35.85	6.21	Average	100	109
4	11825.00	53.80	74.00	-20.20	47.59	6.21	Peak	100	109
5	14190.00	45.24	68.20	-22.96	38.34	6.90	Average	100	68
6	14190.00	58.49	88.20	-29.71	51.59	6.90	Peak	100	68

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Unwanted Emissions (Above 1GHz) for be EHT40

Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	43.28	68.20	-24.92	42.15	1.13	Average	164	243
2	5925.00	56.42	88.20	-31.78	55.29	1.13	Peak	164	243
3	7953.30	38.46	68.20	-29.74	32.93	5.53	Average	100	124
4	7953.30	52.25	88.20	-35.95	46.72	5.53	Peak	100	124
5	11930.00	42.13	54.00	-11.87	36.04	6.09	Average	100	66
6	11930.00	55.17	74.00	-18.83	49.08	6.09	Peak	100	66

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	43.42	68.20	-24.78	42.29	1.13	Average	100	244
2	5925.00	56.53	68.20	-31.67	55.40	1.13	Peak	100	244
3	7953.30	38.37	68.20	-29.83	32.84	5.53	Average	100	169
4	7953.30	52.29	68.20	-35.91	46.76	5.53	Peak	100	169
5	11930.00	42.16	54.00	-11.84	36.07	6.09	Average	100	271
6	11930.00	55.68	74.00	-18.32	49.59	6.09	Peak	100	271

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40	Test Freq. (MHz)	6165
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8220.00	38.55	54.00	-15.45	33.04	5.51	Average	100	137
2	8220.00	52.18	74.00	-21.82	46.67	5.51	Peak	100	137
3	10275.00	41.75	68.20	-26.45	34.60	7.15	Average	100	225
4	10275.00	55.67	88.20	-32.53	48.52	7.15	Peak	100	225
5	12330.00	42.11	54.00	-11.89	36.14	5.97	Average	100	217
6	12330.00	55.68	74.00	-18.32	49.71	5.97	Peak	100	217

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40	Test Freq. (MHz)	6165
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8220.00	38.72	54.00	-15.28	33.21	5.51	Average	100	251
2	8220.00	52.34	74.00	-21.66	46.83	5.51	Peak	100	251
3	10275.00	41.81	68.20	-26.39	34.66	7.15	Average	100	109
4	10275.00	55.65	88.20	-32.55	48.50	7.15	Peak	100	109
5	12330.00	42.07	54.00	-11.93	36.10	5.97	Average	100	50
6	12330.00	55.56	74.00	-18.44	49.59	5.97	Peak	100	50

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40	Test Freq. (MHz)	6405
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):24 Humidity(%):63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	8540.00	39.13	68.20	-29.07	33.62	5.51	Average	100	129
2	8540.00	52.09	88.20	-36.11	46.58	5.51	Peak	100	129
3	10675.00	42.40	54.00	-11.60	34.90	7.50	Average	100	225
4	10675.00	56.19	74.00	-17.81	48.69	7.50	Peak	100	225
5	12810.00	42.56	68.20	-25.64	36.44	6.12	Average	100	58
6	12810.00	57.01	88.20	-31.19	50.89	6.12	Peak	100	58

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).