



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	36.564M	18.424M	18M4D1D	22.176M	17.055M
802.11be EHT20_Nss1,(MCS0)_4TX	39.27M	19.485M	19M5D1D	21.318M	19.158M
802.11be EHT40_Nss1,(MCS0)_4TX	74.976M	38.076M	38M1D1D	40.392M	37.805M
802.11be EHT80_Nss1,(MCS0)_4TX	101.376M	77.491M	77M5D1D	82.104M	77.374M
802.11be EHT160_Nss1,(MCS0)_4TX	81.84M	77.416M	77M4D1D	80.96M	77.342M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.43M	17.19M	17M2D1D	21.186M	16.761M
802.11be EHT20_Nss1,(MCS0)_4TX	27.522M	19.196M	19M2D1D	21.384M	19.059M
802.11be EHT40_Nss1,(MCS0)_4TX	54.384M	37.947M	37M9D1D	40.392M	37.717M
802.11be EHT80_Nss1,(MCS0)_4TX	87.12M	77.464M	77M5D1D	83.952M	77.362M
802.11be EHT160_Nss1,(MCS0)_4TX	81.68M	77.424M	77M4D1D	81.2M	77.327M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.166M	17.175M	17M2D1D	15.75M	13.448M
802.11be EHT20_Nss1,(MCS0)_4TX	28.314M	19.222M	19M2D1D	15.78M	14.564M
802.11be EHT40_Nss1,(MCS0)_4TX	49.632M	37.934M	37M9D1D	35.07M	33.764M
802.11be EHT80_Nss1,(MCS0)_4TX	86.328M	77.376M	77M4D1D	75.9M	73.159M
802.11be EHT160_Nss1,(MCS0)_4TX	165.264M	156.734M	157MD1D	164.208M	156.307M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	16.368M	19.049M	19M0D1D	3.12M	3.996M
802.11be EHT20_Nss1,(MCS0)_4TX	18.942M	20.697M	20M7D1D	4.4M	4.545M
802.11be EHT40_Nss1,(MCS0)_4TX	37.884M	38.271M	38M3D1D	3.88M	4.046M
802.11be EHT80_Nss1,(MCS0)_4TX	77.616M	77.524M	77M5D1D	3.86M	4.156M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Minimum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	27.39M	17.453M	25.542M	17.082M	22.176M	17.055M	23.562M	17.278M
5200MHz	Pass	Inf	28.776M	17.419M	30.294M	17.221M	31.284M	17.07M	31.02M	17.58M
5240MHz	Pass	Inf	31.02M	17.361M	33.99M	17.686M	36.564M	17.462M	35.904M	18.424M
5260MHz	Pass	Inf	21.186M	16.85M	21.318M	16.782M	21.186M	16.761M	21.318M	16.821M
5300MHz	Pass	Inf	21.516M	16.852M	21.318M	16.794M	21.186M	16.77M	21.78M	16.796M
5320MHz	Pass	Inf	23.43M	17.19M	22.638M	17.046M	22.638M	17.046M	22.902M	17.073M
5500MHz	Pass	Inf	21.978M	17.175M	23.166M	17.051M	21.714M	17.006M	22.242M	17.07M
5580MHz	Pass	Inf	21.384M	16.879M	21.384M	16.782M	21.186M	16.757M	21.186M	16.759M
5700MHz	Pass	Inf	21.516M	16.847M	21.45M	16.797M	21.45M	16.743M	21.384M	16.739M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.9M	13.49M	15.75M	13.51M	15.765M	13.448M	15.81M	13.47M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.22M	4.09M	3.12M	4.095M	3.12M	4.043M	3.12M	3.996M
5745MHz	Pass	500k	16.368M	17.603M	16.302M	18.895M	16.368M	18.639M	16.368M	17.475M
5785MHz	Pass	500k	16.302M	17.806M	16.368M	18.273M	16.302M	18.018M	16.302M	18.05M
5825MHz	Pass	500k	16.302M	19.049M	16.302M	18.771M	16.302M	18.597M	16.302M	18.812M
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	29.766M	19.25M	28.644M	19.209M	27.588M	19.205M	28.446M	19.213M
5200MHz	Pass	Inf	27.06M	19.164M	21.318M	19.158M	21.846M	19.161M	22.176M	19.218M
5240MHz	Pass	Inf	36.63M	19.311M	30.492M	19.398M	39.27M	19.346M	31.812M	19.485M
5260MHz	Pass	Inf	21.648M	19.086M	21.516M	19.059M	21.45M	19.103M	21.714M	19.114M
5300MHz	Pass	Inf	21.582M	19.06M	21.384M	19.084M	21.45M	19.076M	21.648M	19.1M
5320MHz	Pass	Inf	26.136M	19.184M	27.522M	19.196M	25.542M	19.191M	25.476M	19.174M
5500MHz	Pass	Inf	24.948M	19.192M	28.314M	19.222M	26.004M	19.183M	25.146M	19.193M
5580MHz	Pass	Inf	21.516M	19.079M	21.516M	19.08M	21.516M	19.057M	21.582M	19.083M
5700MHz	Pass	Inf	21.516M	19.065M	21.648M	19.108M	21.252M	19.081M	21.252M	19.107M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	16.005M	14.564M	15.885M	14.578M	15.93M	14.572M	15.78M	14.568M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.5M	4.545M	4.54M	4.562M	4.44M	4.552M	4.4M	4.549M
5745MHz	Pass	500k	18.876M	19.315M	18.744M	19.572M	18.744M	19.516M	18.876M	19.337M
5785MHz	Pass	500k	18.942M	19.437M	18.81M	19.604M	18.942M	19.498M	18.81M	19.47M
5825MHz	Pass	500k	18.81M	20.557M	18.876M	20.697M	18.876M	20.024M	18.942M	20.536M
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	61.908M	37.932M	44.484M	37.899M	48.18M	37.872M	51.348M	37.954M
5230MHz	Pass	Inf	41.316M	37.822M	40.656M	37.805M	40.392M	37.817M	74.976M	38.076M
5270MHz	Pass	Inf	40.524M	37.736M	40.524M	37.717M	40.392M	37.772M	40.656M	37.835M
5310MHz	Pass	Inf	46.728M	37.903M	54.384M	37.894M	44.748M	37.947M	44.616M	37.868M
5510MHz	Pass	Inf	49.632M	37.924M	44.748M	37.934M	44.484M	37.868M	44.88M	37.926M



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5590MHz	Pass	Inf	40.788M	37.743M	40.392M	37.738M	40.656M	37.742M	40.392M	37.775M
5670MHz	Pass	Inf	40.524M	37.776M	40.524M	37.748M	40.26M	37.703M	40.392M	37.762M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.175M	33.789M	35.07M	33.803M	35.35M	33.764M	35.07M	33.782M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4M	4.046M	3.88M	4.067M	3.9M	4.055M	3.9M	4.046M
5755MHz	Pass	500k	37.884M	38.04M	37.62M	38.179M	37.62M	38.138M	37.884M	38.038M
5795MHz	Pass	500k	37.488M	38.271M	37.752M	38.079M	37.752M	37.999M	37.62M	38.243M
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	101.376M	77.426M	85.8M	77.374M	83.16M	77.491M	82.104M	77.438M
5290MHz	Pass	Inf	87.12M	77.464M	85.008M	77.389M	85.008M	77.404M	83.952M	77.362M
5530MHz	Pass	Inf	85.8M	77.359M	84.744M	77.349M	86.328M	77.376M	86.064M	77.343M
5610MHz	Pass	Inf	81.576M	77.247M	81.576M	77.118M	82.104M	77.104M	81.312M	77.177M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.9M	73.233M	76.05M	73.226M	76.275M	73.272M	76.05M	73.159M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.96M	4.162M	3.94M	4.254M	3.86M	4.226M	4M	4.156M
5775MHz	Pass	500k	77.616M	77.524M	76.296M	77.474M	76.296M	77.424M	77.352M	77.385M
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.84M	77.416M	80.96M	77.342M	81.28M	77.375M	81.12M	77.371M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.68M	77.327M	81.36M	77.341M	81.2M	77.424M	81.6M	77.383M
5570MHz	Pass	Inf	164.736M	156.329M	165.264M	156.332M	164.736M	156.307M	164.208M	156.734M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band



Port X-OBW = Port X 99% occupied bandwidth



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW



5180MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5200MHz






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5240MHz

CF: 5.24GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.24GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
31.02M	5.224358G	5.255378G	17.361M	5.231313G	5.248674G	Inf	1
33.99M	5.224886G	5.258876G	17.686M	5.231262G	5.248949G	Inf	2
36.564M	5.22218G	5.258744G	17.462M	5.231341G	5.248803G	Inf	3
35.904M	5.222444G	5.258348G	18.424M	5.230768G	5.249191G	Inf	4

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5260MHz

CF: 5.26GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.26GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.186M	5.249308G	5.270494G	16.85M	5.251524G	5.268374G	Inf	1
21.318M	5.249308G	5.270626G	16.782M	5.251575G	5.268356G	Inf	2
21.186M	5.249374G	5.27056G	16.761M	5.25158G	5.268341G	Inf	3
21.318M	5.249308G	5.270626G	16.821M	5.251548G	5.268369G	Inf	4

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5300MHz

CF: 5.3GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.3GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.516M	5.289176G	5.310692G	16.852M	5.291537G	5.308389G	Inf	1
21.318M	5.289242G	5.31056G	16.794M	5.291548G	5.308342G	Inf	2
21.186M	5.28944G	5.310626G	16.77M	5.291579G	5.30835G	Inf	3
21.78M	5.289242G	5.311022G	16.796M	5.291575G	5.308371G	Inf	4

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5320MHz

CF: 5.32GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.32GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.43M	5.308648G	5.332078G	17.19M	5.311356G	5.328545G	Inf	1
22.638M	5.308648G	5.331286G	17.046M	5.311445G	5.328491G	Inf	2
22.638M	5.308714G	5.331352G	17.046M	5.311427G	5.328473G	Inf	3
22.902M	5.30845G	5.331352G	17.073M	5.311416G	5.328489G	Inf	4




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5500MHz

CF: 5.5GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.5GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.978M	5.488912G	5.51089G	17.175M	5.49136G	5.508535G	Inf	1
23.166M	5.487856G	5.511022G	17.051M	5.491427G	5.508478G	Inf	2
21.714M	5.489044G	5.510758G	17.006M	5.491463G	5.508469G	Inf	3
22.242M	5.488582G	5.510824G	17.07M	5.491407G	5.508477G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5580MHz

CF: 5.58GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.58GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.384M	5.569242G	5.590626G	16.879M	5.571507G	5.588386G	Inf	1
21.384M	5.569176G	5.59056G	16.782M	5.571561G	5.588343G	Inf	2
21.186M	5.569374G	5.59056G	16.757M	5.571575G	5.588331G	Inf	3
21.186M	5.569308G	5.590494G	16.759M	5.571582G	5.588341G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5700MHz

CF: 5.7GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.7GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.516M	5.689242G	5.710758G	16.847M	5.691515G	5.708362G	Inf	1
21.45M	5.689176G	5.710626G	16.797M	5.69156G	5.708357G	Inf	2
21.45M	5.689242G	5.710692G	16.743M	5.691582G	5.708325G	Inf	3
21.384M	5.689242G	5.710626G	16.739M	5.691576G	5.708316G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5720MHz Straddle 5.47-5.725GHz

CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.9M	5.7091G	5.725G	13.49M	5.711442G	5.724932G	Inf	1
15.75M	5.70925G	5.725G	13.51M	5.711437G	5.724947G	Inf	2
15.765M	5.709235G	5.725G	13.448M	5.711498G	5.724945G	Inf	3
15.81M	5.70919G	5.725G	13.47M	5.711476G	5.724946G	Inf	4



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW


5720MHz Straddle 5.725-5.85GHz





5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz










5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5825MHz

CF: 5.825GHz
 Span: 132MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.825GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.302M	5.816816G	5.833118G	19.049M	5.815451G	5.8345G	500k	1
16.302M	5.816816G	5.833118G	18.771M	5.815465G	5.834235G	500k	2
16.302M	5.816816G	5.833118G	18.597M	5.815507G	5.834104G	500k	3
16.302M	5.816816G	5.833118G	18.812M	5.815623G	5.834435G	500k	4

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5825MHz

CF: 5.825GHz
 Span: 52.8MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
37.118M	5.806362G	5.84348G	Inf	1
36.3M	5.806678G	5.842978G	Inf	2
34.558M	5.807101G	5.841658G	Inf	3
37.25M	5.806388G	5.843638G	Inf	4



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5180MHz



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5200MHz






5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5240MHz

CF
5.24GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.24GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.63M	5.221322G	5.257952G	19.311M	5.230335G	5.249646G	Inf	1
30.492M	5.225678G	5.25617G	19.398M	5.230294G	5.249692G	Inf	2
39.27M	5.220398G	5.259668G	19.346M	5.230324G	5.24967G	Inf	3
31.812M	5.224226G	5.256038G	19.485M	5.230247G	5.249732G	Inf	4

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5260MHz

CF
5.26GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.26GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.648M	5.24911G	5.270758G	19.086M	5.250417G	5.269503G	Inf	1
21.516M	5.249242G	5.270758G	19.059M	5.250436G	5.269495G	Inf	2
21.45M	5.249242G	5.270692G	19.103M	5.250412G	5.269516G	Inf	3
21.714M	5.24911G	5.270824G	19.114M	5.250416G	5.269531G	Inf	4




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5300MHz

CF
5.3GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.3GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.582M	5.289242G	5.310824G	19.06M	5.290438G	5.309498G	Inf	1
21.384M	5.289242G	5.310626G	19.084M	5.290443G	5.309527G	Inf	2
21.45M	5.289242G	5.310692G	19.076M	5.290427G	5.309503G	Inf	3
21.648M	5.28911G	5.310758G	19.1M	5.290424G	5.309524G	Inf	4

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5320MHz

CF
5.32GHz
Span
132MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.32GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.136M	5.308516G	5.334652G	19.184M	5.310372G	5.329556G	Inf	1
27.522M	5.303764G	5.331286G	19.196M	5.310347G	5.329543G	Inf	2
25.542M	5.30581G	5.331352G	19.191M	5.31037G	5.329561G	Inf	3
25.476M	5.30878G	5.334256G	19.174M	5.310372G	5.329546G	Inf	4




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5500MHz

CF: 5.5GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.5GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
24.948M	5.48746G	5.512408G	19.192M	5.490344G	5.509536G	Inf	1
28.314M	5.48581G	5.514124G	19.222M	5.490362G	5.509584G	Inf	2
26.004M	5.487988G	5.513992G	19.183M	5.490377G	5.50956G	Inf	3
25.146M	5.486008G	5.511154G	19.193M	5.49037G	5.509563G	Inf	4

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5580MHz

CF: 5.58GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.58GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.516M	5.569242G	5.590758G	19.079M	5.570417G	5.589496G	Inf	1
21.516M	5.56911G	5.590626G	19.08M	5.570422G	5.589501G	Inf	2
21.516M	5.56911G	5.590626G	19.057M	5.570437G	5.589494G	Inf	3
21.582M	5.569242G	5.590824G	19.083M	5.570412G	5.589495G	Inf	4




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5700MHz

CF: 5.7GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.7GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.516M	5.689242G	5.710758G	19.065M	5.690436G	5.709501G	Inf	1
21.648M	5.689176G	5.710824G	19.108M	5.690394G	5.709502G	Inf	2
21.252M	5.689308G	5.71056G	19.081M	5.690414G	5.709495G	Inf	3
21.252M	5.689308G	5.71056G	19.107M	5.690416G	5.709523G	Inf	4

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5720MHz Straddle 5.47-5.725GHz

CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.005M	5.708995G	5.725G	14.564M	5.710372G	5.724937G	Inf	1
15.885M	5.709115G	5.725G	14.578M	5.710346G	5.724925G	Inf	2
15.93M	5.70907G	5.725G	14.572M	5.710364G	5.724936G	Inf	3
15.78M	5.70922G	5.725G	14.568M	5.710369G	5.724936G	Inf	4



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5720MHz Straddle 5.725-5.85GHz




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz








5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5785MHz

CF: 5.785GHz
 Span: 132MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.785GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.942M	5.775496G	5.794438G	19.437M	5.775269G	5.794706G	500k	1
18.81M	5.775496G	5.794306G	19.604M	5.775118G	5.794722G	500k	2
18.942M	5.775496G	5.794438G	19.498M	5.775194G	5.794693G	500k	3
18.81M	5.775562G	5.794372G	19.47M	5.775225G	5.794695G	500k	4

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5785MHz

CF: 5.785GHz
 Span: 60MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
39.57M	5.76475G	5.80432G	Inf	1
40.74M	5.76439G	5.80513G	Inf	2
39.27M	5.7649G	5.80417G	Inf	3
41.37M	5.76292G	5.80429G	Inf	4



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5825MHz



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5825MHz






5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5190MHz

CF: 5.19GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.19GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
61.908M	5.160036G	5.221944G	37.932M	5.171032G	5.208964G	Inf	1
44.484M	5.168748G	5.213232G	37.899M	5.171068G	5.208967G	Inf	2
48.18M	5.169012G	5.217192G	37.872M	5.171065G	5.208937G	Inf	3
51.348M	5.166108G	5.217456G	37.954M	5.171032G	5.208986G	Inf	4

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5230MHz

CF: 5.23GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.23GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
41.316M	5.20954G	5.250856G	37.822M	5.21106G	5.248882G	Inf	1
40.656M	5.20954G	5.250196G	37.805M	5.211059G	5.248863G	Inf	2
40.392M	5.209672G	5.250064G	37.817M	5.211048G	5.248866G	Inf	3
74.976M	5.194096G	5.269072G	38.076M	5.210934G	5.24901G	Inf	4




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5270MHz

CF: 5.27GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.27GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.524M	5.249672G	5.290196G	37.736M	5.251103G	5.288839G	Inf	1
40.524M	5.249672G	5.290196G	37.717M	5.251093G	5.28881G	Inf	2
40.392M	5.249672G	5.290064G	37.772M	5.251075G	5.288847G	Inf	3
40.656M	5.249672G	5.290328G	37.835M	5.251073G	5.288909G	Inf	4

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5310MHz

CF: 5.31GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.31GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
46.728M	5.28822G	5.334948G	37.903M	5.291027G	5.32893G	Inf	1
54.384M	5.283072G	5.337456G	37.894M	5.291015G	5.328908G	Inf	2
44.748M	5.28756G	5.332308G	37.947M	5.290997G	5.328944G	Inf	3
44.616M	5.288616G	5.333232G	37.868M	5.291052G	5.328919G	Inf	4



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW


5510MHz



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5590MHz






5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5670MHz

CF: 5.67GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.67GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.524M	5.649804G	5.690328G	37.776M	5.651089G	5.688864G	Inf	1
40.524M	5.649672G	5.690196G	37.748M	5.651114G	5.688862G	Inf	2
40.26M	5.649804G	5.690064G	37.703M	5.651121G	5.688823G	Inf	3
40.392M	5.649672G	5.690064G	37.762M	5.651087G	5.68885G	Inf	4

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5710MHz Straddle 5.47-5.725GHz

CF: 5.69GHz
 Span: 70MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.69GHz
 Span: 70MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.175M	5.689825G	5.725G	33.789M	5.691036G	5.724825G	Inf	1
35.07M	5.68993G	5.725G	33.803M	5.691045G	5.724848G	Inf	2
35.35M	5.68965G	5.725G	33.764M	5.691053G	5.724818G	Inf	3
35.07M	5.68993G	5.725G	33.782M	5.691037G	5.724819G	Inf	4



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz






5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5755MHz

CF: 5.755GHz
 Span: 264MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.755GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Blue line]
 Port 2: [Red line]
 Port 3: [Green line]
 Port 4: [Orange line]


6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.884M	5.735992G	5.773876G	38.04M	5.735909G	5.77395G	500k	1
37.62M	5.736124G	5.773744G	38.179M	5.735858G	5.774037G	500k	2
37.62M	5.736124G	5.773744G	38.138M	5.735888G	5.774026G	500k	3
37.884M	5.736124G	5.774008G	38.038M	5.735937G	5.773975G	500k	4

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5755MHz

CF: 5.755GHz
 Span: 120MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Blue line]
 Port 2: [Red line]
 Port 3: [Green line]
 Port 4: [Orange line]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
59.64M	5.72272G	5.78236G	Inf	1
63.42M	5.72404G	5.78746G	Inf	2
59.88M	5.7265G	5.78638G	Inf	3
58.74M	5.72866G	5.7874G	Inf	4




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5795MHz

CF: 5.795GHz
 Span: 264MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.795GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.488M	5.776124G	5.813612G	38.271M	5.775884G	5.814155G	500k	1
37.752M	5.775992G	5.813744G	38.079M	5.775875G	5.813954G	500k	2
37.752M	5.776124G	5.813876G	37.999M	5.775923G	5.813922G	500k	3
37.62M	5.775992G	5.813612G	38.243M	5.775852G	5.814095G	500k	4

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5795MHz

CF: 5.795GHz
 Span: 120MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
79.8M	5.75768G	5.83748G	Inf	1
69.48M	5.75804G	5.82752G	Inf	2
69.72M	5.75786G	5.82758G	Inf	3
76.14M	5.75768G	5.83382G	Inf	4




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5210MHz

CF
5.21GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.21GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
101.376M	5.168552G	5.269928G	77.426M	5.171406G	5.248832G	Inf	1
85.8M	5.167232G	5.253032G	77.374M	5.171399G	5.248774G	Inf	2
83.16M	5.168816G	5.251976G	77.491M	5.17128G	5.248771G	Inf	3
82.104M	5.168552G	5.250656G	77.438M	5.171339G	5.248777G	Inf	4

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5290MHz

CF
5.29GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.29GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
87.12M	5.24644G	5.33356G	77.464M	5.251189G	5.328653G	Inf	1
85.008M	5.246968G	5.331976G	77.389M	5.251254G	5.328643G	Inf	2
85.008M	5.24644G	5.331448G	77.404M	5.251257G	5.328661G	Inf	3
83.952M	5.247496G	5.331448G	77.362M	5.251372G	5.328733G	Inf	4




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5530MHz

CF: 5.53GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.53GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
85.8M	5.486176G	5.571976G	77.359M	5.491359G	5.568718G	Inf	1
84.744M	5.48644G	5.571184G	77.349M	5.491291G	5.56864G	Inf	2
86.328M	5.486176G	5.572504G	77.376M	5.491256G	5.568632G	Inf	3
86.064M	5.48644G	5.572504G	77.343M	5.491337G	5.56868G	Inf	4

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5610MHz

CF: 5.61GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.61GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.576M	5.569344G	5.65092G	77.247M	5.571375G	5.648621G	Inf	1
81.576M	5.569344G	5.65092G	77.118M	5.571432G	5.64855G	Inf	2
82.104M	5.568816G	5.65092G	77.104M	5.571404G	5.648508G	Inf	3
81.312M	5.569344G	5.650656G	77.177M	5.571435G	5.648613G	Inf	4



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW


5690MHz Straddle 5.47-5.725GHz







5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz










5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW


5250MHz Straddle 5.25-5.35GHz



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5570MHz





Non-beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	29.38	0.86696	33.55	2.26464
802.11be EHT20_Nss1,(MCS0)_4TX	29.68	0.92897	33.85	2.42661
802.11be EHT40_Nss1,(MCS0)_4TX	26.83	0.48195	31.00	1.25893
802.11be EHT80_Nss1,(MCS0)_4TX	23.74	0.23659	27.91	0.61802
802.11be EHT160_Nss1,(MCS0)_4TX	20.26	0.10617	24.43	0.27733
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.66	0.23227	27.12	0.51523
802.11be EHT20_Nss1,(MCS0)_4TX	23.74	0.23659	27.20	0.52481
802.11be EHT40_Nss1,(MCS0)_4TX	23.88	0.24434	27.34	0.54200
802.11be EHT80_Nss1,(MCS0)_4TX	23.26	0.21184	26.72	0.46989
802.11be EHT160_Nss1,(MCS0)_4TX	20.95	0.12445	24.41	0.27606
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.80	0.23988	28.69	0.73961
802.11be EHT20_Nss1,(MCS0)_4TX	23.62	0.23014	28.51	0.70958
802.11be EHT40_Nss1,(MCS0)_4TX	23.83	0.24155	28.72	0.74473
802.11be EHT80_Nss1,(MCS0)_4TX	23.87	0.24378	28.76	0.75162
802.11be EHT160_Nss1,(MCS0)_4TX	22.91	0.19543	27.80	0.60256
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	29.87	0.97051	34.02	2.52348
802.11be EHT20_Nss1,(MCS0)_4TX	29.88	0.97275	34.03	2.52930
802.11be EHT40_Nss1,(MCS0)_4TX	29.55	0.90157	33.70	2.34423
802.11be EHT80_Nss1,(MCS0)_4TX	26.69	0.46666	30.84	1.21339



Conducted Output Power(Average)

Appendix B.1

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.17	19.57	19.72	19.85	18.9	25.55	30.00	29.72	36.00
5200MHz	Pass	4.17	22.34	22.36	22.39	22.01	28.30	30.00	32.47	36.00
5240MHz	Pass	4.17	23.43	23.35	23.3	23.35	29.38	30.00	33.55	36.00
5260MHz	Pass	3.46	17.37	17.67	17.47	17.6	23.55	24.00	27.01	30.00
5300MHz	Pass	3.46	17.53	17.67	17.73	17.61	23.66	24.00	27.12	30.00
5320MHz	Pass	3.46	17.8	17.28	17.43	17.57	23.54	24.00	27.00	30.00
5500MHz	Pass	4.89	17.36	18.04	17.88	17.61	23.75	24.00	28.64	30.00
5580MHz	Pass	4.89	17.72	17.59	17.84	17.96	23.80	24.00	28.69	30.00
5700MHz	Pass	4.89	15.45	15.77	15.74	15.57	21.66	24.00	26.55	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.89	15.1	16.75	16.6	15.49	22.06	22.97	26.95	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	4.15	9.07	10.74	10.2	9.71	15.99	30.00	20.14	36.00
5745MHz	Pass	4.15	23.04	24.13	24.15	23.82	29.83	30.00	33.98	36.00
5785MHz	Pass	4.15	23.77	23.91	23.76	23.97	29.87	30.00	34.02	36.00
5825MHz	Pass	4.15	23.95	23.09	23.02	24.02	29.57	30.00	33.72	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.17	19.02	19.45	19.35	18.33	25.08	30.00	29.25	36.00
5200MHz	Pass	4.17	20.96	21.32	21.31	20.76	27.11	30.00	31.28	36.00
5240MHz	Pass	4.17	23.67	23.72	23.51	23.75	29.68	30.00	33.85	36.00
5260MHz	Pass	3.46	17.66	17.92	17.75	17.52	23.74	24.00	27.20	30.00
5300MHz	Pass	3.46	17.35	17.61	17.42	17.71	23.55	24.00	27.01	30.00
5320MHz	Pass	3.46	17.72	17.49	17.45	17.56	23.58	24.00	27.04	30.00
5500MHz	Pass	4.89	17.33	17.82	17.83	17.11	23.55	24.00	28.44	30.00
5580MHz	Pass	4.89	17.52	17.53	17.62	17.72	23.62	24.00	28.51	30.00
5700MHz	Pass	4.89	13.84	14.59	14.55	14.25	20.34	24.00	25.23	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.89	15.68	17.18	16.83	15.99	22.48	22.98	27.37	28.98
5720MHz Straddle 5.725-5.85GHz	Pass	4.15	10.52	12	11.67	10.84	17.32	30.00	21.47	36.00
5745MHz	Pass	4.15	23.07	23.96	23.78	23.65	29.65	30.00	33.80	36.00
5785MHz	Pass	4.15	23.8	23.72	23.81	24.01	29.86	30.00	34.01	36.00
5825MHz	Pass	4.15	24.16	23.42	23.32	24.45	29.88	30.00	34.03	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.17	18.59	18.75	18.33	18.22	24.50	30.00	28.67	36.00
5230MHz	Pass	4.17	20.54	20.61	20.43	21.55	26.83	30.00	31.00	36.00
5270MHz	Pass	3.46	17.36	17.71	17.54	17.52	23.55	24.00	27.01	30.00
5310MHz	Pass	3.46	18.02	17.64	17.77	18.01	23.88	24.00	27.34	30.00
5510MHz	Pass	4.89	17.42	17.86	18.02	17.14	23.64	24.00	28.53	30.00
5590MHz	Pass	4.89	17.65	17.34	17.64	17.69	23.60	24.00	28.49	30.00







Conducted Output Power(Average)



Appendix B.1



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5670MHz	Pass	4.89	18.07	17.65	17.55	17.93	23.83	24.00	28.72	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.89	17.51	18.18	17.99	17.48	23.82	24.00	28.71	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.15	7.91	8.55	8.58	8.07	14.31	30.00	18.46	36.00
5755MHz	Pass	4.15	23.21	23.63	23.27	23.81	29.51	30.00	33.66	36.00
5795MHz	Pass	4.15	23.89	23.12	23.11	23.91	29.55	30.00	33.70	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.17	17.82	18.02	17.65	17.36	23.74	30.00	27.91	36.00
5290MHz	Pass	3.46	17.45	17.03	17.09	17.37	23.26	24.00	26.72	30.00
5530MHz	Pass	4.89	16.96	17.29	17.15	16.78	23.07	24.00	27.96	30.00
5610MHz	Pass	4.89	17.31	18.03	18.15	17.85	23.87	24.00	28.76	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.89	17.73	17.91	17.56	17.7	23.75	24.00	28.64	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.15	4.69	4.38	4.24	4.48	10.47	30.00	14.62	36.00
5775MHz	Pass	4.15	20.42	21.02	20.61	20.61	26.69	30.00	30.84	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.17	14.31	14.52	14.35	13.72	20.26	30.00	24.43	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.46	14.96	15.22	14.79	14.71	20.95	24.00	24.41	30.00
5570MHz	Pass	4.89	16.71	16.93	17.16	16.75	22.91	24.00	27.80	30.00


DG = Directional Gain; Port X = Port X output power













Beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	29.22	0.83560	33.85	2.42661
802.11be EHT40-BF_Nss1,(MCS0)_4TX	26.37	0.43351	31.00	1.25893
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.28	0.21281	27.91	0.61802
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.06	0.08054	23.69	0.23388
5.25-5.35GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.54	0.17947	27.20	0.52481
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.68	0.18535	27.34	0.54200
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.06	0.16069	26.72	0.46989
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.75	0.09441	24.41	0.27606
5.47-5.725GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.53	0.17906	28.51	0.70958
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.74	0.18793	28.72	0.74473
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.78	0.18967	28.76	0.75162
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.82	0.15205	27.80	0.60256
5.725-5.85GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.13	0.65013	34.03	2.52930
802.11be EHT40-BF_Nss1,(MCS0)_4TX	27.80	0.60256	33.70	2.34423
802.11be EHT80-BF_Nss1,(MCS0)_4TX	24.94	0.31189	30.84	1.21339



Conducted Output Power(Average)

Appendix B.2

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.63	18.56	18.99	18.89	17.87	24.62	30.00	29.25	36.00
5200MHz	Pass	4.63	20.5	20.86	20.85	20.3	26.65	30.00	31.28	36.00
5240MHz	Pass	4.63	23.21	23.26	23.05	23.29	29.22	30.00	33.85	36.00
5260MHz	Pass	4.66	16.46	16.72	16.55	16.32	22.54	24.00	27.20	30.00
5300MHz	Pass	4.66	16.15	16.41	16.22	16.51	22.35	24.00	27.01	30.00
5320MHz	Pass	4.66	16.52	16.29	16.25	16.36	22.38	24.00	27.04	30.00
5500MHz	Pass	5.98	16.24	16.73	16.74	16.02	22.46	24.00	28.44	30.00
5580MHz	Pass	5.98	16.43	16.44	16.53	16.63	22.53	24.00	28.51	30.00
5700MHz	Pass	5.98	12.75	13.5	13.46	13.16	19.25	24.00	25.23	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.98	13.93	15.43	15.08	14.24	20.73	22.98	26.71	28.98
5720MHz Straddle 5.725-5.85GHz	Pass	5.90	8.77	10.25	9.92	9.09	15.57	30.00	21.47	36.00
5745MHz	Pass	5.90	21.32	22.21	22.03	21.9	27.90	30.00	33.80	36.00
5785MHz	Pass	5.90	22.05	21.97	22.06	22.26	28.11	30.00	34.01	36.00
5825MHz	Pass	5.90	22.41	21.67	21.57	22.7	28.13	30.00	34.03	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.63	18.13	18.29	17.87	17.76	24.04	30.00	28.67	36.00
5230MHz	Pass	4.63	20.08	20.15	19.97	21.09	26.37	30.00	31.00	36.00
5270MHz	Pass	4.66	16.16	16.51	16.34	16.32	22.35	24.00	27.01	30.00
5310MHz	Pass	4.66	16.82	16.44	16.57	16.81	22.68	24.00	27.34	30.00
5510MHz	Pass	5.98	16.33	16.77	16.93	16.05	22.55	24.00	28.53	30.00
5590MHz	Pass	5.98	16.56	16.25	16.55	16.6	22.51	24.00	28.49	30.00
5670MHz	Pass	5.98	16.98	16.56	16.46	16.84	22.74	24.00	28.72	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.98	15.76	16.43	16.24	15.73	22.07	24.00	28.05	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.90	6.16	6.8	6.83	6.32	12.56	30.00	18.46	36.00
5755MHz	Pass	5.90	21.46	21.88	21.52	22.06	27.76	30.00	33.66	36.00
5795MHz	Pass	5.90	22.14	21.37	21.36	22.16	27.80	30.00	33.70	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.63	17.36	17.56	17.19	16.9	23.28	30.00	27.91	36.00
5290MHz	Pass	4.66	16.25	15.83	15.89	16.17	22.06	24.00	26.72	30.00
5530MHz	Pass	5.98	15.87	16.2	16.06	15.69	21.98	24.00	27.96	30.00
5610MHz	Pass	5.98	16.22	16.94	17.06	16.76	22.78	24.00	28.76	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.98	15.98	16.16	15.81	15.95	22.00	24.00	27.98	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.90	2.94	2.63	2.49	2.73	8.72	30.00	14.62	36.00
5775MHz	Pass	5.90	18.67	19.27	18.86	18.86	24.94	30.00	30.84	36.00



Conducted Output Power(Average)

Appendix B.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.63	13.11	13.32	13.15	12.52	19.06	30.00	23.69	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.66	13.76	14.02	13.59	13.51	19.75	24.00	24.41	30.00
5570MHz	Pass	5.98	15.62	15.84	16.07	15.66	21.82	24.00	27.80	30.00

DG = Directional Gain; Port X = Port X output power
Refers to antenna test report for DG gain.



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.10	20.73
802.11be EHT20_Nss1,(MCS0)_4TX	15.86	20.49
802.11be EHT40_Nss1,(MCS0)_4TX	10.10	14.73
802.11be EHT80_Nss1,(MCS0)_4TX	4.47	9.10
802.11be EHT160_Nss1,(MCS0)_4TX	1.04	5.67
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.45	15.11
802.11be EHT20_Nss1,(MCS0)_4TX	10.07	14.73
802.11be EHT40_Nss1,(MCS0)_4TX	7.21	11.87
802.11be EHT80_Nss1,(MCS0)_4TX	3.82	8.48
802.11be EHT160_Nss1,(MCS0)_4TX	1.41	6.07
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.74	16.72
802.11be EHT20_Nss1,(MCS0)_4TX	9.98	15.96
802.11be EHT40_Nss1,(MCS0)_4TX	7.56	13.54
802.11be EHT80_Nss1,(MCS0)_4TX	4.70	10.68
802.11be EHT160_Nss1,(MCS0)_4TX	0.46	6.44
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	15.42	21.32
802.11be EHT20_Nss1,(MCS0)_4TX	14.64	20.54
802.11be EHT40_Nss1,(MCS0)_4TX	11.23	17.13
802.11be EHT80_Nss1,(MCS0)_4TX	5.80	11.70

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.63	6.36	6.43	6.62	5.96	12.14	17.00	16.77	23.00
5200MHz	Pass	4.63	8.92	9.10	9.30	9.18	14.98	17.00	19.61	23.00
5240MHz	Pass	4.63	10.36	10.27	10.36	10.09	16.10	17.00	20.73	23.00
5260MHz	Pass	4.66	4.20	4.72	4.50	4.48	10.30	11.00	14.96	17.00
5300MHz	Pass	4.66	4.63	4.42	4.64	4.80	10.45	11.00	15.11	17.00
5320MHz	Pass	4.66	4.50	4.36	4.43	4.48	10.25	11.00	14.91	17.00
5500MHz	Pass	5.98	4.76	5.03	5.18	4.19	10.62	11.00	16.60	17.00
5580MHz	Pass	5.98	4.84	4.93	5.04	4.91	10.74	11.00	16.72	17.00
5700MHz	Pass	5.98	2.53	3.06	3.18	2.49	8.66	11.00	14.64	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.98	3.21	4.75	4.63	3.66	9.87	11.00	15.85	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.90	1.52	3.08	2.70	2.03	8.27	30.00	14.17	36.00
5745MHz	Pass	5.90	9.03	9.78	10.05	9.71	15.42	30.00	21.32	36.00
5785MHz	Pass	5.90	9.13	8.99	9.33	9.39	15.04	30.00	20.94	36.00
5825MHz	Pass	5.90	9.20	8.54	8.66	9.36	14.82	30.00	20.72	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.63	5.37	5.70	5.91	5.18	11.35	17.00	15.98	23.00
5200MHz	Pass	4.63	7.29	7.41	7.68	7.52	13.26	17.00	17.89	23.00
5240MHz	Pass	4.63	10.11	10.21	10.08	9.71	15.86	17.00	20.49	23.00
5260MHz	Pass	4.66	4.01	4.41	4.45	4.21	10.07	11.00	14.73	17.00
5300MHz	Pass	4.66	4.22	3.94	3.99	4.26	9.90	11.00	14.56	17.00
5320MHz	Pass	4.66	4.26	3.97	4.17	4.11	9.91	11.00	14.57	17.00
5500MHz	Pass	5.98	3.90	4.48	4.39	3.71	9.88	11.00	15.86	17.00
5580MHz	Pass	5.98	3.91	4.23	4.28	4.21	9.98	11.00	15.96	17.00
5700MHz	Pass	5.98	0.33	1.15	1.24	0.75	6.64	11.00	12.62	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.98	3.26	4.69	4.40	3.57	9.83	11.00	15.81	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.90	1.61	3.23	2.84	1.93	8.29	30.00	14.19	36.00
5745MHz	Pass	5.90	7.99	8.80	8.88	8.67	14.35	30.00	20.25	36.00
5785MHz	Pass	5.90	8.96	8.67	8.90	9.13	14.64	30.00	20.54	36.00
5825MHz	Pass	5.90	8.79	8.14	8.23	9.13	14.35	30.00	20.25	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.63	1.91	2.00	2.12	2.20	7.83	17.00	12.46	23.00
5230MHz	Pass	4.63	3.94	3.93	4.23	5.16	10.10	17.00	14.73	23.00
5270MHz	Pass	4.66	0.81	0.94	1.01	1.38	6.89	11.00	11.55	17.00
5310MHz	Pass	4.66	1.70	1.20	1.12	1.50	7.21	11.00	11.87	17.00





Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.98	0.82	1.16	1.63	0.51	6.84	11.00	12.82	17.00
5590MHz	Pass	5.98	1.22	1.02	1.43	1.70	7.13	11.00	13.11	17.00
5670MHz	Pass	5.98	1.72	1.33	1.44	1.77	7.36	11.00	13.34	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.98	1.39	1.99	2.04	1.36	7.56	11.00	13.54	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.90	-0.32	0.35	0.29	-0.17	5.85	30.00	11.75	36.00
5755MHz	Pass	5.90	4.89	5.58	5.42	5.78	11.23	30.00	17.13	36.00
5795MHz	Pass	5.90	5.45	4.79	4.71	5.53	10.94	30.00	16.84	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.63	-1.41	-1.30	-1.31	-1.37	4.47	17.00	9.10	23.00
5290MHz	Pass	4.66	-2.06	-2.20	-2.12	-1.67	3.82	11.00	8.48	17.00
5530MHz	Pass	5.98	-2.29	-2.14	-2.18	-2.56	3.57	11.00	9.55	17.00
5610MHz	Pass	5.98	-1.50	-1.08	-0.80	-1.08	4.70	11.00	10.68	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.98	-1.35	-1.34	-1.56	-1.44	4.48	11.00	10.46	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.90	-3.37	-3.78	-3.80	-3.72	2.15	30.00	8.05	36.00
5775MHz	Pass	5.90	-0.39	0.62	0.21	-0.05	5.80	30.00	11.70	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.63	-4.94	-4.60	-4.89	-5.40	1.04	17.00	5.67	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.66	-4.40	-4.24	-4.63	-4.57	1.41	11.00	6.07	17.00
5570MHz	Pass	5.98	-5.57	-5.31	-5.10	-4.94	0.46	11.00	6.44	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Refers to antenna test report for DG gain.















































































Unwanted Emissions (Below 1GHz)

Modulation	be EHT20	Test Freq. (MHz)	5240
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):23 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	49.40	23.62	40.00	-16.38	31.73	-8.11	Peak	---	---
2	100.81	27.49	43.50	-16.01	40.25	-12.76	Peak	---	---
3	130.88	24.64	43.50	-18.86	34.65	-10.01	Peak	---	---
4	173.56	24.06	43.50	-19.44	33.37	-9.31	Peak	---	---
5	231.76	25.21	46.00	-20.79	36.23	-11.02	Peak	---	---
6	324.88	27.93	46.00	-18.07	34.87	-6.94	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Modulation	be EHT20	Test Freq. (MHz)	5240
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):23 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	31.94	33.42	40.00	-6.58	43.07	-9.65	Peak	---	---
2	46.49	35.56	40.00	-4.44	43.63	-8.07	Peak	---	---
3	52.31	34.04	40.00	-5.96	42.19	-8.15	Peak	---	---
4	92.08	32.60	43.50	-10.90	46.91	-14.31	Peak	---	---
5	100.81	28.78	43.50	-14.72	41.54	-12.76	Peak	---	---
6	149.31	24.41	43.50	-19.09	32.88	-8.47	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Modulation	be EHT20	Test Freq. (MHz)	5825
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):23 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	49.40	24.27	40.00	-15.73	32.38	-8.11	Peak	---	---
2	99.84	28.69	43.50	-14.81	41.69	-13.00	Peak	---	---
3	131.85	24.99	43.50	-18.51	35.08	-10.09	Peak	---	---
4	170.65	24.26	43.50	-19.24	33.35	-9.09	Peak	---	---
5	222.06	24.90	46.00	-21.10	37.04	-12.14	Peak	---	---
6	328.76	27.51	46.00	-18.49	34.35	-6.84	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Modulation	be EHT20	Test Freq. (MHz)	5825
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):23 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	31.94	33.36	40.00	-6.64	43.01	-9.65	Peak	---	---
2	44.55	34.56	40.00	-5.44	42.74	-8.18	Peak	---	---
3	49.40	36.35	40.00	-3.65	44.46	-8.11	Peak	---	---
4	91.11	32.90	43.50	-10.60	47.15	-14.25	Peak	---	---
5	99.84	29.36	43.50	-14.14	42.36	-13.00	Peak	---	---
6	159.98	25.95	43.50	-17.55	34.44	-8.49	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).


Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Unwanted Emissions (Above 1GHz) for 11a

Modulation	11a	Test Freq. (MHz)	5180
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	53.19	54.00	-0.81	52.54	0.65	Average	148	112
2	5150.00	69.49	74.00	-4.51	68.84	0.65	Peak	148	112
3 *	5180.00	103.03			102.43	0.60	Average	148	112
4 *	5180.00	113.38			112.78	0.60	Peak	148	112
5	10360.00	54.82	68.20	-13.38	46.70	8.12	Peak	100	26
6	15540.00	40.92	54.00	-13.08	36.00	4.92	Average	100	15
7	15540.00	54.81	74.00	-19.19	49.89	4.92	Peak	100	15

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5180
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	53.59	54.00	-0.41	52.94	0.65	Average	198	93
2	5150.00	70.12	74.00	-3.88	69.47	0.65	Peak	198	93
3 *	5180.00	107.76			107.16	0.60	Average	198	114
4 *	5180.00	118.33			117.73	0.60	Peak	198	114
5	10360.00	54.45	68.20	-13.75	46.33	8.12	Peak	100	36
6	15540.00	41.16	54.00	-12.84	36.24	4.92	Average	100	21
7	15540.00	55.34	74.00	-18.66	50.42	4.92	Peak	100	21

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5200
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	50.96	54.00	-3.04	50.31	0.65	Average	100	214
2	5150.00	71.24	74.00	-2.76	70.59	0.65	Peak	100	214
3 *	5200.00	106.77			106.21	0.56	Average	100	214
4 *	5200.00	117.81			117.25	0.56	Peak	100	214
5	5350.00	43.41	54.00	-10.59	43.27	0.14	Average	100	214
6	5350.00	56.51	74.00	-17.49	56.37	0.14	Peak	100	214
7	5360.00	45.73	54.00	-8.27	45.58	0.15	Average	100	214
8	5360.00	57.55	74.00	-16.45	57.40	0.15	Peak	100	214
9	10400.00	55.08	68.20	-13.12	46.62	8.46	Peak	100	33
10	15600.00	41.22	54.00	-12.78	36.55	4.67	Average	100	18
11	15600.00	55.15	74.00	-18.85	50.48	4.67	Peak	100	18

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5200
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	51.25	54.00	-2.75	50.60	0.65	Average	211	212
2	5150.00	73.56	74.00	-0.44	72.91	0.65	Peak	211	212
3 *	5200.00	111.31			110.75	0.56	Average	198	232
4 *	5200.00	122.57			122.01	0.56	Peak	198	232
5	5350.00	44.02	54.00	-9.98	43.88	0.14	Average	198	232
6	5350.00	58.78	74.00	-15.22	58.64	0.14	Peak	198	232
7	5360.00	47.64	54.00	-6.36	47.49	0.15	Average	196	168
8	5360.00	59.18	74.00	-14.82	59.03	0.15	Peak	196	168
9	10400.00	54.94	68.20	-13.26	46.48	8.46	Peak	100	19
10	15600.00	41.09	54.00	-12.91	36.42	4.67	Average	100	23
11	15600.00	55.02	74.00	-18.98	50.35	4.67	Peak	100	23

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5240
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	44.26	54.00	-9.74	43.61	0.65	Average	100	213
2	5150.00	58.19	74.00	-15.81	57.54	0.65	Peak	100	213
3 *	5240.00	107.45			107.11	0.34	Average	100	213
4 *	5240.00	118.15			117.81	0.34	Peak	100	213
5	5350.00	44.00	54.00	-10.00	43.86	0.14	Average	100	213
6	5350.00	57.90	74.00	-16.10	57.76	0.14	Peak	100	213
7	5400.00	46.19	54.00	-7.81	46.02	0.17	Average	100	222
8	5400.00	58.79	74.00	-15.21	58.62	0.17	Peak	100	222
9	10480.00	56.45	68.20	-11.75	47.95	8.50	Peak	100	15
10	15720.00	42.36	54.00	-11.64	37.41	4.95	Average	100	19
11	15720.00	54.19	74.00	-19.81	49.24	4.95	Peak	100	19

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5240
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	45.53	54.00	-8.47	44.88	0.65	Average	202	235
2	5150.00	61.56	74.00	-12.44	60.91	0.65	Peak	202	235
3 *	5240.00	112.30			111.96	0.34	Average	202	235
4 *	5240.00	123.18			122.84	0.34	Peak	202	235
5	5350.00	44.41	54.00	-9.59	44.27	0.14	Average	202	235
6	5350.00	59.17	74.00	-14.83	59.03	0.14	Peak	202	235
7	5400.00	48.36	54.00	-5.64	48.19	0.17	Average	292	219
8	5400.00	60.98	74.00	-13.02	60.81	0.17	Peak	292	219
9	10480.00	56.48	68.20	-11.72	47.98	8.50	Peak	100	45
10	15720.00	42.41	54.00	-11.59	37.46	4.95	Average	100	24
11	15720.00	54.57	74.00	-19.43	49.62	4.95	Peak	100	24

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5260
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	43.65	54.00	-10.35	43.00	0.65	Average	100	216
2	5150.00	56.21	74.00	-17.79	55.56	0.65	Peak	100	216
3 *	5260.00	100.85			100.58	0.27	Average	100	216
4 *	5260.00	111.54			111.27	0.27	Peak	100	216
5	5350.00	43.88	54.00	-10.12	43.74	0.14	Average	100	216
6	5350.00	56.42	74.00	-17.58	56.28	0.14	Peak	100	216
7	10520.00	54.52	68.20	-13.68	46.14	8.38	Peak	100	45
8	15780.00	40.91	54.00	-13.09	36.17	4.74	Average	100	22
9	15780.00	54.89	74.00	-19.11	50.15	4.74	Peak	100	22

Note 1: Emission Level (dBUV/m) = SA Reading (dBUV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).

Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5260
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	43.71	54.00	-10.29	43.06	0.65	Average	177	234
2	5150.00	56.33	74.00	-17.67	55.68	0.65	Peak	177	234
3 *	5260.00	106.85			106.58	0.27	Average	177	234
4 *	5260.00	117.42			117.15	0.27	Peak	177	234
5	5350.00	43.98	54.00	-10.02	43.84	0.14	Average	177	234
6	5350.00	56.55	74.00	-17.45	56.41	0.14	Peak	177	234
7	10520.00	54.68	68.20	-13.52	46.30	8.38	Peak	100	61
8	15780.00	40.95	54.00	-13.05	36.21	4.74	Average	100	35
9	15780.00	54.94	74.00	-19.06	50.20	4.74	Peak	100	35

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5300
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61



		Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	*	5300.00	100.76			100.55	0.21	Average	100	213
2	*	5300.00	111.46			111.25	0.21	Peak	100	213
3		5350.00	44.22	54.00	-9.78	44.08	0.14	Average	100	213
4		5350.00	56.80	74.00	-17.20	56.66	0.14	Peak	100	213
5		10600.00	41.92	54.00	-12.08	33.59	8.33	Average	100	11
6		10600.00	54.96	74.00	-19.04	46.63	8.33	Peak	100	11
7		15900.00	42.25	54.00	-11.75	37.53	4.72	Average	100	36
8		15900.00	55.13	74.00	-18.87	50.41	4.72	Peak	100	36

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5300
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61



		Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
		MHz	level	dBuV/m	dB	reading	dB/m		High	Table
			dBuV/m			dBuV			cm	deg
1	*	5300.00	105.90			105.69	0.21	Average	183	234
2	*	5300.00	117.39			117.18	0.21	Peak	183	234
3		5350.00	46.75	54.00	-7.25	46.61	0.14	Average	183	234
4		5350.00	59.99	74.00	-14.01	59.85	0.14	Peak	183	234
5		10600.00	41.54	54.00	-12.46	33.21	8.33	Average	100	28
6		10600.00	54.45	74.00	-19.55	46.12	8.33	Peak	100	28
7		15900.00	42.31	54.00	-11.69	37.59	4.72	Average	100	14
8		15900.00	55.26	74.00	-18.74	50.54	4.72	Peak	100	14

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5320
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61



		Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	*	5320.00	99.63			99.44	0.19	Average	100	210
2	*	5320.00	110.02			109.83	0.19	Peak	100	210
3		5350.00	43.47	54.00	-10.53	43.33	0.14	Average	100	210
4		5350.00	55.58	74.00	-18.42	55.44	0.14	Peak	100	210
5		10640.00	41.64	54.00	-12.36	33.25	8.39	Average	100	35
6		10640.00	54.59	74.00	-19.41	46.20	8.39	Peak	100	35
7		15960.00	41.92	54.00	-12.08	37.29	4.63	Average	100	13
8		15960.00	54.98	74.00	-19.02	50.35	4.63	Peak	100	13

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5320
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61




	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
		dBuV/m			dBuV			cm	deg
1 *	5320.00	104.61			104.42	0.19	Average	100	264
2 *	5320.00	115.00			114.81	0.19	Peak	100	264
3	5350.00	44.57	54.00	-9.43	44.43	0.14	Average	100	264
4	5350.00	57.57	74.00	-16.43	57.43	0.14	Peak	100	264
5	10640.00	41.58	54.00	-12.42	33.19	8.39	Average	100	29
6	10640.00	54.56	74.00	-19.44	46.17	8.39	Peak	100	29
7	15960.00	41.85	54.00	-12.15	37.22	4.63	Average	100	48
8	15960.00	54.92	74.00	-19.08	50.29	4.63	Peak	100	48

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5500
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	45.22	54.00	-8.78	44.72	0.50	Average	155	117
2	5460.00	56.97	74.00	-17.03	56.47	0.50	Peak	155	117
3	5470.00	63.15	68.20	-5.05	62.63	0.52	Peak	155	117
4 *	5500.00	102.82			102.23	0.59	Average	155	117
5 *	5500.00	113.71			113.12	0.59	Peak	155	117
6	11000.00	42.51	54.00	-11.49	33.81	8.70	Average	100	21
7	11000.00	54.26	74.00	-19.74	45.56	8.70	Peak	100	21
8	16500.00	56.84	68.20	-11.36	50.58	6.26	Peak	100	19

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5500
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	46.82	54.00	-7.18	46.32	0.50	Average	250	256
2	5460.00	60.92	74.00	-13.08	60.42	0.50	Peak	250	256
3	5470.00	63.64	68.20	-4.56	63.12	0.52	Peak	250	256
4 *	5500.00	105.61			105.02	0.59	Average	250	256
5 *	5500.00	117.31			116.72	0.59	Peak	250	256
6	11000.00	42.46	54.00	-11.54	33.76	8.70	Average	100	28
7	11000.00	54.19	74.00	-19.81	45.49	8.70	Peak	100	28
8	16500.00	56.88	68.20	-11.32	50.62	6.26	Peak	100	32

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5580
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	43.05	54.00	-10.95	42.55	0.50	Average	143	119
2	5460.00	57.52	74.00	-16.48	57.02	0.50	Peak	143	119
3	5470.00	57.74	68.20	-10.46	57.22	0.52	Peak	143	119
4 *	5580.00	102.38			101.85	0.53	Average	143	119
5 *	5580.00	113.37			112.84	0.53	Peak	143	119
6	5725.00	58.37	68.20	-9.83	57.42	0.95	Peak	143	119
7	11160.00	43.35	54.00	-10.65	35.08	8.27	Average	100	45
8	11160.00	55.41	74.00	-18.59	47.14	8.27	Peak	100	45
9	16740.00	57.02	68.20	-11.18	50.71	6.31	Peak	100	22

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5580
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	43.25	54.00	-10.75	42.75	0.50	Average	197	268
2	5460.00	57.86	74.00	-16.14	57.36	0.50	Peak	197	268
3	5470.00	57.94	68.20	-10.26	57.42	0.52	Peak	197	268
4 *	5580.00	105.72			105.19	0.53	Average	197	268
5 *	5580.00	117.50			116.97	0.53	Peak	197	268
6	5725.00	58.21	68.20	-9.99	57.26	0.95	Peak	197	268
7	11160.00	42.87	54.00	-11.13	34.60	8.27	Average	100	24
8	11160.00	55.16	74.00	-18.84	46.89	8.27	Peak	100	24
9	16740.00	56.68	68.20	-11.52	50.37	6.31	Peak	100	41

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5700
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61




		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	*	5700.00	100.12			99.22	0.90	Average	150	115
2	*	5700.00	110.70			109.80	0.90	Peak	150	115
3		5725.00	63.07	68.20	-5.13	62.12	0.95	Peak	150	115
4		11400.00	42.28	54.00	-11.72	34.22	8.06	Average	100	49
5		11400.00	55.16	74.00	-18.84	47.10	8.06	Peak	100	49
6		17100.00	57.58	68.20	-10.62	51.81	5.77	Peak	100	34

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5700
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1 *	5700.00	104.93			104.03	0.90	Average	209	268
2 *	5700.00	116.90			116.00	0.90	Peak	209	268
3	5725.00	68.06	68.20	-0.14	67.11	0.95	Peak	209	268
4	11400.00	42.39	54.00	-11.61	34.33	8.06	Average	100	41
5	11400.00	55.28	74.00	-18.72	47.22	8.06	Peak	100	41
6	17100.00	57.42	68.20	-10.78	51.65	5.77	Peak	100	29

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5720
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	43.65	54.00	-10.35	43.15	0.50	Average	141	118
2	5460.00	56.68	74.00	-17.32	56.18	0.50	Peak	141	118
3	5470.00	57.11	68.20	-11.09	56.59	0.52	Peak	141	118
4 *	5720.00	103.25			102.31	0.94	Average	141	118
5 *	5720.00	114.21			113.27	0.94	Peak	141	118
6	5850.00	57.24	68.20	-10.96	56.16	1.08	Peak	141	118
7	11440.00	41.68	54.00	-12.32	33.54	8.14	Average	100	32
8	11440.00	54.72	74.00	-19.28	46.58	8.14	Peak	100	32
9	17160.00	56.22	68.20	-11.98	50.76	5.46	Peak	100	14

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5720
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):26 Humidity(%):61



	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
		dBuV/m			dBuV			cm	deg
1	5460.00	43.73	54.00	-10.27	43.23	0.50	Average	208	268
2	5460.00	56.74	74.00	-17.26	56.24	0.50	Peak	208	268
3	5470.00	57.24	68.20	-10.96	56.72	0.52	Peak	208	268
4 *	5720.00	107.10			106.16	0.94	Average	208	268
5 *	5720.00	118.45			117.51	0.94	Peak	208	268
6	5850.00	57.27	68.20	-10.93	56.19	1.08	Peak	208	268
7	11440.00	41.75	54.00	-12.25	33.61	8.14	Average	100	29
8	11440.00	54.76	74.00	-19.24	46.62	8.14	Peak	100	29
9	17160.00	56.12	68.20	-12.08	50.66	5.46	Peak	100	34

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5745
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5585.00	62.03	68.20	-6.17	61.50	0.53	Peak	146	117
2	5650.00	60.08	68.20	-8.12	59.42	0.66	Peak	146	117
3	5700.00	70.16	105.20	-35.04	69.26	0.90	Peak	146	117
4	5720.00	75.98	110.80	-34.82	75.04	0.94	Peak	146	117
5	5725.00	90.67	122.20	-31.53	89.72	0.95	Peak	146	117
6 *	5745.00	109.24			108.24	1.00	Average	146	117
7 *	5745.00	119.83			118.83	1.00	Peak	146	117
8	5925.00	59.39	68.20	-8.81	57.95	1.44	Peak	146	117
9	11490.00	44.85	54.00	-9.15	36.46	8.39	Average	100	112
10	11490.00	57.24	74.00	-16.76	48.85	8.39	Peak	100	112
11	17235.00	59.11	68.20	-9.09	53.67	5.44	Peak	100	255
12	22980.00	49.71	54.00	-4.29	42.85	6.86	Average	128	76
13	22980.00	64.11	74.00	-9.89	57.25	6.86	Peak	128	76

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5745
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5585.00	61.21	68.20	-6.99	60.68	0.53	Peak	130	6
2	5650.00	60.05	68.20	-8.15	59.39	0.66	Peak	130	6
3	5700.00	73.97	105.20	-31.23	73.07	0.90	Peak	130	6
4	5720.00	77.27	110.80	-33.53	76.33	0.94	Peak	130	6
5	5725.00	92.03	122.20	-30.17	91.08	0.95	Peak	130	6
6 *	5745.00	111.88			110.88	1.00	Average	130	6
7 *	5745.00	122.69			121.69	1.00	Peak	130	6
8	5925.00	58.84	68.20	-9.36	57.40	1.44	Peak	130	6
9	11490.00	43.22	54.00	-10.78	34.83	8.39	Average	100	268
10	11490.00	56.25	74.00	-17.75	47.86	8.39	Peak	100	268
11	17235.00	58.79	68.20	-9.41	53.35	5.44	Peak	100	121
12	22980.00	44.93	54.00	-9.07	38.07	6.86	Average	272	130
13	22980.00	58.89	74.00	-15.11	52.03	6.86	Peak	272	130

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5785
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5625.00	60.66	68.20	-7.54	60.06	0.60	Peak	166	120
2	5650.00	58.36	68.20	-9.84	57.70	0.66	Peak	166	120
3 *	5785.00	108.25			107.21	1.04	Average	166	120
4 *	5785.00	119.00			117.96	1.04	Peak	166	120
5	5925.00	59.20	68.20	-9.00	57.76	1.44	Peak	166	120
6	11570.00	44.92	54.00	-9.08	36.59	8.33	Average	100	109
7	11570.00	57.27	74.00	-16.73	48.94	8.33	Peak	100	109
8	17355.00	59.05	68.20	-9.15	53.21	5.84	Peak	100	254
9	23140.00	65.98	68.20	-2.22	58.89	7.09	Peak	130	89

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5785
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5625.00	62.23	68.20	-5.97	61.63	0.60	Peak	217	256
2	5650.00	60.40	68.20	-7.80	59.74	0.66	Peak	217	256
3 *	5785.00	111.83			110.79	1.04	Average	217	256
4 *	5785.00	122.73			121.69	1.04	Peak	217	256
5	5925.00	61.09	68.20	-7.11	59.65	1.44	Peak	217	256
6	11570.00	43.18	54.00	-10.82	34.85	8.33	Average	100	276
7	11570.00	56.17	74.00	-17.83	47.84	8.33	Peak	100	276
8	17355.00	58.87	68.20	-9.33	53.03	5.84	Peak	100	118
9	23140.00	59.63	68.20	-8.57	52.54	7.09	Peak	268	129

Note 1: Emission Level (dBUV/m) = SA Reading (dBUV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5825
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5650.00	57.94	68.20	-10.26	57.28	0.66	Peak	172	122
2	5665.00	62.94	79.33	-16.39	62.21	0.73	Peak	172	122
3 *	5825.00	109.31			108.25	1.06	Average	172	122
4 *	5825.00	119.69			118.63	1.06	Peak	172	122
5	5850.00	80.58	122.20	-41.62	79.50	1.08	Peak	172	122
6	5855.00	74.46	110.80	-36.34	73.34	1.12	Peak	172	122
7	5875.00	58.90	105.20	-46.30	57.65	1.25	Peak	172	122
8	5925.00	59.74	68.20	-8.46	58.30	1.44	Peak	172	122
9	11650.00	44.98	54.00	-9.02	37.06	7.92	Average	100	104
10	11650.00	57.36	74.00	-16.64	49.44	7.92	Peak	100	104
11	17475.00	59.22	68.20	-8.98	52.90	6.32	Peak	100	258
12	23300.00	60.69	68.20	-7.51	53.52	7.17	Peak	127	75

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	11a	Test Freq. (MHz)	5825
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5650.00	59.92	68.20	-8.28	59.26	0.66	Peak	127	7
2	5665.00	61.94	79.33	-17.39	61.21	0.73	Peak	127	7
3 *	5825.00	111.71			110.65	1.06	Average	127	7
4 *	5825.00	122.14			121.08	1.06	Peak	127	7
5	5850.00	84.21	122.20	-37.99	83.13	1.08	Peak	127	7
6	5855.00	80.69	110.80	-30.11	79.57	1.12	Peak	127	7
7	5875.00	60.66	105.20	-44.54	59.41	1.25	Peak	127	7
8	5925.00	60.33	68.20	-7.87	58.89	1.44	Peak	127	7
9	11650.00	43.15	54.00	-10.85	35.23	7.92	Average	100	288
10	11650.00	56.11	74.00	-17.89	48.19	7.92	Peak	100	288
11	17475.00	58.94	68.20	-9.26	52.62	6.32	Peak	100	122
12	23300.00	56.74	68.20	-11.46	49.57	7.17	Peak	276	131

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).


Note 3: "*" is Peak / Average value of fundamental frequency



Unwanted Emissions (Above 1GHz) for be EHT20

Modulation	be EHT20	Test Freq. (MHz)	5180
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):25 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	52.82	54.00	-1.18	52.17	0.65	Average	137	112
2	5150.00	66.06	74.00	-7.94	65.41	0.65	Peak	137	112
3 *	5180.00	101.14			100.54	0.60	Average	137	112
4 *	5180.00	114.97			114.37	0.60	Peak	137	112
5	10360.00	54.75	68.20	-13.45	46.63	8.12	Peak	100	29
6	15540.00	40.89	54.00	-13.11	35.97	4.92	Average	100	22
7	15540.00	54.78	74.00	-19.22	49.86	4.92	Peak	100	22

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5180
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):25 Humidity(%):61




	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	53.51	54.00	-0.49	52.86	0.65	Average	199	165
2	5150.00	66.47	74.00	-7.53	65.82	0.65	Peak	199	165
3 *	5180.00	105.64			105.04	0.60	Average	199	94
4 *	5180.00	119.76			119.16	0.60	Peak	199	94
5	10360.00	54.38	68.20	-13.82	46.26	8.12	Peak	100	33
6	15540.00	41.12	54.00	-12.88	36.20	4.92	Average	100	25
7	15540.00	55.31	74.00	-18.69	50.39	4.92	Peak	100	25

Note 1: Emission Level (dBUV/m) = SA Reading (dBUV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).
 Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5200
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	49.80	54.00	-4.20	49.15	0.65	Average	100	218
2	5150.00	70.62	74.00	-3.38	69.97	0.65	Peak	100	218
3 *	5200.00	103.18			102.62	0.56	Average	100	218
4 *	5200.00	116.69			116.13	0.56	Peak	100	218
5	5350.00	43.41	54.00	-10.59	43.27	0.14	Average	100	218
6	5350.00	56.86	74.00	-17.14	56.72	0.14	Peak	100	218
7	5360.00	45.26	54.00	-8.74	45.11	0.15	Average	100	218
8	5360.00	57.68	74.00	-16.32	57.53	0.15	Peak	100	218
9	10400.00	55.11	68.20	-13.09	46.65	8.46	Peak	100	39
10	15600.00	41.18	54.00	-12.82	36.51	4.67	Average	100	16
11	15600.00	55.12	74.00	-18.88	50.45	4.67	Peak	100	16

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5200
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	53.29	54.00	-0.71	52.64	0.65	Average	218	109
2	5150.00	73.87	74.00	-0.13	73.22	0.65	Peak	218	109
3 *	5200.00	108.94			108.38	0.56	Average	218	109
4 *	5200.00	122.00			121.44	0.56	Peak	218	109
5	5350.00	45.32	54.00	-8.68	45.18	0.14	Average	218	109
6	5350.00	58.30	74.00	-15.70	58.16	0.14	Peak	218	109
7	5360.00	48.02	54.00	-5.98	47.87	0.15	Average	202	172
8	5360.00	59.87	74.00	-14.13	59.72	0.15	Peak	202	172
9	10400.00	54.88	68.20	-13.32	46.42	8.46	Peak	100	23
10	15600.00	41.13	54.00	-12.87	36.46	4.67	Average	100	29
11	15600.00	55.05	74.00	-18.95	50.38	4.67	Peak	100	29

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5240
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	46.25	54.00	-7.75	45.60	0.65	Average	155	114
2	5150.00	64.26	74.00	-9.74	63.61	0.65	Peak	155	114
3 *	5240.00	106.30			105.96	0.34	Average	155	114
4 *	5240.00	119.99			119.65	0.34	Peak	155	114
5	5350.00	46.36	54.00	-7.64	46.22	0.14	Average	155	114
6	5350.00	58.48	74.00	-15.52	58.34	0.14	Peak	155	114
7	5400.00	47.50	54.00	-6.50	47.33	0.17	Average	155	114
8	5400.00	59.37	74.00	-14.63	59.20	0.17	Peak	155	114
9	10480.00	56.12	68.20	-12.08	47.62	8.50	Peak	100	126
10	15720.00	42.73	54.00	-11.27	37.78	4.95	Average	100	178
11	15720.00	54.77	74.00	-19.23	49.82	4.95	Peak	100	178

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5240
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	47.78	54.00	-6.22	47.13	0.65	Average	158	258
2	5150.00	66.36	74.00	-7.64	65.71	0.65	Peak	158	258
3 *	5240.00	109.77			109.43	0.34	Average	158	258
4 *	5240.00	122.67			122.33	0.34	Peak	158	258
5	5350.00	46.61	54.00	-7.39	46.47	0.14	Average	158	258
6	5350.00	63.95	74.00	-10.05	63.81	0.14	Peak	158	258
7	5400.00	47.86	54.00	-6.14	47.69	0.17	Average	139	5
8	5400.00	60.04	74.00	-13.96	59.87	0.17	Peak	139	5
9	10480.00	55.93	68.20	-12.27	47.43	8.50	Peak	100	248
10	15720.00	42.63	54.00	-11.37	37.68	4.95	Average	100	251
11	15720.00	54.81	74.00	-19.19	49.86	4.95	Peak	100	251

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5260
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	43.23	54.00	-10.77	42.58	0.65	Average	122	208
2	5150.00	56.03	74.00	-17.97	55.38	0.65	Peak	122	208
3 *	5260.00	99.50			99.23	0.27	Average	122	208
4 *	5260.00	112.76			112.49	0.27	Peak	122	208
5	5350.00	43.30	54.00	-10.70	43.16	0.14	Average	122	208
6	5350.00	56.61	74.00	-17.39	56.47	0.14	Peak	122	208
7	10520.00	54.46	68.20	-13.74	46.08	8.38	Peak	100	48
8	15780.00	40.85	54.00	-13.15	36.11	4.74	Average	100	29
9	15780.00	54.82	74.00	-19.18	50.08	4.74	Peak	100	29

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5260
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5150.00	43.88	54.00	-10.12	43.23	0.65	Average	261	260
2	5150.00	56.33	74.00	-17.67	55.68	0.65	Peak	261	260
3 *	5260.00	104.81			104.54	0.27	Average	261	260
4 *	5260.00	117.80			117.53	0.27	Peak	261	260
5	5350.00	44.05	54.00	-9.95	43.91	0.14	Average	261	260
6	5350.00	56.08	74.00	-17.92	55.94	0.14	Peak	261	260
7	10520.00	54.62	68.20	-13.58	46.24	8.38	Peak	100	68
8	15780.00	40.91	54.00	-13.09	36.17	4.74	Average	100	39
9	15780.00	54.88	74.00	-19.12	50.14	4.74	Peak	100	39

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5300
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63




	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1 *	5300.00	100.03			99.82	0.21	Average	108	211
2 *	5300.00	113.42			113.21	0.21	Peak	108	211
3	5350.00	44.27	54.00	-9.73	44.13	0.14	Average	108	211
4	5350.00	57.76	74.00	-16.24	57.62	0.14	Peak	108	211
5	10600.00	42.49	54.00	-11.51	34.16	8.33	Average	100	175
6	10600.00	55.60	74.00	-18.40	47.27	8.33	Peak	100	175
7	15900.00	42.19	54.00	-11.81	37.47	4.72	Average	100	208
8	15900.00	55.13	74.00	-18.87	50.41	4.72	Peak	100	208

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5300
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63



		Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
		MHz	level	dBuV/m	dB	reading	dB/m		High	Table
			dBuV/m			dBuV			cm	deg
1	*	5300.00	104.35			104.14	0.21	Average	268	258
2	*	5300.00	118.64			118.43	0.21	Peak	268	258
3		5350.00	45.38	54.00	-8.62	45.24	0.14	Average	268	258
4		5350.00	59.19	74.00	-14.81	59.05	0.14	Peak	268	258
5		10600.00	42.60	54.00	-11.40	34.27	8.33	Average	100	118
6		10600.00	55.72	74.00	-18.28	47.39	8.33	Peak	100	118
7		15900.00	42.24	54.00	-11.76	37.52	4.72	Average	100	178
8		15900.00	55.39	74.00	-18.61	50.67	4.72	Peak	100	178

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5320
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):25 Humidity(%):61



		Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
		MHz	level	dBuV/m	dB	reading	dB/m		High	Table
			dBuV/m			dBuV			cm	deg
1	*	5320.00	100.21			100.02	0.19	Average	112	215
2	*	5320.00	114.16			113.97	0.19	Peak	112	215
3		5350.00	44.75	54.00	-9.25	44.61	0.14	Average	112	215
4		5350.00	58.62	74.00	-15.38	58.48	0.14	Peak	112	215
5		10640.00	41.68	54.00	-12.32	33.29	8.39	Average	100	39
6		10640.00	54.65	74.00	-19.35	46.26	8.39	Peak	100	39
7		15960.00	41.88	54.00	-12.12	37.25	4.63	Average	100	22
8		15960.00	54.92	74.00	-19.08	50.29	4.63	Peak	100	22

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5320
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):25 Humidity(%):61




	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1 *	5320.00	102.45			102.26	0.19	Average	202	278
2 *	5320.00	116.29			116.10	0.19	Peak	202	278
3	5350.00	46.82	54.00	-7.18	46.68	0.14	Average	202	278
4	5350.00	60.74	74.00	-13.26	60.60	0.14	Peak	202	278
5	10640.00	41.54	54.00	-12.46	33.15	8.39	Average	100	26
6	10640.00	54.49	74.00	-19.51	46.10	8.39	Peak	100	26
7	15960.00	41.81	54.00	-12.19	37.18	4.63	Average	100	43
8	15960.00	54.86	74.00	-19.14	50.23	4.63	Peak	100	43

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5500
Polarization	Horizontal		

Test By :Brad Wu Temperature(°C):25 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	46.93	54.00	-7.07	46.43	0.50	Average	238	135
2	5460.00	61.24	74.00	-12.76	60.74	0.50	Peak	238	135
3	5470.00	61.78	68.20	-6.42	61.26	0.52	Peak	238	135
4 *	5500.00	101.17			100.58	0.59	Average	238	135
5 *	5500.00	114.83			114.24	0.59	Peak	238	135
6	11000.00	42.55	54.00	-11.45	33.85	8.70	Average	100	29
7	11000.00	54.29	74.00	-19.71	45.59	8.70	Peak	100	29
8	16500.00	56.78	68.20	-11.42	50.52	6.26	Peak	100	21

Note 1: Emission Level (dBUV/m) = SA Reading (dBUV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).

Note 3:"*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5500
Polarization	Vertical		

Test By :Brad Wu Temperature(°C):25 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	48.41	54.00	-5.59	47.91	0.50	Average	224	264
2	5460.00	63.86	74.00	-10.14	63.36	0.50	Peak	224	264
3	5470.00	64.13	68.20	-4.07	63.61	0.52	Peak	224	264
4 *	5500.00	104.21			103.62	0.59	Average	224	264
5 *	5500.00	118.25			117.66	0.59	Peak	224	264
6	11000.00	42.38	54.00	-11.62	33.68	8.70	Average	100	31
7	11000.00	54.16	74.00	-19.84	45.46	8.70	Peak	100	31
8	16500.00	56.79	68.20	-11.41	50.53	6.26	Peak	100	22

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5580
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	43.18	54.00	-10.82	42.68	0.50	Average	231	138
2	5460.00	54.66	74.00	-19.34	54.16	0.50	Peak	231	138
3	5470.00	54.85	68.20	-13.35	54.33	0.52	Peak	231	138
4 *	5580.00	100.69			100.16	0.53	Average	231	138
5 *	5580.00	113.75			113.22	0.53	Peak	231	138
6	5725.00	55.52	68.20	-12.68	54.57	0.95	Peak	231	138
7	11160.00	42.51	54.00	-11.49	34.24	8.27	Average	100	154
8	11160.00	55.68	74.00	-18.32	47.41	8.27	Peak	100	154
9	16740.00	57.78	68.20	-10.42	51.47	6.31	Peak	100	154

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5580
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 63




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5460.00	43.75	54.00	-10.25	43.25	0.50	Average	242	260
2	5460.00	55.88	74.00	-18.12	55.38	0.50	Peak	242	260
3	5470.00	56.21	68.20	-11.99	55.69	0.52	Peak	242	260
4 *	5580.00	104.87			104.34	0.53	Average	242	260
5 *	5580.00	118.71			118.18	0.53	Peak	242	260
6	5725.00	57.74	68.20	-10.46	56.79	0.95	Peak	242	260
7	11160.00	42.44	54.00	-11.56	34.17	8.27	Average	100	177
8	11160.00	55.61	74.00	-18.39	47.34	8.27	Peak	100	177
9	16740.00	56.58	68.20	-11.62	50.27	6.31	Peak	100	204

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).
 Note 3: "*" is Peak / Average value of fundamental frequency



Modulation	be EHT20	Test Freq. (MHz)	5700
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 25 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1 *	5700.00	95.92			95.02	0.90	Average	100	260
2 *	5700.00	109.78			108.88	0.90	Peak	100	260
3	5725.00	61.70	68.20	-6.50	60.75	0.95	Peak	100	260
4	11400.00	42.25	54.00	-11.75	34.19	8.06	Average	100	51
5	11400.00	55.13	74.00	-18.87	47.07	8.06	Peak	100	51
6	17100.00	57.62	68.20	-10.58	51.85	5.77	Peak	100	39

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "*" is Peak / Average value of fundamental frequency