# ■Panlite L-1250Z

Category	Unit	Test Method	Condition	L-1250Z 100
Melt volume flow rate	cm³/10min	ISO 1133	300°C load 1.2kg	8
Density	kg/m³	ISO 1183	_	1200
Water absorption rate	%	ISO 62	in water 23°C24h	0.2
Light transmission	%	ASTM D 1003	thickness 3mm	88
Refractive index	_	ASTM D 542	_	1.585
Tensile modulus	MPa		1mm/min	2400
Tensile stress at yield	MPa	ISO 527-1	50mm/min	61
Tensile strain at yield	%	and	50mm/min	6
Nominal tensile strain at break	%	ISO 527-2	50mm/min	>50
Flexural modulus	MPa	ISO 178	2mm/min	2350
Flexural strength	MPa	130 178	2mm/min	93
Charpy impact strength	KJ/m²	ISO 179	unnotched	NB
onarpy impact salongar	KO/III	130 179	notched	76
Heat deflection	°C	ISO 75-1 and	1.80MPa	129
temperature		ISO 75-2	0.45MPa	142
Vicat softening temperature	°C	ISO 306	50°C/h 50N	149
Mold shrinkage	%	In-house	parallel	0.5~0.7
	,,	method	vertical	0.5~0.7
Coefficient of linear	× 10 <sup>-4</sup> /°C	ISO 11359-2	parallel	0.7
expansion	×10 / C	100 11003 2	vertical	0.7
Specific inductive		IEC 60250	100Hz	3.1
capacity	<del>-</del>	120 00230	1MHz	3
Dielectric loss tangent	× 10 <sup>-4</sup>	IEC 60250	100Hz	10
- cood an igonic	× 10 <sup>-4</sup>	120 00200	1MHz	90
Volume resistivity	Ω·m	IEC 60093	_	>1 × 10 <sup>13</sup>
Surface resistivity	Ω	IEC 60093		>1 × 10 <sup>15</sup>
Withstand voltage	MV/m	IEC 60243-1	short time test	30
Tracking resistance	_	IEC 60112	_	250
Flammability	_	UL 94	<b></b>	V−2 (0.40mm) HB(1.5mm)
			electric 1.47mmt	125
Temperature index	ဇင	UL 746B	impact 1.47mmt	115
			non-impact 1.47mmt	125

XThe values listed are specification values, not certified values.





## /ALOX® 310SE0

Asia Pacilie: COMMERCIAL

Unreinforced, UL94V-0/5VA rated. For electrical industry, hobbins, keyboard switches and switch components, and appliance housings

TYPICAL PROPERTIES	TYPICAL VALUE	UNIT	STANDARD
MECHANICAL		#	
Tenelle Stress, yld, Type 1,50 movimer.	7 (2) (1) (1) (2) (2) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		
Tensile Stress, brs. Type I, 50 maynin	<b>50</b>	IMO	ASTM DISTA
Tonsile Strain, brk, Type I, 50 mm/m/n	50	MPa	ASTALD BOS
Flexural Street, yid. 1.3 monitoin, 50 mm span	80	14	ASTM D 838
Plexural Stress, brk, 1.3 modmia, 50 mm spun	101	MPa	ASTM D 790
Floxural Modulus, 1.3 mm/nrn, 50 mm span	101 2820	WPa	A\$1M D 790
Harriness, Rockwell R	120	JAP*	A\$TIA D 790
IMPACT	220 T	W.D. A.	ASTM D 785
Izod linpact, unnotched, 23°C	1602		수 발생하는 시간에 가 작가 없는 사람들 것이다.
zod Impact, notched, 23°C	37	J/m i	AS1M C 4812
Gardner, 23°C	34	J/m	ASTM D 256
Modified Gergner, 231C	54	J.	ASTM D 3029
THERMAL		J.	ASTN 0 3029
IOT, 0.45 MPa, 5.4 mm, unannastic			
OT, 182 MPs. 6.4 mm unnonusled	140. 71		ASTM D SAB
TE, 40°C 10 40°C, Now		<b>'</b> G	AS1M D 648
CTE. 60°C to 138°C, flow	7 92E 05	W.C.	ASTM C 831
Relative Temp Index, Elec	120	1/1°C	ASTM E 831
Reletive Temp Index, Mech wimpent	120	' <b>C</b>	UL 746B
lelative Tomp Indax, Mech w/p impact		4	UL 7466
PHYSICAL	140	*C	UL 7460
pacific Gravity			
pecific Valume	0.12	000000	ASTM D 792
Valer Abangsion, 24 hours	0.06	cm//g	astm d. 782
old Shrinkaga, Row, 0.75-2.3 mm	09 16	<b>1</b>	ASTM Q 570
old Shrinkaga, flow, 2 3-4 8 mm	1.5 - 2.5	<b>94</b>	GE Meinod
old Shrinkaga, xfluw, 0.75-2.3 mm	1.17	<b>7</b> .9	GE Malhod
old Shrinkege, xflow, 2 3-4 6 mm	18 24	*	GE Methice
LECTRICAL	, M. C.H.	<b>%</b> ,	GE Morros
duma Rasialiyay	≾L6€.:16	Sal 4940 America a ana	

<sup>&</sup>amp; VALCA % a replaying managing a re-\$ 1967-7903 Gaveral Contra, Contrapt All rights account

GE PLASTICS AMERICAS

1 PLASTICS AVE PITTSFIELD MA 01201

# Material Designation: 310SE0(w), 310SE0R(w), 310SE0U(w), 371(w)

Product Description: Polyburylene Terephthalete (PBT), designated "Valox" furnished as peliets.

Color	Min. Thick. (min)	Plame HWI Class	HAI RTI RTI RIT. Kiec imp Str	TRC IFC GWIT GWFI
ALL	0.71	V-0	120 120 140	
	0.75	V-0 4	1 120 120 140	
	<b>L.\$</b>	<b>√.0</b> 3.00€ 0.00€	0 120 120 140	
	3.0	V-0,	u., 120, 120 140	10 Professional Control of the Contr
	CTN 3	HVTR: 4.	D495; 6	IEC Ball Pressure (*(*)) .
Dielectric Strengt 190 Tensile Stren 150 Tensile Impa	en (kPa) ,	Yolune Restativity 180 Florus Street 180 Izod Inject to	esh (Mia).	Piponalunal Stability(A): 0.1 ISO Hawk Deficotion (* C1: ISO Charpy, Impact: (k1/#):

(w) Recognition includes the use of surface dyes.

NOTE Material designation may be followed by a color nomenclature consisting of either an alpha/numeric or numeric/alpha combination.

Report Date: 5/11/1972 Underwriters Laboratories Inc

til94 small-scale test data does not pertain to building materials, furnishings and related contents. UL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in components and parts of end-product devices and appliances, where the acceptability of the combination is determined by ULT.



VALOX® 310SEQ

Asia Pacific: COMMERCIAL

TYPICAL PROPERTIES 1	TYPICAL VALUE	UNIT	STANDARD
Dialociric Strength, in air, 3.2 mm	18 4	XV/mm	ASTM D 149
Dielectric Strength, in oil, 1.6 mm	22	kV/mm	ASTM D 149
Relative Permittivity, 100 Hz	3.1		ASTM D 150
Relative Permittinity, 1 MHz	31		ASTM 0 150
Dissipation Factor, 100 Hz	0.002		ASTM D 180
Dissipation Factor, 1 MHz	0.02		ASTM D 160
Arc Resistance, Tungaton (PLC)	•	PLC Code	ASTM D 495
Hot Wire Ignition (PLC)		PLC Code	UL 746A
High Vollage Arc Track Ram (PLC)	4.7	PLC Code	UL 748A
High Ampere Arc Ign, surface (PLC)	1 d 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PLC Code	IJĿ <b>7</b> ⊀8∧
Comparative Tracking Index (UL) (PLC)	15	A.C.Code	UL 748A
FLAME CHARACTERISTICS	Yaking.	552.6H2.2H5.6H8	
Ut. Recognized, 94V-0 Flame Class Rating (3)	n.t	mm * + san	UL 94
UL Recognizad, 94-5VA Rating (3)	3	mm	UL 94
CSA (San File for complete listing)	1.888480	File No.	CSA USTED

at the property of the the control of the control o

HONE, ONO LAN UNION BUILDON

SECTIFIC COMPANY (TO BUBBOOLARIES AND ATTEMPTS POWER. HE WAS DEAD TO COMPANY (TO BUBBOOLARIES BACKED ON THE GE POSTTORE UNIT OF GENERAL AND PRICE OF THE BUBBOOLARIES BACKED ON THE GE POSTTORE UNIT OF GENERAL PROPERTY PROPERTY PROPERTY OF THE COOK OF ORDER ASSESSMENT OF THE COOK OF THE COOK OF THE STATEMENT OF THE COOK OF THE COO

<sup>11</sup> Firsted volume only Visitations indice commit scalesments and annotation to entitie opposite by anything of makes and of the scales of the

S.VALOX is a logarity of various and the General Electric Company

S 1881 2001 Carrol Flour Carrony Al cycle Scarrol



VALOX® 310SE0

Asia Pacific: COMMERCIAL

PROCESSING PARAMETERS	TYPICAL VALUE	UNIT
Injection Molding	The second secon	
Drying Temperature .*		
Drying Tuma	120	
Oryling Time (Cumulativa)	<b>34-4</b>	hra
Medmum Moisture Content	<b>12</b>	pis
Hell Tamparatura	0.02	<b>%</b>
Nozzie Temperature	245 - 280	<b>.</b> C
Front - Zona 3 Tampererure	240 - 255	'C'
	245 - 260	
Alddle - Zorie 2 Temperature	240 - 255	
Rear - Zono 1 Temperatura	230 - 250	'C
Aold Temperatura	50 75	* <b>C</b>
ack Propaure	03-07	NPa
crew Speed	507-100	ıpm
inot to Cylinder Size	40 - 80	
ani Dapih	0.013 - 0.025	nyn

1.17/KM velons zell. "Zelabora indon comia intermenta del passible le retrino social Allabora per intercorpi di lori afri el Albora intrapa al 2012/80% (Albora hardes). Al properties, copositi del redi mismo del pre propercioni persono indonénti surpries.

2. Over propose to be the best for the best of the propose that the low cases for part or their deposition.
3. The model to the respectful to referre to propose processed by the group of the their deposition.
3. Over model control internation to the propose processed by the group of their international processes and the control processes.

#### Source, GMD Last Update Seri 4/200

ALL DATE OF HALL THAT HAVE AND A STANDARD OF A LANGE FOR A MERCH SERVICE TO GUT A STANDARD CONCINUES OF THE REQUIRESTS MARKED UP THE GET HARDS HAVE OF HALL STANDARD OF THE REQUIREST MARKED UP THE GET HARDS HAVE OF HALL STANDARD OF THE REQUIREST MARKED UP THE GET HARDS HAVE OF HAVE A STANDARD OF THE REQUIREST MARKED OF THE REGUIREST MARKED O

4 VALON in a requiring bedemon't of the General Enough Company or 1997 2003 General English Company At Ingles reserved. N'enbin Ouyang Product Stewardship & Campilance Greater China GE Plasnes Greater Phina
No. 38 Anto Rd. Watgaching Free Trade Zone
Shunghar 2001 33
The Prople's Republic of China
Tel \*86-(21)-50460000 eri 3006
Fax \*86-(21)-50450100
Internet Amold Organic Tigepex ge.com

Aug. 20, 2004

Dear Ms. Li

# GE Plastics Vulox® 310SEO

Thank you for choosing GE Plastics. You will be pleased to know the file following constituents are not used in the confidential and proprietary formulation of the subject tests product manufactured by GE Plastics.

L. Cudmium and cadmium Compounds

lentin Ougang

- 2. PBB/PBDE
- 3. CP
- 4. PCB

- e 5. PCN
- 6. Organic stannic compounds
- 7 Ashesios
- 8 Chlorinated organic compounds

Please note that any incidental presence of the above substances would have to be described as technically uncontrollable impurity and would only be present at utila trace level.

I trust the above information will be of use to you Should you need further information, you may contact ine at the address shown above.

Thank you

Yours faithfully.

Wenbin Chiyang, Ph.D. for GB Plastics

DISCLAINCE THE NATERIAL VANIOUR OBJECTS OF BIT RESIDENCES SERVICIOUS THE CETE SERVE UPIL OF CEREBRAL PLECTRIC LONGARY. PLS SUBSTITUALITY AND APPLICABLE, INCLUDING WITERSHIELDAND, OF OPEN SERVICED OF THE APPLICABLE DISTRIBUTION OF SOME AND AVAILABLE TO BE APPLICABLE DISTRIBUTION OF SOME SERVE SAFETY OF SERVICED OF SER



# 譁裕實業股份有限公司

# WHA YU INDUSTRIAL CO., LTD

# Connector 材質證明書

譁衫 Wha	譁裕料號 Whayu P/N 100-2001010-AZ			產 Prod	品名稱 uct Name	Big SM	A Plug Ro	everse Straight for RG-178
				結構圖	面	<u>*************************************</u>		
		6		(	5)		4	表面處理
1	絕緣體	Teflon	10 貝		PTFE			双面处理 N/A
2	外殼	Brass	Cu P	b Fe	<del></del>	Zn		電著
3	主體	Brass	Cu P		+	Zn		鍍鎳
4	絕緣體			Teflon	1		1	PTFE
5	中心針	Phos. Bronze	Cu S	n P	Zn	Pb		鍍金
6	尾管	Brass	Cu P	_	_	Zn		鍍鎳
		,						
D 1				:				
Remark	•							が過過である。

Fax-on-Demand: (800) 260-9099 (650) 361-6523

Before ordering check with factory for most current data.

FAX ID Description
2240 Data sheet
2590 RW-3010

# Versafit V4

Very-thin-wall, very flexible, highly flame-retardant polyolefin tubing

## **Applications**

Typically used where space saving is important. Offers the ability to pack components more closely than is possible with standard tubings. Cost-effective choice for many commercial applications; electrically insulates and protects in-line components, disconnect terminals, and splices. Used for strain relief on high-density connectors.

#### **Operating Temperature Range**


-55°C to 125°C

#### Features/Benefits

- · 2:1 shrink ratio.
- · Very thin wall provides space savings and rapid shrinking.
- Low shrink temperature further reduces installation time and risk of damage to temperature-sensitive components.
- Very flexible; doesn't easily wrinkle when bent.
- Free of polybrominated biphenyls (PBBs) and polybrominated biphenyl oxides and ethers (PBBOs and PBBEs), which are classified as environmentally hazardous substances.

#### Installation

Minimum shrink temperature: 70°C Minimum full recovery temperature: 90°C



## Specifications/Approvals

<b>U</b>		
_		

(	P
•	

 
 Series
 UL
 CSA
 Raychem

 Versafit V4
 E35586 VW-1 300 V, 125°C
 LR31929 OFT 150 V, 125°C
 RW-3010

## **Product Dimensions**

	As s	upplied			After sh	ırinkage
Metric sizes	Insid Dian	le neter		kness ninal)	Inside diamete (max.)	Wall er thickness* (min.)
1.0/0.5	1.4 ±	0.25	0.1		0.5	0.25
1.5/0.75	1.9 ±	0.25	0.1		0.75	0.25
2.0/1.0	2.3 ±	0.25	0.1		1.0	0.25
2.5/1.25	2.8 ±	2.8 ±0.25			1.25	0.25
3.0/1.5	3.3 ±	3.3 ±0.25			1.5	0.25
3.5/1.75	3.8 ±	0.25	0.15		1.75	0.25
4.0/2.0	4.4 ±	0.25	0.15		2.0	0.25
Inch size	s (mr	n/ <i>in</i> )				
3/64	1.2	(.046)	0.6	(.023)	.30 ±.05	(.012 ±.002)
1/16	1.6	(.063)	0.8	(.031)	.30 ±.05	(.012 ±.002)
3/32	2.4	(.093)	1.2	(.046)	.30 ±.05	(.012 ±.002)
1/8	3.2	(.125)	1.6	(.062)	.33 ±.05	(.013 ±.002)
3/16	4.8	(.187)	2.4	(.093)	.33 ±.05	(.013 ±.002)

	As supplied	I	After shrini	kage
Size	Inside diameter	Wall thickness	Inside diameter (max.)	Wall thickness* (min.)
5.0/2.5	5.5 ±0.25	0.15	2.5	0.25
6.0/3.0	6.5 ±0.4	0.15	3.0	0.28
7.0/3.5	7.5 ±0.4	0.15	3.5	0.28
8.0/4.0	8.5 ±0.4	0.15	4.0	0.28
9.0/4.5	9.5 ±0.4	0.15	4.5	0.28
10.0/5.0	10.5 ±0.5	0.15	5.0	0.28

1/4	<b>6.4</b> (.250)	3.2	(.125)	.36 ±.05	(.014 ± .002)
3/8	<b>9.5</b> (.375)	4.8	(.187)	.36 ±.05	(014 ± 002)
1/2	<b>12.7</b> (.500)	6.4	(.250)	.36 ±.05	(.014 ± .002)
3/4	<b>19.1</b> (.750)	9.5	(.375)	.46 ±.08	(.017 ± .003)
1	<b>25.4</b> (1.000)	12.7	(.500)	.51 ±.08	(.020 ± .003)

#### **Ordering Information**


Color	Standard Black (-0)
	Nonstandard Other colors available upon request.
Size selection	Always order the largest size that will shrink snugly over the component to be covered. Special order sizes are available upon request.
Standard packaging	On spools.
Marking	Marked with UL/CSA/-F- legends.
Ordering description	Specify product name, size, and color (for example, Versafit V4-1.0-0).

Versafit is a trademark of Raychem Corporation.

<sup>\*</sup>Wall thickness will be less if tubing recovery is restricted during shrinkage.

# Versafit V2

Highly flame-retardant, very flexible, low-shrinktemperature polyolefin tubing



Fax-on-Demand: (800) 260-9099 (650) 361-6523

Before ordering check with factory for most current data. FAX ID Description 2222 Data sheet 2221 RT-1136

#### **Applications**

Cost-effective choice for many commercial and military applications; electrically insulates and protects in-line components, disconnect terminals, and splices. Bundles wires for very flexible light-duty harnesses. Strain-relieves electrical wire connections for commercial applications. Identifies or color-codes wires, cables, terminals, and components.

## **Operating Temperature Range**

-55°C to 125°C

#### Features/Benefits

- · 2:1 shrink ratio.
- Low shrink temperature reduces installation time and the risk of damage to temperature-sensitive components.
- · Very flexible; doesn't easily wrinkle when bent.
- · Hot stamps extremely well.
- Free of polybrominated biphenyls (PBBs) and polybrominated biphenyl oxides and ethers (PBBOs and PBBEs), which are classified as environmentally hazardous substances.
- · Higher temperature rating, better thermal stability, and higher resistance to physical abuse than noncrosslinked materials.

#### Installation

Minimum shrink temperature: 70°C Minimum full recovery temperature: 90°C

## **Specifications/Approvals**





Series	UL	CSA	Raychem	
Versafit	E35586 VW-1 600 V, 125°C	LR31929 OFT 600 V, 125°C	RW-3023	

#### **Product Dimensions (mm)**

	As supplie	ed	After shrinkage		
Size	Inside diameter	Wall thickness (nominal)	Inside diameter (max.)	Wall thickness* (min.)	
1.0	1.6 ±0.2	0.2	0.5	0.33	
1.5	2.1 ±0.2	0.2	0.75	0.35	
2.0	2.6 ±0.2	0.25	1.0	0.43	
2.5	3.1 ±0.2	0.25	1.25	0.43	
3.0	3.6 ±0.2	0.25	1.5	0.43	
3.5	4.1 ±0.3	0.25	1.75	0.43	
4.0	4.6 ±0.3	0.25	2.0	0.43	
5.0	5.6 ±0.3	0.3	2.5	0.56	
6.0	6.6 ±0.3	0.3	3.0	0.56	
7.0	7.6 ±0.3	0.3	3.5	0.56	
8.0	8.6 ±0.3	0.3	4.0	0.56	
9.0	9.6 ±0.3	0.3	4.5	0.56	
10.0	10.4 ±0.3	0.3	5.0	0.56	

	As supplie	ed	After shrinkage		
Size	Inside diameter	Wall thickness (nominal)	Inside diameter (max.)	Wall thickness* (min.)	
11.0	11.4 ±0.3	0.3	5.5	0.56	
12.0	12.7 ±0.3	0.3	6.0	0.56	
13.0	13.5 ±0.3	0.35	6.5	0.66	
14.0	14.4 ±0.4	0.35	7.0	0.68	
15.0	15.7 ±0.4	0.35	7.5	0.68	
16.0	16.9 ±0.4	0.35	8.0	0.68	
18.0	19.0 ±0.4	0.4	9.0	0.76	
20.0	21.4 ±0.4	0.4	10.0	0.76	
22.0	23.2 ±0.4	0.45	11.0	0.89	
25.0	26.8 ±0.4	0.45	12.5	0.89	
27.0	28.2 ±0.5	0.45	12.5	0.89	
28.0	30.0 ±0.5	0.45	14.0	0.89	
30.0	32.1 ±0.5	0.45	15.0	0.89	

## **Ordering Information**

Color	Standard Black (-0), white (-9), red (-2), blue (-6), yellow (-4), green (-5)	
	Nonstandard Orange (-3), violet (-7), brown (-1), gray (-8)	
Size selection	Always order the largest size that will shrink snugly over the component to be covered. Special order sizes are available upon request.	
Standard packaging	On spools.	
Marking	Marked with UL/CSA/-F- legends.	
Ordering description	Specify product name, size, and color (for example, Versafit V2-3.0-0).	

<sup>\*</sup>Wall thickness will be less if tubing recovery is restricted during shrinkage.

# **SGS Test Report**

Product: RF Antenna

# Contents

NO.	Description		Report NO.	Page
1	Cable	RG-178 Cable	CE/2005/84353	P.26~29
2	Antenna Cap	TPE	SH533385/CHEM	P.30~31
3	Upper Base	PC	CE/2004/C2403	P.32~33
4	Bottom Base	PBT	CE/2005/71866	P.34~36
5	Rivet	POM	SZTY R050422342/LP	P.37~38
6	Ground Tube	Ni Plated	SH566180-1/CHEM	P.39~41
7	Signal Tube	Brass	SH526190/CHEM	P.42~43
8	Helix	Brass	SH529803/CHEM	P.44~45
9	Connector	Big SMA Plug	SH549575/CHEM SH527244/CHEM SH556644/CHEM SHE558042/CHEM	P.46~53
10	H.S Tube	Heat Shrink Tube	SZTY R050305474/LP	P.54~57

**Result for RoHS:PASS** 

# SGS

# **Test Report**

Report No. : CE/2005/84353

Date

: 2005/08/25

Page

: 1 of 4

The following merchandise was (were) submitted and identified by the client as:

Type of Product

: COAXIAL CABLE

Style/Item No

: RG 178 B/U

Sample Received

: 2005/08/18

Testing Date

2005/08/18 TO 2005/08/25

Test Result

: - Please see the next page -

SGS TAWAN LTD.



Report No. : CE/2005/84353

Date

: 2005/08/25

Page

:2 of 4

## Tost Result

PART NAME NO.1

MIXED TRANSPARENT FROWN FEP JACKET AND TRANSPARENT INSULATION (PLEASE REFER TO THE PHOTO ATTACHED

	WW 4.1	Unit Method		Result
Test Item (s):	Unit			No.1
Mon <b>obromobiphenyl</b>	%		0.0005	N.D
Nabromob <del>iphenyl</del>	%		0.0005	N.D
Tribromobiphenyl	%6		0.0005	N.D
Tetrabromobiphenyl	%	With reference to	0.0005	N.D
Pentabromobiphenyl	%	USEPA3540C or	0.0005	N.D
He <b>xabromobiphenyl</b>	%	USEPA3550C. Analysis v as	0.0005	N.D
Hept <b>abromobiph<del>e</del>nyl</b>	96	performed by HPLC/DAL, LC/MS or GC/MS.	0.0005	N.D
Octabromobiphenyl	%	(prohibited by 2002/95/I/C	0.0005	N.D
Mon <b>abromobiphenyl</b>	%	(RoHS), 83/264/EEC, and	0.0005	N.D
Decabromobiphenyl	96	76/769/EEC)	0.0005	N.D
Trial PBBs (Polybrominated biphenyls)/Sum of above	%		i Transis (1994) de 1979 de 1970 de 19	N.D
Monobromobiphenyl ether	%		0.0005	N.D
Dibromobiphenyl ether	96		0.0005	N.D
Tribromobiphenyl ether	96		0.0005	N.D
Tetrabromobiphenyl ether	96	With reference to	0.0005	N.D
Femtabromobiphenyl ether	96	USEPA3540C or	0.0005	N.D
Hexabromobiphenyl ether	96	USEPA3550C. Analysis was performed by HPLC/DAL.	0.0005	N.D
Heptabromobiphenyl ether	%	LC/MS or GC/MS	0.0005	N.D
Octabromobiphenyl ether	%	(prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D
Nonabromobiphenyl ether	96		0.0005	N.D
Decabromobiphenyl ether	%		0.0005	N.D
Total PBBEs(PBDEs) (Polybrominated hiphenyl others)/Sum of shows	96		Auch de Straum en ann an an Amhra agus e an ann an Aire ann an	N.D



Report No. : CE/2005/84353

: 2005/08/25 Date

Page :3 of 4

Test Item (s):	Tirale	Method	to ray	Result
TABL TOSTI (B):	UME	m = cnock	MDL	No.1
Chromium VI (Cr+6)	bbw	UV-VIS after reference to US EPA 3060A.	2	N.D
Cadmium (Cd)	ppm	ICP-ABS after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D
Mercury (Hg)	ppm	ICP-ABS after reference to US EPA 3052 or other acid digestion.	2	N.D
lead (Pb)	þþm	ICP-AES after reference vi US EPA 3050B or other acid digestion.	2	N.D

NOTE: (1) N.D. = Not detected (<MDL)

(2) ppm \* mg/kg(3) MDL \* Method Detection Limit


(4) "-" = No Regulation



Report No. : CE/2005/84353

Date : 2005/08/25

Page : 4 of 4





No. SH533385/CHEM

Date: 6.7.2005

Page 1 of 2

KUNSHAN XIANGXIN PRECISION MOLD CO., LTD HUGUANG DONG ROAD, NANGANG, ZHANG PU, KUNSHAN

The following sample(s) was/were submitted and identified on behalf of the applicant as:

Sample Name

: ANTENNA CAP

SGS Ref No.

: SHEC0050612569-3

Buyer Model : WHA YU INDUSTRIAL CO., LTD

: Ф13\*115mm

Material

: TPE EL-630

Sample Receiving Date: June 02, 2005

Testing Period

: June 02 to June 07, 2005

Test Requested

: 1) To determine the Cadmium Content of the submitted sample.

2) To determine the Lead content of the submitted sample. 3) To determine Mercury Content of the submitted sample.

4) To determine Hexavalent Chromium content of the submitted sample. 5) To determine the PBBs(Polybrominated biphenyls) PBBEs(PBDEs) (Polybrominated biphenyl ethers) Content of the submitted sample.

le 'hod

: 1) With reference to BS EN 1122:2001, Method B

Analysis was performed by Inductively Coupled Argon Plasma - Atomic Emission

Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.

2) With reference to US EPA Method 3050B

Analysis was performed by Inductively Coupled Argon Plasma - Atomic Emission

Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.

3) With reference to US EPA 3052/EPA7473

Analysis was performed by Inductively Coupled Argon Plasma – Atomic Emission Spectrometry (ICP-AES)/Hg Analyzer.

4) With reference to US EPA3060A and US EPA7196A

Analysis was performed by UV-VIS Spectrometric method.

5) With reference to USEPA 8081/8270C/3540C/3550B, Analysis was performed by

GC/MS.

**Test Results** 

: Please refer to next page

Signed for and on behalf o

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shalf not be reproduced except in full, without written approval of the Company.

SHCH 270269



No. SH533385/CHEM

Date: 6.7.2005

Page 2 of 2

## Test Results

		,		
No.	ltem	<u>Unit</u>	MDL	Α
1	Cadmium (Cd)	ppm	2	N.D.
2	Lead (Pb)	ppm	2	N.D.
3	Mercury (Hg)	ppm	2	N.D.
4	Hexavalent Chromium (Cr VI)	ppm	2	N.D.
	PBBs(Polybrominated biphenyls)			
	PBBs(Bromobiphenyl)	ppm	5	N.D.
5.3	PBBs(Dibromobiphenyl)	ppm	5	N.D.
	PBBs(Tribromobiphenyl)	ppm	5	N.D.
	PBBs(Tetrabromobiphenyl)	ppm	5	N.D.
	PBBs(Pentabromobiphenyl)	ppm	5	N.D.
	PBBs(Hexabromobiphenyl)	ppm	5	N.D.
	PBBs(Heptabromobiphenyl)	ppm	5	N.D.
	PBBs(Octabromobiphenyl)	ppm	5	N.D.
	PBBs(Nonabromobiphenyl)	ppm	5	N.D.
5	PBBs(Polybrominated biphenyls)	ppm	5	N.D.
3	PBBEs(PBDEs)(Polybrominated biphenyl ethers)			
	PBBEs(PBDEs)(Monobromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Dibromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Tribromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Tetrabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Pentabromobiphenyl ether)	ppm	5	N.D.
17.	PBBEs(PBDEs)(Hexabromobiphenyl ether)	ppm	- 5	N.D.
	PBBEs(PBDEs)(Heptabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Octabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Nonabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Decabromobiphenyl ether)	ppm	5	N.D.
		L		

Sample Appearance Description:

A. Black plastic

Note: ppm=mg/kg

MDL= Method Detection Limit N.D. = Not detected (<MDL)

\*\*\* End of Report \*\*\*

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 270270



Test Report No. SH525213/CHEM Date: 4.30.2005 Page 1 of 2

KUNSHAN XIANGXIN PRECISION MOLD CO., LTD. HUGUANG DONG ROAD, NANGANG ZHANGPU, KUNSHAN

The following sample(s) was/were submitted and identified on behalf of the applicant as:

 Sample Name
 : FIXED BASE

 SGS Ref No.
 : SHEC0050409461

 Buyer
 : AEON TECH CO., LTD.

 Model
 : PC-L-1250Z-100

Supplier : KUNSHAN CITY EVERCHEM PLASTICS LTD.

Material : PC

Sample Receiving Date: April 19, 2005

Testing Period : April 19 to April 26, 2005

Test Requested : 1) To determine the Cadmium Content of the submitted sample.

2) To determine the Lead content of the submitted sample.3) To determine Mercury Content of the submitted sample.

To determine Hexavalent Chromlum content of the submitted sample
 To determine the PBBs(Polybrominated biphenyls) PBBEs(PBDEs)
 (Polybrominated biphenyl ethers) Content of the submitted sample.

Test method : 1) With reference to BS EN 1122:2001, Method B

Analysis was performed by Inductively Coupled Argon Plasma - Atomic Emission

Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.

2) With reference to US EPA Method 3050B

Analysis was performed by Inductively Coupled Argon Plasma - Atomic Emission

Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.

3) With reference to US EPA 3052

Analysis was performed by Inductively Coupled Argon Plasma - Atomic Emission

Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.

4) With reference to US EPA3060A and US EPA7196A

Analysis was performed by UV-VIS Spectrometric method.

5) With reference to US EPA 8081, Analysis was performed by GC/MS.

Test Results : Please refer to next page

Signed for and on behalf-of SGS-CSTC Chemical Asboratory

Ella Zhang Supervisor SHANGHAL

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 246415