




Channel 157 (5785MHz)-1




Channel 157 (5785MHz)-2




Channel 157 (5785MHz)-3




Channel 157 (5785MHz)-4




Channel 157 (5785MHz)-5




Channel 157 (5785MHz)-6




Channel 157 (5785MHz)-7




Channel 157 (5785MHz)-8




Channel 157 (5785MHz)-9




Channel 157 (5785MHz)-10




Channel 157 (5785MHz)-11




Channel 157 (5785MHz)-12




Channel 157 (5785MHz)-13




Channel 157 (5785MHz)-14




Channel 157 (5785MHz)-15




Channel 157 (5785MHz)-16




Channel 157 (5785MHz)-17




Channel 157 (5785MHz)-18




Channel 157 (5785MHz)-19




Channel 165 (5825MHz)-1




Channel 165 (5825MHz)-2




Channel 165 (5825MHz)-3




Channel 165 (5825MHz)-4




Channel 165 (5825MHz)-5




Channel 165 (5825MHz)-6




Channel 165 (5825MHz)-7




Channel 165 (5825MHz)-8




Channel 165 (5825MHz)-9




Channel 165 (5825MHz)-10




Channel 165 (5825MHz)-11




Channel 165 (5825MHz)-12




Channel 165 (5825MHz)-13




Channel 165 (5825MHz)-14




Channel 165 (5825MHz)-15




Channel 165 (5825MHz)-16




Channel 165 (5825MHz)-17



Channel 165 (5825MHz)-18




Channel 165 (5825MHz)-19




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	RF Antenna Conducted Spurious
Test Site	:	TR-8
Test Mode	:	Mode 4: Transmit by 802.11n(20MHz) (Ant 2)


Channel 149 (5745MHz)




Channel 157 (5785MHz)




Channel 165 (5825MHz)




Channel 149 (5745MHz)-1




Channel 149 (5745MHz)-2




Channel 149 (5745MHz)-3




Channel 149 (5745MHz)-4




Channel 149 (5745MHz)-5




Channel 149 (5745MHz)-6




Channel 149 (5745MHz)-7




Channel 149 (5745MHz)-8




Channel 149 (5745MHz)-9




Channel 149 (5745MHz)-10




Channel 149 (5745MHz)-11




Channel 149 (5745MHz)-12




Channel 149 (5745MHz)-13




Channel 149 (5745MHz)-14




Channel 149 (5745MHz)-15




Channel 149 (5745MHz)-16




Channel 149 (5745MHz)-17




Channel 149 (5745MHz)-18




Channel 149 (5745MHz)-19




Channel 157 (5785MHz)-1




Channel 157 (5785MHz)-2




Channel 157 (5785MHz)-3




Channel 157 (5785MHz)-4




Channel 157 (5785MHz)-5




Channel 157 (5785MHz)-6




Channel 157 (5785MHz)-7




Channel 157 (5785MHz)-8




Channel 157 (5785MHz)-9




Channel 157 (5785MHz)-10




Channel 157 (5785MHz)-11




Channel 157 (5785MHz)-12




Channel 157 (5785MHz)-13




Channel 157 (5785MHz)-14




Channel 157 (5785MHz)-15




Channel 157 (5785MHz)-16




Channel 157 (5785MHz)-17




Channel 157 (5785MHz)-18




Channel 157 (5785MHz)-19




Channel 165 (5825MHz)-1




Channel 165 (5825MHz)-2




Channel 165 (5825MHz)-3




Channel 165 (5825MHz)-4




Channel 165 (5825MHz)-5




Channel 165 (5825MHz)-6




Channel 165 (5825MHz)-7




Channel 165 (5825MHz)-8




Channel 165 (5825MHz)-9




Channel 165 (5825MHz)-10




Channel 165 (5825MHz)-11




Channel 165 (5825MHz)-12




Channel 165 (5825MHz)-13




Channel 165 (5825MHz)-14




Channel 165 (5825MHz)-15




Channel 165 (5825MHz)-16




Channel 165 (5825MHz)-17



Channel 165 (5825MHz)-18




Channel 165 (5825MHz)-19




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	RF Antenna Conducted Spurious
Test Site	:	TR-8
Test Mode	:	Mode 5: Transmit by 802.11ac(20MHz) (Ant 2)


Channel 149 (5745MHz)




Channel 157 (5785MHz)




Channel 165 (5825MHz)




Channel 149 (5745MHz)-1




Channel 149 (5745MHz)-2




Channel 149 (5745MHz)-3




Channel 149 (5745MHz)-4




Channel 149 (5745MHz)-5




Channel 149 (5745MHz)-6




Channel 149 (5745MHz)-7




Channel 149 (5745MHz)-8




Channel 149 (5745MHz)-9




Channel 149 (5745MHz)-10




Channel 149 (5745MHz)-11




Channel 149 (5745MHz)-12




Channel 149 (5745MHz)-13




Channel 149 (5745MHz)-14




Channel 149 (5745MHz)-15




Channel 149 (5745MHz)-16




Channel 149 (5745MHz)-17




Channel 149 (5745MHz)-18




Channel 149 (5745MHz)-19




Channel 157 (5785MHz)-1




Channel 157 (5785MHz)-2




Channel 157 (5785MHz)-3




Channel 157 (5785MHz)-4




Channel 157 (5785MHz)-5




Channel 157 (5785MHz)-6




Channel 157 (5785MHz)-7




Channel 157 (5785MHz)-8




Channel 157 (5785MHz)-9




Channel 157 (5785MHz)-10




Channel 157 (5785MHz)-11




Channel 157 (5785MHz)-12




Channel 157 (5785MHz)-13




Channel 157 (5785MHz)-14




Channel 157 (5785MHz)-15




Channel 157 (5785MHz)-16




Channel 157 (5785MHz)-17




Channel 157 (5785MHz)-18




Channel 157 (5785MHz)-19




Channel 165 (5825MHz)-1




Channel 165 (5825MHz)-2




Channel 165 (5825MHz)-3




Channel 165 (5825MHz)-4




Channel 165 (5825MHz)-5




Channel 165 (5825MHz)-6




Channel 165 (5825MHz)-7




Channel 165 (5825MHz)-8




Channel 165 (5825MHz)-9




Channel 165 (5825MHz)-10




Channel 165 (5825MHz)-11




Channel 165 (5825MHz)-12




Channel 165 (5825MHz)-13




Channel 165 (5825MHz)-14




Channel 165 (5825MHz)-15




Channel 165 (5825MHz)-16




Channel 165 (5825MHz)-17



Channel 165 (5825MHz)-18




Channel 165 (5825MHz)-19




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	RF Antenna Conducted Spurious
Test Site	:	TR-8
Test Mode	:	Mode 6: Transmit by 802.11n(40MHz) (Ant 2)


Channel 151 (5755MHz)




Channel 159 (5795MHz)




Channel 151 (5755MHz)-1




Channel 151 (5755MHz)-2




Channel 151 (5755MHz)-3




Channel 151 (5755MHz)-4




Channel 151 (5755MHz)-5




Channel 151 (5755MHz)-6




Channel 151 (5755MHz)-7




Channel 151 (5755MHz)-8




Channel 151 (5755MHz)-9




Channel 151 (5755MHz)-10




Channel 151 (5755MHz)-11




Channel 151 (5755MHz)-12




Channel 151 (5755MHz)-13




Channel 151 (5755MHz)-14




Channel 151 (5755MHz)-15




Channel 151 (5755MHz)-16




Channel 151 (5755MHz)-17




Channel 151 (5755MHz)-18




Channel 151 (5755MHz)-19




Channel 159 (5795MHz)-1




Channel 159 (5795MHz)-2




Channel 159 (5795MHz)-3




Channel 159 (5795MHz)-4




Channel 159 (5795MHz)-5




Channel 159 (5795MHz)-6




Channel 159 (5795MHz)-7




Channel 159 (5795MHz)-8




Channel 159 (5795MHz)-9




Channel 159 (5795MHz)-10




Channel 159 (5795MHz)-11




Channel 159 (5795MHz)-12




Channel 159 (5795MHz)-13




Channel 159 (5795MHz)-14




Channel 159 (5795MHz)-15




Channel 159 (5795MHz)-16




Channel 159 (5795MHz)-17



Channel 159 (5795MHz)-18




Channel 159 (5795MHz)-19




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	RF Antenna Conducted Spurious
Test Site	:	TR-8
Test Mode	:	Mode 7: Transmit by 802.11ac(40MHz) (Ant 2)


Channel 151 (5755MHz)




Channel 159 (5795MHz)




Channel 151 (5755MHz)-1




Channel 151 (5755MHz)-2




Channel 151 (5755MHz)-3




Channel 151 (5755MHz)-4




Channel 151 (5755MHz)-5




Channel 151 (5755MHz)-6




Channel 151 (5755MHz)-7




Channel 151 (5755MHz)-8




Channel 151 (5755MHz)-9




Channel 151 (5755MHz)-10




Channel 151 (5755MHz)-11




Channel 151 (5755MHz)-12




Channel 151 (5755MHz)-13




Channel 151 (5755MHz)-14




Channel 151 (5755MHz)-15




Channel 151 (5755MHz)-16




Channel 151 (5755MHz)-17




Channel 151 (5755MHz)-18




Channel 151 (5755MHz)-19




Channel 159 (5795MHz)-1




Channel 159 (5795MHz)-2




Channel 159 (5795MHz)-3




Channel 159 (5795MHz)-4




Channel 159 (5795MHz)-5




Channel 159 (5795MHz)-6




Channel 159 (5795MHz)-7




Channel 159 (5795MHz)-8




Channel 159 (5795MHz)-9




Channel 159 (5795MHz)-10




Channel 159 (5795MHz)-11




Channel 159 (5795MHz)-12




Channel 159 (5795MHz)-13




Channel 159 (5795MHz)-14




Channel 159 (5795MHz)-15




Channel 159 (5795MHz)-16




Channel 159 (5795MHz)-17



Channel 159 (5795MHz)-18




Channel 159 (5795MHz)-19



Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	RF Antenna Conducted Spurious
Test Site	:	TR-8
Test Mode	:	Mode 8: Transmit by 802.11ac(80MHz) (Ant 2)

Channel 155 (5755MHz)



Channel 155 (5755MHz)-1

Agilent
T

Ref 21.2 dBm #Atten 30 dB

Peak

Log

10

dB/

Offst

1.2

dB

LgAv

M1 S2

S3 FC 1

AA

£(f):

FTun

Swp

Start 25.000 0 GHz

#Res BW 100 kHz

Stop 25.800 0 GHz

#VBW 300 kHz

Sweep 77 ms (8192 pts)

Copyright 2000-2005 Agilent Technologies

Mkr1 25.012 0 GHz

-49.49 dBm

Next Peak

Next Pk Right

Next Pk Left

Min Search


Pk-Pk Search

Mkr → CF


More

1 of 2


Channel 155 (5755MHz)-2




Channel 155 (5755MHz)-3




Channel 155 (5755MHz)-4




Channel 155 (5755MHz)-5




Channel 155 (5755MHz)-6




Channel 155 (5755MHz)-7




Channel 155 (5755MHz)-8




Channel 155 (5755MHz)-9




Channel 155 (5755MHz)-10




Channel 155 (5755MHz)-11




Channel 155 (5755MHz)-12




Channel 155 (5755MHz)-13




Channel 155 (5755MHz)-14




Channel 155 (5755MHz)-15




Channel 155 (5755MHz)-16




Channel 155 (5755MHz)-17



Channel 155 (5755MHz)-18



Channel 155 (5755MHz)-19



6. Radiated Emission Band Edge


6.1. Test Equipment

Radiated Emission Band Edge / AC-5

Instrument	Manufacturer	Type No.	Serial No.	Cali. Due Date
Spectrum Analyzer	Agilent	N9020A	MY49100159	2014.03.30
Preamplifier	Miteq	NSP1800-25	1364185	2014.05.04
Preamplifier	QuieTek	AP-040G	CHM-0906001	2014.05.04
Bilog Antenna	Teseq GmbH	CBL6112D	27612	2013.10.15
DRG Horn	ETS-Lindgren	3117	00123988	2014.01.21
Coaxial Cable	Huber+Suhner	SUCOFLEX 106	AC5-C1	2014.03.01
Coaxial Cable	Huber+Suhner	SUCOFLEX 106	AC5-C2	2014.03.01
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	AC5-C3	2014.03.01
EMI Receiver	Agilent	N9038A	MY51210196	2014.06.09
Temperature/Humidity Meter	Zhichen	ZC1-2	AC5-TH	2014.01.11

Note 1: All equipments are calibrated with traceable calibrations. Each calibration is traceable to the national or international standards.

6.2. Test Setup



6.3. Limit

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a) of FCC part 15, must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

6.4. Test Procedure

The EUT was setup according to ANSI C63.4, 2009 and tested according to KDB 558074 for compliance to FCC 47CFR 15.247 requirements.

The EUT is placed on a turn table which is 0.8 meter above ground. The turn table is rotated 360 degrees to determine the position of the maximum emission level. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.

The antenna is scanned from 1 meter to 4 meters to find out the maximum emission level. This is repeated for both horizontal and vertical polarization of the antenna. In order to find the maximum emission, all of the interface cables were manipulated according to ANSI C63.4: 2009 on radiated measurement.

6.5. Uncertainty

The measurement uncertainty above 1G is defined as ± 3.9 dB

6.6. Test Result

All of the test result shown indicates the worst case, and spectrum analyzer parameters setting as shown below:


Peak detector: RBW = 1MHz, VBW = 3MHz, sweep time = 200ms;

Average detector: RBW = 1MHz, VBW = 10Hz, sweep time = auto.

Measure Level = Reading Level + Cable Loss + Antenna Factor - Preamplifier Gain


In case the emission is fail due to the used RB/VB is too wide, marker-delta method of FCC Public Notice will be followed.

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	55.329	18.170	-18.671	74.000	37.159	PK
2		*	2411.920	103.717	66.365	N/A	N/A	37.352	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	41.993	4.834	-12.007	54.000	37.159	AV
2		*	2411.024	97.500	60.156	N/A	N/A	37.344	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	58.699	22.200	-15.301	74.000	36.499	PK
2		*	2412.032	108.997	72.392	N/A	N/A	36.605	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 0	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	46.647	10.148	-7.353	54.000	36.499	AV
2		*	2411.136	103.251	66.650	N/A	N/A	36.600	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 0	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.056	106.370	68.589	N/A	N/A	37.781	PK
2			2483.500	57.033	19.063	-16.967	74.000	37.969	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 0	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.728	99.717	61.930	N/A	N/A	37.788	AV
2			2483.500	44.505	6.535	-9.495	54.000	37.969	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.056	109.732	72.899	N/A	N/A	36.833	PK
2			2483.500	59.880	22.944	-14.120	74.000	36.935	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.632	103.161	66.325	N/A	N/A	36.836	AV
2			2483.500	45.771	8.835	-8.229	54.000	36.935	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	69.747	32.588	-4.253	74.000	37.159	PK
2		*	2411.640	107.351	70.001	N/A	N/A	37.350	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.128	12.969	-3.872	54.000	37.159	AV
2		*	2412.872	90.816	53.456	N/A	N/A	37.360	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	71.383	34.884	-2.617	74.000	36.499	PK
2		*	2411.136	112.551	75.950	N/A	N/A	36.600	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.780	16.281	-1.220	54.000	36.499	AV
2		*	2410.968	95.715	59.115	N/A	N/A	36.600	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.600	109.450	71.672	N/A	N/A	37.778	PK
2			2483.500	70.311	32.341	-3.689	74.000	37.969	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.072	93.168	55.395	N/A	N/A	37.773	AV
2			2483.500	50.989	13.019	-3.011	54.000	37.969	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.096	113.373	76.544	N/A	N/A	36.829	PK
2			2483.500	73.034	36.098	-0.966	74.000	36.935	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.312	96.341	59.511	N/A	N/A	36.831	AV
2			2483.500	52.600	15.664	-1.400	54.000	36.935	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	62.533	25.374	-11.467	74.000	37.159	PK
2		*	2411.640	103.470	66.120	N/A	N/A	37.350	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	46.936	9.777	-7.064	54.000	37.159	AV
2		*	2411.136	91.006	53.661	N/A	N/A	37.345	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	73.248	36.749	-0.752	74.000	36.499	PK
2		*	2412.032	110.912	74.307	N/A	N/A	36.605	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.169	16.670	-0.831	54.000	36.499	AV
2		*	2412.872	96.348	59.739	N/A	N/A	36.609	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.768	106.475	68.696	N/A	N/A	37.779	PK
2			2483.500	68.128	30.158	-5.872	74.000	37.969	PK
3			2483.560	72.636	34.666	-1.364	74.000	37.970	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.072	92.437	54.664	N/A	N/A	37.773	AV
2			2483.500	49.327	11.357	-4.673	54.000	37.969	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.816	108.959	72.127	N/A	N/A	36.832	PK
2			2483.500	69.868	32.932	-4.132	74.000	36.935	PK
3			2483.992	73.246	36.308	-0.754	74.000	36.938	PK
4			2484.448	73.161	36.221	-0.839	74.000	36.940	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.824	94.393	57.556	N/A	N/A	36.837	AV
2			2483.500	49.728	12.792	-4.272	54.000	36.935	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2386.626	68.828	31.699	-5.172	74.000	37.129	PK
2			2390.000	65.547	28.388	-8.453	74.000	37.159	PK
3		*	2419.824	98.730	61.309	N/A	N/A	37.421	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2384.646	45.856	8.744	-8.144	54.000	37.112	AV
2			2390.000	45.185	8.026	-8.815	54.000	37.159	AV
3		*	2420.550	83.234	45.806	N/A	N/A	37.427	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2387.220	73.065	36.579	-0.935	74.000	36.486	PK
2			2388.936	73.400	36.906	-0.600	74.000	36.494	PK
3			2390.000	70.909	34.410	-3.091	74.000	36.499	PK
4		*	2420.088	103.353	66.710	N/A	N/A	36.644	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2384.448	51.098	14.626	-2.902	54.000	36.473	AV
2			2390.000	50.639	14.140	-3.361	54.000	36.499	AV
3		*	2420.814	87.274	50.627	N/A	N/A	36.647	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.760	99.038	61.324	N/A	N/A	37.713	PK
2			2483.500	66.682	28.712	-7.318	74.000	37.969	PK
3			2485.312	68.405	30.419	-5.595	74.000	37.985	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2450.564	80.583	42.896	N/A	N/A	37.687	AV
2			2483.500	44.783	6.813	-9.217	54.000	37.969	AV
3			2489.868	45.933	7.907	-8.067	54.000	38.026	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2449.612	103.160	66.379	N/A	N/A	36.782	PK
2			2483.500	71.530	34.594	-2.470	74.000	36.935	PK
3			2494.220	72.363	35.376	-1.637	74.000	36.988	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.216	86.326	49.530	N/A	N/A	36.796	AV
2			2483.500	49.839	12.903	-4.161	54.000	36.935	AV
3			2490.344	51.392	14.423	-2.608	54.000	36.968	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.349	16.190	-20.651	74.000	37.159	PK
2		*	2411.808	99.415	62.064	N/A	N/A	37.351	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.520	2.361	-14.480	54.000	37.159	AV
2		*	2412.872	91.055	53.695	N/A	N/A	37.360	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	57.132	20.633	-16.868	74.000	36.499	PK
2		*	2412.200	104.645	68.039	N/A	N/A	36.605	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b ant 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	44.364	7.865	-9.636	54.000	36.499	AV
2		*	2411.136	97.807	61.206	N/A	N/A	36.600	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.128	101.341	63.559	N/A	N/A	37.782	PK
2			2483.500	55.394	17.424	-18.606	74.000	37.969	PK
3			2499.616	56.814	18.740	-17.186	74.000	38.074	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.872	94.772	56.983	N/A	N/A	37.789	AV
2			2483.500	44.423	6.453	-9.577	54.000	37.969	AV
3			2499.928	45.948	7.874	-8.052	54.000	38.074	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.008	107.123	70.290	N/A	N/A	36.833	PK
2			2483.500	59.550	22.614	-14.450	74.000	36.935	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.312	100.919	64.089	N/A	N/A	36.831	AV
2			2483.500	49.533	12.597	-4.467	54.000	36.935	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	66.058	28.899	-7.942	74.000	37.159	PK
2		*	2410.408	103.525	66.186	N/A	N/A	37.338	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	48.729	11.570	-5.271	54.000	37.159	AV
2		*	2410.968	87.928	50.584	N/A	N/A	37.344	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	70.468	33.969	-3.532	74.000	36.499	PK
2		*	2410.632	108.697	72.099	N/A	N/A	36.599	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2412MHz by 802.11g ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.808	16.309	-1.192	54.000	36.499	AV
2		*	2410.968	91.929	55.329	N/A	N/A	36.600	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.120	104.712	66.938	N/A	N/A	37.773	PK
2			2483.500	64.090	26.120	-9.910	74.000	37.969	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.000	87.283	49.510	N/A	N/A	37.772	AV
2			2483.500	45.734	7.764	-8.266	54.000	37.969	AV
3			2499.976	46.949	8.876	-7.051	54.000	38.074	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.672	109.731	72.899	N/A	N/A	36.832	PK
2			2483.500	70.601	33.665	-3.399	74.000	36.935	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 2462MHz by 802.11g ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.072	93.390	56.561	N/A	N/A	36.829	AV
2			2483.500	52.654	15.718	-1.346	54.000	36.935	AV

Profile: RSE	Page No.: 49
Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	67.954	30.795	-6.046	74.000	37.159	PK
2		*	2405.816	101.839	64.541	N/A	N/A	37.298	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.135	11.976	-4.865	54.000	37.159	AV
2		*	2411.080	88.871	51.526	N/A	N/A	37.345	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	72.565	36.066	-1.435	74.000	36.499	PK
2		*	2411.976	108.381	71.776	N/A	N/A	36.605	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.069	16.570	-0.931	54.000	36.499	AV
2		*	2411.024	94.098	57.498	N/A	N/A	36.600	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.912	101.427	63.647	N/A	N/A	37.780	PK
2			2483.500	61.461	23.491	-12.539	74.000	37.969	PK
3			2484.256	63.383	25.407	-10.617	74.000	37.976	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.240	86.932	49.157	N/A	N/A	37.775	AV
2			2483.500	44.579	6.609	-9.421	54.000	37.969	AV
3			2499.952	47.497	9.424	-6.503	54.000	38.074	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.864	107.086	70.254	N/A	N/A	36.833	PK
2			2483.500	70.222	33.286	-3.778	74.000	36.935	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.168	92.673	55.843	N/A	N/A	36.830	AV
2			2483.500	52.618	15.682	-1.382	54.000	36.935	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2380.686	68.084	31.007	-5.916	74.000	37.077	PK
2			2390.000	64.986	27.827	-9.014	74.000	37.159	PK
3		*	2408.406	96.449	59.128	N/A	N/A	37.321	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	48.460	11.301	-5.540	54.000	37.159	AV
2		*	2410.518	78.244	40.904	N/A	N/A	37.339	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2379.234	72.411	35.963	-1.589	74.000	36.448	PK
2			2386.362	72.165	35.683	-1.835	74.000	36.482	PK
3			2390.000	70.202	33.703	-3.798	74.000	36.499	PK
4		*	2419.956	101.722	65.079	N/A	N/A	36.643	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.139	16.640	-0.861	54.000	36.499	AV
2		*	2420.220	86.332	49.688	N/A	N/A	36.644	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2449.034	97.180	59.505	N/A	N/A	37.675	PK
2			2483.500	61.698	23.728	-12.302	74.000	37.969	PK
3			2483.952	67.206	29.232	-6.794	74.000	37.974	PK
4			2484.428	65.653	27.675	-8.347	74.000	37.978	PK
5			2485.856	65.252	27.262	-8.748	74.000	37.990	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2440.534	80.023	42.420	N/A	N/A	37.603	AV
2			2483.500	46.606	8.636	-7.394	54.000	37.969	AV
3			2499.966	46.886	8.813	-7.114	54.000	38.074	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2458.350	101.284	64.466	N/A	N/A	36.818	PK
2			2483.500	69.150	32.214	-4.850	74.000	36.935	PK
3			2493.302	71.969	34.986	-2.031	74.000	36.983	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n(40MHz) ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.556	85.394	48.596	N/A	N/A	36.798	AV
2			2483.500	50.837	13.901	-3.163	54.000	36.935	AV
3			2490.072	51.212	14.245	-2.788	54.000	36.967	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2388.008	66.363	29.222	-7.637	74.000	37.142	PK
2			2390.000	65.490	28.331	-8.510	74.000	37.159	PK
3		*	2411.304	105.197	67.850	N/A	N/A	37.346	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	47.578	10.419	-6.422	54.000	37.159	AV
2		*	2410.856	91.638	54.295	N/A	N/A	37.343	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.072	72.189	35.694	-1.811	74.000	36.494	PK
2			2390.000	70.055	33.556	-3.945	74.000	36.499	PK
3		*	2411.472	109.985	73.383	N/A	N/A	36.603	PK

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n(20MHz) ant 0+1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.274	15.775	-1.726	54.000	36.499	AV
2		*	2411.472	97.039	60.437	N/A	N/A	36.603	AV

Engineer: Milo	
Site: AC5	Time: 2013/09/13 - 17:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2462MHz by 802.11n(20MHz) ant 0+1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.632	106.306	68.519	N/A	N/A	37.787	PK
2			2483.500	66.226	28.256	-7.774	74.000	37.969	PK