



Channel 165 (5825MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 5: Transmit by 802.11ac(20MHz) (Ant 1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	N/A	6.020	N/A	6.020	8	Pass
157	5785	N/A	7.910	N/A	7.910	8	Pass
165	5825	N/A	7.250	N/A	7.250	8	Pass


### Channel 149 (5745MHz)



Channel 157 (5785MHz)




Channel 165 (5825MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 6: Transmit by 802.11n (40MHz) (Ant 1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
03	2422	N/A	1.290	-	1.290	8	Pass
06	2437	N/A	1.780	-	1.780	8	Pass
09	2452	N/A	-0.230	-	-0.230	8	Pass
151	5755	N/A	4.240	N/A	4.240	8	Pass
159	5795	N/A	4.270	N/A	4.270	8	Pass


### Channel 03 (2422MHz)




Channel 06 (2437MHz)




Channel 09 (2452MHz)



Channel 151 (5755MHz)




Channel 159 (5795MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 7: Transmit by 802.11ac(40MHz) (Ant 1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	N/A	2.470	N/A	2.470	8	Pass
159	5795	N/A	3.010	N/A	3.010	8	Pass

### Channel 151 (5755MHz)



Channel 159 (5795MHz)






Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 8: Transmit by 802.11ac(80MHz) (Ant 1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
155	5775	N/A	0.201	N/A	0.201	8	Pass


Channel 155 (5775MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 3: Transmit by 802.11a (Ant 2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	N/A	N/A	4.240	4.240	8	Pass
157	5785	N/A	N/A	3.630	3.630	8	Pass
165	5825	N/A	N/A	4.030	4.030	8	Pass


### Channel 149 (5745MHz)



Channel 157 (5785MHz)




Channel 165 (5825MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 4: Transmit by 802.11n(20MHz) (Ant 2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	N/A	N/A	4.190	4.190	8	Pass
157	5785	N/A	N/A	3.630	3.630	8	Pass
165	5825	N/A	N/A	4.280	4.280	8	Pass


Channel 149 (5745MHz)



Channel 157 (5785MHz)




Channel 165 (5825MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 5: Transmit by 802.11ac(20MHz) (Ant 2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	N/A	N/A	7.940	7.940	8	Pass
157	5785	N/A	N/A	7.890	7.890	8	Pass
165	5825	N/A	N/A	7.850	7.850	8	Pass


### Channel 149 (5745MHz)



Channel 157 (5785MHz)




Channel 165 (5825MHz)



Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 6: Transmit by 802.11n(40MHz) (Ant 2)


Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	N/A	N/A	0.700	0.700	8	Pass
159	5795	N/A	N/A	1.040	1.040	8	Pass

### Channel 151 (5755MHz)






Channel 159 (5795MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 7: Transmit by 802.11ac(40MHz) (Ant 2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	N/A	N/A	3.350	3.350	8	Pass
159	5795	N/A	N/A	4.910	4.910	8	Pass

### Channel 151 (5755MHz)




Channel 159 (5795MHz)



Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 8: Transmit by 802.11ac(80MHz) (Ant 2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
155	5775	N/A	N/A	1.834	1.834	8	Pass


Channel 155 (5775MHz)




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 4: Transmit by 802.11n(20MHz) (Ant 0+1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
01	2412	3.060	4.340	-	6.757	8	Pass
06	2437	3.770	4.350	-	7.080	8	Pass
11	2462	3.840	4.190	-	7.029	8	Pass
149	5745	0.750	3.100	N/A	5.092	8	Pass
157	5785	0.460	3.110	N/A	4.994	8	Pass
165	5825	4.000	4.610	N/A	7.326	8	Pass


### Channel 01 (2412MHz) – Ant 0




Channel 06 (2437MHz) – Ant 0



Channel 11 (2462MHz) – Ant 0




Channel 01 (2412MHz) – Ant 1




Channel 06 (2437MHz) – Ant 1



Channel 11 (2462MHz) – Ant 1




Channel 149 (5745MHz) – Ant 0






Channel 157 (5785MHz) – Ant 0




Channel 165 (5825MHz) – Ant 0




Channel 149 (5745MHz) – Ant 1



Channel 157 (5785MHz) – Ant 1




Channel 165 (5825MHz) – Ant 1




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 5: Transmit by 802.11ac(20MHz) (Ant 0+1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	4.170	4.832	N/A	7.524	8	Pass
157	5785	3.282	4.596	N/A	6.999	8	Pass
165	5825	3.424	4.807	N/A	7.181	8	Pass


### Channel 149 (5745MHz) – Ant 0




Channel 157 (5785MHz) – Ant 0




Channel 165 (5825MHz) – Ant 0




Channel 149 (5745MHz) – Ant 1



Channel 157 (5785MHz) – Ant 1




Channel 165 (5825MHz) – Ant 1



Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 6: Transmit by 802.11n(40MHz) (Ant 0+1)


Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
03	2422	-2.890	-2.580		0.278	8	Pass
06	2437	0.690	1.400		4.070	8	Pass
09	2452	-1.800	-1.370		1.431	8	Pass
151	5755	1.280	1.770	N/A	4.542	8	Pass
159	5795	1.490	2.450	N/A	5.007	8	Pass

### Channel 03 (2422MHz) – Ant 0







Channel 06 (2437MHz) – Ant 0




Channel 09 (2452MHz) – Ant 0




Channel 03 (2422MHz) – Ant 1




Channel 06 (2437MHz) – Ant 1




Channel 09 (2452MHz) – Ant 1




Channel 151 (5755MHz) – Ant 0




Channel 159 (5795MHz) – Ant 0



Channel 151 (5755MHz) – Ant 1




Channel 159 (5795MHz) – Ant 1




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 7: Transmit by 802.11ac(40MHz) (Ant 0+1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	3.480	3.390	N/A	6.446	8	Pass
159	5795	3.560	4.010	N/A	6.801	8	Pass


Channel 151 (5755MHz) – Ant 0




Channel 159 (5795MHz) – Ant 0



Channel 151 (5755MHz) – Ant 1



Channel 159 (5795MHz) – Ant 1







Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 8: Transmit by 802.11ac(80MHz) (Ant 0+1)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
155	5775	0.314	0.992	N/A	3.677	8	Pass

Channel 155 (5775MHz) – Ant 0




Channel 155 (5775MHz) – Ant 1




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 4: Transmit by 802.11n(20MHz) (Ant 1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	N/A	2.810	-1.310	4.232	8	Pass
157	5785	N/A	4.660	4.350	7.518	8	Pass
165	5825	N/A	2.260	-0.020	4.278	8	Pass


### Channel 149 (5745MHz) – Ant 1




Channel 157 (5785MHz) – Ant 1




Channel 165 (5825MHz) – Ant 1




Channel 149 (5745MHz) – Ant 2



Channel 157 (5785MHz) – Ant 2




Channel 165 (5825MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 5: Transmit by 802.11ac(20MHz) (Ant 1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	N/A	3.743	4.013	6.890	8	Pass
157	5785	N/A	4.690	4.094	7.413	8	Pass
165	5825	N/A	4.584	3.657	7.155	8	Pass


### Channel 149 (5745MHz) – Ant 1



Channel 157 (5785MHz) – Ant 1




Channel 165 (5825MHz) – Ant 1







Channel 149 (5745MHz) – Ant 2



Channel 157 (5785MHz) – Ant 2




Channel 165 (5825MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 6: Transmit by 802.11n(40MHz) (Ant 1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	N/A	-1.520	-1.780	1.362	8	Pass
159	5795	N/A	1.500	-0.840	3.496	8	Pass


### Channel 151 (5755MHz) – Ant 1




Channel 159 (5795MHz) – Ant 1



Channel 151 (5755MHz) – Ant 2




Channel 159 (5795MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 7: Transmit by 802.11ac(40MHz) (Ant 1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	N/A	3.290	5.050	7.269	8	Pass
159	5795	N/A	0.790	4.730	6.203	8	Pass


### Channel 151 (5755MHz) – Ant 1




Channel 159 (5795MHz) – Ant 1



Channel 151 (5755MHz) – Ant 2



Channel 159 (5795MHz) – Ant 2







Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 8: Transmit by 802.11ac(80MHz) (Ant 1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
155	5775	N/A	0.792	1.893	4.388	8	Pass

Channel 155 (5775MHz) – Ant 1




Channel 155 (5775MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 4: Transmit by 802.11n (20MHz) (Ant 0+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	3.190	N/A	5.050	7.229	8	Pass
157	5785	0.550	N/A	3.280	5.136	8	Pass
165	5825	3.720	N/A	4.680	7.237	8	Pass


### Channel 149 (5745MHz) – Ant 0




Channel 157 (5785MHz) – Ant 0




Channel 165 (5825MHz) – Ant 0




Channel 149 (5745MHz) – Ant 2



Channel 157 (5785MHz) – Ant 2




Channel 165 (5825MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 5: Transmit by 802.11ac(20MHz) (Ant 0+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	3.347	N/A	4.802	7.145	8	Pass
157	5785	3.361	N/A	4.874	7.193	8	Pass
165	5825	3.152	N/A	4.295	6.771	8	Pass


Channel 149 (5745MHz) – Ant 0



Channel 157 (5785MHz) – Ant 0




Channel 165 (5825MHz) – Ant 0







Channel 149 (5745MHz) – Ant 2



Channel 157 (5785MHz) – Ant 2




Channel 165 (5825MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 6: Transmit by 802.11n(40MHz) (Ant 0+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	1.430	N/A	1.490	4.470	8	Pass
159	5795	1.580	N/A	3.230	5.493	8	Pass


### Channel 151 (5755MHz) – Ant 0




Channel 159 (5795MHz) – Ant 0



Channel 151 (5755MHz) – Ant 2




Channel 159 (5795MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 7: Transmit by 802.11ac(40MHz) (Ant 0+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	2.080	N/A	6.350	7.730	8	Pass
159	5795	3.280	N/A	5.660	7.641	8	Pass


### Channel 151 (5755MHz) – Ant 0




Channel 159 (5795MHz) – Ant 0



Channel 151 (5755MHz) – Ant 2



Channel 159 (5795MHz) – Ant 2







Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 8: Transmit by 802.11ac(80MHz) (Ant 0+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
155	5775	0.395	N/A	2.906	4.840	8	Pass

Channel 155 (5775MHz) – Ant 0




Channel 155 (5775MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 4: Transmit by 802.11n(20MHz) (Ant 0+1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	-1.710	1.240	1.520	5.345	8	Pass
157	5785	2.550	3.470	1.658	7.393	8	Pass
165	5825	2.040	3.570	3.500	7.863	8	Pass


### Channel 149 (5745MHz) – Ant 0




Channel 157 (5785MHz) – Ant 0




Channel 165 (5825MHz) – Ant 0




Channel 149 (5745MHz) – Ant 1




Channel 157 (5785MHz) – Ant 1




Channel 165 (5825MHz) – Ant 1




Channel 149 (5745MHz) – Ant 2



Channel 157 (5785MHz) – Ant 2




Channel 165 (5825MHz) – Ant 2



Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 5: Transmit by 802.11ac(20MHz) (Ant 0+1+2)


Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
149	5745	2.564	2.671	3.171	7.581	8	Pass
157	5785	1.043	2.194	3.037	6.938	8	Pass
165	5825	0.123	2.683	2.448	6.666	8	Pass

### Channel 149 (5745MHz) – Ant 0







Channel 157 (5785MHz) – Ant 0




Channel 165 (5825MHz) – Ant 0




Channel 149 (5745MHz) – Ant 1




Channel 157 (5785MHz) – Ant 1




Channel 165 (5825MHz) – Ant 1




Channel 149 (5745MHz) – Ant 2



Channel 157 (5785MHz) – Ant 2




Channel 165 (5825MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 6: Transmit by 802.11n(40MHz) (Ant 0+1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
151	5755	0.920	1.570	3.130	6.746	8	Pass
159	5795	1.070	1.380	3.060	6.699	8	Pass


### Channel 151 (5755MHz) – Ant 0




Channel 159 (5795MHz) – Ant 0




Channel 151 (5755MHz) – Ant 1




Channel 159 (5795MHz) – Ant 1



Channel 151 (5755MHz) – Ant 2




Channel 159 (5795MHz) – Ant 2









Channel 159 (5795MHz) – Ant 0




Channel 151 (5755MHz) – Ant 1




Channel 159 (5795MHz) – Ant 1



Channel 151 (5755MHz) – Ant 2




Channel 159 (5795MHz) – Ant 2




Product	:	Dual Band Wireless AC/N VDSL2 VoIP Combo WAN Gigabit IAD
Test Item	:	Power Spectral Density
Test Site	:	TR-8
Test Mode	:	Mode 8: Transmit by 802.11ac(80MHz) (Ant 0+1+2)

Channel No.	Frequency (MHz)	Measurement PPSD (dBm)			Total PPSD (dBm)	Limit (dBm)	Result
		Ant 0	Ant 1	Ant 2			
155	5775	0.426	1.153	2.989	6.432	8	Pass


Channel 155 (5775MHz) – Ant 0



Channel 155 (5775MHz) – Ant 1



Channel 155 (5775MHz) – Ant 2



The End