


ACME TESTING - SITE #2
REF 10.0 DBM ATTEN 20 DB

MKR 6.392 GHZ
-61.60 DBM

HP
10 DB/

POS PK

FCC CFR47, PART 15C, 15.247
OMNEX CONTROL SYSTEMS, INC.
DEX 900
CONDUCTED SPURIOUS W/6 DB PAD
LOW CHANNEL




START 2.00 GHZ RES BW 100 KHZ VBW 300 KHZ STOP 10.00 GHZ
SWP 1.00 sec

ACME TESTING -- SITE #2
REF 10.0 DBM ATTEN 20 DB

MKR 6.392 GHZ
-61.60 DBM

HP
10 DB/
POS PK

FCC CFR47, PART 15C, 15.247
OMNEX CONTROL SYSTEMS, INC.
DEX 900
CONDUCTED SPURIOUS W/6 DB PAD
MIDDLE CHANNEL



START 2.00 GHZ STOP 10.00 GHZ
RES BW 100 KHZ VBW 300 KHZ SWP 1.00 sec


ACME TESTING - SITE #2 MKR 568 MHz
REF 20.0 dBm ATTN 20 DB + 30 DB -55.10 dBm

HP
10 dB/

POS PK

OFFSET
10.0
dB

FCC CFR47, PART 15C, 15.247
OMNEX CONTROL SYSTEMS, INC.
DEX 900
CONDUCTED SPURIOUS W/6 DB PAD
LOW CHANNEL



START 30 MHz RES BW 100 KHZ VBW 300 KHZ STOP 2.00 GHZ
SMP 1.00 sec


ACME TESTING - SITE #2 MKR 568 MHZ
REF 20.0 dBm ATTN 20 dB + 30 dB -55.60 dBm

HP
10 dB/

POS PK

OFFSET
10.0
dB


FCC CFR47, PART 15C, 15.247
OMNEX CONTROL SYSTEMS, INC.
DEX 900
CONDUCTED SPURIOUS W/6 DB PAD
MIDDLE CHANNEL



START 30 MHz RES BW 100 KHZ VBW 300 KHZ STOP 2.00 GHz
SWP 1.00 sec

ACME TESTING - SITE #2 MKR 1.112 GHz
 REF 20.0 dBm ATTN 20 dB + 30 dB -54.60 dBm

HP
 10 dB/
 POS PK
 OFFSET
 10.0
 dB



START 30 MHz RES BW 100 KHZ VBW 300 KHZ STOP 2.00 GHz
 SWP 1.00 sec