

Federal Communications Commission

Date: Oct. 20, 1999

Authorization and Evaluation Division
7435 Oakland Mills Rd.
Columbia, MD. 21046

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated
into unit with - **FCC ID: IAWU5013**

Dear Sirs:


This letter serves as our declaration that all modifications listed below were implemented in the sample submitted for testing. We further declare that the same modifications will be implemented into all production units to enhance compliance of the units to FCC limits.

The modifications include the following:

- 1) Added four ferrite cores on the video cable, two inside and two outside the monitor. (see photo 2 & 9)
- 2) Added a metal cover on the CRT board and it was connected to chassis by seven ground wires. (see photo 7 & 8)
- 3) Added a ferrite core on the wires connected between front control board and main board. (see photo 10)
- 4) Added a ferrite core on the harness of focus and G2 wire. Focus wire with one turn. (see photo 11)
- 5) Added a ferrite core on the harness of focus wires and G2 wire with one turn. (see photo 11)
- 6) Added four capacitors, two bead cores and one jump wire on the solder side of main board for EMI. They will be built into component side after circuit re-layout. (see photo 12)

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Mike Su of ADT Lab. at fax No.: 886-2-2602-2943 or
E-mail: mike@mail.adt.com.tw

Sincerely yours,



Stanley Hsieh / Deputy Manager
MAG TECHNOLOGY CO., LTD.