


VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

13. Conducted Spurious - Receiver 1.

Specification: 1 GHz to 4 GHz: -47 dBm receive




Date: 14.MAR.2008 19:15:41

VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

13. Conducted Spurious - Receiver 2.

Specification: 9 kHz to 10 MHz: -57 dBm receive




Date: 14.MAR.2008 19:18:03

VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

13. Conducted Spurious - Receiver 2.

Specification: 10 MHz to 1 GHz: -57 dBm receive




Date: 14.MAR.2008 19:17:22

VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

13. Conducted Spurious - Receiver 2.

Specification: 1 GHz to 4 GHz: -47 dBm receive




Date: 14.MAR.2008 19:16:33

VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

14. Conducted Spurious Transmitter.

Specification: 9 kHz to 10 MHz: -36 dBm transmit




Date: 14.MAR.2008 18:38:41

VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

14. Conducted Spurious Transmitter.

Specification: 10 MHz to 161.9625 MHz: -36 dBm transmit




Date: 14.MAR.2008 18:37:07

VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

14. Conducted Spurious Transmitter.

Specification: 162.0875 MHz to 1 GHz: -36 dBm transmit




Date: 14.MAR.2008 18:35:25

VIII. Measurement Results for ATN01-311-03 Physical Tests Cont'd:

14. Conducted Spurious Transmitter.

Specification: 1 GHz to 4 GHz: -30 dBm transmit



Date: 14.MAR.2008 18:30:54