


ELITE ELECTRONIC ENGINEERING CO

MKR 1.888 600 GHz
-21.00 dBm

REF 22.8 dBm
ATTEN 40 dB + 40dB Ext



D. CROWDER
13 Mar 2000
10:45:49

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYNG486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
MODE : CDMA @ 1888.77MHz
NOTES : FULL OUTPUT (15dB GAIN)

hp
10 dB/

CENTER 1.888 77 GHz
RES BW 30 kHz
UBW 100 kHz
SPAN 5.00 MHz
SWP 20.0 msec


ELITE ELECTRONIC ENGINEERING CO

MKR 1.890 480 GHz
-49.10 dBm

hp

10 dB/

REF 22.8 dBm ATTN 40 dB +40dB EXT



SPAN 5.00 MHz
SWP 20.0 msec

VBW 100 kHz

CENTER 1.891 23 GHz
RES BW 30 kHz

ELITE ELECTRONIC ENGINEERING CO

MKR 1.908 020 GHz
-47.60 dBm

ATTEN 40 dB + 40 dB EXT


REF 22.8 dBm

hp

10 dB/

MANUFACTURER : TRL TECHNOLOGY
 MODEL : SYN8486A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
 MODE : CDMA @ 1908.77MHz
 NOTES : FULL OUTPUT (15dB GAIN)

D. CROWDER
 13 Mar 2000
 10:51:57



SPAN 5.00 MHz
SWP 20.0 msec

VBW 100 kHz

CENTER 1.908 77 GHz
RES BW 30 kHz