

ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-10.30 dBm

ATTEN 20 dB + 20 dB EXT

REF 7.0 dBm

hp

10 dB/

OFFSET

-10.0


dB

DL

-33.0

dBm

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : FM @ 1860MHz
NOTES : INPUT



D. CROJDER
14 Mar 2008
11:20:07

STOP 2.00 GHz
SWP 25.0 msec

UBW 3 MHz

RES BW 1 MHz

START 1.00 GHz

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-47.30 dBm

REF 7.0 dBm ATTN 20 dB + 20 dB X +

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : FM @ 1868MHz
NOTES : INPUT


D. CROUDER
14 Mar 2008
11:28:37

hp

10 dB/

OFFSET
-10.0
dB

DL
-33.0
dBm



STOP 20.0 GHz
SJP 450 msec

UBW 3 MHz


START 2.0 GHz
RES BW 1 MHz

ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-58.00 dBm

ATTEN 20 dB +40 dB EXT

REF 7.0 dBm



hp

10 dB/

OFFSET

-10.0

dB

DL

-53.0

dBm

START 1.00 GHz

RES BW 1 MHz

VBW 3 MHz

STOP 2.00 GHz

SWP 25.0 msec