


ELITE ELECTRONIC ENGINEERING CO




ELITE ELECTRONIC ENGINEERING CO

MKR 1.674 GHz
-45.90 dBm

ATTEN 10 dB + 30 dB EXT

REF 10.0 dBm

hp 10 dB/
10.0 dB



D. CROWDER
29 Jun 1999
07:53:47

MANUFACTURER : TRL TECHNOLOGIES
MODEL : SYN8015A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS
MODE : FM @ 836.5MHz (28.0dBm OUTPUT)
NOTES : INPUT

STOP 2.00 GHz
SWP 25.0 msec

UBW 3 MHz

START 1.00 GHz
RES BW 1 MHz(i)


ELITE ELECTRONIC ENGINEERING CO

MKR 2.504 GHz
-40.00 dBm

ATTEN 0 dB + 30dB EXT

REF 0.0 dBm

hp 10 dB/



MANUFACTURER : TRL TECHNOLOGIES
MODEL : SYN8015A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS
MODE : FM @ 836.5MHz (28.0dBm OUTPUT)
NOTES : INPUT

OFFSET
10.0
dB

STOP 10.00 GHz
SWP 200 msec

UBW 3 MHz

START 2.00 GHz
RES BW 1 MHz(i)

ELITE ELECTRONIC ENGINEERING CO

MKR 835.1 MHz
2.40 dBm

ATTEN 10 dB + 30 dB Ext

REF 20.0 dBm

hp

10 dB/

OFFSET


20.0

dB

DL

-44.0

dBm



STOP 1.000 GHz
SWP 728 msec

UBW 1 MHz

RES BW 100 kHz(i)

START 30 MHz

ELITE ELECTRONIC ENGINEERING CO

MKR 836.53 MHz
2.30 dBm

hp


REF 20.0 dBm

ATTEN 10 dB + 30 dB EXT

10 dB/

OFFSET
20.0
dB

DL
-44.0
dBm



CENTER 836.5 MHz

RES BW 30 kHz(i)

VBW 300 kHz

SPAN 25.0 MHz

SWP 188 msec