


ELITE ELECTRONIC ENGINEERING Co.

Downers Grove, Ill. 60515

UNIU_EM_RUN RUN 8

LK08 82/24/98

TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPURIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx CW @ 836.5MHz (31.2dBm OUTPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL





PAGE 52 OF 70
RADIATED NARROWBAND EMISSIONS - dBu/m

START = 2000

FREQUENCY - MHz

STOP = 10000






ELITE ELECTRONIC ENGINEERING Co.
Downers Grove, Ill. 60515


UNIU_EH_RUN RUN 9

UKRB 02/24/98

TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPURIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx TDMA @ 836.5MHz (31.2dBm OUTPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL



START = 30 STOP = 2000



ELITE ELECTRONIC ENGINEERING Co.


Downers Grove, Ill. 60515

UNTU_EH_RUN RUN 9

EEC

UKAB 02/24/98

TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPIRIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx CDMA @ 836.5MHz (29.5dBm OUTPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL



START = 30

FREQUENCY - MHz

STOP = 2000