


ELITE ELECTRONIC ENGINEERING Co.

Downer's Grove, Ill. 60515

UNIU_EM_RUN RUN 8

UK08 02/24/98



TEST : RADIATED NARROWBAND EMISSIONS
 SPEC : FCC-22 SPURIOUS RAD EM @ 3m
 MANUFACTURER : TRL TECHNOLOGIES
 MODEL No. :
 S/N : NONE ASSIGNED
 MODE : Tx CDMA @ 836.5MHz (29.5dBm OUTPUT)
 DATE TESTED : 25 Jun 1999 D. CROWDER
 NOTES : INTO 50 OHMS
 ANT POLARITY : VERTICAL

RADIATED NARROWBAND EMISSIONS - dBu/m PAGE 58 OF 70

START = 2000 STOP = 10000 FREQUENCY - MHz

ELITE ELECTRONIC ENGINEERING Co.


Downers Grove, Ill. 60515

UNIT EM RUN RUN 15

UK98 82/24/58

EET

TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPURIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx CW @ 881.5MHz (-30dBm INPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL




ELITE ELECTRONIC ENGINEERING Co.
Downers Grove, Ill. 60515

UNIU_EH RUN RUN 16

EE

UKAB 02/24/98



TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPURIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx CW @ 881.5MHz (-30dBm INPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL

RADIATED NARROWBAND EMISSIONS - dBu/m PAGE 60 OF 70

STOP = 10000

FREQUENCY - MHz

START = 2000


ELITE ELECTRONIC ENGINEERING Co.

Downer's Grove, Ill. 60515

UNIU_EH_RUN RUN 15

TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPURIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx FM @ 88.15MHz (-30dBm INPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL

UK48 82/24/98




START = 30 STOP = 2000

ELITE ELECTRONIC ENGINEERING Co.

Downers Grove, Ill. 60515

UNIT_EH_RUN RUN 14

UK98 02/24/98



TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPURIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx FM @ 881.5MHz (-30dBm INPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL

RADIATED NARROWBAND EMISSIONS - dBu/m PAGE 62 70


START = 2000 FREQUENCY - MHz STOP = 10000

ELITE ELECTRONIC ENGINEERING Co.
Downers Grove, Ill. 60515

UNIT0_EH_RUN RUN 13

TEST : RADIATED NARROWBAND EMISSIONS
SPEC : FCC-22 SPURIOUS RAD EM @ 3m
MANUFACTURER : TRL TECHNOLOGIES
MODEL No. :
S/N : NONE ASSIGNED
MODE : Tx TDMA @ 881.5MHz (-30dBm INPUT)
DATE TESTED : 25 Jun 1999 D. CROWDER
NOTES : INTO 50 OHMS
ANT POLARITY : VERTICAL

UKAB 02/24/98



STOP = 2000

FREQUENCY - MHz

START = 30

