

SPECIFICATION COMPLIANCE STATEMENT

Transceiver type FCC ID: IHDP56JF1 has been tested in accordance with the requirements contained in the appropriate Commission regulations. To the best of my knowledge, these tests were performed using measurement procedures consistent with industry or Commission standards and demonstrate that this equipment complies with the appropriate standards. Each unit manufactured imported or marketed, will conform to the sample tested within the variations that can be expected due to quantity production and testing on a statistical basis. I further certify that the necessary measurements were made at:

Motorola Mobile Devices Business
Product Safety and Compliance Group
600 North US Hwy 45
Libertyville, IL 60048

NAME: Shankar Chidambaram
TITLE: Engineering Manager
CDMA Low Tier Engineering

Date: July 25, 2008

STATEMENT OF CERTIFICATION

I hereby certify that the above application was prepared under my direction and that to the best of my knowledge and belief, the facts set forth in this application and accompanying technical data are true and correct.

The technical data supplied with this application was taken under my supervision and is hereby duly certified. I also certify that this transmit equipment (FCC ID: IHDP56JF1) is in compliance with all applicable parts of the FCC Rules.

NAME: Joe Steffen
TITLE: Electrical Lead Engineer
CDMA Low Tier Engineering

Date: July 25, 2008

ATTESTATION STATEMENT

This device contains an embedded Bluetooth device that Motorola confirms compliance with the following Part 15 regulations.

15.247(a)(1)

- the hopping sequence must be pseudorandom
- all Channels are used equally on average
- the receiver input bandwidth is approximately equal to the transmit bandwidth
- the receiver hops in sequence with the transmitted signal

15.247(g)

the system is designed to comply with all of the regulations in Section 15.247 when the transmitter is presented with a continuous data (or information)

15.247(h)

the system does not coordinate its channel selection/hopping sequence with other frequency hopping systems for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters

NAME: Shankar Chidambaram
TITLE: ENGINEERING MANAGER
Mobile Device Business
Motorola, Inc.
7/25/2008